

Mietek Jaroniec

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2959242/publications.pdf>

Version: 2024-02-01

887

papers

114,465

citations

219

146

h-index

171

321

g-index

916

all docs

916

docs citations

916

times ranked

59931

citing authors

#	ARTICLE	IF	CITATIONS
1	Design of electrocatalysts for oxygen- and hydrogen-involving energy conversion reactions. Chemical Society Reviews, 2015, 44, 2060-2086.	38.1	4,323
2	Heterojunction Photocatalysts. Advanced Materials, 2017, 29, 1601694.	21.0	3,143
3	Polymeric Photocatalysts Based on Graphitic Carbon Nitride. Advanced Materials, 2015, 27, 2150-2176.	21.0	3,046
4	Gas Adsorption Characterization of Ordered Organic-Inorganic Nanocomposite Materials. Chemistry of Materials, 2001, 13, 3169-3183.	6.7	3,036
5	Graphene-based semiconductor photocatalysts. Chemical Society Reviews, 2012, 41, 782-796.	38.1	2,497
6	Synthesis of New, Nanoporous Carbon with Hexagonally Ordered Mesostructure. Journal of the American Chemical Society, 2000, 122, 10712-10713.	13.7	2,331
7	Synergetic Effect of MoS ₂ and Graphene as Cocatalysts for Enhanced Photocatalytic H ₂ Production Activity of TiO ₂ Nanoparticles. Journal of the American Chemical Society, 2012, 134, 6575-6578.	13.7	2,245
8	Earth-abundant cocatalysts for semiconductor-based photocatalytic water splitting. Chemical Society Reviews, 2014, 43, 7787-7812.	38.1	2,125
9	All-Solid-State Scheme Photocatalytic Systems. Advanced Materials, 2014, 26, 4920-4935.	21.0	1,989
10	Sulfur and Nitrogen Dual-Doped Mesoporous Graphene Electrocatalyst for Oxygen Reduction with Synergistically Enhanced Performance. Angewandte Chemie - International Edition, 2012, 51, 11496-11500.	13.8	1,898
11	Hydrogen evolution by a metal-free electrocatalyst. Nature Communications, 2014, 5, 3783.	12.8	1,851
12	Metal-Organic Framework Derived Hybrid Co ₃ O ₄ -Carbon Porous Nanowire Arrays as Reversible Oxygen Evolution Electrodes. Journal of the American Chemical Society, 2014, 136, 13925-13931.	13.7	1,744
13	Enhanced Photocatalytic CO ₂ -Reduction Activity of Anatase TiO ₂ by Coexposed {001} and {101} Facets. Journal of the American Chemical Society, 2014, 136, 8839-8842.	13.7	1,701
14	Preparation and Enhanced Visible-Light Photocatalytic H ₂ -Production Activity of Graphene/C ₃ N ₄ Composites. Journal of Physical Chemistry C, 2011, 115, 7355-7363.	3.1	1,694
15	Advancing the Electrochemistry of the Hydrogen-Evolution Reaction through Combining Experiment and Theory. Angewandte Chemie - International Edition, 2015, 54, 52-65.	13.8	1,616
16	Cocatalysts for Selective Photoreduction of CO ₂ into Solar Fuels. Chemical Reviews, 2019, 119, 3962-4179.	47.7	1,591
17	Graphitic carbon nitride materials: controllable synthesis and applications in fuel cells and photocatalysis. Energy and Environmental Science, 2012, 5, 6717.	30.8	1,552
18	Hierarchical photocatalysts. Chemical Society Reviews, 2016, 45, 2603-2636.	38.1	1,517

#	ARTICLE	IF	CITATIONS
19	Ordered Mesoporous Carbons. <i>Advanced Materials</i> , 2001, 13, 677-681.	21.0	1,454
20	Characterization of the Porous Structure of SBA-15. <i>Chemistry of Materials</i> , 2000, 12, 1961-1968.	6.7	1,280
21	Direct Z-scheme photocatalysts: Principles, synthesis, and applications. <i>Materials Today</i> , 2018, 21, 1042-1063.	14.2	1,134
22	Hydrogen Production by Photocatalytic Water Splitting over Pt/TiO ₂ Nanosheets with Exposed {001} Facets. <i>Journal of Physical Chemistry C</i> , 2010, 114, 13118-13125.	3.1	1,071
23	Roadmap for advanced aqueous batteries: From design of materials to applications. <i>Science Advances</i> , 2020, 6, eaba4098.	10.3	1,069
24	Cocatalysts in Semiconductor-Based Photocatalytic CO ₂ Reduction: Achievements, Challenges, and Opportunities. <i>Advanced Materials</i> , 2018, 30, 1704649.	21.0	1,034
25	Tunable Photocatalytic Selectivity of Hollow TiO ₂ Microspheres Composed of Anatase Polyhedra with Exposed {001} Facets. <i>Journal of the American Chemical Society</i> , 2010, 132, 11914-11916.	13.7	979
26	Nanoporous Graphitic-C ₃ N ₄ @Carbon Metal-Free Electrocatalysts for Highly Efficient Oxygen Reduction. <i>Journal of the American Chemical Society</i> , 2011, 133, 20116-20119.	13.7	958
27	Toward Design of Synergistically Active Carbon-Based Catalysts for Electrocatalytic Hydrogen Evolution. <i>ACS Nano</i> , 2014, 8, 5290-5296.	14.6	947
28	Origin of the Electrocatalytic Oxygen Reduction Activity of Graphene-Based Catalysts: A Roadmap to Achieve the Best Performance. <i>Journal of the American Chemical Society</i> , 2014, 136, 4394-4403.	13.7	946
29	Two-Step Boron and Nitrogen Doping in Graphene for Enhanced Synergistic Catalysis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3110-3116.	13.8	863
30	High Electrocatalytic Hydrogen Evolution Activity of an Anomalous Ruthenium Catalyst. <i>Journal of the American Chemical Society</i> , 2016, 138, 16174-16181.	13.7	852
31	Noble Metal-Free Reduced Graphene Oxide-Zn _x Cd _{1-x} S Nanocomposite with Enhanced Solar Photocatalytic H ₂ -Production Performance. <i>Nano Letters</i> , 2012, 12, 4584-4589.	9.1	845
32	Molecular-based design and emerging applications of nanoporous carbon spheres. <i>Nature Materials</i> , 2015, 14, 763-774.	27.5	838
33	High-Performance Sodium Ion Batteries Based on a 3D Anode from Nitrogen-Doped Graphene Foams. <i>Advanced Materials</i> , 2015, 27, 2042-2048.	21.0	812
34	Heteroatom-Doped Graphene-Based Materials for Energy-Relevant Electrocatalytic Processes. <i>ACS Catalysis</i> , 2015, 5, 5207-5234.	11.2	800
35	Enhanced photocatalytic H ₂ -production activity of graphene-modified titania nanosheets. <i>Nanoscale</i> , 2011, 3, 3670.	5.6	742
36	Graphitic Carbon Nitride Nanosheet-Carbon Nanotube Three-Dimensional Porous Composites as High-Performance Oxygen Evolution Electrocatalysts. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 7281-7285.	13.8	737

#	ARTICLE	IF	CITATIONS
37	Phosphorus-Doped Graphitic Carbon Nitrides Grown In Situ on Carbon Fiber Paper: Flexible and Reversible Oxygen Electrodes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4646-4650.	13.8	722
38	Understanding the Roadmap for Electrochemical Reduction of CO ₂ to Multi-Carbon Oxygenates and Hydrocarbons on Copper-Based Catalysts. <i>Journal of the American Chemical Society</i> , 2019, 141, 7646-7659.	13.7	711
39	Anatase TiO ₂ with Dominant High-Energy {001} Facets: Synthesis, Properties, and Applications. <i>Chemistry of Materials</i> , 2011, 23, 4085-4093.	6.7	669
40	Porous C ₃ N ₄ Nanolayers@N-Graphene Films as Catalyst Electrodes for Highly Efficient Hydrogen Evolution. <i>ACS Nano</i> , 2015, 9, 931-940.	14.6	655
41	Self-Templating Synthesis of Hollow Co ₃ O ₄ Microtube Arrays for Highly Efficient Water Electrolysis. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 1324-1328.	13.8	648
42	Building Up a Picture of the Electrocatalytic Nitrogen Reduction Activity of Transition Metal Single-Atom Catalysts. <i>Journal of the American Chemical Society</i> , 2019, 141, 9664-9672.	13.7	642
43	Block-Copolymer-Templated Ordered Mesoporous Silica: An Array of Uniform Mesopores or Mesopore-Micropore Network?. <i>Journal of Physical Chemistry B</i> , 2000, 104, 11465-11471.	2.6	631
44	Ultra-thin nanosheet assemblies of graphitic carbon nitride for enhanced photocatalytic CO ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3230-3238.	10.3	621
45	Interacting Carbon Nitride and Titanium Carbide Nanosheets for High-Performance Oxygen Evolution. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1138-1142.	13.8	597
46	Nitrogen and Oxygen Dual-Doped Carbon Hydrogel Film as a Substrate-Free Electrode for Highly Efficient Oxygen Evolution Reaction. <i>Advanced Materials</i> , 2014, 26, 2925-2930.	21.0	594
47	Facile Oxygen Reduction on a Three-Dimensionally Ordered Macroporous Graphitic C ₃ N ₄ /Carbon Composite Electrocatalyst. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 3892-3896.	13.8	588
48	Engineering surface atomic structure of single-crystal cobalt (II) oxide nanorods for superior electrocatalysis. <i>Nature Communications</i> , 2016, 7, 12876.	12.8	568
49	Nanostructured Metal-Free Electrochemical Catalysts for Highly Efficient Oxygen Reduction. <i>Small</i> , 2012, 8, 3550-3566.	10.0	559
50	Three-Dimensional N-Doped Graphene Hydrogel/NiCo Double Hydroxide Electrocatalysts for Highly Efficient Oxygen Evolution. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13567-13570.	13.8	547
51	Nitrogen Enriched Porous Carbon Spheres: Attractive Materials for Supercapacitor Electrodes and CO ₂ Adsorption. <i>Chemistry of Materials</i> , 2014, 26, 2820-2828.	6.7	539
52	Determination of the Electron Transfer Number for the Oxygen Reduction Reaction: From Theory to Experiment. <i>ACS Catalysis</i> , 2016, 6, 4720-4728.	11.2	513
53	Standard Nitrogen Adsorption Data for Characterization of Nanoporous Silicas. <i>Langmuir</i> , 1999, 15, 5410-5413.	3.5	512
54	A noble metal-free reduced graphene oxide-CdS nanorod composite for the enhanced visible-light photocatalytic reduction of CO ₂ to solar fuel. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3407.	10.3	499

#	ARTICLE	IF	CITATIONS
55	An isotherm equation for adsorption on fractal surfaces of heterogeneous porous materials. <i>Langmuir</i> , 1989, 5, 1431-1433.	3.5	492
56	Molecular Scaffolding Strategy with Synergistic Active Centers To Facilitate Electrocatalytic CO ₂ Reduction to Hydrocarbon/Alcohol. <i>Journal of the American Chemical Society</i> , 2017, 139, 18093-18100.	13.7	439
57	Optimization of mesoporous carbon structures for lithium-sulfur battery applications. <i>Journal of Materials Chemistry</i> , 2011, 21, 16603.	6.7	417
58	Activated Carbon Spheres for CO ₂ Adsorption. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 1849-1855.	8.0	402
59	Fabrication and enhanced visible-light photocatalytic activity of carbon self-doped TiO ₂ sheets with exposed {001} facets. <i>Journal of Materials Chemistry</i> , 2011, 21, 1049-1057.	6.7	390
60	Importance of small micropores in CO ₂ capture by phenolic resin-based activated carbon spheres. <i>Journal of Materials Chemistry A</i> , 2013, 1, 112-116.	10.3	383
61	Semiconductor-based photocatalytic CO ₂ conversion. <i>Materials Horizons</i> , 2015, 2, 261-278.	12.2	380
62	Ordered Mesoporous Silica with Large Cage-Like Pores: Structural Identification and Pore Connectivity Design by Controlling the Synthesis Temperature and Time. <i>Journal of the American Chemical Society</i> , 2003, 125, 821-829.	13.7	367
63	Ni(OH) ₂ modified CdS nanorods for highly efficient visible-light-driven photocatalytic H ₂ generation. <i>Green Chemistry</i> , 2011, 13, 2708.	9.0	363
64	Activating cobalt(II) oxide nanorods for efficient electrocatalysis by strain engineering. <i>Nature Communications</i> , 2017, 8, 1509.	12.8	361
65	Enhanced Performance of NaOH-Modified Pt/TiO ₂ toward Room Temperature Selective Oxidation of Formaldehyde. <i>Environmental Science & Technology</i> , 2013, 47, 2777-2783.	10.0	355
66	Electrochemically Active Nitrogen-Enriched Nanocarbons with Well-Defined Morphology Synthesized by Pyrolysis of Self-Assembled Block Copolymer. <i>Journal of the American Chemical Society</i> , 2012, 134, 14846-14857.	13.7	354
67	Charge-Redistribution-Enhanced Nanocrystalline Ru@IrO _x Electrocatalysts for Oxygen Evolution in Acidic Media. <i>CheM</i> , 2019, 5, 445-459.	11.7	354
68	Ordered Mesoporous Alumina-Supported Metal Oxides. <i>Journal of the American Chemical Society</i> , 2008, 130, 15210-15216.	13.7	346
69	Determination of Pore Size and Pore Wall Structure of MCM-41 by Using Nitrogen Adsorption, Transmission Electron Microscopy, and X-ray Diffraction. <i>Journal of Physical Chemistry B</i> , 2000, 104, 292-301.	2.6	342
70	Nitrogen self-doped nanosized TiO ₂ sheets with exposed {001} facets for enhanced visible-light photocatalytic activity. <i>Chemical Communications</i> , 2011, 47, 6906.	4.1	342
71	Electrocatalytic Refinery for Sustainable Production of Fuels and Chemicals. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 19572-19590.	13.8	341
72	Characterization of Large-Pore MCM-41 Molecular Sieves Obtained via Hydrothermal Restructuring. <i>Chemistry of Materials</i> , 1997, 9, 2499-2506.	6.7	337

#	ARTICLE	IF	CITATIONS
73	Characterization of Ordered Mesoporous Carbons Synthesized Using MCM-48 Silicas as Templates. <i>Journal of Physical Chemistry B</i> , 2000, 104, 7960-7968.	2.6	333
74	Tailoring the Pore Structure of SBA-16 Silica Molecular Sieve through the Use of Copolymer Blends and Control of Synthesis Temperature and Time. <i>Journal of Physical Chemistry B</i> , 2004, 108, 11480-11489.	2.6	333
75	Facet effect of Pd cocatalyst on photocatalytic CO ₂ reduction over g-C ₃ N ₄ . <i>Journal of Catalysis</i> , 2017, 349, 208-217.	6.2	332
76	Preparation and enhanced visible-light photocatalytic H ₂ -production activity of CdS quantum dots-sensitized Zn _{1-x} Cd _x S solid solution. <i>Green Chemistry</i> , 2010, 12, 1611.	9.0	321
77	Engineering High-Energy Interfacial Structures for High-Performance Oxygen-Involving Electrocatalysis. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8539-8543.	13.8	314
78	Solution combustion synthesis of metal oxide nanomaterials for energy storage and conversion. <i>Nanoscale</i> , 2015, 7, 17590-17610.	5.6	312
79	N-doped graphene film-confined nickel nanoparticles as a highly efficient three-dimensional oxygen evolution electrocatalyst. <i>Energy and Environmental Science</i> , 2013, 6, 3693.	30.8	309
80	Strategies for design of electrocatalysts for hydrogen evolution under alkaline conditions. <i>Materials Today</i> , 2020, 36, 125-138.	14.2	308
81	Nickel ferrocyanide as a high-performance urea oxidation electrocatalyst. <i>Nature Energy</i> , 2021, 6, 904-912.	39.5	305
82	Photocatalytic hydrogen production over CuO-modified titania. <i>Journal of Colloid and Interface Science</i> , 2011, 357, 223-228.	9.4	292
83	Short-Range Ordered Iridium Single Atoms Integrated into Cobalt Oxide Spinel Structure for Highly Efficient Electrocatalytic Water Oxidation. <i>Journal of the American Chemical Society</i> , 2021, 143, 5201-5211.	13.7	287
84	Nitrogen and sulfur co-doped TiO ₂ nanosheets with exposed {001} facets: synthesis, characterization and visible-light photocatalytic activity. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 4853-4861.	2.8	282
85	Improvement of the Kruk-Jaroniec-Sayari Method for Pore Size Analysis of Ordered Silicas with Cylindrical Mesopores. <i>Langmuir</i> , 2006, 22, 6757-6760.	3.5	275
86	Na ₂ Ti ₃ O ₇ @N-Doped Carbon Hollow Spheres for Sodium-Ion Batteries with Excellent Rate Performance. <i>Advanced Materials</i> , 2017, 29, 1700989.	21.0	275
87	Facile Synthesis of Ordered Mesoporous Alumina and Alumina-Supported Metal Oxides with Tailored Adsorption and Framework Properties. <i>Chemistry of Materials</i> , 2011, 23, 1147-1157.	6.7	268
88	Non-Noble Plasmonic Metal-Based Photocatalysts. <i>Chemical Reviews</i> , 2022, 122, 10484-10537.	47.7	268
89	Transition metal dichalcogenides for alkali metal ion batteries: engineering strategies at the atomic level. <i>Energy and Environmental Science</i> , 2020, 13, 1096-1131.	30.8	266
90	Novel Bifunctional Periodic Mesoporous Organosilicas, BPMOs:Â Synthesis, Characterization, Properties and in-Situ Selective Hydroboration-Alcoholysis Reactions of Functional Groups. <i>Journal of the American Chemical Society</i> , 2001, 123, 8520-8530.	13.7	260

#	ARTICLE	IF	CITATIONS
91	Characterization of semiconductor photocatalysts. Chemical Society Reviews, 2019, 48, 5184-5206.	38.1	260
92	Graphitized Pitch-Based Carbons with Ordered Nanopores Synthesized by Using Colloidal Crystals as Templates. Journal of the American Chemical Society, 2005, 127, 4188-4189.	13.7	252
93	Synthesis and Characterization of Hexagonally Ordered Carbon Nanopipes. Chemistry of Materials, 2003, 15, 2815-2823.	6.7	250
94	Tunable photocatalytic selectivity of TiO ₂ films consisted of flower-like microspheres with exposed {001} facets. Chemical Communications, 2011, 47, 4532.	4.1	250
95	Nickel-based materials for supercapacitors. Materials Today, 2019, 25, 35-65.	14.2	247
96	Nitrogen Adsorption Studies of Novel Synthetic Active Carbons. Journal of Colloid and Interface Science, 1997, 192, 250-256.	9.4	243
97	Mesoporous hybrid material composed of Mn ₃ O ₄ nanoparticles on nitrogen-doped graphene for highly efficient oxygen reduction reaction. Chemical Communications, 2013, 49, 7705-7707.	4.1	241
98	Preparation and enhanced visible-light photocatalytic H ₂ -production activity of CdS-sensitized Pt/TiO ₂ nanosheets with exposed (001) facets. Physical Chemistry Chemical Physics, 2011, 13, 8915.	2.8	235
99	Expanding the Pore Size of MCM-41 Silicas: Use of Amines as Expanders in Direct Synthesis and Postsynthesis Procedures. Journal of Physical Chemistry B, 1999, 103, 3651-3658.	2.6	234
100	Template-free synthesis of hierarchical spindle-like γ -Al ₂ O ₃ materials and their adsorption affinity towards organic and inorganic pollutants in water. Journal of Materials Chemistry, 2010, 20, 4587.	6.7	232
101	Colloidal Imprinting: A Novel Approach to the Synthesis of Mesoporous Carbons. Journal of the American Chemical Society, 2001, 123, 9208-9209.	13.7	231
102	Mesoporous MnCo ₂ O ₄ with abundant oxygen vacancy defects as high-performance oxygen reduction catalysts. Journal of Materials Chemistry A, 2014, 2, 8676-8682.	10.3	227
103	The solution of adsorption integral equations by means of the regularization method. Journal of Computational Chemistry, 1992, 13, 17-32.	3.3	225
104	Atomically and Electronically Coupled Pt and CoO Hybrid Nanocatalysts for Enhanced Electrocatalytic Performance. Advanced Materials, 2017, 29, 1604607.	21.0	224
105	Anomalous hydrogen evolution behavior in high-pH environment induced by locally generated hydronium ions. Nature Communications, 2019, 10, 4876.	12.8	220
106	Periodic Mesoporous Organosilica with Large Heterocyclic Bridging Groups. Journal of the American Chemical Society, 2005, 127, 60-61.	13.7	217
107	Toward designing semiconductor-semiconductor heterojunctions for photocatalytic applications. Applied Surface Science, 2018, 430, 2-17.	6.1	211
108	Evidence for General Nature of Pore Interconnectivity in 2-Dimensional Hexagonal Mesoporous Silicas Prepared Using Block Copolymer Templates. Journal of Physical Chemistry B, 2002, 106, 4640-4646.	2.6	208

#	ARTICLE	IF	CITATIONS
109	Silica“metal core”shell nanostructures. <i>Advances in Colloid and Interface Science</i> , 2012, 170, 28-47.	14.7	204
110	A simple cation exchange approach to Bi-doped ZnS hollow spheres with enhanced UV and visible-light photocatalytic H ₂ -production activity. <i>Journal of Materials Chemistry</i> , 2011, 21, 14655.	6.7	203
111	Synthesis of Mesoporous Carbons Using Ordered and Disordered Mesoporous Silica Templates and Polyacrylonitrile as Carbon Precursor. <i>Journal of Physical Chemistry B</i> , 2005, 109, 9216-9225.	2.6	200
112	Efficient catalytic removal of formaldehyde at room temperature using AlOOH nanoflakes with deposited Pt. <i>Applied Catalysis B: Environmental</i> , 2015, 163, 306-312.	20.2	199
113	Integrating 2D/2D CdS/±-Fe ₂ O ₃ ultrathin bilayer Z-scheme heterojunction with metallic ±-NiS nanosheet-based ohmic-junction for efficient photocatalytic H ₂ evolution. <i>Applied Catalysis B: Environmental</i> , 2020, 266, 118619.	20.2	199
114	Synthesis of Hierarchical Flower-like AlOOH and TiO ₂ /AlOOH Superstructures and their Enhanced Photocatalytic Properties. <i>Journal of Physical Chemistry C</i> , 2009, 113, 17527-17535.	3.1	198
115	Room-temperature catalytic oxidation of formaldehyde on catalysts. <i>Catalysis Science and Technology</i> , 2016, 6, 3649-3669.	4.1	197
116	Relations between Pore Structure Parameters and Their Implications for Characterization of MCM-41 Using Gas Adsorption and X-ray Diffraction. <i>Chemistry of Materials</i> , 1999, 11, 492-500.	6.7	194
117	Synthesis of Boehmite Hollow Core/Shell and Hollow Microspheres via Sodium Tartrate-Mediated Phase Transformation and Their Enhanced Adsorption Performance in Water Treatment. <i>Journal of Physical Chemistry C</i> , 2009, 113, 14739-14746.	3.1	194
118	From waste Coca Cola® to activated carbons with impressive capabilities for CO ₂ adsorption and supercapacitors. <i>Carbon</i> , 2017, 116, 490-499.	10.3	188
119	New Approaches to Pore Size Engineering of Mesoporous Silicates. <i>Advanced Materials</i> , 1998, 10, 1376-1379.	21.0	185
120	Evaluation of the Fractal Dimension from a Single Adsorption Isotherm. <i>Langmuir</i> , 1995, 11, 2316-2317.	3.5	184
121	Characterization of Regular and Plugged SBA-15 Silicas by Using Adsorption and Inverse Carbon Replication and Explanation of the Plug Formation Mechanism. <i>Journal of Physical Chemistry B</i> , 2003, 107, 2205-2213.	2.6	184
122	A Regularly Channeled Lamellar Membrane for Unparalleled Water and Organics Permeation. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6814-6818.	13.8	183
123	Phosphorus Vacancies that Boost Electrocatalytic Hydrogen Evolution by Two Orders of Magnitude. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8181-8186.	13.8	183
124	Physical adsorption on heterogeneous solids. <i>Advances in Colloid and Interface Science</i> , 1983, 18, 149-225.	14.7	179
125	Carbon-based two-dimensional layered materials for photocatalytic CO ₂ reduction to solar fuels. <i>Energy Storage Materials</i> , 2016, 3, 24-35.	18.0	178
126	Amidoxime-modified mesoporous silica for uranium adsorption under seawater conditions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11650-11659.	10.3	177

#	ARTICLE	IF	CITATIONS
127	Highly Active Mesoporous Ferrihydrite Supported Pt Catalyst for Formaldehyde Removal at Room Temperature. <i>Environmental Science & Technology</i> , 2015, 49, 6637-6644.	10.0	171
128	Modification of SBA-15 pore connectivity by high-temperature calcination investigated by carbon inverse replication. <i>Chemical Communications</i> , 2001, , 349-350.	4.1	170
129	Ultrathin Titanate Nanosheets/Graphene Films Derived from Confined Transformation for Excellent Na/K Ion Storage. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8540-8544.	13.8	170
130	KOH activation of mesoporous carbons obtained by soft-templating. <i>Carbon</i> , 2008, 46, 1159-1161.	10.3	168
131	Adsorption on heterogeneous surfaces: The exponential equation for the overall adsorption isotherm. <i>Surface Science</i> , 1975, 50, 553-564.	1.9	167
132	Benzoylthiourea-Modified Mesoporous Silica for Mercury(II) Removal. <i>Langmuir</i> , 2003, 19, 3031-3034.	3.5	165
133	Mechanochemical synthesis of highly porous materials. <i>Materials Horizons</i> , 2020, 7, 1457-1473.	12.2	165
134	Atomic-level structure engineering of metal oxides for high-rate oxygen intercalation pseudocapacitance. <i>Science Advances</i> , 2018, 4, eaau6261.	10.3	164
135	Accurate Method for Calculating Mesopore Size Distributions from Argon Adsorption Data at 87 K Developed Using Model MCM-41 Materials. <i>Chemistry of Materials</i> , 2000, 12, 222-230.	6.7	162
136	Characterization of mesoporous carbons synthesized with SBA-16 silica template. <i>Journal of Materials Chemistry</i> , 2005, 15, 1560.	6.7	162
137	Coconut shell-based microporous carbons for CO ₂ capture. <i>Microporous and Mesoporous Materials</i> , 2013, 180, 280-283.	4.4	161
138	Fluorinated semiconductor photocatalysts: Tunable synthesis and unique properties. <i>Advances in Colloid and Interface Science</i> , 2012, 173, 35-53.	14.7	159
139	Periodic Mesoporous Organosilica with Large Cage-like Pores. <i>Chemistry of Materials</i> , 2002, 14, 1903-1905.	6.7	158
140	Characterization of Highly Ordered MCM-41 Silicas Using X-ray Diffraction and Nitrogen Adsorption. <i>Langmuir</i> , 1999, 15, 5279-5284.	3.5	150
141	OD/2D NiS ₂ /V-MXene composite for electrocatalytic H ₂ evolution. <i>Journal of Catalysis</i> , 2019, 375, 8-20.	6.2	150
142	Argon Adsorption at 77 K as a Useful Tool for the Elucidation of Pore Connectivity in Ordered Materials with Large Cage-like Mesopores. <i>Chemistry of Materials</i> , 2003, 15, 2942-2949.	6.7	148
143	Synthesis and Characterization of Ordered, Very Large Pore MSU-H Silicas Assembled from Water-Soluble Silicates. <i>Journal of Physical Chemistry B</i> , 2001, 105, 7663-7670.	2.6	147
144	Ionic-Liquid-Assisted Synthesis of Uniform Fluorinated B/Codoped TiO ₂ Nanocrystals and Their Enhanced Visible-Light Photocatalytic Activity. <i>Chemistry - A European Journal</i> , 2013, 19, 2433-2441.	3.3	147

#	ARTICLE	IF	CITATIONS
145	Synthesis and applications of porous non-silica metal oxide submicrospheres. Chemical Society Reviews, 2016, 45, 6013-6047.	38.1	147
146	Synthesis and Properties of 1,3,5-Benzene Periodic Mesoporous Organosilica (PMO): A Novel Aromatic PMO with Three Point Attachments and Unique Thermal Transformations. Journal of the American Chemical Society, 2002, 124, 13886-13895.	13.7	146
147	A flexible bio-inspired H ₂ -production photocatalyst. Applied Catalysis B: Environmental, 2018, 220, 148-160.	20.2	146
148	Gas adsorption properties of hybrid graphene-MOF materials. Journal of Colloid and Interface Science, 2018, 514, 801-813.	9.4	143
149	The Application of Hollow Structured Anodes for Sodium-Ion Batteries: From Simple to Complex Systems. Advanced Materials, 2019, 31, e1800492.	21.0	143
150	Mechanochemistry: Toward green synthesis of metal-organic frameworks. Materials Today, 2021, 46, 109-124.	14.2	143
151	Carbons with Extremely Large Volume of Uniform Mesopores Synthesized by Carbonization of Phenolic Resin Film Formed on Colloidal Silica Template. Journal of the American Chemical Society, 2006, 128, 10026-10027.	13.7	142
152	Enhanced formaldehyde oxidation on CeO ₂ /AlOOH-supported Pt catalyst at room temperature. Applied Catalysis B: Environmental, 2016, 199, 458-465.	20.2	142
153	Revealing Principles for Design of Lean-Electrolyte Lithium Metal Anode via In Situ Spectroscopy. Journal of the American Chemical Society, 2020, 142, 2012-2022.	13.7	142
154	Metal-metal interactions in correlated single-atom catalysts. Science Advances, 2022, 8, eabo0762.	10.3	142
155	Nitrogen Adsorption Study of Surface Properties of Graphitized Carbon Blacks. Langmuir, 1999, 15, 1435-1441.	3.5	140
156	Facile Hydrothermal Synthesis of Hierarchical Boehmite: Sulfate-Mediated Transformation from Nanoflakes to Hollow Microspheres. Crystal Growth and Design, 2010, 10, 3977-3982.	3.0	136
157	Multi-shell hollow structured Sb ₂ S ₃ for sodium-ion batteries with enhanced energy density. Nano Energy, 2019, 60, 591-599.	16.0	136
158	New Approach to Evaluate Pore Size Distributions and Surface Areas for Hydrophobic Mesoporous Solids. Journal of Physical Chemistry B, 1999, 103, 10670-10678.	2.6	135
159	Temperature-Programmed Microwave-Assisted Synthesis of SBA-15 Ordered Mesoporous Silica. Journal of the American Chemical Society, 2006, 128, 14408-14414.	13.7	135
160	Tailoring properties of SBA-15 materials by controlling conditions of hydrothermal synthesis. Journal of Materials Chemistry, 2005, 15, 5049.	6.7	133
161	Recent progress in determination of energetic heterogeneity of solids from adsorption data. Surface Science Reports, 1986, 6, 65-117.	7.2	131
162	Enhancement of CO ₂ adsorption on phenolic resin-based mesoporous carbons by KOH activation. Carbon, 2013, 65, 334-340.	10.3	130

#	ARTICLE	IF	CITATIONS
163	1-Allyl-3-propylthiourea modified mesoporous silica for mercury removal. Chemical Communications, 2002, , 258-259.	4.1	129
164	Functionalized Mesoporous Materials Obtained via Interfacial Reactions in Self-Assembled Silica-Surfactant Systems. Chemistry of Materials, 2000, 12, 2496-2501.	6.7	128
165	Grafting Monodisperse Polymer Chains from Concave Surfaces of Ordered Mesoporous Silicas. Macromolecules, 2008, 41, 8584-8591.	4.8	128
166	Potassium salt-assisted synthesis of highly microporous carbon spheres for CO ₂ adsorption. Carbon, 2015, 82, 297-303.	10.3	126
167	Characterization of MCM-48 Silicas with Tailored Pore Sizes Synthesized via a Highly Efficient Procedure. Chemistry of Materials, 2000, 12, 1414-1421.	6.7	125
168	Rattle-type Carbon-Alumina Core-Shell Spheres: Synthesis and Application for Adsorption of Organic Dyes. ACS Applied Materials & Interfaces, 2012, 4, 2174-2179.	8.0	124
169	Renaissance of Stober method for synthesis of colloidal particles: New developments and opportunities. Journal of Colloid and Interface Science, 2021, 584, 838-865.	9.4	124
170	Synthesis of amino-functionalized mesoporous alumina with enhanced affinity towards Cr(VI) and CO ₂ . Chemical Engineering Journal, 2014, 239, 207-215.	12.7	123
171	Development of microporous carbons for CO ₂ capture by KOH activation of African palm shells. Journal of CO ₂ Utilization, 2013, 2, 35-38.	6.8	122
172	Hierarchically Macro-Mesoporous Pt/ γ -Al ₂ O ₃ Composite Microspheres for Efficient Formaldehyde Oxidation at Room Temperature. Scientific Reports, 2013, 3, 3215.	3.3	122
173	Partition and displacement models in reversed-phase liquid chromatography with mixed eluents. Journal of Chromatography A, 1993, 656, 37-50.	3.7	121
174	Determination and Tailoring the Pore Entrance Size in Ordered Silicas with Cage-like Mesoporous Structures. Journal of the American Chemical Society, 2002, 124, 768-769.	13.7	121
175	Surface activated carbon nitride nanosheets with optimized electro-optical properties for highly efficient photocatalytic hydrogen production. Journal of Materials Chemistry A, 2016, 4, 2445-2452.	10.3	121
176	New opportunities in Stober synthesis: preparation of microporous and mesoporous carbon spheres. Journal of Materials Chemistry, 2012, 22, 12636.	6.7	120
177	Synthesis of Ordered and Disordered Silicas with Uniform Pores on the Border between Micropore and Mesopore Regions Using Short Double-Chain Surfactants. Journal of the American Chemical Society, 2001, 123, 1650-1657.	13.7	119
178	Hierarchically porous phenolic resin-based carbons obtained by block copolymer-colloidal silica templating and post-synthesis activation with carbon dioxide and water vapor. Carbon, 2011, 49, 154-160.	10.3	119
179	Metamorphosis of Ordered Mesopores to Micropores: Periodic Silica with Unprecedented Loading of Pendant Reactive Organic Groups Transforms to Periodic Microporous Silica with Tailorable Pore Size. Journal of the American Chemical Society, 2002, 124, 6383-6392.	13.7	118
180	Significant Enhancement of Water Splitting Activity of N-Carbon Electrocatalyst by Trace Level Co Doping. Small, 2016, 12, 3703-3711.	10.0	111

#	ARTICLE	IF	CITATIONS
181	Hollow Carbon Nanospheres with Tunable Hierarchical Pores for Drug, Gene, and Photothermal Synergistic Treatment. <i>Small</i> , 2017, 13, 1602592.	10.0	111
182	A Unified Interpretation of High-Temperature Pore Size Expansion Processes in MCM-41 Mesoporous Silicas. <i>Journal of Physical Chemistry B</i> , 1999, 103, 4590-4598.	2.6	110
183	Ordered Mesoporous Silica SBA-15: A New Effective Adjuvant to Induce Antibody Response. <i>Small</i> , 2006, 2, 254-256.	10.0	110
184	Gas adsorption properties of graphene-based materials. <i>Advances in Colloid and Interface Science</i> , 2017, 243, 46-59.	14.7	106
185	Characterization of High-Quality MCM-48 and SBA-1 Mesoporous Silicas. <i>Chemistry of Materials</i> , 1999, 11, 2568-2572.	6.7	103
186	Synthesis of Large-Pore Silica with Cage-Like Structure Using Sodium Silicate and Triblock Copolymer Template. <i>Langmuir</i> , 2002, 18, 884-890.	3.5	102
187	Determination of Mesopore Size Distributions from Argon Adsorption Data at 77 K. <i>Journal of Physical Chemistry B</i> , 2002, 106, 4732-4739.	2.6	101
188	Recent Progress in Engineering the Atomic and Electronic Structure of Electrocatalysts via Cation Exchange Reactions. <i>Advanced Materials</i> , 2020, 32, e2001866.	21.0	101
189	Synthesis of an ordered macroporous carbon with 62 nm spherical pores that exhibit unique gas adsorption properties. <i>Chemical Communications</i> , 2002, , 1670-1671.	4.1	100
190	Adsorption and Thermogravimetric Characterization of Mesoporous Materials with Uniform Organic-Inorganic Frameworks. <i>Journal of Physical Chemistry B</i> , 2001, 105, 681-689.	2.6	99
191	Comparative analysis of simple and advanced sorption methods for assessment of microporosity in activated carbons. <i>Carbon</i> , 1998, 36, 1447-1458.	10.3	96
192	CO ₂ Adsorption on Amine-Functionalized Periodic Mesoporous Benzenesilicas. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 6792-6802.	8.0	96
193	Interacting Carbon Nitride and Titanium Carbide Nanosheets for High-Performance Oxygen Evolution. <i>Angewandte Chemie</i> , 2016, 128, 1150-1154.	2.0	96
194	Adsorption Study of Porous Structure Development in Carbon Blacks. <i>Journal of Colloid and Interface Science</i> , 1996, 182, 282-288.	9.4	94
195	Single-Atom Photocatalysts for Emerging Reactions. <i>ACS Central Science</i> , 2021, 7, 39-54.	11.3	94
196	Reference Data for Argon Adsorption on Graphitized and Nongraphitized Carbon Blacks. <i>Journal of Physical Chemistry B</i> , 2001, 105, 12516-12523.	2.6	93
197	Bifunctional periodic mesoporous organosilica with large heterocyclic bridging groups and mercaptopropyl ligands. <i>Journal of Materials Chemistry</i> , 2005, 15, 1517.	6.7	93
198	Adsorption and Structural Properties of Ordered Mesoporous Carbons Synthesized by Using Various Carbon Precursors and Ordered Siliceous P6mm and Ia3l _d Mesostructures as Templates. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23263-23268.	2.6	92

#	ARTICLE	IF	CITATIONS
199	AlSb thin films as negative electrodes for Li-ion and Na-ion batteries. <i>Journal of Power Sources</i> , 2013, 243, 699-705.	7.8	89
200	Simultaneous modification of mesopores and extraction of template molecules from MCM-41 with trialkylchlorosilanes. <i>Chemical Communications</i> , 1999, , 2373-2374.	4.1	88
201	Partially graphitic, high-surface-area mesoporous carbons from polyacrylonitrile templated by ordered and disordered mesoporous silicas. <i>Microporous and Mesoporous Materials</i> , 2007, 102, 178-187.	4.4	88
202	Determination of the Specific Surface Area and the Pore Size of Microporous Carbons from Adsorption Potential Distributions. <i>Langmuir</i> , 1999, 15, 1442-1448.	3.5	86
203	Copper benzene-1,3,5-tricarboxylate (Cu-BTC) metal-organic framework (MOF) and porous carbon composites as efficient carbon dioxide adsorbents. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 122-132.	9.4	85
204	Hydrothermal stability of SBA-15 and related ordered mesoporous silicas with plugged pores. <i>Journal of Materials Chemistry</i> , 2006, 16, 2824.	6.7	84
205	Nanoporous Polystyrene and Carbon Materials with Core-Shell Nanosphere-Interconnected Network Structure. <i>Macromolecules</i> , 2011, 44, 5846-5849.	4.8	84
206	Advances in Microwave Synthesis of Nanoporous Materials. <i>Advanced Materials</i> , 2021, 33, e2103477.	21.0	84
207	Synthesis of Mesoporous Alumina from Boehmite in the Presence of Triblock Copolymer. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 588-593.	8.0	81
208	Revealing the Origin of Improved Reversible Capacity of Dual-Shell Bismuth Boxes Anode for Potassium-Ion Batteries. <i>Matter</i> , 2019, 1, 1681-1693.	10.0	81
209	Synthesis and Adsorption Properties of Colloid-Imprinted Carbons with Surface and Volume Mesoporosity. <i>Chemistry of Materials</i> , 2003, 15, 1327-1333.	6.7	80
210	High temperature treatment of ordered mesoporous carbons prepared by using various carbon precursors and ordered mesoporous silica templates. <i>New Journal of Chemistry</i> , 2008, 32, 981.	2.8	80
211	Effect of activating agents on the development of microporosity in polymeric-based carbon for CO ₂ adsorption. <i>Carbon</i> , 2015, 94, 673-679.	10.3	80
212	Reversible electrochemical oxidation of sulfur in ionic liquid for high-voltage Al ⁻ S batteries. <i>Nature Communications</i> , 2021, 12, 5714.	12.8	80
213	Influence of hydrothermal restructuring conditions on structural properties of mesoporous molecular sieves. <i>Microporous and Mesoporous Materials</i> , 1999, 27, 217-229.	4.4	79
214	Self-Templating Synthesis of Hollow Co ₃ O ₄ Microtube Arrays for Highly Efficient Water Electrolysis. <i>Angewandte Chemie</i> , 2017, 129, 1344-1348.	2.0	79
215	Toward the Synthesis of Extra-Large-Pore MCM-41 Analogues. <i>Chemistry of Materials</i> , 2001, 13, 1726-1731.	6.7	78
216	Microemulsion-Assisted Synthesis of Mesoporous Aluminum Oxyhydroxide Nanoflakes for Efficient Removal of Gaseous Formaldehyde. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 2111-2117.	8.0	78

#	ARTICLE	IF	CITATIONS
217	The Development of Yolk-Shell Structured Pd&ZnO@Carbon Submicroreactors with High Selectivity and Stability. <i>Advanced Functional Materials</i> , 2018, 28, 1801737.	14.9	78
218	New insights into pore-size expansion of mesoporous silicates using long-chain amines. <i>Microporous and Mesoporous Materials</i> , 2000, 35-36, 545-553.	4.4	77
219	Critical appraisal of classical methods for determination of mesopore size distributions of MCM-41 materials. <i>Applied Surface Science</i> , 2002, 196, 216-223.	6.1	77
220	Mesoporous Carbons Synthesized by Imprinting Ordered and Disordered Porous Structures of Silica Particles in Mesophase Pitch. <i>Journal of Physical Chemistry B</i> , 2004, 108, 824-826.	2.6	77
221	Nanoporous Carbon Films from Polyacrylonitrile Grafted Colloidal Silica Nanoparticles. <i>Advanced Materials</i> , 2008, 20, 1516-1522.	21.0	76
222	Effect of microstructure and surface hydroxyls on the catalytic activity of Au/AlOOH for formaldehyde removal at room temperature. <i>Journal of Colloid and Interface Science</i> , 2017, 501, 164-174.	9.4	76
223	Comprehensive characterization of highly ordered MCM-41 silicas using nitrogen adsorption, thermogravimetry, X-ray diffraction and transmission electron microscopy. <i>Microporous and Mesoporous Materials</i> , 2001, 48, 127-134.	4.4	74
224	Mesoporous metal organic framework-boehmite and silica composites. <i>Chemical Communications</i> , 2010, 46, 6798.	4.1	74
225	Major advances in the development of ordered mesoporous materials. <i>Chemical Communications</i> , 2020, 56, 7836-7848.	4.1	74
226	Comparison of adsorption methods for characterizing the microporosity of activated carbons. <i>Carbon</i> , 1989, 27, 77-83.	10.3	73
227	Block Copolymer Templating as a Path to Porous Nanostructured Carbons with Highly Accessible Nitrogens for Enhanced (Electro)chemical Performance. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1078-1090.	2.2	73
228	Adsorption Properties of Activated Carbons Prepared from Waste CDs and DVDs. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 733-742.	6.7	73
229	Effects of surface heterogeneity in adsorption from binary liquid mixtures. I. Adsorption from ideal solutions. <i>Journal of Colloid and Interface Science</i> , 1976, 56, 403-411.	9.4	72
230	Effective method for removal of polymeric template from SBA-16 silica combining extraction and temperature-controlled calcination. <i>Journal of Materials Chemistry</i> , 2006, 16, 819-823.	6.7	72
231	Defect formation in metal-organic frameworks initiated by the crystal growth-rate and effect on catalytic performance. <i>Journal of Catalysis</i> , 2017, 354, 84-91.	6.2	72
232	Surface fractal dimension of microporous carbon fibres by nitrogen adsorption. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1991, 87, 179.	1.7	70
233	Short-time synthesis of SBA-15 using various silica sources. <i>Journal of Colloid and Interface Science</i> , 2005, 287, 717-720.	9.4	70
234	Organosilica the conciliator. <i>Nature</i> , 2006, 442, 638-640.	27.8	70

#	ARTICLE	IF	CITATIONS
235	Engineering nanoreactors for metal–chalcogen batteries. <i>Energy and Environmental Science</i> , 2021, 14, 540-575.	30.8	70
236	Nitrogen-Doped Carbon Electrocatalysts Decorated with Transition Metals for the Oxygen Reduction Reaction. <i>ChemCatChem</i> , 2015, 7, 3808-3817.	3.7	69
237	Recent advances in the development and applications of biomass-derived carbons with uniform porosity. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18464-18491.	10.3	68
238	Benzoylthiourea-modified MCM-48 mesoporous silica for mercury(II) adsorption from aqueous solutions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 236, 69-72.	4.7	67
239	Graphitic Mesoporous Carbons with Embedded Prussian Blue-Derived Iron Oxide Nanoparticles Synthesized by Soft Templating and Low-Temperature Graphitization. <i>Chemistry of Materials</i> , 2013, 25, 2803-2811.	6.7	67
240	Ionic liquid-assisted synthesis of N/S-double doped graphene microwires for oxygen evolution and Zn–air batteries. <i>Energy Storage Materials</i> , 2015, 1, 17-24.	18.0	67
241	Monitoring Changes in Surface and Structural Properties of Porous Carbons Modified by Different Oxidizing Agents. <i>Journal of Colloid and Interface Science</i> , 1999, 214, 438-446.	9.4	66
242	Polypyrrole-Based Nitrogen-Doped Carbon Replicas of SBA-15 and SBA-16 Containing Magnetic Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2008, 112, 13126-13133.	3.1	66
243	A synthetic strategy for carbon nanospheres impregnated with highly monodispersed metal nanoparticles. <i>NPG Asia Materials</i> , 2016, 8, e240-e240.	7.9	66
244	Novel Route to Periodic Mesoporous Aminosilicas, PMAs: Ammonolysis of Periodic Mesoporous Organosilicas. <i>Journal of the American Chemical Society</i> , 2003, 125, 11662-11673.	13.7	65
245	Facile formation of metallic bismuth/bismuth oxide heterojunction on porous carbon with enhanced photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2018, 513, 82-91.	9.4	65
246	A general model of liquid–solid chromatography with mixed mobile phases involving concurrent adsorption and partition effects. <i>Journal of Chromatography A</i> , 1986, 351, 1-16.	3.7	64
247	Characterization of heterogeneity of activated carbons by utilizing the benzene adsorption data. <i>Materials Chemistry and Physics</i> , 1986, 15, 521-536.	4.0	64
248	Monitoring of the structure of siliceous mesoporous molecular sieves tailored using different synthesis conditions. <i>Microporous Materials</i> , 1997, 12, 93-106.	1.6	64
249	Hierarchically porous graphene-based hybrid electrodes with excellent electrochemical performance. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9409.	10.3	64
250	Force field for ZIF-8 flexible frameworks: atomistic simulation of adsorption, diffusion of pure gases as CH ₄ , H ₂ , CO ₂ and N ₂ . <i>RSC Advances</i> , 2014, 4, 16503-16511.	3.6	64
251	Deactivation and regeneration of Pt/TiO ₂ nanosheet-type catalysts with exposed (001) facets for room temperature oxidation of formaldehyde. <i>Journal of Molecular Catalysis A</i> , 2014, 390, 7-13.	4.8	64
252	A new isotherm equation for single-solute adsorption from dilute solutions on energetically heterogeneous solids. <i>Monatshefte für Chemie</i> , 1983, 114, 711-715.	1.8	63

#	ARTICLE	IF	CITATIONS
253	Exceptionally High Stability of Copolymer-Templated Ordered Silica with Large Cage-Like Mesopores. Chemistry of Materials, 2004, 16, 698-707.	6.7	63
254	Syngas production from electrocatalytic CO ₂ reduction with high energetic efficiency and current density. Journal of Materials Chemistry A, 2019, 7, 7675-7682.	10.3	62
255	Well-Defined Poly(ethylene oxide)-Polyacrylonitrile Diblock Copolymers as Templates for Mesoporous Silicas and Precursors for Mesoporous Carbons. Chemistry of Materials, 2006, 18, 1417-1424.	6.7	61
256	Periodic Mesoporous Organosilicas with Ethane and Large Isocyanurate Bridging Groups. Chemistry of Materials, 2006, 18, 1722-1725.	6.7	61
257	Effects of surface heterogeneity in adsorption from binary liquid mixtures. Journal of Colloid and Interface Science, 1980, 73, 475-482.	9.4	60
258	Engineering of Yolk/Core-Shell Structured Nanoreactors for Thermal Hydrogenations. Small, 2021, 17, e1906250.	10.0	60
259	High surface area graphitized carbon with uniform mesopores synthesised by a colloidal imprinting method Electronic supplementary information (ESI) available: experimental: preparation of the graphitized colloid-impregnated carbon. See http://www.rsc.org/suppdata/cc/b2/b200702a/ . Chemical Communications, 2002, , 1346-1347.	4.1	59
260	Fabrication of core-shell, yolk-shell and hollow Fe ₃ O ₄ @carbon microboxes for high-performance lithium-ion batteries. Materials Chemistry Frontiers, 2017, 1, 823-830.	5.9	58
261	One-Pot Synthesis of MeAl ₂ O ₄ (Me = Ni, Co, or Cu) Supported on Î³-Al ₂ O ₃ with Ultralarge Mesopores: Enhancing Interfacial Defects in Î³-Al ₂ O ₃ To Facilitate the Formation of Spinel Structures at Lower Temperatures. Chemistry of Materials, 2018, 30, 436-446.	6.7	58
262	Critical discussion of simple adsorption methods used to evaluate the micropore size distribution. Adsorption, 1997, 3, 209-219.	3.0	57
263	Soft-Templating Synthesis of N-Doped Mesoporous Carbon Nanospheres for Enhanced Oxygen Reduction Reaction. Chemistry - an Asian Journal, 2015, 10, 1546-1553.	3.3	57
264	Adsorption on heterogeneous surfaces. Surface Science, 1974, 42, 552-564.	1.9	56
265	Determination of energy distribution function from observed adsorption isotherms. Colloid and Polymer Science, 1975, 253, 164-166.	2.1	56
266	Adsorption of gas mixtures on heterogeneous solid surfaces: I. Extension of T _A ³ th isotherm on adsorption from gas mixtures. Colloid and Polymer Science, 1976, 254, 643-649.	2.1	56
267	Liquid-solid chromatography. Recent progress in theoretical studies concerning the dependence of the capacity ratio upon the mobile phase composition. Journal of High Resolution Chromatography, 1982, 5, 3-12.	1.4	56
268	Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases. Journal of Chromatography A, 1994, 673, 11-19.	3.7	56
269	Adsorption, Thermogravimetric, and NMR Studies of FSM-16 Material Functionalized with Alkylmonochlorosilanes. Journal of Physical Chemistry B, 1999, 103, 6252-6261.	2.6	56
270	Thermogravimetric monitoring of the MCM-41 synthesis. Thermochimica Acta, 2000, 363, 175-180.	2.7	55

#	ARTICLE	IF	CITATIONS
271	Adsorption studies of thermal stability of SBA-16 mesoporous silicas. Applied Surface Science, 2007, 253, 5660-5665.	6.1	55
272	Current state in adsorption from multicomponent solutions of nonelectrolytes on solids. Advances in Colloid and Interface Science, 1983, 19, 137-177.	14.7	54
273	Characterization of Structural and Surface Properties of Activated Carbon Fibers. Journal of Colloid and Interface Science, 1998, 204, 151-156.	9.4	54
274	Design and synthesis of porous ZnTiO ₃ /TiO ₂ nanocages with heterojunctions for enhanced photocatalytic H ₂ production. Journal of Materials Chemistry A, 2017, 5, 11615-11622.	10.3	54
275	Theoretical basis of liquid adsorption chromatography with mixed mobile phases and its connection with the theory of adsorption from multicomponent solutions. Advances in Colloid and Interface Science, 1985, 22, 177-227.	14.7	53
276	Relation between adsorption potential distribution and pore volume distribution for microporous carbons. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1996, 118, 203-210.	4.7	53
277	Comparative studies of structural and surface properties of porous inorganic oxides used in liquid chromatography. Journal of Chromatography A, 1998, 797, 93-102.	3.7	53
278	Dendritic porous yolk@ordered mesoporous shell structured heterogeneous nanocatalysts with enhanced stability. Journal of Materials Chemistry A, 2017, 5, 21560-21569.	10.3	53
279	Synthesis and Properties of Lanthanide Incorporated Mesoporous Molecular Sieves. Journal of Colloid and Interface Science, 1999, 218, 462-467.	9.4	52
280	Colloidal Silica Templating Synthesis of Carbonaceous Monoliths Assuring Formation of Uniform Spherical Mesopores and Incorporation of Inorganic Nanoparticles. Chemistry of Materials, 2008, 20, 1069-1075.	6.7	52
281	Ultrahigh benzene adsorption capacity of graphene-MOF composite fabricated via MOF crystallization in 3D mesoporous graphene. Microporous and Mesoporous Materials, 2019, 279, 387-394.	4.4	52
282	Liquid adsorption chromatography with mixed mobile phases. Journal of Chromatography A, 1979, 179, 237-245.	3.7	51
283	Thermodynamics of gas adsorption on fractal surfaces of heterogeneous microporous solids. Journal of Chemical Physics, 1990, 92, 7589-7595.	3.0	51
284	Enhanced and suppressed effects of ionic liquid on the photocatalytic activity of TiO ₂ . Adsorption, 2013, 19, 557-561.	3.0	51
285	Correlation between microporosity and fractal dimension of active carbons. Carbon, 1993, 31, 325-331.	10.3	50
286	Preparation and properties of silica@gold core-shell particles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2011, 373, 167-171.	4.7	50
287	Nitrogen Adsorption Study of MCM-41 Molecular Sieves Synthesized Using Hydrothermal Restructuring. Adsorption, 2000, 6, 47-51.	3.0	49
288	Equilibrium Adsorption in Cylindrical Mesopores: A Modified Broekhoff and de Boer Theory versus Density Functional Theory. Journal of Physical Chemistry B, 2005, 109, 1947-1958.	2.6	49

#	ARTICLE	IF	CITATIONS
289	Incorporation of Inorganic Nanoparticles into Mesoporous Carbons Synthesized by Soft Templating. <i>Journal of Physical Chemistry C</i> , 2008, 112, 11657-11660.	3.1	48
290	Cysteine-Assisted Tailoring of Adsorption Properties and Particle Size of Polymer and Carbon Spheres. <i>Langmuir</i> , 2013, 29, 4032-4038.	3.5	48
291	Dual-dehydrogenation-promoted catalytic oxidation of formaldehyde on alkali-treated Pt clusters at room temperature. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10432-10438.	10.3	48
292	Soft-templating synthesis and properties of mesoporous alumina–titania. <i>Microporous and Mesoporous Materials</i> , 2010, 128, 180-186.	4.4	47
293	Adsorption of Lead Ions from Aqueous Phase on Mesoporous Silica with P-Containing Pendant Groups. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23144-23152.	8.0	47
294	A new method for the accurate pore size analysis of MCM-41 and other silica based mesoporous materials. <i>Studies in Surface Science and Catalysis</i> , 2000, , 71-80.	1.5	46
295	Periodic Mesoporous Organosilicas with Multiple Bridging Groups and Spherical Morphology. <i>Langmuir</i> , 2007, 23, 11844-11849.	3.5	46
296	Novel Nanoporous Carbons from Well-Defined Poly(styrene-co-acrylonitrile)-Grafted Silica Nanoparticles. <i>Chemistry of Materials</i> , 2011, 23, 2024-2026.	6.7	46
297	Colloidal templating synthesis and adsorption characteristics of microporous–mesoporous carbons from Kraft lignin. <i>Carbon</i> , 2013, 62, 233-239.	10.3	46
298	Dependence of the capacity ratio on mobile phase composition in liquid adsorption chromatography. <i>Chromatographia</i> , 1978, 11, 581-585.	1.3	45
299	Pore structure development in activated carbon honeycombs. <i>Carbon</i> , 2000, 38, 983-993.	10.3	44
300	Periodic Mesoporous Organosilicas with Im3m Symmetry and Large Isocyanurate Bridging Groups. <i>Journal of Physical Chemistry B</i> , 2006, 110, 2972-2975.	2.6	44
301	Effect of nonionic structure-directing agents on adsorption and structural properties of mesoporous alumina. <i>Journal of Materials Chemistry</i> , 2011, 21, 9066.	6.7	44
302	Mesoporous calcium oxide–silica and magnesium oxide–silica composites for CO ₂ capture at ambient and elevated temperatures. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10914-10924.	10.3	44
303	One-Pot Synthesis of Mesoporous Ni–Ti–Al Ternary Oxides: Highly Active and Selective Catalysts for Steam Reforming of Ethanol. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6079-6092.	8.0	44
304	A boron imidazolate framework with mechanochromic and electrocatalytic properties. <i>Materials Horizons</i> , 2018, 5, 1151-1155.	12.2	44
305	Evaluation of energetic heterogeneity and microporosity of activated carbon fibers on the basis of gas adsorption isotherms. <i>Langmuir</i> , 1991, 7, 2719-2722.	3.5	43
306	Sequential Hydroboration–Alcoholysis and Epoxidation–Ring Opening Reactions of Vinyl Groups in Mesoporous Vinylsilica. <i>Advanced Functional Materials</i> , 2001, 11, 447.	14.9	43

#	ARTICLE	IF	CITATIONS
307	Al-MCM-41 sorbents for bovine serum albumin: relation between Al content and performance. Microporous and Mesoporous Materials, 2004, 75, 221-229.	4.4	43
308	Ordered Mesoporous Silicas with 2,5-Dimercapto-1,3,4-Thiadiazole Ligand: High Capacity Adsorbents for Mercury Ions. Adsorption, 2005, 11, 205-214.	3.0	43
309	Three-dimensional cubic (Im3m) periodic mesoporous organosilicas with benzene- and thiophene-bridging groups. Journal of Materials Chemistry, 2009, 19, 2076.	6.7	43
310	Rugby-like anatase titania hollow nanoparticles with enhanced photocatalytic activity. CrystEngComm, 2011, 13, 7044.	2.6	43
311	Effect of acid concentration on pore size in polymer-templated mesoporous alumina. Journal of Materials Chemistry, 2012, 22, 86-92.	6.7	43
312	Developing microporosity in Kevlar®-derived carbon fibers by CO2 activation for CO2 adsorption. Journal of CO2 Utilization, 2016, 16, 17-22.	6.8	43
313	Development of nickel-incorporated MCM-41 carbon composites and their application in nitrophenol reduction. Journal of Materials Chemistry A, 2019, 7, 9618-9628.	10.3	43
314	Effects of surface heterogeneity in adsorption from binary liquid mixtures. Journal of Colloid and Interface Science, 1979, 69, 287-300.	9.4	42
315	Energetic heterogeneity of reference carbonaceous materials. Langmuir, 1993, 9, 2537-2546.	3.5	42
316	Determination of the Lamellar Phase Content in MCM-41 Using X-ray Diffraction, Nitrogen Adsorption, and Thermogravimetry. Journal of Physical Chemistry B, 2000, 104, 1581-1589.	2.6	42
317	Ordered mesoporous silica: microwave synthesis. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2004, 112, 106-110.	3.5	42
318	Synthesis and properties of mesoporous carbons with high loadings of inorganic species. Carbon, 2009, 47, 3034-3040.	10.3	42
319	Synthesis of Highly Active and Stable Spinel-Type Oxygen Evolution Electrocatalysts by a Rapid Inorganic Self-templating Method. Chemistry - A European Journal, 2014, 20, 12669-12676.	3.3	42
320	Amidoxime-functionalized nanocrystalline cellulose-mesoporous silica composites for carbon dioxide sorption at ambient and elevated temperatures. Journal of Materials Chemistry A, 2017, 5, 7462-7473.	10.3	42
321	Effects of solute-solvent and solvent-solvent association in liquid adsorption chromatography with binary mobile phase. Journal of High Resolution Chromatography, 1980, 3, 257-260.	1.4	41
322	Isotherm equations for adsorption on heterogeneous microporous solids. Monatshefte für Chemie, 1986, 117, 7-19.	1.8	41
323	Surface Modifications of Cage-like and Channel-like Mesopores and Their Implications for Evaluation of Sizes of Entrances to Cage-like Mesopores. Journal of Physical Chemistry B, 2003, 107, 11900-11906.	2.6	41
324	Supercritical Fluid Growth of Porous Carbon Nanocages. Chemistry of Materials, 2007, 19, 3349-3354.	6.7	41

#	ARTICLE	IF	CITATIONS
325	Tetraethyl orthosilicate-assisted synthesis of nitrogen-containing porous carbon spheres. Carbon, 2017, 121, 408-417.	10.3	41
326	Effect of graphene oxide on the adsorption properties of ordered mesoporous carbons toward H ₂ , C ₆ H ₆ , CH ₄ and CO ₂ . Microporous and Mesoporous Materials, 2018, 261, 105-110.	4.4	41
327	Synthesis and characterization of ordered mesoporous silicas with high loadings of methyl groups. Journal of Materials Chemistry, 2002, 12, 3452-3457.	6.7	40
328	Improvement of the Derjaguin–Broekhoff–de Boer Theory for Capillary Condensation/Evaporation of Nitrogen in Mesoporous Systems and Its Implications for Pore Size Analysis of MCM-41 Silicas and Related Materials. Langmuir, 2005, 21, 1827-1833.	3.5	40
329	Activated carbon derived from chitin aerogels: preparation and CO ₂ adsorption. Cellulose, 2018, 25, 1911-1920.	4.9	40
330	Liquid adsorption chromatography with mixed mobile phases. Journal of Chromatography A, 1979, 178, 27-40.	3.7	39
331	Application of Dubinin–Radushkevich type equation for describing bisolute adsorption from dilute aqueous solutions on activated carbon. Journal of Colloid and Interface Science, 1981, 84, 191-195.	9.4	39
332	Synthesis of mesoporous silica-tethered phosphonic acid sorbents for uranium species from aqueous solutions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2015, 482, 1-8.	4.7	39
333	Identification of preferentially exposed crystal facets by X-ray diffraction. RSC Advances, 2020, 10, 5585-5589.	3.6	39
334	Simple relationships for predicting multi-solute adsorption from dilute aqueous solutions. Chemical Engineering Science, 1981, 36, 1017-1019.	3.8	38
335	Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases. Journal of Chromatography A, 1995, 691, 217-224.	3.7	38
336	Structural and surface properties of siliceous and titanium-modified HMS molecular sieves. Microporous Materials, 1997, 9, 173-182.	1.6	38
337	Polymer-Templated Mesoporous Organosilicas with Two Types of Multifunctional Organic Groups. Industrial & Engineering Chemistry Research, 2007, 46, 1745-1751.	3.7	38
338	Adsorption and structural properties of soft-templated mesoporous carbons obtained by carbonization at different temperatures and KOH activation. Applied Surface Science, 2010, 256, 5187-5190.	6.1	38
339	Mesoporous Organosilica with Amidoxime Groups for CO ₂ Sorption. ACS Applied Materials & Interfaces, 2014, 6, 13069-13078.	8.0	38
340	Ultrafast preparation of saccharide-derived carbon microspheres with excellent dispersibility via ammonium persulfate-assisted hydrothermal carbonization. Journal of Materials Chemistry A, 2019, 7, 18840-18845.	10.3	38
341	The Langmuir-Freundlich equation in adsorption from dilute solutions on solids. Monatshefte für Chemie, 1983, 114, 393-397.	1.8	37
342	Thermodynamics of gas adsorption on heterogeneous microporous solids. Langmuir, 1987, 3, 795-799.	3.5	37

#	ARTICLE	IF	CITATIONS
343	Theoretical foundations of physical adsorption from binary non-electrolytic liquid mixtures on solid surfaces: present and future. <i>Advances in Colloid and Interface Science</i> , 1987, 27, 211-283.	14.7	37
344	Selectivity of alkylamide bonded-phases with respect to organic acids under reversed-phase conditions. <i>Journal of Chromatography A</i> , 1997, 762, 147-158.	3.7	37
345	Direct Synthesis of Mesostructured Lamellar Molybdenum Disulfides Using a Molten Neutraln-Alkylamine as the Solvent and Template. <i>Journal of the American Chemical Society</i> , 2002, 124, 12090-12091.	13.7	37
346	Phenolic resin-based carbons with ultra-large mesopores prepared in the presence of poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2013, 51, 45-51.	10.3	37
347	Models of solute and solvent distribution for describing retention in liquid chromatography. <i>Journal of Chromatography A</i> , 1987, 387, 55-64.	3.7	36
348	Determination of the surface area and mesopore volume for lanthanide-incorporated MCM-41 materials by using high resolution thermogravimetry. <i>Thermochimica Acta</i> , 2000, 345, 173-177.	2.7	36
349	Mesoporous carbons synthesized by soft-templating method: Determination of pore size distribution from argon and nitrogen adsorption isotherms. <i>Microporous and Mesoporous Materials</i> , 2008, 112, 573-579.	4.4	36
350	Monodisperse Particles of Bifunctional Periodic Mesoporous Organosilica. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4897-4902.	3.1	36
351	Preparation and adsorption properties of aerocellulose-derived activated carbon monoliths. <i>Cellulose</i> , 2016, 23, 1363-1374.	4.9	36
352	Engineering High-Energy Interfacial Structures for High-Performance Oxygen-Involving Electrocatalysis. <i>Angewandte Chemie</i> , 2017, 129, 8659-8663.	2.0	36
353	Ultrathin Titanate Nanosheets/Graphene Films Derived from Confined Transformation for Excellent Na/K Ion Storage. <i>Angewandte Chemie</i> , 2018, 130, 8676-8680.	2.0	36
354	Theory of adsorption from multicomponent liquid mixtures on solid surfaces and its application to liquid adsorption chromatography. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1980, 76, 2486.	1.0	35
355	Energetic heterogeneity and molecular size effects in physical adsorption on solid surfaces. <i>Journal of Colloid and Interface Science</i> , 1986, 109, 310-324.	9.4	35
356	Characterization of the surface composition of alkyl bonded phases under reversed-phase liquid chromatographic conditions using homologues of alkanoate and perfluoroalkanoate esters as solute probes. <i>Analytical Chemistry</i> , 1990, 62, 2092-2098.	6.5	35
357	Silica gel-templated mesoporous carbons prepared from mesophase pitch and polyacrylonitrile. <i>Carbon</i> , 2001, 39, 2080-2082.	10.3	35
358	Triconstituent co-assembly synthesis of N,S-doped carbon-silica nanospheres with smooth and rough surfaces. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3721-3727.	10.3	35
359	Physical adsorption of gases on energetically heterogeneous solids I. GeneralizedLangmuir equation and its energy distribution. <i>Monatshefte für Chemie</i> , 1984, 115, 997-1012.	1.8	34
360	Numerical solutions of the adsorption integral equation utilizing the spline functions. <i>Thin Solid Films</i> , 1985, 123, 245-272.	1.8	34

#	ARTICLE	IF	CITATIONS
361	Excess adsorption isotherms for solid-liquid systems and their analysis to determine the surface phase capacity. <i>Advances in Colloid and Interface Science</i> , 1990, 31, 155-223.	14.7	34
362	Improved Pore-Size Analysis of Carbonaceous Adsorbents. <i>Adsorption Science and Technology</i> , 2002, 20, 307-315.	3.2	34
363	Preparation of porous nanocarbons with tunable morphology and pore size from copolymer templated precursors. <i>Materials Horizons</i> , 2014, 1, 121-124.	12.2	34
364	Photocatalytic CO ₂ Reduction: Identification and Elimination of False-Positive Results. <i>ACS Energy Letters</i> , 2022, 7, 1611-1617.	17.4	34
365	Adsorption of gas mixtures on heterogeneous surfaces. Analytical solution of integral equation for jovanovic adsorption isotherm. <i>Journal of Colloid and Interface Science</i> , 1975, 53, 422-428.	9.4	33
366	Functionalized MCM-41 and CeMCM-41 Materials Synthesized via Interfacial Reactions. <i>Journal of Physical Chemistry B</i> , 2000, 104, 9713-9719.	2.6	33
367	Characterization of modified mesoporous silicas using argon and nitrogen adsorption. <i>Microporous and Mesoporous Materials</i> , 2001, 44-45, 725-732.	4.4	33
368	Colloid-Imprinted Carbons as Stationary Phases for Reversed-Phase Liquid Chromatography. <i>Analytical Chemistry</i> , 2004, 76, 5479-5485.	6.5	33
369	Synthesis of FDU-1 Silica with Narrow Pore Size Distribution and Tailorable Pore Entrance Size in the Presence of Sodium Chloride. <i>Journal of Physical Chemistry B</i> , 2005, 109, 3838-3843.	2.6	33
370	Influence of temperature, carbon precursor/copolymer ratio and acid concentration on adsorption and structural properties of mesoporous carbons prepared by soft-templating. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009, 352, 113-117.	4.7	33
371	Tailoring microporosity and nitrogen content in carbons for achieving high uptake of CO ₂ at ambient conditions. <i>Adsorption</i> , 2014, 20, 287-293.	3.0	33
372	Selective Ion Exchange Governed by the Irving-Williams Series in K ₂ Zn ₃ [Fe(CN) ₆] ₂ Nanoparticles: Toward a Designer Prodrug for Wilson's Disease. <i>Inorganic Chemistry</i> , 2015, 54, 1212-1214.	4.0	33
373	Amidoxime-functionalized microcrystalline cellulose-mesoporous silica composites for carbon dioxide sorption at elevated temperatures. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4808-4819.	10.3	33
374	Determination of the pre-exponential factor of Henry's constant by gas adsorption chromatography. <i>Journal of Chromatography A</i> , 1976, 121, 185-198.	3.7	32
375	Current state and perspectives of developments in the theory of mixed-gas adsorption on solid surfaces. <i>Thin Solid Films</i> , 1978, 50, 163-169.	1.8	32
376	Adsorption of multicomponent liquid mixtures on heterogeneous surfaces. <i>Journal of Colloid and Interface Science</i> , 1979, 69, 311-317.	9.4	32
377	Surface and Structural Properties of Novel Titanium Phosphates. <i>Journal of Colloid and Interface Science</i> , 1997, 191, 442-448.	9.4	32
378	Application of density functional theory to equilibrium adsorption of argon and nitrogen on amorphous silica surface. <i>Applied Surface Science</i> , 2005, 252, 548-561.	6.1	32

#	ARTICLE	IF	CITATIONS
379	Microwave-assisted synthesis of periodic mesoporous organosilicas with ethane and disulfide groups. <i>Microporous and Mesoporous Materials</i> , 2009, 119, 144-149.	4.4	32
380	Adsorption and structural properties of ordered mesoporous alumina synthesized in the presence of F127 block copolymer. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 385, 121-125.	4.7	32
381	Post-synthesis surface-modified silicas as adsorbents for heavy metal ion contaminants Cd(II), Cu(II), Cr(III), and Sr(II) in aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2013, 392, 57-64.	9.4	32
382	Investigation of solutions of the integral adsorption equation in respect to the range of integration of the adsorption energy. <i>Surface Science</i> , 1975, 47, 429-439.	1.9	31
383	Adsorption parameters and the form of the energy distribution function - a discussion. <i>Thin Solid Films</i> , 1976, 31, 321-328.	1.8	31
384	Study of Cd(II) adsorption from aqueous solution on activated carbons. <i>Carbon</i> , 1986, 24, 15-20.	10.3	31
385	A comprehensive theoretical description of physical adsorption of vapors on heterogeneous microporous solids. <i>The Journal of Physical Chemistry</i> , 1989, 93, 5225-5230.	2.9	31
386	Surface Heterogeneity Analysis of MCM-41 Metallosilicates by Using Nitrogen Adsorption Data. <i>Langmuir</i> , 1999, 15, 5683-5688.	3.5	31
387	Hydrothermal Synthesis and Surface Characteristics of Novel Alpha Alumina Nanosheets with Controlled Chemical Composition. <i>Chemistry of Materials</i> , 2010, 22, 6564-6574.	6.7	31
388	Template-free synthesis of hierarchical γ - Al_2O_3 nanostructures and their adsorption affinity toward phenol and CO_2 . <i>RSC Advances</i> , 2015, 5, 7066-7073.	3.6	31
389	Importance of surface modification of γ -alumina in creating its nanostructured composites with zeolitic imidazolate framework ZIF-67. <i>Journal of Colloid and Interface Science</i> , 2018, 526, 497-504.	9.4	31
390	Tannin-derived micro-mesoporous carbons prepared by one-step activation with potassium oxalate and CO_2 . <i>Journal of Colloid and Interface Science</i> , 2020, 558, 55-67.	9.4	31
391	Gradient optimization in elution liquid chromatography. <i>Journal of Chromatography A</i> , 1978, 153, 309-319.	3.7	30
392	Application of excess adsorption data measured for components of the mobile phase for characterizing chromatographic systems. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1981, 77, 1277.	1.0	30
393	Studies of the structural heterogeneity of microporous carbons using liquid/solid adsorption isotherms. <i>Langmuir</i> , 1993, 9, 2555-2561.	3.5	30
394	Chromatographic and related studies of alkylamide phases. <i>Chromatographia</i> , 1994, 39, 155-161.	1.3	30
395	Adsorption and structural properties of channel-like and cage-like organosilicas. <i>Adsorption</i> , 2006, 12, 293-308.	3.0	30
396	Revisiting the Stober method: Design of nitrogen-doped porous carbon spheres from molecular precursors of different chemical structures. <i>Journal of Colloid and Interface Science</i> , 2016, 476, 55-61.	9.4	30

#	ARTICLE	IF	CITATIONS
397	Strategies for development of nanoporous materials with 2D building units. <i>Chemical Society Reviews</i> , 2020, 49, 6039-6055.	38.1	30
398	Electrocatalytic Refinery for Sustainable Production of Fuels and Chemicals. <i>Angewandte Chemie</i> , 2021, 133, 19724-19742.	2.0	30
399	A Model of Liquid Adsorption Chromatography Involving Solute-Solvent Interaction in the Mobile Phase, Energetic Heterogeneity of the Adsorbent, and Differences in Molecular Sizes of Solute and Solvents. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1981, 4, 2121-2145.	1.0	29
400	Dependence of the methylene selectivity on the composition of hydro-organic eluents for reversed-phase liquid chromatographic systems with alkyl bonded phases. <i>Chromatographia</i> , 1990, 30, 393-399.	1.3	29
401	Evaluation of the energy distribution function from liquid/solid adsorption measurements. <i>Langmuir</i> , 1993, 9, 2547-2554.	3.5	29
402	Adsorption Characterization of Octyl Bonded Phases for High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996, 19, 2767-2784.	1.0	29
403	Comparative studies of chromatographic properties of silica-based amide-bonded phases under hydro-organic conditions. <i>Journal of Chromatography A</i> , 1998, 797, 103-110.	3.7	29
404	Mesoporous Silicate-Surfactant Composites with Hydrophobic Surfaces and Tailored Pore Sizes. <i>Journal of Physical Chemistry B</i> , 2002, 106, 10096-10101.	2.6	29
405	Novel pitch-based carbons with bimodal distribution of uniform mesopores. <i>Chemical Communications</i> , 2004, , 2576.	4.1	29
406	Description of kinetics and equilibrium state of adsorption from multicomponent gas mixtures on solid surfaces. <i>Thin Solid Films</i> , 1980, 71, 273-304.	1.8	28
407	Simple model of liquid-solid chromatography involving solute-solvent and solvent-solvent interactions. <i>Journal of Chromatography A</i> , 1981, 210, 130-132.	3.7	28
408	Investigations of water film on the surface of activated carbons by thermal analysis. <i>Langmuir</i> , 1992, 8, 229-232.	3.5	28
409	Tailoring Adsorption and Framework Properties of Mesoporous Polymeric Composites and Carbons by Addition of Organosilanes during Soft-Templating Synthesis. <i>Journal of Physical Chemistry C</i> , 2010, 114, 6298-6303.	3.1	28
410	Periodic Mesoporous Benzene-Silicas Prepared Using Boric Acid as Catalyst. <i>Chemistry of Materials</i> , 2011, 23, 1971-1976.	6.7	28
411	Microporosity development in phenolic resin-based mesoporous carbons for enhancing CO ₂ adsorption at ambient conditions. <i>Applied Surface Science</i> , 2014, 289, 592-600.	6.1	28
412	Tailoring porosity in carbon spheres for fast carbon dioxide adsorption. <i>Journal of Colloid and Interface Science</i> , 2017, 487, 162-174.	9.4	28
413	Highly porous carbons obtained by activation of polypyrrole/reduced graphene oxide as effective adsorbents for CO ₂ , H ₂ and C ₆ H ₆ . <i>Journal of Porous Materials</i> , 2018, 25, 621-627.	2.6	28
414	Phosphorus Vacancies that Boost Electrocatalytic Hydrogen Evolution by Two Orders of Magnitude. <i>Angewandte Chemie</i> , 2020, 132, 8258-8263.	2.0	28

#	ARTICLE	IF	CITATIONS
415	Adsorption of binary gas mixtures on heterogeneous surfaces. Physics Letters, Section A: General, Atomic and Solid State Physics, 1975, 53, 59-60.	2.1	27
416	Analytical expressions for the retention volume in gas adsorption chromatography. Chromatographia, 1976, 9, 161-167.	1.3	27
417	Dependence of the distribution coefficient on the mobile phase composition in liquid adsorption chromatography. II. Analytical equations for the distribution coefficient involving non-ideality of the mobile phase and heterogeneity of the adsorbent surface. Chromatographia, 1979, 12, 672-678.	1.3	27
418	Distribution functions characterizing structural heterogeneity of activated carbons. Carbon, 1988, 26, 1-6.	10.3	27
419	Shape-selective Raman scattering from surface phonon modes in aggregates of amorphous SiO ₂ nanoparticles. Journal of Applied Physics, 1997, 82, 3499-3507.	2.5	27
420	Synthesis and Characterization of Polymer-Templated Mesoporous Silicas Containing Niobium. Journal of Physical Chemistry B, 2004, 108, 3722-3727.	2.6	27
421	Cage-like ordered silica with large mesopore volume synthesized by doubling amount of polymer, adding sodium chloride and lowering acid concentration. Chemical Communications, 2005, , 1076.	4.1	27
422	Preface to the Special Issue: Templated Materials. Chemistry of Materials, 2008, 20, 599-600.	6.7	27
423	Benzene and Methane Adsorption on Ultrahigh Surface Area Carbons Prepared from Sulphonated Styrene Divinylbenzene Resin by KOH Activation. Adsorption Science and Technology, 2015, 33, 587-594.	3.2	27
424	Mesoporous Alumina with Amidoxime Groups for CO ₂ Sorption at Ambient and Elevated Temperatures. Industrial & Engineering Chemistry Research, 2016, 55, 5598-5607.	3.7	27
425	Dual optimization of microporosity in carbon spheres for CO ₂ adsorption by using pyrrole as the carbon precursor and potassium salt as the activator. Journal of Materials Chemistry A, 2017, 5, 19456-19466.	10.3	27
426	Adsorption of gas mixtures on heterogeneous surfaces. Journal of Colloid and Interface Science, 1978, 65, 9-18.	9.4	26
427	Association effects in adsorption from multicomponent solutions on solids and liquid adsorption chromatography. Journal of the Chemical Society Faraday Transactions I, 1983, 79, 363.	1.0	26
428	Characterization of energetic and structural heterogeneities of activated carbons. Langmuir, 1988, 4, 911-917.	3.5	26
429	Reordering / resonance studies of alkylamide phases. Journal of Chromatography A, 1994, 659, 261-265.	3.7	26
430	Comparison of Energy Distributions Calculated for Active Carbons from Benzene Gas/Solid and Liquid/Solid Adsorption Data. Langmuir, 1995, 11, 1297-1303.	3.5	26
431	Determination of Phase Composition of MCM-48/Lamellar Phase Mixtures Using Nitrogen Adsorption and Thermogravimetry. Chemistry of Materials, 2002, 14, 4434-4442.	6.7	26
432	Large Pore Volume Carbons with Uniform Mesopores and Macropores: Synthesis, Characterization, and Relations between Adsorption Parameters of Silica Templates and their Inverse Carbon Replicas. Journal of Physical Chemistry C, 2007, 111, 9742-9748.	3.1	26

#	ARTICLE	IF	CITATIONS
433	Bifunctional Periodic Mesoporous Organosilicas with Thiophene and Isocyanurate Bridging Groups. <i>Langmuir</i> , 2009, 25, 13258-13263.	3.5	26
434	Carbonâ€“gold coreâ€“shell structures: formation of shells consisting of gold nanoparticles. <i>Chemical Communications</i> , 2012, 48, 3972.	4.1	26
435	Amine-modified silica nanotubes and nanospheres: synthesis and CO ₂ sorption properties. <i>Environmental Science: Nano</i> , 2016, 3, 806-817.	4.3	26
436	SBA-15 templating synthesis of mesoporous bismuth oxide for selective removal of iodide. <i>Journal of Colloid and Interface Science</i> , 2017, 501, 248-255.	9.4	26
437	Surface modification of zero-valent iron nanoparticles with Î²-cyclodextrin for 4-nitrophenol conversion. <i>Journal of Colloid and Interface Science</i> , 2021, 586, 655-662.	9.4	26
438	Adsorption of gas mixtures on heterogeneous surfaces: The integral representation for a monolayer total adsorption isotherm. <i>Surface Science</i> , 1975, 52, 641-652.	1.9	25
439	Use of adsorption isotherms of light normal alkanes for characterizing microporous activated carbons. <i>Langmuir</i> , 1991, 7, 173-177.	3.5	25
440	An improved methodology for adsorption characterization of unmodified and modified silica gels. <i>Journal of Colloid and Interface Science</i> , 2003, 266, 168-174.	9.4	25
441	Surfactant-assisted synthesis of mesoporous silica/ceriaâ€“silica composites with high cerium content under basic conditions. <i>Journal of Materials Chemistry A</i> , 2013, 1, 12595.	10.3	25
442	Mesoporous aluminaâ€“zirconiaâ€“organosilica composites for CO ₂ capture at ambient and elevated temperatures. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2707-2716.	10.3	25
443	Development of mesoporous magnesium oxideâ€“alumina composites for CO ₂ capture. <i>Journal of CO₂ Utilization</i> , 2016, 13, 114-118.	6.8	25
444	Activated polypyrrole-derived carbon spheres for superior CO ₂ uptake at ambient conditions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 549, 147-154.	4.7	25
445	Assessing the contribution of micropores and mesopores from nitrogen adsorption on nanoporous carbons: Application to pore size analysis. <i>Carbon</i> , 2021, 183, 150-157.	10.3	25
446	Adsorption of gas mixtures on heterogeneous surfaces adsorption of carbon dioxide and xenon on aluminum oxide. <i>Journal of Colloid and Interface Science</i> , 1975, 52, 41-45.	9.4	24
447	Statistical thermodynamics of mixed-gas adsorption. Localized monolayer adsorption on heterogeneous surfaces. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1977, 73, 933.	1.1	24
448	Gradient optimization in elution liquid chromatography. <i>Journal of Chromatography A</i> , 1978, 153, 321-328.	3.7	24
449	Studies of the interfacial properties of chemically bonded phases by sorption and liquid chromatography. <i>Journal of Chromatography A</i> , 1996, 722, 19-24.	3.7	24
450	Spontaneous and Stimulated Raman Scattering from Surface Phonon Modes in Aggregated SiO ₂ Nanoparticles. <i>Journal of Physical Chemistry B</i> , 1997, 101, 8832-8835.	2.6	24

#	ARTICLE	IF	CITATIONS
451	Characterization of silica-based octyl phases of different bonding density. Journal of Chromatography A, 1998, 828, 51-58.	3.7	24
452	Bimodal pore size distributions for carbons: Experimental results and computational studies. Journal of Colloid and Interface Science, 2007, 310, 205-216.	9.4	24
453	Application of novel hierarchical niobium-containing zeolites for synthesis of alkyl lactate and lactic acid. Journal of Colloid and Interface Science, 2018, 516, 379-383.	9.4	24
454	Effect of metalâ€“ligand ratio on the CO ₂ adsorption properties of Cuâ€“BTC metalâ€“organic frameworks. RSC Advances, 2018, 8, 35551-35556.	3.6	24
455	Breaking the volcano-plot limits for Pt-based electrocatalysts by selective tuning adsorption of multiple intermediates. Journal of Materials Chemistry A, 2019, 7, 13635-13640.	10.3	24
456	Gas adsorption on heterogeneous surfaces: A detailed computation of adsorption energy distribution. European Physical Journal D, 1975, 25, 891-901.	0.4	23
457	A theoretical isotherm for adsorption on heterogeneous surface. Colloid and Polymer Science, 1978, 256, 471-477.	2.1	23
458	Statistical thermodynamics of adsorption from multicomponent liquid mixtures on heterogeneous solid surfaces. Monatshefte für Chemie, 1981, 112, 59-71.	1.8	23
459	Surface heterogeneity effects in nitrogen adsorption on chemically modified Aerosils III: Comparative discussion of adsorption energy distributions involving physical, mathematical and numerical aspects of their evaluation. Thin Solid Films, 1982, 97, 369-379.	1.8	23
460	Theoretical Foundations of Liquid Adsorption Chromatography with Mixed Eluent. Journal of Liquid Chromatography and Related Technologies, 1984, 7, 393-431.	1.0	23
461	Assessment of reliability of the Horvathâ€“Kawazoe pore size analysis method using argon adsorption isotherms on ordered mesoporous silicas. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2003, 214, 263-269.	4.7	23
462	Carbide-Derived Nanoporous Carbon and Novel Coreâ€“Shell Nanowires. Chemistry of Materials, 2006, 18, 753-758.	6.7	23
463	Effect of organosilane/polymer ratio on adsorption properties of periodic mesoporous ethane-silica. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2007, 300, 235-244.	4.7	23
464	Mesoporous isocyanurate-containing organosilicaâ€“alumina composites and their thermal treatment in nitrogen for carbon dioxide sorption at elevated temperatures. Journal of Materials Chemistry A, 2013, 1, 8244.	10.3	23
465	Highly microporous polymer-based carbons for CO ₂ and H ₂ adsorption. RSC Advances, 2014, 4, 14795.	3.6	23
466	Mn-Doped Ordered Mesoporous Ceriaâ€“Silica Composites and Their Catalytic Properties toward Biofuel Production. Journal of Physical Chemistry C, 2014, 118, 15892-15901.	3.1	23
467	Synthesis of Porous Crystalline Doped Titania Photocatalysts Using Modified Precursor Strategy. Chemistry of Materials, 2016, 28, 7878-7888.	6.7	23
468	Yolkâ€“Shellâ€“Structured Aluminum Phenylphosphonate Microspheres with Anionic Core and Cationic Shell. Advanced Science, 2016, 3, 1500363.	11.2	23

#	ARTICLE	IF	CITATIONS
469	Equilibrium isotherms and isosteric heat for CO ₂ adsorption on nanoporous carbons from polymers. Adsorption, 2016, 22, 581-588.	3.0	23
470	In Situ Synthesis of Nitrogen-Enriched Activated Carbons from <i>Procambarus clarkii</i> Shells with Enhanced CO ₂ Adsorption Performance. Energy & Fuels, 2018, 32, 9701-9710.	5.1	23
471	Benzene adsorption on synthesized and commercial metal-organic frameworks. Journal of Porous Materials, 2019, 26, 775-783.	2.6	23
472	Continuous TLC as a pilot technique for optimization of gradient HPLC. 1. Theoretical considerations for stepwise gradient TLC with binary mobile phase. Journal of High Resolution Chromatography, 1978, 1, 245-249.	1.4	22
473	Surface heterogeneity effects in nitrogen adsorption on chemically modified aerosils I: Discussion of the energy distribution functions evaluated by using the condensation approximation method. Thin Solid Films, 1981, 85, 87-96.	1.8	22
474	Enthalpy of immersion of a microporous solid. The Journal of Physical Chemistry, 1988, 92, 3986-3988.	2.9	22
475	Adsorption Characterization of Two Clay Minerals Society Standard Kaolinites. Journal of Colloid and Interface Science, 1998, 205, 528-530.	9.4	22
476	A new complex of manganese(II) with L-alanine: structure, spectroscopy and thermal study. Polyhedron, 1999, 18, 2321-2326.	2.2	22
477	Adsorption and structural properties of mesoporous carbons obtained from mesophase pitch and phenol-formaldehyde carbon precursors using porous templates prepared from colloidal silica. Journal of Materials Chemistry, 2006, 16, 2819.	6.7	22
478	Electron microscopy and nitrogen adsorption studies of film-type carbon replicas with large pore volume synthesized by using colloidal silica and SBA-15 as templates. Carbon, 2007, 45, 2171-2177.	10.3	22
479	Polymer-templated mesoporous carbons synthesized in the presence of nickel nanoparticles, nickel oxide nanoparticles, and nickel nitrate. Applied Surface Science, 2012, 258, 3763-3770.	6.1	22
480	2D-NLDFT adsorption models for porous oxides with corrugated cylindrical pores. Journal of Colloid and Interface Science, 2018, 532, 588-597.	9.4	22
481	Hollow mesoporous organosilica nanospheres templated with flower-like micelles of pentablock copolymers. Journal of Colloid and Interface Science, 2018, 528, 124-134.	9.4	22
482	Mechanochemical synthesis of three-component graphene oxide/ordered mesoporous carbon/metal-organic framework composites. Journal of Colloid and Interface Science, 2020, 577, 163-172.	9.4	22
483	New possibilities of investigating adsorption phenomena by gas chromatography: Estimation of adsorbent heterogeneity from the pressure dependence of retention data. Chromatographia, 1974, 7, 663-668.	1.3	21
484	Assessment of microporosity in porous adsorbents by comparing the liquid-solid adsorption isotherms. Langmuir, 1989, 5, 987-990.	3.5	21
485	Evaluation of the fractal dimension of microporous activated carbons. Fuel, 1990, 69, 1573-1574.	6.4	21
486	Chromatographic Properties of Mixed Chemically Bonded Phases with Alkylamide and Aminopropyl Ligands. Journal of Liquid Chromatography and Related Technologies, 1997, 20, 2313-2325.	1.0	21

#	ARTICLE	IF	CITATIONS
487	Assessment of ordered and complementary pore volumes in polymer-templated mesoporous silicas and organosilicas. <i>Chemical Communications</i> , 2006, , 2242.	4.1	21
488	Mesoporous Carbon Materials with Ultra-Thin Pore Walls and Highly Dispersed Nickel Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 605-612.	2.0	21
489	Preparation of mesoporous benzene- π -silica nanoparticles. <i>Microporous and Mesoporous Materials</i> , 2009, 120, 252-256.	4.4	21
490	SBA-15-Supported Mixed-Metal Oxides: Partial Hydrolytic Sol-Gel Synthesis, Adsorption, and Structural Properties. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 134-142.	8.0	21
491	Multifunctional periodic mesoporous organosilicas with bridging groups formed via dynamic covalent chemistry. <i>Chemical Communications</i> , 2010, 46, 4568.	4.1	21
492	A Regularly Channeled Lamellar Membrane for Unparalleled Water and Organics Permeation. <i>Angewandte Chemie</i> , 2018, 130, 6930-6934.	2.0	21
493	Recent advances in mechanochemical synthesis of mesoporous metal oxides. <i>Materials Advances</i> , 2021, 2, 2510-2523.	5.4	21
494	A new isotherm equation for multilayer adsorption on heterogeneous surfaces yielding the Dubinin-Radushkevich isotherm in the submonolayer region. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1974, 48, 171-172.	2.1	20
495	Statistical interpretation of the Jovanovič adsorption isotherms. <i>Colloid and Polymer Science</i> , 1976, 254, 601-605.	2.1	20
496	Adsorption of gas mixtures on heterogeneous surfaces. <i>Journal of Colloid and Interface Science</i> , 1977, 59, 230-242.	9.4	20
497	Dependence of the capacity ratio on the composition of the binary mobile phase in liquid-solid adsorption chromatography. <i>Journal of Chromatography A</i> , 1978, 157, 1-5.	3.7	20
498	Liquid adsorption chromatography with a two-component mobile phase. <i>Journal of Chromatography A</i> , 1979, 170, 299-307.	3.7	20
499	A model of adsorption at liquid-solid interface involving association in the bulk phase. <i>Monatshefte für Chemie</i> , 1982, 113, 669-680.	1.8	20
500	On the characterization of structural heterogeneity of microporous solids by discrete and continuous micropore distribution functions. <i>Materials Chemistry and Physics</i> , 1988, 19, 267-289.	4.0	20
501	Correlations of heterogeneity parameters for single-solute and multi-solute adsorption from dilute solutions. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1988, 84, 2951.	1.0	20
502	Studies of the Surface Heterogeneity of Chemically Modified Porous Carbons by Gas-Solid Chromatography. <i>Journal of Chromatographic Science</i> , 1991, 29, 147-152.	1.4	20
503	Preparation and characterization of silica-carbon hybrids. <i>Carbon</i> , 1997, 35, 133-139.	10.3	20
504	Recent developments in the synthesis and chemistry of periodic mesoporous organosilicas. <i>Studies in Surface Science and Catalysis</i> , 2002, , 1-26.	1.5	20

#	ARTICLE	IF	CITATIONS
505	Comparative studies of p6m siliceous mesostructures by powder X-ray diffraction and nitrogen adsorption. <i>Applied Surface Science</i> , 2007, 253, 5682-5687.	6.1	20
506	Editorial for themed issue on "Advanced Materials in Water Treatments". <i>Journal of Materials Chemistry</i> , 2010, 20, 4476.	6.7	20
507	Microwave-Assisted Synthesis of Porous Carbon-Titania and Highly Crystalline Titania Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 1948-1954.	8.0	20
508	Toward Tunable Adsorption Properties, Structure, and Crystallinity of Titania Obtained by Block Copolymer and Scaffold-Assisted Templating. <i>Langmuir</i> , 2013, 29, 12549-12559.	3.5	20
509	Catalytic activity of CeVO ₂ /Ce ₂ IIIIO ₃ -silica mesoporous composite materials for oxidation and esterification reactions. <i>Chemical Engineering Journal</i> , 2015, 262, 1116-1125.	12.7	20
510	Amino acid-assisted synthesis of porous graphitic carbon spheres with highly dispersed Ni nanoparticles. <i>Carbon</i> , 2019, 153, 206-216.	10.3	20
511	Toward development of single-atom ceramic catalysts for selective catalytic reduction of NO with NH ₃ . <i>Journal of Hazardous Materials</i> , 2021, 401, 123413.	12.4	20
512	Adsorption of gas mixtures on heterogeneous solid surfaces II. Adsorption isotherms for gaseous mixtures whose pure-gas isotherms show the Freundlich, T _A ³ th and Langmuir behaviours. <i>Colloid and Polymer Science</i> , 1977, 255, 32-34.	2.1	19
513	Characterization of activated carbons by distribution functions of adsorption potential and micropore dimension. <i>Materials Chemistry and Physics</i> , 1987, 18, 103-117.	4.0	19
514	Evaluation of structural heterogeneities and surface irregularities of microporous solids. <i>Materials Chemistry and Physics</i> , 1990, 26, 87-97.	4.0	19
515	Application of a new numerical method for characterizing heterogeneous solids by using gas-solid chromatographic data. <i>Journal of Chromatography A</i> , 1993, 628, 59-67.	3.7	19
516	Modification of Surface and Structural Properties of Ordered Mesoporous Silicates. <i>Adsorption</i> , 1999, 5, 39-45.	3.0	19
517	Characterization of Silver-Containing Pitch-Based Activated Carbon Fibers. <i>Journal of Colloid and Interface Science</i> , 1999, 220, 157-162.	9.4	19
518	Adsorption Characterization of Ordered Mesoporous Silicas with Mercury-Specific Immobilized Ligands. <i>Adsorption</i> , 2005, 11, 685-690.	3.0	19
519	Co-condensation synthesis and adsorption properties of cage-like mesoporous silicas with imidazole groups. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006, 291, 139-147.	4.7	19
520	"Hard"-vs. "Soft"-Templating Synthesis of Mesoporous Nb ₂ O ₅ Catalysts for Oxidation Reactions. <i>Topics in Catalysis</i> , 2008, 49, 193-203.	2.8	19
521	Cage-like ordered mesoporous organosilicas with isocyanurate bridging groups: Synthesis, template removal and structural properties. <i>Microporous and Mesoporous Materials</i> , 2009, 118, 68-77.	4.4	19
522	Studies of intrawall porosity in the hexagonally ordered mesostructures of SBA-15 by small angle X-ray scattering and nitrogen adsorption. <i>Applied Surface Science</i> , 2010, 256, 5311-5315.	6.1	19

#	ARTICLE	IF	CITATIONS
523	Soft-templating synthesis of ordered mesoporous carbons in the presence of tetraethyl orthosilicate and silver salt. <i>Microporous and Mesoporous Materials</i> , 2012, 156, 121-126.	4.4	19
524	Microwave-assisted and conventional hydrothermal synthesis of ordered mesoporous silicas with P-containing functionalities. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 459, 4-10.	4.7	19
525	Capture of Iodide by Bismuth Vanadate and Bismuth Oxide: An Insight into the Process and its Aftermath. <i>ChemSusChem</i> , 2018, 11, 1486-1493.	6.8	19
526	Prussian blue-assisted one-pot synthesis of nitrogen-doped mesoporous graphitic carbon spheres for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 22092-22102.	10.3	19
527	Effects of surface heterogeneity in adsorption from binary liquid mixtures. IV. Adsorption model with nonideal bulk phase and regular surface phase. <i>Journal of Colloid and Interface Science</i> , 1980, 77, 571-573.	9.4	18
528	Partially mobile adsorption of gases on solid surfaces. <i>Advances in Colloid and Interface Science</i> , 1984, 20, 273-339.	14.7	18
529	Comparison of the adsorption isotherm equations associated with Gaussian and Gamma micropore-size distributions. <i>Carbon</i> , 1988, 26, 747-748.	10.3	18
530	Extension of the Langmuir equation for describing gas adsorption on heterogeneous microporous solids. <i>Langmuir</i> , 1989, 5, 839-844.	3.5	18
531	Use of Simulated Adsorption Isotherms To Study Surface and Structural Heterogeneities of Microporous Solids. <i>Langmuir</i> , 1995, 11, 4532-4538.	3.5	18
532	Thermogravimetric evaluation of the specific surface area and total porosity of microporous carbons. <i>Carbon</i> , 1996, 34, 1109-1113.	10.3	18
533	Recent advances in adsorption characterization of mesoporous molecular sieves. <i>Studies in Surface Science and Catalysis</i> , 2000, , 587-596.	1.5	18
534	Effect of polymer-to-silica ratio on the formation of large three-dimensional cage-like mesostructures. <i>New Journal of Chemistry</i> , 2006, 30, 1071.	2.8	18
535	Features of Nitrogen Adsorption on Nonporous Carbon and Silica Surfaces in the Framework of Classical Density Functional Theory. <i>Langmuir</i> , 2006, 22, 6238-6244.	3.5	18
536	Development of mesoporosity in carbon spheres obtained by Stober method. <i>Microporous and Mesoporous Materials</i> , 2014, 185, 197-203.	4.4	18
537	Evaporation-induced self-assembly synthesis of nanostructured alumina-based mixed metal oxides with tailored porosity. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 725-735.	9.4	18
538	General method for evaluating the energy distribution function from the observed adsorption isotherm. <i>Colloid and Polymer Science</i> , 1975, 253, 683-685.	2.1	17
539	Analogy between gas adsorption and liquid adsorption chromatography. <i>Journal of Chromatography A</i> , 1976, 117, 11-21.	3.7	17
540	Liquid adsorption chromatography with mixed mobile phases. <i>Journal of Chromatography A</i> , 1980, 188, 27-32.	3.7	17

#	ARTICLE	IF	CITATIONS
541	Multilayer adsorption from multicomponent liquid mixtures on solid surfaces. Monatshefte für Chemie, 1981, 112, 175-185.	1.8	17
542	An Extension and new Interpretation of Oscik's Equation Describing Liquid Chromatography with Mixed Mobile Phases. Journal of Liquid Chromatography and Related Technologies, 1985, 8, 1363-1378.	1.0	17
543	Studies of Surface Properties of Disperse Silica and Alumina by Luminescence Measurements and Nitrogen Adsorption. Journal of Colloid and Interface Science, 1998, 201, 210-219.	9.4	17
544	Synthesis and characterization of europium-doped ordered mesoporous silicas. Journal of Materials Chemistry, 2001, 11, 2580-2586.	6.7	17
545	Adsorption and Thermogravimetric Studies of Mesoporous Silica Coated with Siloxane Polymer. Journal of Colloid and Interface Science, 2001, 240, 224-228.	9.4	17
546	Synthesis and characterization of methyl- and vinyl-functionalized ordered mesoporous silicas with high organic content. Studies in Surface Science and Catalysis, 2002, 141, 197-204.	1.5	17
547	Synthesis and Properties of Ordered Mesoporous Organosilicas with Vinyl and Mercaptopropyl Surface Groups: The Effect of Ligand Concentration on Pore Structure. Journal of Physical Chemistry C, 2009, 113, 4875-4884.	3.1	17
548	Deposition of silver nanoparticles on silica spheres and rods. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2012, 411, 74-79.	4.7	17
549	Facile mechanochemical synthesis of highly mesoporous γ - Al_2O_3 using boehmite. Microporous and Mesoporous Materials, 2021, 312, 110792.	4.4	17
550	Graphical estimation of adsorbent heterogeneity. Physics Letters, Section A: General, Atomic and Solid State Physics, 1972, 41, 449-450.	2.1	16
551	Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. Journal of Chromatography A, 1977, 131, 7-18.	3.7	16
552	Numerical studies of gas adsorption on heterogeneous solid surfaces by using the model of associated adsorbate. Journal of Colloid and Interface Science, 1978, 63, 362-368.	9.4	16
553	Use of a gamma energy distribution to model the gas chromatographic temperature dependence of solute retention on aryl-siloxane chemically modified porous carbon. Journal of Chromatography A, 1990, 513, 1-11.	3.7	16
554	Studies of the surface composition of phenyl and cyanopropyl bonded phases under reversed-phase liquid chromatographic conditions using alkanoate and perfluoroalkanoate esters. Analytical Chemistry, 1991, 63, 2849-2852.	6.5	16
555	Thermoanalytical studies of water on aluminum oxides with different porosities. Analytica Chimica Acta, 1992, 269, 157-165.	5.4	16
556	Fifty years of the theory of the volume filling of micropores. Adsorption, 1997, 3, 187-188.	3.0	16
557	Characterization of silica-based octyl phases of different bonding density. Journal of Chromatography A, 1998, 828, 59-73.	3.7	16
558	Comparative Characterization of Octyl Bonded Phases using Methylene Selectivity Data. Journal of Liquid Chromatography and Related Technologies, 1998, 21, 923-939.	1.0	16

#	ARTICLE	IF	CITATIONS
559	Argon and nitrogen adsorption studies of changes in connectivity of ordered cage-like large mesopores during the hydrothermal treatment. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 241, 27-34.	4.7	16
560	Adsorption of argon and nitrogen in cylindrical pores of MCM-41 materials: application of density functional theory. <i>Applied Surface Science</i> , 2005, 252, 1013-1028.	6.1	16
561	Improvement of the Derjaguin-Broekhoff-de Boer Theory for the Capillary Condensation/Evaporation of Nitrogen in Spherical Cavities and Its Application for the Pore Size Analysis of Silicas with Ordered Cage-like Mesopores. <i>Langmuir</i> , 2005, 21, 10530-10536.	3.5	16
562	Silicon beyond the valley. <i>Nature Chemistry</i> , 2009, 1, 166-166.	13.6	16
563	Development of Microporosity in Mesoporous Carbons. <i>Topics in Catalysis</i> , 2010, 53, 283-290.	2.8	16
564	Facile synthesis of polymer and carbon spheres decorated with highly dispersed metal nanoparticles. <i>Chemical Communications</i> , 2014, 50, 12341-12343.	4.1	16
565	Ruthenium-containing SBA-12 catalysts for anisole hydrodeoxygenation. <i>Catalysis Today</i> , 2020, 354, 67-76.	4.4	16
566	Correlation between excess adsorption data measured for solvent mixture/adsorbent systems and RM values obtained for different solutes chromatographed in binary mobile phases. <i>Journal of High Resolution Chromatography</i> , 1981, 4, 74-78.	1.4	15
567	Surface heterogeneity effects in nitrogen adsorption on chemically modified aerosils II: Adsorptive energy distribution functions evaluated using numerical methods. <i>Thin Solid Films</i> , 1982, 87, 323-335.	1.8	15
568	Studies of adsorption kinetics by means of the stochastic numerical simulation. <i>Surface Science Reports</i> , 1983, 3, 301-353.	7.2	15
569	Theoretical description of association effects in liquid adsorption chromatography with a mixed mobile phase. <i>Journal of Chromatography A</i> , 1984, 295, 377-386.	3.7	15
570	Relationships defining dependence between adsorption parameters of Dubinin-Astakhov and generalized Langmuir equations. <i>Journal of Colloid and Interface Science</i> , 1984, 101, 280-281.	9.4	15
571	Physical adsorption of gases on energetically heterogeneous solids II. Theoretical extension of a generalized Langmuir equation and its application for analysing adsorption data. <i>Monatshefte für Chemie</i> , 1984, 115, 1013-1038.	1.8	15
572	Correlation between the fractal dimension and the microporous structure of a solid. <i>Monatshefte für Chemie</i> , 1991, 122, 577-584.	1.8	15
573	Surface and Structural Properties of Silica Gels Used in High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996, 19, 1523-1537.	1.0	15
574	Three-Dimensional Cubic Mesoporous Molecular Sieves of FDU-1 Containing Niobium: Dependence of Niobium Source on Structural Properties. <i>Langmuir</i> , 2005, 21, 755-760.	3.5	15
575	A new approach to synthesis of periodic mesoporous organosilicas: taking advantage of self-assembly and reactivity of organic precursors. <i>Journal of Materials Chemistry</i> , 2011, 21, 6389.	6.7	15
576	Poly(ethylene oxide)-Poly(butylene oxide)-Poly(ethylene oxide)-Templated Synthesis of Mesoporous Alumina: Effect of Triblock Copolymer and Acid Concentration. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3738-3744.	8.0	15

#	ARTICLE	IF	CITATIONS
577	Organic acid-assisted soft-templating synthesis of ordered mesoporous carbons. <i>Adsorption</i> , 2013, 19, 563-569.	3.0	15
578	Saran-Derived Carbons for CO ₂ and Benzene Sorption at Ambient Conditions. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 15383-15388.	3.7	15
579	Ordered mesoporous carbon-titania composites and their enhanced photocatalytic properties. <i>Journal of Colloid and Interface Science</i> , 2015, 449, 297-303.	9.4	15
580	Development of Alumina-Mesoporous Organosilica Hybrid Materials for Carbon Dioxide Adsorption at 25 °C. <i>Materials</i> , 2018, 11, 2301.	2.9	15
581	High benzene adsorption capacity of micro-mesoporous carbon spheres prepared from XAD-4 resin beads with pores protected effectively by silica. <i>Journal of Materials Science</i> , 2019, 54, 13892-13900.	3.7	15
582	Consequences of assuming the Bragg-Williams approximation in mixed-gas adsorption. <i>Surface Science</i> , 1978, 78, L501-L503.	1.9	14
583	Application of a bilayer adsorption model for explaining the adsorption of esters from n-heptane and benzene on silica gel. <i>Monatshefte für Chemie</i> , 1982, 113, 925-932.	1.8	14
584	An improved method for evaluating the micropore-size distribution from adsorption isotherm. <i>Chemical Engineering Science</i> , 1991, 46, 3299-3301.	3.8	14
585	Two-dimensional solid state NMR characterization of physisorbed siloxane polymer (OV-225) on silica. <i>Surface Science</i> , 2006, 600, 143-154.	1.9	14
586	Adsorption and structural properties of ordered mesoporous carbons synthesized by soft-templating in the presence of boric acid and tetraethyl orthosilicate. <i>RSC Advances</i> , 2012, 2, 1877.	3.6	14
587	Effect of cosolvent organic molecules on the adsorption and structural properties of soft-templated ordered mesoporous alumina. <i>Journal of Colloid and Interface Science</i> , 2012, 367, 129-134.	9.4	14
588	Polyvinyl pyrrolidone-assisted synthesis of size-tunable polymer spheres at elevated temperature and their conversion to nitrogen-containing carbon spheres. <i>Journal of Colloid and Interface Science</i> , 2019, 549, 162-170.	9.4	14
589	Studies on energetic heterogeneity of adsorbents by means of liquid chromatography. <i>Chromatographia</i> , 1975, 8, 234-239.	1.3	13
590	A modification of the chromatographic Hobson method for studying heterogeneity of adsorbents. <i>Journal of Chromatography A</i> , 1975, 110, 381-384.	3.7	13
591	Application of Gas-Adsorption Chromatography Data to Investigation of the Adsorptive Properties of Adsorbents. <i>Separation Science</i> , 1976, 11, 29-37.	0.6	13
592	Adsorption of gas mixtures on heterogeneous surfaces. <i>Journal of Colloid and Interface Science</i> , 1977, 59, 371-375.	9.4	13
593	On the characterization of microporous adsorbents. <i>Carbon</i> , 1977, 15, 107-111.	10.3	13
594	A new approach to the adsorption kinetics of gas mixtures on heterogeneous surfaces. <i>Reaction Kinetics and Catalysis Letters</i> , 1978, 8, 425-429.	0.6	13

#	ARTICLE	IF	CITATIONS
595	Adsorption of gas mixtures on homogeneous solid surfaces I. Model of double associates for adsorption of binary mixtures. <i>Colloid and Polymer Science</i> , 1978, 256, 1089-1094.	2.1	13
596	Determination of solute-solvent association effects in liquid-solid chromatography with mixed mobile phases. <i>Journal of High Resolution Chromatography</i> , 1981, 4, 89-90.	1.4	13
597	Application of t ³ 's equation to describe the single-solute adsorption from dilute solutions on solids. <i>Journal of Colloid and Interface Science</i> , 1983, 94, 573-576.	9.4	13
598	CPS L 946. <i>Colloid and Polymer Science</i> , 1985, 263, 771-777.	2.1	13
599	A new method for characterizing global adsorbent heterogeneity by using adsorption data. <i>Materials Chemistry and Physics</i> , 1986, 14, 141-166.	4.0	13
600	A simple isotherm equation for describing gas adsorption on heterogeneous microporous solids. <i>Monatshefte für Chemie</i> , 1987, 118, 315-321.	1.8	13
601	Adsorption theory of volume filling of micropores for structurally heterogeneous solids. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1988, 84, 1139.	1.1	13
602	Application of Alkylamide Phases to Separate Compounds of Different Polarity Under Reversed Phase Conditions. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996, 19, 2829-2841.	1.0	13
603	Influence of analysis conditions on low pressure adsorption measurements and its consequences in characterization of energetic and structural heterogeneity of microporous carbons. <i>Adsorption</i> , 1997, 3, 277-282.	3.0	13
604	Adsorption Energy Evaluation from Luminescence Spectra of Uranyl Ions (UO ₂ ²⁺) Adsorbed on Disperse Silica Surfaces. <i>Journal of Colloid and Interface Science</i> , 1997, 194, 455-469.	9.4	13
605	Thermogravimetric characterization of mesoporous molecular sieves. <i>Studies in Surface Science and Catalysis</i> , 2000, 129, 567-576.	1.5	13
606	A model-independent analysis of nitrogen adsorption isotherms on oxidized active carbons. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2001, 189, 103-111.	4.7	13
607	Fabrication and Characterization of Mesostructured Silica, HUM-1, and Its Ordered Mesoporous Carbon Replica. <i>Industrial & Engineering Chemistry Research</i> , 2005, 44, 4316-4322.	3.7	13
608	Adsorption properties of phenolic resin-based mesoporous carbons obtained by using mixed templates of Pluronic F127 and Brij 58 or Brij 78 polymers. <i>Adsorption</i> , 2010, 16, 377-383.	3.0	13
609	Polymer-templated mesoporous carbons with nickel nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 362, 20-27.	4.7	13
610	Soft-templating synthesis and adsorption properties of mesoporous carbons with embedded silver nanoparticles. <i>Adsorption</i> , 2011, 17, 461-466.	3.0	13
611	Synthesis of rod-like silica-gold core-shell structures. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 393, 37-41.	4.7	13
612	Standard nitrogen adsorption data for γ -alumina and their use for characterization of mesoporous alumina-based materials. <i>Adsorption</i> , 2013, 19, 475-481.	3.0	13

#	ARTICLE	IF	CITATIONS
613	Highly Porous Carbons Synthesized from Tannic Acid via a Combined Mechanochemical Salt-Templating and Mild Activation Strategy. <i>Molecules</i> , 2021, 26, 1826.	3.8	13
614	The adsorbate-adsorbate association model in localized adsorption of gases on random heterogeneous surfaces. <i>Thin Solid Films</i> , 1981, 75, 307-317.	1.8	12
615	Adsorption of gas mixtures on solids. <i>Journal of Colloid and Interface Science</i> , 1982, 85, 457-462.	9.4	12
616	Some remarks on Freundlich-type multicomponent isotherm. <i>Journal of Colloid and Interface Science</i> , 1982, 86, 588-589.	9.4	12
617	Multilayer adsorption of alcohols from benzene/n-heptane mixtures on silica gel. <i>Monatshefte für Chemie</i> , 1982, 113, 29-35.	1.8	12
618	Physical interpretation of the energy parameter in the Dubinin-Raduskevich equation. <i>Carbon</i> , 1988, 26, 107-108.	10.3	12
619	Comparative studies of the overall adsorption isotherm associated with Dubinin-Astakhov equation. <i>Carbon</i> , 1990, 28, 243-246.	10.3	12
620	Use of a displacement model for solvent sorption to study non-specific selectivity in reversed-phase liquid chromatography. <i>Chromatographia</i> , 1991, 32, 13-18.	1.3	12
621	Correlation between adsorption of benzene from dilute aqueous solutions and benzene vapor adsorption on microporous active carbons. <i>Carbon</i> , 1991, 29, 1294-1296.	10.3	12
622	Infrared Studies of the Microdomains and Mesomorphic Properties of 4'-Cyano-4-biphenyl [4-(4-pentenyl)oxy]benzoate Coated on Silica. <i>Analytical Chemistry</i> , 1994, 66, 4100-4104.	6.5	12
623	Retention of pyridinecarboxylic acids on monomeric and polymeric alkylamide phases. <i>Journal of Chromatography A</i> , 1996, 728, 213-224.	3.7	12
624	Thermoanalytical studies of water films on porous silicas at subambient and elevated temperatures. <i>Thermochimica Acta</i> , 1996, 287, 225-233.	2.7	12
625	Synthesis and Characterization of Silica-Immobilized Serum Albumin Stationary Phases for HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996, 19, 2943-2965.	1.0	12
626	Comparative Studies of Carbon Blacks by Thermogravimetry and Nitrogen Adsorption. <i>Journal of Colloid and Interface Science</i> , 1999, 210, 200-206.	9.4	12
627	Benzene Adsorption Isotherms on MCM-41 and their Use for Pore Size Analysis. <i>Adsorption</i> , 2004, 10, 195-203.	3.0	12
628	Adsorption characterization of surfactant-templated ordered mesoporous silicas synthesized with and without hydrothermal treatment. <i>Applied Surface Science</i> , 2005, 252, 562-569.	6.1	12
629	Role of Aluminum Salts in the Synthesis of Polymer-Templated Periodic Mesoporous Organosilicas. <i>Chemistry of Materials</i> , 2008, 20, 2468-2475.	6.7	12
630	Cage-like mesoporous organosilicas with isocyanurate bridging groups synthesized by soft templating with poly(ethylene oxide)-poly(butylene oxide)-poly(ethylene oxide) block copolymer. <i>Journal of Colloid and Interface Science</i> , 2009, 333, 354-362.	9.4	12

#	ARTICLE	IF	CITATIONS
631	Nanocasting Synthesis of Iron-Doped Mesoporous Al ³⁺ Ti Mixed Oxides Using Ordered Mesoporous Carbon Templates. Journal of Physical Chemistry C, 2009, 113, 13565-13573.	3.1	12
632	Periodic Mesoporous Benzene- and Thiophene-Silicas Prepared Using Aluminum Chloride as an Acid Catalyst: Effect of Aluminum Salt/Organosilane Ratio and Stirring Time. Journal of Physical Chemistry C, 2009, 113, 5111-5119.	3.1	12
633	Benzene-Silica with Hexagonal and Cubic Ordered Mesostructures Synthesized in the Presence of Block Copolymers and Weak Acid Catalysts. Journal of Physical Chemistry C, 2012, 116, 16023-16029.	3.1	12
634	Synthesis, Characterization, Properties, and Applications of Nanosized Photocatalytic Materials. Journal of Nanomaterials, 2012, 2012, 1-3.	2.7	12
635	Tailoring surface and structural properties of composite materials by coupling Pt-decorated graphene oxide and ZIF-8-derived carbon. Applied Surface Science, 2018, 459, 760-766.	6.1	12
636	Potassium citrate-assisted eco-friendly synthesis of tannin-derived nitrogen-doped micro-mesoporous carbon microspheres. Journal of Materials Science, 2020, 55, 13716-13736.	3.7	12
637	Catalytic role of metals supported on SBA-16 in hydrodeoxygenation of chemical compounds derived from biomass processing. RSC Advances, 2021, 11, 9505-9517.	3.6	12
638	Multilayer adsorption of binary gas mixtures on heterogeneous solid surfaces. Physics Letters, Section A: General, Atomic and Solid State Physics, 1976, 56, 53-54.	2.1	11
639	On the exponential absorption isotherm. Physics Letters, Section A: General, Atomic and Solid State Physics, 1978, 67, 309-310.	2.1	11
640	Determination of the capacity ratio and concentration-time function for stepwise elution with binary mobile phase with help of liquid chromatography data obtained from isocratic elution. Chromatographia, 1979, 12, 29-32.	1.3	11
641	The adsorbate-adsorbate association model in mixed gas adsorption on homogeneous solid surfaces. Thin Solid Films, 1980, 69, 369-378.	1.8	11
642	A simple model for the adsorption of mixtures on solids involving energetic heterogeneity of the surface and differences in molecular sizes of the components. Thin Solid Films, 1981, 81, L97-L99.	1.8	11
643	Determination of Association Effects in TLC Data for Different Solutes Chromatographed in Methanol-Acetone on Silica Gel. Journal of Liquid Chromatography and Related Technologies, 1982, 5, 1033-1042.	1.0	11
644	Physical adsorption on heterogeneous solids—Present and future. Thin Solid Films, 1983, 100, 325-328.	1.8	11
645	A new numerical method for calculating the energy distribution from adsorption isotherm data. Chemical Physics Letters, 1986, 125, 241-245.	2.6	11
646	Thermogravimetric Studies of Silica Physically and Chemically Modified with the Liquid Crystal 4-Cyano-4-Biphenyl[4-(4-Pentenyl)oxy]Benzoate. Journal of Colloid and Interface Science, 1997, 185, 39-43.	9.4	11
647	Biocompatible d-penicillamine conjugated Au nanoparticles: targeting intracellular free copper ions for detoxification. Journal of Materials Chemistry B, 2015, 3, 5553-5559.	5.8	11
648	Energy and environmental photocatalytic materials. Applied Surface Science, 2017, 391, 71.	6.1	11

#	ARTICLE	IF	CITATIONS
649	One-pot synthesis of activated porous graphitic carbon spheres with cobalt nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 582, 123884.	4.7	11
650	Fundamentals of adsorption for photocatalysis. <i>Interface Science and Technology</i> , 2020, , 39-62.	3.3	11
651	Physisorption of gaseous and liquid mixtures on real solid surfaces. <i>Journal of Low Temperature Physics</i> , 1976, 24, 253-259.	1.4	10
652	General formulation of kinetics of mixed-gas adsorption on heterogeneous solid surfaces. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1978, 74, 1292.	1.1	10
653	Thin-layer adsorption chromatography with mixed mobile phases. 1. Characterization of chromatographic systems showing energetic heterogeneity of adsorbent surfaces with regard to admolecules of solvents and solutes. <i>Journal of High Resolution Chromatography</i> , 1979, 2, 236-242.	1.4	10
654	Adsorption TLC with binary mobile phases. <i>Chromatographia</i> , 1981, 14, 95-99.	1.3	10
655	Adsorption of 1-tetradecene/dodecane mixtures on different types of zeolites. <i>Monatshefte für Chemie</i> , 1983, 114, 857-873.	1.8	10
656	An equation for multi-solute adsorption from dilute aqueous solutions involving energetic heterogeneity of the solid and differences in molecular sizes of the solutes. <i>Chemical Engineering Science</i> , 1983, 38, 307-311.	3.8	10
657	Gas adsorption on energetically heterogeneous solid surfaces: On the choice of local adsorption isotherm. <i>Journal of Colloid and Interface Science</i> , 1985, 108, 50-59.	9.4	10
658	Parameters of microporous structure of carbonaceous adsorbents gasified with air or carbon dioxide. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1989, 85, 3125.	1.0	10
659	Characterization of microporous carbons by using TGA curves measured under controlled conditions. <i>Thermochimica Acta</i> , 1996, 272, 65-73.	2.7	10
660	Title is missing!. <i>Adsorption</i> , 1999, 5, 313-317.	3.0	10
661	Thermogravimetric estimation of adsorption properties of europium-incorporated MCM-41 materials. <i>Thermochimica Acta</i> , 2002, 383, 79-85.	2.7	10
662	Modeling Nitrogen Adsorption in Spherical Pores of Siliceous Materials by Density Functional Theory. <i>Journal of Chemical Theory and Computation</i> , 2005, 1, 653-661.	5.3	10
663	Optimization of silica/surfactant ratio in MCM-41 synthesis. <i>Studies in Surface Science and Catalysis</i> , 2005, 156, 55-62.	1.5	10
664	Comparative thermogravimetric and adsorption study of highly ordered mesoporous materials. <i>Journal of Colloid and Interface Science</i> , 2006, 296, 377-380.	9.4	10
665	Applicability of classical methods of pore size analysis for MCM-41 and SBA-15 silicas. <i>Applied Surface Science</i> , 2007, 253, 5587-5590.	6.1	10
666	Photocatalytic Materials. <i>International Journal of Photoenergy</i> , 2012, 2012, 1-5.	2.5	10

#	ARTICLE	IF	CITATIONS
667	Microwave-assisted single-surfactant templating synthesis of mesoporous zeolites. RSC Advances, 2016, 6, 54956-54963.	3.6	10
668	Development of activated graphene-MOF composites for H ₂ and CH ₄ adsorption. Adsorption, 2019, 25, 521-528.	3.0	10
669	Study on the possibility of determining the adsorbent heterogeneity by using the exponential adsorption isotherm. Physics Letters, Section A: General, Atomic and Solid State Physics, 1976, 59, 259-260.	2.1	9
670	Thin-layer adsorption chromatography with mixed mobile phases. 4. Extension of OÅvik's equation to heterogeneous adsorbents. Journal of High Resolution Chromatography, 1981, 4, 17-23.	1.4	9
671	Multilayer effects in adsorption of alcohols from benzene and n-heptane on silica gel. Monatshefte für Chemie, 1983, 114, 559-562.	1.8	9
672	Studies of the surface heterogeneity of high disperse silica chemically modified by sodium and potassium oxides using low-temperature nitrogen adsorption data. Journal of Colloid and Interface Science, 1984, 99, 493-506.	9.4	9
673	An Extension and New Interpretation of OÅvik's Equation for Describing Liquid Chromatography with Mixed Mobile Phases. II. Partition and Adsorption Effects. Journal of Liquid Chromatography and Related Technologies, 1986, 9, 2555-2562.	1.0	9
674	The energy distribution function associated with dubinin's description of gas adsorption on heterogeneous microporous solids. Carbon, 1987, 25, 579-582.	10.3	9
675	Thermodynamic functions associated with the exponential isotherm equation for gas adsorption on heterogeneous microporous solids. Journal of Colloid and Interface Science, 1988, 126, 69-73.	9.4	9
676	Studies of surface and structural heterogeneities of microporous carbons by high-resolution thermogravimetry. Studies in Surface Science and Catalysis, 1994, 87, 613-622.	1.5	9
677	Influence of the Pore Geometry on the Micropore Size Distribution Function of Active Carbons. Adsorption Science and Technology, 1997, 15, 571-581.	3.2	9
678	Improved thermogravimetric determination of the specific surface area for cerium-incorporated MCM-41 materials. Journal of Alloys and Compounds, 2002, 344, 190-194.	5.5	9
679	Comparison of adsorption properties of MCM-41 materials obtained using cationic surfactants with octyl chain. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2002, 203, 97-103.	4.7	9
680	Gas adsorption: A valuable tool for the pore size analysis and pore structure elucidation of ordered mesoporous materials. Studies in Surface Science and Catalysis, 2003, 146, 263-269.	1.5	9
681	Influence of synthesis time on adsorption properties of FDU1 materials. Studies in Surface Science and Catalysis, 2005, 156, 105-112.	1.5	9
682	Effects of Hydrothermal Treatment and Template Removal on the Adsorption and Structural Properties of SBA-16 Mesoporous Silica. Adsorption Science and Technology, 2007, 25, 439-449.	3.2	9
683	Polymer-templated organosilicas with hexagonally ordered mesopores: the effect of organosilane addition at different synthesis stages. Adsorption, 2007, 13, 323-329.	3.0	9
684	Adsorption properties of ordered mesoporous silicas synthesized in the presence of block copolymer Pluronic F127 under microwave irradiation. Adsorption, 2010, 16, 385-396.	3.0	9

#	ARTICLE	IF	CITATIONS
685	A highly efficient and extremely selective intracellular copper detoxifying agent based on nanoparticles of ZnMoS ₄ . Journal of Materials Chemistry B, 2014, 2, 257-261.	5.8	9
686	Aqueous synthesis of bimodal mesoporous carbons and carbon-silica mesostructures under basic conditions. Microporous and Mesoporous Materials, 2016, 226, 299-308.	4.4	9
687	Thermodynamics of localized and non-localized adsorption on patchwise heterogeneous surfaces. Thin Solid Films, 1976, 37, L43-L47.	1.8	8
688	Supplementary note to the paper "adsorption of gas mixtures on heterogeneous surfaces". Surface Science, 1977, 66, 652-654.	1.9	8
689	On the Gonzalez-Holland model for adsorption of gas mixtures. AIChE Journal, 1977, 23, 605-607.	3.6	8
690	A simple procedure for obtaining adsorption isotherms of gas mixtures on heterogeneous surfaces. Colloid and Polymer Science, 1977, 255, 176-177.	2.1	8
691	Adsorption of gas mixtures on heterogeneous solid surfaces. Colloid and Polymer Science, 1978, 256, 690-695.	2.1	8
692	Two-dimensional mobile films of gases on solids: Adaptation of three-dimensional equations of state to physical adsorption of single gases on homogeneous surfaces. The Chemical Engineering Journal, 1978, 15, 147-157.	0.3	8
693	Partially mobile and partially localized monolayer films II: Adsorption of binary gas mixtures on solids. Thin Solid Films, 1978, 52, 305-311.	1.8	8
694	A unified description of the kinetics of localized and mobile monolayer adsorption from the gaseous phase onto solid surfaces. Thin Solid Films, 1979, 62, 237-246.	1.8	8
695	Statistical thermodynamics of multilayer adsorption from binary mixtures onto homogeneous solid surfaces. Thin Solid Films, 1982, 94, 79-88.	1.8	8
696	Isotope exchange kinetics at heterogeneous solid surfaces (solid-liquid interfaces). Monatshefte für Chemie, 1984, 115, 147-154.	1.8	8
697	Characterization Of solid-liquid adsorption systems by using Gaussian energy distribution. Materials Chemistry and Physics, 1985, 12, 339-365.	4.0	8
698	Gas Adsorption on Structurally Heterogeneous Microporous Solids. Separation Science and Technology, 1987, 22, 2367-2380.	2.5	8
699	Use of argon adsorption isotherms for characterizing microporous activated carbons. Fuel, 1990, 69, 516-518.	6.4	8
700	Liquid Chromatographic Studies of Silica-Immobilized Bovine Serum Albumin Under Normal-Phase Conditions: Separation of Phenolic Solutes Using Ternary Mixtures of Hydrogen Chloride-Diethyl Ether-Hexane as Eluents. Journal of Liquid Chromatography and Related Technologies, 1992, 15, 2503-2518.	1.0	8
701	Thermogravimetric and adsorption studies of oxidized active carbons by using different probe molecules. Thermochemica Acta, 2000, 345, 165-172.	2.7	8
702	Synthesis and adsorption properties of cerium modified MCM-41. Studies in Surface Science and Catalysis, 2000, 129, 187-194.	1.5	8

#	ARTICLE	IF	CITATIONS
703	Structural Stability of Siâ€C Bonds in Periodic Mesoporous Thiophene-Silicas Prepared under Acidic Conditions. <i>Journal of Physical Chemistry C</i> , 2013, 117, 21441-21449.	3.1	8
704	Extension of the model of associated adsorbate to adsorption on patchwise heterogeneous surfaces. <i>Thin Solid Films</i> , 1977, 46, 239-247.	1.8	7
705	On Ritchie's equation for adsorption kinetics of gases on solids. <i>Reaction Kinetics and Catalysis Letters</i> , 1978, 9, 309-313.	0.6	7
706	Effects of lateral interactions and surface heterogeneity in kinetics of adsorption from multicomponent gas mixtures. <i>Thin Solid Films</i> , 1979, 59, 249-254.	1.8	7
707	Prediction of TLC data for binary mobile phases by means of the RM-values obtained for single solvents. <i>Journal of High Resolution Chromatography</i> , 1980, 3, 29-30.	1.4	7
708	Studies of isotope exchange kinetics at the electrolyte solution/solid interface. <i>Materials Chemistry and Physics</i> , 1983, 9, 351-358.	4.0	7
709	Thermodynamic Approach to TLC with Mixed mobile Phase. Determination of Parameters Characterizing TLC Systems. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1983, 6, 81-93.	1.0	7
710	Studies of heterogeneous isotope exchange of Cd (II) between the solution and the surface layer formed on aluminium oxide and activated carbon. <i>Materials Chemistry and Physics</i> , 1984, 11, 195-200.	4.0	7
711	Multilayer single-solute adsorption from dilute solutions on energetically heterogeneous solids. <i>Chemical Engineering Science</i> , 1984, 39, 65-70.	3.8	7
712	A new concept for the theoretical description of solute adsorption from dilute solutions on solids. <i>Langmuir</i> , 1987, 3, 673-675.	3.5	7
713	Partition-Sorption Model for Describing Non-Specific Selectivity in Reversed-Phase Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1992, 15, 1431-1442.	1.0	7
714	Fourier-Transform Infrared Spectroscopy Studies of the Interaction of Functionalized Siloxane Polymers with Porous Silica. <i>Journal of Colloid and Interface Science</i> , 2000, 226, 131-135.	9.4	7
715	On the applicability of the Horwath-Kawazoe method for pore size analysis of MCM-41 and related mesoporous materials. <i>Studies in Surface Science and Catalysis</i> , 2000, 128, 225-234.	1.5	7
716	Studies of Dehydration Process for Isostructural Series of Lanthanide(III) 2,6-dihydroxybenzoates. <i>Magyar Árvad Kémlemlények</i> , 2001, 66, 841-849.	1.4	7
717	Thermogravimetric studies of benzoylthiourea-modified MCM-41 after adsorption of mercury ions from aqueous solutions. <i>Analyst, The</i> , 2005, 130, 104.	3.5	7
718	Ordered mesoporous carbon/Î±-alumina nanosheet composites. <i>Nanoscale</i> , 2010, 2, 2868.	5.6	7
719	Some remarks on the maximum adsorption energy. <i>Surface Science</i> , 1976, 54, 189-193.	1.9	6
720	Studies of chromatographic packings comprising porous polymers. <i>Journal of Chromatography A</i> , 1978, 157, 119-124.	3.7	6

#	ARTICLE	IF	CITATIONS
721	Monolayer films of gases on solids composed of patches covered by mobile and localized adsorbed molecules. <i>Thin Solid Films</i> , 1978, 50, L21-L23.	1.8	6
722	Partially mobile and partially localized monolayer films I: Adsorption of single gases on solids. <i>Thin Solid Films</i> , 1978, 52, 295-304.	1.8	6
723	General model of physical adsorption: Monomolecular adsorption of single gases on homogeneous solid surfaces. <i>Surface Science</i> , 1978, 77, 365-377.	1.9	6
724	Partially mobile and partially localized monolayer films of gases on solid surfaces III: Comparison of two simple models. <i>Thin Solid Films</i> , 1980, 67, 187-192.	1.8	6
725	A stochastic approach to the kinetics of adsorption from binary gas mixtures on homogeneous solid surfaces. <i>Thin Solid Films</i> , 1981, 75, L11-L14.	1.8	6
726	Partially mobile and partially localized monolayer films of gases on solid surfaces V: Application of the model to adsorption of simple gases on graphite and boron nitride. <i>Thin Solid Films</i> , 1981, 76, 247-258.	1.8	6
727	Stochastic modelling of adsorption kinetics on solid surfaces I: Kinetics of localized monolayer gas adsorption on energetically heterogeneous surfaces without lateral interactions in the surface phase. <i>Thin Solid Films</i> , 1982, 94, 365-371.	1.8	6
728	Liquid/Solid Interfaces: Studies of Kinetics of Isotope Exchange. <i>Adsorption Science and Technology</i> , 1985, 2, 97-119.	3.2	6
729	Application of chromatographic and adsorption data for characterizing liquid/solid adsorption systems. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985, 321, 371-373.	0.8	6
730	Liquid Chromatography with Mixed Mobile Phases: Interpretation of the Model Chromatographic Data by Means of the Simple Linear Relationship. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1985, 8, 1965-1987.	1.0	6
731	Surface Heterogeneity Effects in Liquid-Solid Chromatography with Mixed Eluents. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1985, 8, 1953-1963.	1.0	6
732	Correlation of heterogeneity parameters for adsorption of single gases and gas mixtures on solids. <i>Chemical Engineering Science</i> , 1987, 42, 2135-2141.	3.8	6
733	On the mesopore correction of adsorption data used for characterizing microporous structure of activated carbons. <i>Materials Chemistry and Physics</i> , 1987, 18, 409-421.	4.0	6
734	Solute adsorption from dilute solutions on structurally heterogeneous solids. <i>Journal of Colloid and Interface Science</i> , 1988, 125, 561-566.	9.4	6
735	Adsorption of water vapor on modified activated carbons. <i>Monatshefte für Chemie</i> , 1990, 121, 971-978.	1.8	6
736	Pressure swing adsorption for a system with a Langmuir-Freundlich isotherm. <i>Chemical Engineering Science</i> , 1990, 45, 1097-1103.	3.8	6
737	Application of programmable liquid thermodesorption under quasi-isothermal conditions to study physicochemical properties of liquid films and solid surfaces. <i>Journal of Thermal Analysis</i> , 1992, 38, 2041-2051.	0.6	6
738	Verification of selected relationships for fractally porous solids by using adsorption isotherms calculated from density functional theory. <i>Surface Science</i> , 1995, 342, L1127-L1130.	1.9	6

#	ARTICLE	IF	CITATIONS
739	Estimation of the Surface Properties of Unmodified and Strongly Oxidized Active Carbons on the Basis of Water Vapour Adsorption Isotherms. <i>Adsorption Science and Technology</i> , 1998, 16, 295-302.	3.2	6
740	Self-consistent determination of the lamellar phase content in MCM-41 using X-ray diffraction, nitrogen adsorption and thermogravimetry. <i>Studies in Surface Science and Catalysis</i> , 2000, 129, 577-586.	1.5	6
741	The use of ordered mesoporous materials for improving the mesopore size analysis: Current state and future. <i>Studies in Surface Science and Catalysis</i> , 2002, , 437-444.	1.5	6
742	Optimization of synthesis time for SBA-15 materials. <i>Studies in Surface Science and Catalysis</i> , 2005, 156, 75-82.	1.5	6
743	Argon adsorption in channel-like mesoporous carbons at 77K: Grand Canonical Monte Carlo simulations and pore size analysis. <i>Microporous and Mesoporous Materials</i> , 2008, 116, 665-669.	4.4	6
744	Introduction of Bridging and Pendant Organic Groups into Mesoporous Alumina Materials. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 4480-4486.	8.0	6
745	R&A-cktitelbild: Sulfur and Nitrogen Dual-Doped Mesoporous Graphene Electrocatalyst for Oxygen Reduction with Synergistically Enhanced Performance (<i>Angew. Chem.</i> 46/2012). <i>Angewandte Chemie</i> , 2012, 124, 11808-11808.	2.0	6
746	Scaffold-assisted synthesis of crystalline mesoporous titania materials. <i>RSC Advances</i> , 2015, 5, 61960-61972.	3.6	6
747	Preparation of highly ordered mesoporous ethaneâsilicas under weakly acidic conditions and their hydrothermal stability. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21378-21388.	10.3	6
748	A generalized strategy for synthesizing crystalline bismuth-containing nanomaterials. <i>Nanoscale</i> , 2020, 12, 8277-8284.	5.6	6
749	Adsorption on heterogeneous surfaces: Consequence of assuming the Jovanovi&A- equation for local adsorption. <i>Colloid and Polymer Science</i> , 1977, 255, 374-378.	2.1	5
750	Characterization of Chromatographic Systems with Ternary Mobile Phase. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1979, 2, 799-808.	1.0	5
751	Thin-layer adsorption chromatography with mixed mobile phases. 2. Effects of solute-solvent interactions and energetic heterogeneity of surfaces with regard to admolecules in TLC. <i>Journal of High Resolution Chromatography</i> , 1979, 2, 524-526.	1.4	5
752	Some remarks on the BerezinâKiselev model of localized adsorption on homogeneous solid surfaces. <i>Journal of Colloid and Interface Science</i> , 1979, 72, 344-346.	9.4	5
753	Elovich-type equations for description of the adsorption rates of gas mixtures. <i>Journal of Catalysis</i> , 1979, 57, 187-190.	6.2	5
754	Thin-layer adsorption chromatography with mixed mobile phases. 3. Correlation between parameters characterizing the chromatographic systems with binary and ternary mobile phases. <i>Journal of High Resolution Chromatography</i> , 1980, 3, 180-182.	1.4	5
755	Adsorption of liquid mixtures by heterogeneous microporous solids. <i>Carbon</i> , 1980, 18, 439-441.	10.3	5
756	Partially mobile and partially localized monolayer films IV: Prediction of the temperature dependence of adsorption isotherms. <i>Thin Solid Films</i> , 1980, 70, 363-371.	1.8	5

#	ARTICLE	IF	CITATIONS
757	Effects of surface heterogeneity in liquid adsorption of ketones, esters and butanediols on silica gel. Colloid and Polymer Science, 1981, 259, 398-401.	2.1	5
758	Dependence of the Capacity Ratio Upon Type of the Excess Adsorption Isotherm. Journal of Liquid Chromatography and Related Technologies, 1981, 4, 227-236.	1.0	5
759	Adsorption of mixtures of methane and krypton on CaA zeolite I: Analysis of the adsorption data using a Freundlich-type equation derived for constant mole fractions of components in the adsorption space. Thin Solid Films, 1982, 88, 373-379.	1.8	5
760	Theoretical description of adsorbate-adsorbate association in the case of mobile monolayer adsorption of gases on homogeneous solid surfaces. Thin Solid Films, 1983, 100, 43-52.	1.8	5
761	Studies of association effects in adsorption from multicomponent solutions on solids. Chemical Engineering Science, 1985, 40, 917-922.	3.8	5
762	Discussion of the theoretical isotherms describing adsorption from multicomponent liquid mixtures on heterogeneous solids of quasi-Gaussian energy distribution. Chemical Engineering Science, 1987, 42, 2143-2150.	3.8	5
763	Application of the generalized Jaroniec-Choma isotherm equation for describing benzene adsorption on activated carbons. Materials Chemistry and Physics, 1990, 25, 323-330.	4.0	5
764	A simple method for evaluating the isotherm parameters for adsorption from dilute solutions on solids. Materials Chemistry and Physics, 1990, 24, 287-297.	4.0	5
765	Laser heating of photoelectrons during multiphoton ionization of molecular ions adsorbed on disperse silica surfaces. Physical Review A, 1997, 56, 3056-3059.	2.5	5
766	Adsorption Characterization of Active Carbons Modified by Deposition of Silica. Langmuir, 1998, 14, 2485-2489.	3.5	5
767	Adsorption, Thermogravimetric, and Chromatographic Studies of Bare Silicas and Silica-Based Octyl Bonded Phases. Journal of Liquid Chromatography and Related Technologies, 1998, 21, 1957-1977.	1.0	5
768	Determination of the Specific Surface Areas of Non-Porous and Macroporous Carbons. Adsorption Science and Technology, 2001, 19, 765-776.	3.2	5
769	An aluminum lining to the dark cloud of silver resistance: harnessing the power of potent antimicrobial activity of I^3 -alumina nanoparticles. Biomaterials Science, 2021, 9, 7996-8006.	5.4	5
770	Zirconium Containing Periodic Mesoporous Organosilica: The Effect of Zr on CO ₂ Sorption at Ambient Conditions. Journal of Composites Science, 2022, 6, 168.	3.0	5
771	Some Remarks on Application of Gas-Adsorption Chromatography Data for Investigations of the Adsorptive Properties of Adsorbents. Separation Science, 1976, 11, 411-415.	0.6	4
772	Correlation between data of adsorption from binary and multicomponent liquid mixtures on solid surfaces. AIChE Journal, 1981, 27, 524-525.	3.6	4
773	Single-solute adsorption from dilute solutions on heterogeneous microporous solids. Carbon, 1984, 22, 157-161.	10.3	4
774	Adsorption from solutions of nonelectrolytes on heterogeneous solid surfaces: A four-parameter equation for the excess adsorption isotherm. Monatshefte für Chemie, 1984, 115, 541-550.	1.8	4

#	ARTICLE	IF	CITATIONS
775	Adsorption of 1-olefin/n-paraffin liquid mixtures on NaX and NaY zeolites. Journal of Inclusion Phenomena, 1985, 3, 85-93.	0.6	4
776	A generalized equation describing isotope exchange kinetics at solid-liquid interface. Monatshefte für Chemie, 1985, 116, 305-310.	1.8	4
777	Effects of Solute-Solvent Interactions in Liquid Adsorption Chromatography with Mixed Mobile Phase. Journal of Liquid Chromatography and Related Technologies, 1985, 8, 651-661.	1.0	4
778	Description of Non-Specific and Specific Solute-Solvent Interactions in Liquid Chromatography with Mixed Eluents. Journal of Liquid Chromatography and Related Technologies, 1987, 10, 541-559.	1.0	4
779	Application of isotherm equation associated with gamma micropore-size distribution for characterizing activated carbons. Chemical Engineering Science, 1988, 43, 3151-3156.	3.8	4
780	Gas adsorption on solids with Gaussian micropore-size distributions. Monatshefte für Chemie, 1988, 119-119, 889-901.	1.8	4
781	Comparative studies of adsorption of ethane and benzene on microporous activated carbons. Chemical Engineering Science, 1990, 45, 1539-1545.	3.8	4
782	A comparative method for studying adsorption from binary nonelectrolytic liquid mixtures on microporous solids. Journal of Colloid and Interface Science, 1990, 135, 405-409.	9.4	4
783	Relation Between Energetic and Structural Heterogeneities for Microporous Active Carbons. Studies in Surface Science and Catalysis, 1994, , 633-640.	1.5	4
784	Differential scanning calorimetric and Fourier transform infrared spectrometric investigations of the influence of silica on the liquid crystalline properties of 4-cyano-4-biphenyl[4-(4-pentenyl)oxy] benzoate. Analytica Chimica Acta, 1995, 315, 77-81.	5.4	4
785	Peculiarities of alkyl-modification of ordered mesoporous materials: A single-step treatment of uncalcined MCM-41 involving template removal and surface functionalization. Studies in Surface Science and Catalysis, 2000, , 265-274.	1.5	4
786	Polyfunctionalised surfactant-templated adsorbents with high specific surface areas. Mendeleev Communications, 2001, 11, 208-210.	1.6	4
787	DESIGN, SYNTHESIS AND CHARACTERIZATION OF ORDERED MESOPOROUS MATERIALS FOR ENVIRONMENTAL APPLICATIONS. , 2006, , 23-36.		4
788	Grand Canonical Monte Carlo Simulation Study of Hydrogen Storage in Ordered Mesoporous Carbons at 303 K. Adsorption Science and Technology, 2006, 24, 411-426.	3.2	4
789	Estimating Pore-Size Distributions of Moderately Hydrophobic Mesoporous Solids. Adsorption Science and Technology, 2013, 31, 153-164.	3.2	4
790	Hierarchical porous photocatalysts. Interface Science and Technology, 2020, , 63-102.	3.3	4
791	Chemically-Modified Mesoporous Silicas and Organosilicas for Adsorption and Detection of Heavy Metal Ions. , 2007, , 179-212.		4
792	Studies of energetic heterogeneity of adsorbents by liquid chromatography. Chromatographia, 1976, 9, 143-147.	1.3	3

#	ARTICLE	IF	CITATIONS
793	Determination of the isosteric heat of adsorption by gas adsorption chromatography. Journal of Chromatography A, 1977, 131, 1-5.	3.7	3
794	On the microporous structure of glass beads. Chromatographia, 1977, 10, 191-193.	1.3	3
795	Application of a partially mobile model of monolayer adsorption to multilayer phenomena. Monatshefte für Chemie, 1979, 110, 601-606.	1.8	3
796	Adsorption of binary gas mixtures on solid surfaces with patchwise and random distribution of adsorption sites. Colloid and Polymer Science, 1980, 258, 977-979.	2.1	3
797	Mass transfer kinetics of mixed gas adsorption in porous media. Thin Solid Films, 1981, 75, 347-353.	1.8	3
798	Theory of Single-Solute and Bi-Solute Adsorption from Dilute Aqueous Solutions on Activated Carbon. Studies in Environmental Science, 1982, 19, 361-368.	0.0	3
799	Theory of multilayer adsorption from multicomponent liquid mixtures on homogeneous solid surfaces. Thin Solid Films, 1983, 103, 399-415.	1.8	3
800	A Simple Linear Dependence of the Logarithm of the Capacity Ratio upon Mobile Phase Composition in the Reversed-Phase Liquid Chromatography. Journal of Liquid Chromatography and Related Technologies, 1985, 8, 441-448.	1.0	3
801	New description of heterogeneity effects in adsorption from multicomponent solutions and liquid adsorption chromatography. Journal of High Resolution Chromatography, 1986, 9, 452-455.	1.4	3
802	A simple method for determining the multilayer effects in adsorption of alcohols on silica gel. Monatshefte für Chemie, 1986, 117, 579-588.	1.8	3
803	Reversed-Phase Liquid Chromatography with Mixed Eluents: Partition Model of Retention for Ionogenic Solutes. Journal of Liquid Chromatography and Related Technologies, 1987, 10, 2033-2045.	1.0	3
804	Correlations among parameters of Dubinin-Radushkevich and Langmuir-Freundlich isotherms for adsorption from binary liquid mixtures on solids. Journal of Colloid and Interface Science, 1987, 117, 339-346.	9.4	3
805	Characterization of activated carbons by utilizing the nitrogen adsorption data. Materials Chemistry and Physics, 1988, 20, 179-189.	4.0	3
806	Benzene adsorption on microporous activated carbons. Carbon, 1989, 27, 485-487.	10.3	3
807	Application of an exponential isotherm equation for describing gas adsorption on microporous activated carbons. Carbon, 1989, 27, 567-571.	10.3	3
808	Use of a Polynomial Equation for Analyzing Low-Concentration Adsorption Measurements of Ethane on Activated Carbons. Separation Science and Technology, 1989, 24, 1355-1361.	2.5	3
809	Correlation between the BET parameters and the parameters that characterize the microporous structures of activated carbons. Materials Chemistry and Physics, 1990, 25, 287-296.	4.0	3
810	A simple method for describing multi-solute adsorption equilibria on activated carbons. Chemical Engineering Science, 1990, 45, 143-149.	3.8	3

#	ARTICLE	IF	CITATIONS
811	Theory of ion-pair reversed-phase liquid chromatography on energetically heterogeneous solid surfaces. <i>Langmuir</i> , 1993, 9, 749-755.	3.5	3
812	Comparative characterization of selected additives by high resolution thermogravimetry and nitrogen adsorption. <i>Journal of Porous Materials</i> , 1996, 3, 181-187.	2.6	3
813	Synthesis of polyferromethylsiloxane sorbents using a sol-gel method. <i>Solid State Sciences</i> , 2001, 3, 169-182.	3.2	3
814	Thermally induced structural changes in SBA-15 and MSU-H silicas and their implications for synthesis of ordered mesoporous carbons. <i>Studies in Surface Science and Catalysis</i> , 2003, , 49-52.	1.5	3
815	Polymer-templated mesoporous hybrid oxides of Al and Cu: highly porous sorbents for ammonia. <i>RSC Advances</i> , 2016, 6, 38662-38670.	3.6	3
816	Supplementary note to the paper "general model of physical adsorption". <i>Surface Science</i> , 1979, 81, L333-L336.	1.9	2
817	A simple procedure for evaluating the heterogeneity parameter and the ratio of molecular sizes of solute and solvent by using HPLC data. <i>Journal of High Resolution Chromatography</i> , 1982, 5, 368-372.	1.4	2
818	Adsorption of mixtures of methane and krypton on CaA zeolite II: Analysis of the experimental data using Freundlich- and Dubinin-Radushkevich-type equations derived by assuming similar heterogeneity parameters for single-gas adsorption. <i>Thin Solid Films</i> , 1983, 106, 219-224.	1.8	2
819	Determination of Solvation Effects in Liquid Adsorption Chromatography with Mixed Mobile Phases. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1984, 7, 1289-1300.	1.0	2
820	Theoretical Foundations of Solute Adsorption from Dilute Solutions on Solids. <i>Studies in Environmental Science</i> , 1984, 23, 297-311.	0.0	2
821	A new equation for bilayer adsorption from binary liquid mixtures on homogeneous solid surfaces. <i>Chemical Engineering Science</i> , 1985, 40, 473-480.	3.8	2
822	A linear relationship between partition ratio and composition of a binary mobile phase in reversed-phase liquid chromatography using chemically bonded stationary phases. <i>Journal of High Resolution Chromatography</i> , 1986, 9, 236-239.	1.4	2
823	Heterogeneity effects in argon and krypton adsorption on boron phosphate. <i>Journal of Colloid and Interface Science</i> , 1987, 115, 576-578.	9.4	2
824	Determination of the micropore volume of activated carbon from the adsorption isotherms of light hydrocarbons. <i>Materials Chemistry and Physics</i> , 1987, 16, 583-586.	4.0	2
825	Adsorption of acetone on activated carbon. <i>Carbon</i> , 1988, 26, 98-100.	10.3	2
826	Studies of adsorption and partition effects in liquid chromatography with mixed mobile phases. <i>Journal of Chromatography A</i> , 1988, 452, 131-135.	3.7	2
827	Adsorption isotherm equations associated with the gamma micropore-size distribution and their application for characterizing microporous solids. <i>Materials Chemistry and Physics</i> , 1989, 24, 1-12.	4.0	2
828	A new description of micropore filling and its application for characterizing microporous solids. <i>Colloids and Surfaces</i> , 1989, 37, 183-196.	0.9	2

#	ARTICLE	IF	CITATIONS
829	Adsorption of propane and n-butane on polystyrene adsorbents. Monatshefte für Chemie, 1989, 120, 401-411.	1.8	2
830	Comparison of the equilibrium adsorption isotherms measured by the dynamic and static methods for hydrocarbons on microporous activated carbons. Carbon, 1990, 28, 737-739.	10.3	2
831	Theory of liquid-solid adsorption chromatography with mixed eluents on energetically heterogeneous adsorbents. Langmuir, 1991, 7, 1784-1790.	3.5	2
832	Application of Gas-Solid Adsorption Chromatography for Characterizing Adsorbent Heterogeneity. Separation Science and Technology, 1991, 26, 269-277.	2.5	2
833	LIQUID CHROMATOGRAPHY STUDIES OF ACETONITRILE SORPTION ON SILICA-BASED OCTYL PHASES. Journal of Liquid Chromatography and Related Technologies, 1999, 22, 1945-1964.	1.0	2
834	Argon and nitrogen adsorption on ordered silicas with channel-like and cage-like mesopores: implications for characterization of porous solids. Studies in Surface Science and Catalysis, 2003, 146, 343-346.	1.5	2
835	Tailoring cage-like organosilicas with multifunctional bridging and surface groups. Studies in Surface Science and Catalysis, 2007, 165, 443-446.	1.5	2
836	Adsorption Potential Distributions for Silicas and Organosilicas. Adsorption Science and Technology, 2007, 25, 573-581.	3.2	2
837	Assessment of pore structure parameters for polymer-templated mesoporous molecular sieves by means of nitrogen and argon adsorption. Applied Surface Science, 2007, 253, 5676-5681.	6.1	2
838	Adsorption Properties of Micro-/Meso-Porous Carbons Obtained by Colloidal Templating and Post-Synthesis KOH Activation. Adsorption Science and Technology, 2011, 29, 457-465.	3.2	2
839	TiO ₂ Photocatalytic Materials 2013. International Journal of Photoenergy, 2013, 2013, 1-2.	2.5	2
840	Titelbild: Self-templating Synthesis of Hollow Co ₃ O ₄ Microtube Arrays for Highly Efficient Water Electrolysis (Angew. Chem. 5/2017). Angewandte Chemie, 2017, 129, 1181-1181.	2.0	2
841	Titelbild: A Regularly Channeled Lamellar Membrane for Unparalleled Water and Organics Permeation (Angew. Chem. 23/2018). Angewandte Chemie, 2018, 130, 6819-6819.	2.0	2
842	Some remarks on the characterization of gas-solid chromatographic systems. Journal of Chromatography A, 1977, 133, 349-351.	3.7	1
843	Prediction of the composition of a multicomponent surface phase by means of adsorption data of single gases. Thin Solid Films, 1980, 69, L25-L27.	1.8	1
844	Competitive adsorption of binary gas mixtures on energetically heterogeneous solids. Thin Solid Films, 1982, 92, 385-392.	1.8	1
845	Dependence of selectivity and resolution upon composition of the binary mobile phase in LSC. Journal of High Resolution Chromatography, 1983, 6, 27-30.	1.4	1
846	Multilayer effects in liquid adsorption chromatography with mixed mobile phases. Journal of High Resolution Chromatography, 1984, 7, 203-207.	1.4	1

#	ARTICLE	IF	CITATIONS
847	Monomolecular mixed-gas sorption on polymers. Chemical Physics Letters, 1985, 120, 416-419.	2.6	1
848	Solute Dissociation Effects in Reversed Phase Liquid Chromatography with Mixed Eluents. Journal of Liquid Chromatography and Related Technologies, 1986, 9, 1951-1969.	1.0	1
849	Simple Models in Liquid Chromatography with Mixed Mobile Phases: Present and Future. Journal of Liquid Chromatography and Related Technologies, 1987, 10, 1949-1959.	1.0	1
850	Sorption properties of polystyrene adsorbents from isotherms of propane and n-butane. Materials Chemistry and Physics, 1988, 19, 247-254.	4.0	1
851	Adsorption of ethane on microporous activated carbon. Materials Chemistry and Physics, 1989, 21, 427-436.	4.0	1
852	An isotherm equation for solute adsorption from dilute solutions on heterogeneous solids. Carbon, 1990, 28, 734-736.	10.3	1
853	Influence of an energetically heterogeneous surface on the second gas-solid virial coefficient. Journal of Colloid and Interface Science, 1991, 146, 580-581.	9.4	1
854	Energetic heterogeneity of oxidized activated carbon fibers. Materials Chemistry and Physics, 1992, 30, 239-243.	4.0	1
855	Competitive adsorption from multicomponent non-electrolytic liquid mixtures on heterogeneous solid surfaces. Monatshefte für Chemie, 1993, 124, 229-242.	1.8	1
856	Competitive Interactions of Phenol Derivatives and Aliphatic Alcohols for Alkenyl and Diol Silica Surfaces. Journal of Liquid Chromatography and Related Technologies, 1996, 19, 2811-2827.	1.0	1
857	Bio-Inspired Nanocomposites: From Synthesis Toward Potential Applications. Materials Research Society Symposia Proceedings, 2001, 707, 551.	0.1	1
858	Synthesis and adsorption properties of novel carbons of tailored porosity. Studies in Surface Science and Catalysis, 2002, , 345-352.	1.5	1
859	Pitch-based carbons synthesized by using silica colloids and ordered mesoporous silica particles as templates. Studies in Surface Science and Catalysis, 2005, 156, 581-588.	1.5	1
860	Comparison of Adsorption Properties of Polymer-Templated Mesoporous Silicas with Incorporated Niobium. Adsorption, 2005, 11, 737-743.	3.0	1
861	Characterization of pore structure of copolymer-templated periodic mesoporous organosilicas. Studies in Surface Science and Catalysis, 2005, 156, 673-682.	1.5	1
862	Three-dimensional large pore cubic niobosilicates: direct synthesis and characterization. Studies in Surface Science and Catalysis, 2007, 165, 69-72.	1.5	1
863	Further advancements in predicting adsorption equilibria using excess formalism: Calculation of adsorption excesses at the liquid/solid interface. Journal of Colloid and Interface Science, 2010, 352, 504-511.	9.4	1
864	Chemically Modified Mesoporous Silicas and Organosilicas for Adsorption and Detection of Heavy Metal Ions. , 2012, , 227-260.		1

#	ARTICLE	IF	CITATIONS
865	2nd international workshop on graphene and C ₃ N ₄ -based photocatalysts. Applied Surface Science, 2018, 430, 1.	6.1	1
866	Submicroreactors: The Development of Yolk-Shell-Structured Pd&ZnO@Carbon Submicroreactors with High Selectivity and Stability (Adv. Funct. Mater. 32/2018). Advanced Functional Materials, 2018, 28, 1870227.	14.9	1
867	ADSORPTION PROPERTIES OF COLLOID-IMPRINTED CARBONS. , 2003, , .		1
868	APPLICATION OF MESOPOROUS ORGANOSILICAS WITH SULFUR- AND NITROGEN-CONTAINING LIGANDS FOR ADSORPTION OF MERCURY IONS. , 2008, , .		1
869	Model of double associates for sorption of binary gas mixtures on polymers. Angewandte Makromolekulare Chemie, 1988, 160, 107-115.	0.2	0
870	Consequence of assuming gamma-type distribution for characterizing structural heterogeneity of microporous solids. Monatshefte für Chemie, 1988, 119, 545-552.	1.8	0
871	Determination of parameters that characterize microporous structures of activated carbons. Journal of Colloid and Interface Science, 1989, 132, 589-591.	9.4	0
872	A simplified integral equation for adsorption of gas mixtures on heterogeneous surfaces. Monatshefte für Chemie, 1989, 120, 225-230.	1.8	0
873	Total specific surface area of heterogeneous microporous activated carbons. Materials Chemistry and Physics, 1990, 24, 315-320.	4.0	0
874	Bio-Inspired Nanocomposites: From Synthesis Toward Potential Applications. Materials Research Society Symposia Proceedings, 2001, 711, 1.	0.1	0
875	Synthesis and characterization of polymer-templated ordered silica with cage-like mesostructure. Studies in Surface Science and Catalysis, 2002, 141, 61-68.	1.5	0
876	Synthesis and adsorption properties of periodic mesoporous organosilicas with large heterocyclic bridging groups. Studies in Surface Science and Catalysis, 2005, , 197-204.	1.5	0
877	Adsorption Monitoring of Hydrothermal and Thermal Stability of Polymer-Templated Mesoporous Materials. Adsorption, 2005, 11, 745-750.	3.0	0
878	Synthesis and adsorption properties of FDU-1 silica with carbon deposited in mesopores. Studies in Surface Science and Catalysis, 2005, 156, 489-496.	1.5	0
879	Tailoring interfacial properties of periodic mesoporous organosilicas by incorporation of spacious heterocyclic and thiol groups and its implication for structural changes. , 2005, 5929, 176.		0
880	TiO ₂ Photocatalytic Materials 2014. International Journal of Photoenergy, 2015, 2015, 1-2.	2.5	0
881	METHOD DEVELOPMENT FOR ADSORPTION CHARACTERIZATION OF MODIFIED MESOPOROUS SILICAS. , 2000, , .		0
882	THERMODYNAMIC APPROACH TO THE SURFACE AREA AND PORE SIZE ANALYSIS OF ACTIVE CARBONS. , 2000, , .		0

#	ARTICLE	IF	CITATIONS
883	ADSORPTION STUDIES OF CAGE-LIKE AND CHANNEL-LIKE ORDERED MESOPOROUS ORGANOSILICAS WITH VINYL AND MERCAPTOPROPYL SURFACE GROUPS. , 2007, , .		0
884	ADSORPTION STUDIES OF SBA-15 MESOPOROUS SILICA WITH UREIDOPROPYL SURFACE GROUPS. , 2007, , .		0
885	SBA-15 TEMPLATING SYNTHESIS AND PROPERTIES OF PYRROLE-BASED ORDERED MESOPOROUS CARBONS. , 2008, , .		0
886	SYNTHESIS OF NIOBIA NANOSTRUCTURES AND THEIR CATALYTIC AND PHOTOCATALYTIC ACTIVITY. , 2008, , .		0
887	SYNTHESIS AND CHARACTERIZATION OF PERIODIC MESOPOROUS ORGANOSILICAS WITH DISULFIDE AND MERCAPTOPROPYL GROUPS. , 2008, , .		0