

Eleni Fthenou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2959294/publications.pdf>

Version: 2024-02-01

36
papers

1,609
citations

304743

22
h-index

345221

36
g-index

36
all docs

36
docs citations

36
times ranked

3204
citing authors

#	ARTICLE	IF	CITATIONS
1	Cord Leptin is Associated with Neuropsychomotor Development in Childhood. <i>Obesity</i> , 2019, 27, 1693-1702.	3.0	1
2	Associations of Prenatal Exposure to Cadmium With Child Growth, Obesity, and Cardiometabolic Traits. <i>American Journal of Epidemiology</i> , 2019, 188, 141-150.	3.4	28
3	Maternal diet during pregnancy and micronuclei frequency in peripheral blood T lymphocytes in mothers and newborns (Rhea cohort, Crete). <i>European Journal of Nutrition</i> , 2018, 57, 209-218.	3.9	13
4	Persistent organic pollutants in early pregnancy and risk of gestational diabetes mellitus. <i>Environment International</i> , 2017, 98, 89-95.	10.0	54
5	Vitamin D insufficient levels during pregnancy and micronuclei frequency in peripheral blood T lymphocytes mothers and newborns (Rhea cohort, Crete). <i>Clinical Nutrition</i> , 2017, 36, 1029-1035.	5.0	5
6	Cohort Profile: The Mother-Child Cohort in Crete, Greece (Rhea Study). <i>International Journal of Epidemiology</i> , 2017, 46, 1392-1393k.	1.9	87
7	A birth cohort study in the Middle East: the Qatari birth cohort study (QBIC) phase I. <i>BMC Public Health</i> , 2017, 17, 836.	2.9	3
8	Impact of prenatal exposure to cadmium on cognitive development at preschool age and the importance of selenium and iodine. <i>European Journal of Epidemiology</i> , 2016, 31, 1123-1134.	5.7	55
9	Prenatal exposure to persistent organic pollutants in association with offspring neuropsychological development at 4years of age: The Rhea mother-child cohort, Crete, Greece. <i>Environment International</i> , 2016, 97, 204-211.	10.0	53
10	Association of early life exposure to bisphenol A with obesity and cardiometabolic traits in childhood. <i>Environmental Research</i> , 2016, 146, 379-387.	7.5	126
11	Phthalate esters, parabens and bisphenol-A exposure among mothers and their children in Greece (Rhea cohort). <i>Environment International</i> , 2015, 83, 1-10.	10.0	108
12	Environmental, Dietary, Maternal, and Fetal Predictors of Bulky DNA Adducts in Cord Blood: A European Mother-Child Study (NewGeneris). <i>Environmental Health Perspectives</i> , 2015, 123, 374-380.	6.0	12
13	Outdoor air pollution exposures and micronuclei frequencies in lymphocytes from pregnant women and newborns in Crete, Greece (Rhea cohort). <i>Environmental Research</i> , 2015, 143, 170-176.	7.5	30
14	Micronuclei in Cord Blood Lymphocytes and Associations with Biomarkers of Exposure to Carcinogens and Hormonally Active Factors, Gene Polymorphisms, and Gene Expression: The NewGeneris Cohort. <i>Environmental Health Perspectives</i> , 2014, 122, 193-200.	6.0	25
15	Exposure to Brominated Trihalomethanes in Water During Pregnancy and Micronuclei Frequency in Maternal and Cord Blood Lymphocytes. <i>Environmental Health Perspectives</i> , 2014, 122, 100-106.	6.0	25
16	The effect of dietary estimates calculated using food frequency questionnaires on micronuclei formation in European pregnant women: a NewGeneris study. <i>Mutagenesis</i> , 2014, 29, 393-400.	2.6	11
17	In Utero Exposure to Compounds with Dioxin-like Activity and Birth Outcomes. <i>Epidemiology</i> , 2014, 25, 215-224.	2.7	21
18	Persistent organic pollutants exposure during pregnancy, maternal gestational weight gain, and birth outcomes in the mother-child cohort in Crete, Greece (RHEA study). <i>Environment International</i> , 2014, 64, 116-123.	10.0	84

#	ARTICLE	IF	CITATIONS
19	Increased frequency of micronuclei in mononucleated lymphocytes and cytome analysis in healthy newborns as an early warning biomarkers of possible future health risks. <i>Reproductive Toxicology</i> , 2013, 42, 110-115.	2.9	8
20	Bulky DNA Adducts in Cord Blood, Maternal Fruit-and-Vegetable Consumption, and Birth Weight in a European Motherâ€Child Study (NewGeneris). <i>Environmental Health Perspectives</i> , 2013, 121, 1200-1206.	6.0	33
21	Maternal Weight Status, Cord Blood Leptin and Fetal Growth: a Prospective Motherâ€Child Cohort Study (<sc>R</sc>hea Study). <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 461-471.	1.7	58
22	Exposure to different sources of second-hand smoke during pregnancy and its effect on urinary cotinine and tobacco-specific nitrosamine (NNAL) concentrations. <i>Tobacco Control</i> , 2013, 22, 194-200.	3.2	31
23	Birth Weight, Head Circumference, and Prenatal Exposure to Acrylamide from Maternal Diet: The European Prospective Motherâ€Child Study (NewGeneris). <i>Environmental Health Perspectives</i> , 2012, 120, 1739-1745.	6.0	95
24	Thyroid Dysfunction and Autoantibodies in Early Pregnancy Are Associated with Increased Risk of Gestational Diabetes and Adverse Birth Outcomes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4464-4472.	3.6	234
25	Gender-specific reference intervals for cord blood leptin in Crete, Greece. <i>European Journal of Pediatrics</i> , 2012, 171, 1563-1566.	2.7	9
26	Cigarette smokeâ€induced transgenerational alterations in genome stability in cord blood of human F1 offspring. <i>FASEB Journal</i> , 2012, 26, 3946-3956.	0.5	74
27	Severe Chronic Allergic (and Related) Diseases: A Uniform Approach â€ A MeDALL â€ CA<sup>2</sup></sup>LEN â€ ARIA Position Paper. <i>International Archives of Allergy and Immunology</i> , 2012, 158, 216-231.	2.1	83
28	The association between active/passive smoking and toxic metals among pregnant women in Greece. <i>Xenobiotica</i> , 2011, 41, 456-463.	1.1	12
29	Maternal and Gestational Factors and Micronucleus Frequencies in Umbilical Blood: The NewGeneris Rhea Cohort in Crete. <i>Environmental Health Perspectives</i> , 2011, 119, 1460-1465.	6.0	31
30	Incomplete protection of genetic integrity of mature spermatozoa against oxidative stress. <i>Reproductive Toxicology</i> , 2011, 32, 106-111.	2.9	41
31	Development and Validation of a New, Sensitive Immunochemical Assay for O6-Methylguanine in DNA and Its Application in a Population Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 82-90.	2.5	16
32	Specific Syndecan-1 Domains Regulate Mesenchymal Tumor Cell Adhesion, Motility and Migration. <i>PLoS ONE</i> , 2011, 6, e14816.	2.5	41
33	Syndecan-1 and FGF-2, but Not FGF Receptor-1, Share a Common Transport Route and Co-Localize with Heparanase in the Nuclei of Mesenchymal Tumor Cells. <i>PLoS ONE</i> , 2009, 4, e7346.	2.5	63
34	Determinants of Blood Cadmium, Lead, Arsenic, Uranium, Mercury and Molybdenum Levels among Pregnant Women in Crete, Greece. <i>Epidemiology</i> , 2009, 20, S174.	2.7	3
35	Chondroitin sulfate A regulates fibrosarcoma cell adhesion, motility and migration through JNK and tyrosine kinase signaling pathways. <i>In Vivo</i> , 2009, 23, 69-76.	1.3	18
36	Glycosaminoglycans and PDGF Signaling in Mesenchymal Cells. <i>Connective Tissue Research</i> , 2008, 49, 153-156.	2.3	18