Graeme Hammer

List of Publications by Citations

Source: https://exaly.com/author-pdf/2960262/graeme-hammer-publications-by-citations.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 107 191 12,444 h-index g-index citations papers 206 6.36 14,806 5.1 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
191	APSIM Evolution towards a new generation of agricultural systems simulation. <i>Environmental Modelling and Software</i> , 2014 , 62, 327-350	5.2	809
190	Greater sensitivity to drought accompanies maize yield increase in the U.S. Midwest. <i>Science</i> , 2014 , 344, 516-9	33.3	567
189	The critical role of extreme heat for maize production in the United States. <i>Nature Climate Change</i> , 2013 , 3, 497-501	21.4	517
188	Can Changes in Canopy and/or Root System Architecture Explain Historical Maize Yield Trends in the U.S. Corn Belt?. <i>Crop Science</i> , 2009 , 49, 299-312	2.4	462
187	The role of root architectural traits in adaptation of wheat to water-limited environments. <i>Functional Plant Biology</i> , 2006 , 33, 823-837	2.7	418
186	Models for navigating biological complexity in breeding improved crop plants. <i>Trends in Plant Science</i> , 2006 , 11, 587-93	13.1	291
185	Genotypic variation in seedling root architectural traits and implications for drought adaptation in wheat (Triticum aestivum L.). <i>Plant and Soil</i> , 2008 , 303, 115-129	4.2	279
184	Prediction of global rainfall probabilities using phases of the Southern Oscillation Index. <i>Nature</i> , 1996 , 384, 252-255	50.4	272
183	Does Maintaining Green Leaf Area in Sorghum Improve Yield under Drought? II. Dry Matter Production and Yield. <i>Crop Science</i> , 2000 , 40, 1037-1048	2.4	254
182	Stay-green: A consequence of the balance between supply and demand for nitrogen during grain filling?. <i>Annals of Applied Biology</i> , 2001 , 138, 91-95	2.6	218
181	Adapting APSIM to model the physiology and genetics of complex adaptive traits in field crops. Journal of Experimental Botany, 2010 , 61, 2185-202	7	217
180	Drought adaptation of stay-green sorghum is associated with canopy development, leaf anatomy, root growth, and water uptake. <i>Journal of Experimental Botany</i> , 2014 , 65, 6251-63	7	195
179	Environment characterization as an aid to wheat improvement: interpreting genotype-environment interactions by modelling water-deficit patterns in North-Eastern Australia. <i>Journal of Experimental Botany</i> , 2011 , 62, 1743-55	7	194
178	Nitrogen Dynamics and the Physiological Basis of Stay-Green in Sorghum. <i>Crop Science</i> , 2000 , 40, 1295-	1307	177
177	QTL for nodal root angle in sorghum (Sorghum bicolor L. Moench) co-locate with QTL for traits associated with drought adaptation. <i>Theoretical and Applied Genetics</i> , 2012 , 124, 97-109	6	175
176	Simulating the yield impacts of organ-level quantitative trait loci associated with drought response in maize: a "gene-to-phenotype" modeling approach. <i>Genetics</i> , 2009 , 183, 1507-23	4	175
175	The shifting influence of drought and heat stress for crops in northeast Australia. <i>Global Change Biology</i> , 2015 , 21, 4115-27	11.4	173

(1991-2005)

174	Potential yield and water-use efficiency benefits in sorghum from limited maximum transpiration rate. <i>Functional Plant Biology</i> , 2005 , 32, 945-952	7	172
173	Does Maintaining Green Leaf Area in Sorghum Improve Yield under Drought? I. Leaf Growth and Senescence. <i>Crop Science</i> , 2000 , 40, 1026-1037	4	153
172	Characterizing drought stress and trait influence on maize yield under current and future conditions. <i>Global Change Biology</i> , 2014 , 20, 867-78	1.4	145
171	The role of physiological understanding in plant breeding; from a breeding perspective. <i>Field Crops Research</i> , 1996 , 49, 11-37	i.5	144
170	Evaluating Plant Breeding Strategies by Simulating Gene Action and Dryland Environment Effects. Agronomy Journal, 2003 , 95, 99	2	140
169	Genotype by environment interactions affecting grain sorghum. II. Frequencies of different seasonal patterns of drought stress are related to location effects on hybrid yields. <i>Australian Journal of Agricultural Research</i> , 2000 , 51, 209		132
168	Variation in Crop Radiation-Use Efficiency with Increased Diffuse Radiation. <i>Crop Science</i> , 1992 , 32, 1281 <u>2</u>	12/84	129
167	Trait physiology and crop modelling as a framework to link phenotypic complexity to underlying genetic systems. <i>Australian Journal of Agricultural Research</i> , 2005 , 56, 947		126
166	Quantifying impacts of enhancing photosynthesis on crop yield. <i>Nature Plants</i> , 2019 , 5, 380-388	1.5	125
165	Modeling QTL for complex traits: detection and context for plant breeding. <i>Current Opinion in Plant Biology</i> , 2009 , 12, 231-40).9	125
164	Developmental and physiological traits associated with high yield and stay-green phenotype in wheat. <i>Australian Journal of Agricultural Research</i> , 2008 , 59, 354		122
163	QTL for root angle and number in a population developed from bread wheats (Triticum aestivum) with contrasting adaptation to water-limited environments. <i>Theoretical and Applied Genetics</i> , 2013 , 6126, 1563-74	Ó	120
162	Stay-green alleles individually enhance grain yield in sorghum under drought by modifying canopy development and water uptake patterns. <i>New Phytologist</i> , 2014 , 203, 817-30).8	119
161	Limited-Transpiration Trait May Increase Maize Drought Tolerance in the US Corn Belt. <i>Agronomy Journal</i> , 2015 , 107, 1978-1986	2	110
160	Morphological and architectural development of root systems in sorghum and maize. <i>Plant and Soil</i> , 2010 , 333, 287-299	2	110
159	Short-term responses of leaf growth rate to water deficit scale up to whole-plant and crop levels: an integrated modelling approach in maize. <i>Plant, Cell and Environment</i> , 2008 , 31, 378-91	3.4	103
158	On systems thinking, systems biology, and the in silico plant. <i>Plant Physiology</i> , 2004 , 134, 909-11	5.6	103
157	Improving Genotypic Adaptation in Crops & Role for Breeders, Physiologists and Modellers. Experimental Agriculture, 1991 , 27, 155-175	7	102

156	A Sunflower Simulation Model: I. Model Development. <i>Agronomy Journal</i> , 1993 , 85, 725-735	2.2	101
155	Temperature effect on transpiration response of maize plants to vapour pressure deficit. <i>Environmental and Experimental Botany</i> , 2012 , 78, 157-162	5.9	96
154	Crop design for specific adaptation in variable dryland production environments. <i>Crop and Pasture Science</i> , 2014 , 65, 614	2.2	92
153	Stay-green quantitative trait loci's effects on water extraction, transpiration efficiency and seed yield depend on recipient parent background. <i>Functional Plant Biology</i> , 2011 , 38, 553-566	2.7	87
152	Genotype by environment interactions affecting grain sorghum. III. Temporal sequences and spatial patterns in the target population of environments. <i>Australian Journal of Agricultural Research</i> , 2000 , 51, 223		85
151	Water Use Efficiency as a Constraint and Target for Improving the Resilience and Productivity of C and C Crops. <i>Annual Review of Plant Biology</i> , 2019 , 70, 781-808	30.7	84
150	Multi-Spectral Imaging from an Unmanned Aerial Vehicle Enables the Assessment of Seasonal Leaf Area Dynamics of Sorghum Breeding Lines. <i>Frontiers in Plant Science</i> , 2017 , 8, 1532	6.2	82
149	Predicting Maize Phenology: Intercomparison of Functions for Developmental Response to Temperature. <i>Agronomy Journal</i> , 2014 , 106, 2087-2097	2.2	81
148	Physiological determinants of maize and sunflower grain yield as affected by nitrogen supply. <i>Field Crops Research</i> , 2009 , 113, 256-267	5.5	81
147	Using crop simulation to generate genotype by environment interaction effects for sorghum in water-limited environments. <i>Australian Journal of Agricultural Research</i> , 2002 , 53, 379		77
146	Functional dynamics of the nitrogen balance of sorghum. II. Grain filling period. <i>Field Crops Research</i> , 2010 , 115, 29-38	5.5	74
145	VERNALIZATION1 Modulates Root System Architecture in Wheat and Barley. <i>Molecular Plant</i> , 2018 , 11, 226-229	14.4	73
144	Tillering in grain sorghum over a wide range of population densities: identification of a common hierarchy for tiller emergence, leaf area development and fertility. <i>Annals of Botany</i> , 2002 , 90, 87-98	4.1	73
143	Towards a multiscale crop modelling framework for climate change adaptation assessment. <i>Nature Plants</i> , 2020 , 6, 338-348	11.5	72
142	Functional dynamics of the nitrogen balance of sorghum: I. N demand of vegetative plant parts. <i>Field Crops Research</i> , 2010 , 115, 19-28	5.5	69
141	Modeling chickpea growth and development: Phenological development. <i>Field Crops Research</i> , 2006 , 99, 1-13	5.5	68
140	Sorghum genotypes differ in high temperature responses for seed set. <i>Field Crops Research</i> , 2015 , 171, 32-40	5.5	65
139	Robust features of future climate change impacts on sorghum yields in West Africa. <i>Environmental Research Letters</i> , 2014 , 9, 104006	6.2	64

(2013-2002)

138	Spatial and temporal patterns in Australian wheat yield and their relationship with ENSO. <i>Australian Journal of Agricultural Research</i> , 2002 , 53, 77		63
137	Frost in Northeast Australia: Trends and Influences of Phases of the Southern Oscillation. <i>Journal of Climate</i> , 1996 , 9, 1896-1909	4.4	63
136	Adaptation of sorghum: characterisation of genotypic flowering responses to temperature and photoperiod. <i>Theoretical and Applied Genetics</i> , 1999 , 99, 900-911	6	62
135	Modelling the effect of plant water use traits on yield and stay-green expression in sorghum. <i>Functional Plant Biology</i> , 2014 , 41, 1019-1034	2.7	61
134	Rainfall Variability at Decadal and Longer Time Scales: Signal or Noise?. Journal of Climate, 2005, 18, 89-	96 4	60
133	Radiation use efficiency increases when the diffuse component of incident radiation is enhanced under shade. <i>Australian Journal of Agricultural Research</i> , 1998 , 49, 665		58
132	Regulation of tillering in sorghum: environmental effects. <i>Annals of Botany</i> , 2010 , 106, 57-67	4.1	57
131	Experimental and modelling studies of drought-adaptive root architectural traits in wheat (Triticum aestivum L.). <i>Plant Biosystems</i> , 2010 , 144, 458-462	1.6	56
130	On the extent of genetic variation for transpiration efficiency in sorghum. <i>Australian Journal of Agricultural Research</i> , 1997 , 48, 649		56
129	Tillering in grain sorghum over a wiide range of population densities: modelling dynamics of tiller fertility. <i>Annals of Botany</i> , 2002 , 90, 99-110	4.1	56
128	Genotype-by-Environment Interaction in Grain Sorghum. II. Effects of Temperature and Photoperiod on Ontogeny. <i>Crop Science</i> , 1989 , 29, 376	2.4	55
127	Modelling the effects of row configuration on sorghum yield reliability in north-eastern Australia. <i>Australian Journal of Agricultural Research</i> , 2005 , 56, 11		54
126	Pre-anthesis ovary development determines genotypic differences in potential kernel weight in sorghum. <i>Journal of Experimental Botany</i> , 2009 , 60, 1399-408	7	51
125	A Peanut Simulation Model: I. Model Development and Testing. <i>Agronomy Journal</i> , 1995 , 87, 1085-1093	2.2	50
124	Spatial impact of projected changes in rainfall and temperature on wheat yields in Australia. <i>Climatic Change</i> , 2013 , 117, 163-179	4.5	49
123	Genetic Variability and Control of Nodal Root Angle in Sorghum. <i>Crop Science</i> , 2011 , 51, 2011-2020	2.4	49
122	Genotype and Water Limitation Effects on Phenology, Growth, and Transpiration Efficiency in Grain Sorghum. <i>Crop Science</i> , 1992 , 32, 781-786	2.4	49
121	Drought stress characterization of post-rainy season (rabi) sorghum in India. <i>Field Crops Research</i> , 2013 , 141, 38-46	5.5	48

120	Modelling environmental effects on phenology and canopy development of diverse sorghum genotypes. <i>Field Crops Research</i> , 2009 , 111, 157-165	5.5	48
119	Improved methods for predicting individual leaf area and leaf senescence in maize (Zea mays). <i>Australian Journal of Agricultural Research</i> , 1998 , 49, 249		48
118	Genetic control of nodal root angle in sorghum and its implications on water extraction. <i>European Journal of Agronomy</i> , 2012 , 42, 3-10	5	46
117	Modelling Crop Improvement in a GEM Framework via GeneTraitPhenotype Relationships 2009 , 235-581		46
116	Improving wheat simulation capabilities in Australia from a cropping systems perspective: water and nitrogen effects on spring wheat in a semi-arid environment. <i>European Journal of Agronomy</i> , 1997 , 7, 75-88	5	46
115	Does Increased Leaf Appearance Rate Enhance Adaptation to Postanthesis Drought Stress in Sorghum?. <i>Crop Science</i> , 2011 , 51, 2728-2740	2.4	45
114	A simple regional-scale model for forecasting sorghum yield across North-Eastern Australia. <i>Agricultural and Forest Meteorology</i> , 2005 , 132, 143-153	5.8	45
113	Modelling the nitrogen dynamics of maize crops E nhancing the APSIM maize model. <i>European Journal of Agronomy</i> , 2018 , 100, 118-131	5	44
112	Genetic variability in high temperature effects on seed-set in sorghum. <i>Functional Plant Biology</i> , 2013 , 40, 439-448	2.7	44
111	Estimating crop area using seasonal time series of Enhanced Vegetation Index from MODIS satellite imagery. <i>Australian Journal of Agricultural Research</i> , 2007 , 58, 316		44
110	Connecting Biochemical Photosynthesis Models with Crop Models to Support Crop Improvement. <i>Frontiers in Plant Science</i> , 2016 , 7, 1518	6.2	44
109	Determination of grain number in sorghum. Field Crops Research, 2008, 108, 259-268	5.5	43
108	SOI PHASES AND CLIMATIC RISK TO PEANUT PRODUCTION: A CASE STUDY FOR NORTHERN AUSTRALIA. <i>International Journal of Climatology</i> , 1996 , 16, 783-789	3.5	43
107	Regulation of tillering in sorghum: genotypic effects. <i>Annals of Botany</i> , 2010 , 106, 69-78	4.1	42
106	Integrating modelling and phenotyping approaches to identify and screen complex traits: transpiration efficiency in cereals. <i>Journal of Experimental Botany</i> , 2018 , 69, 3181-3194	7	41
105	Genotype and Environment Effects on Dynamics of Harvest Index during Grain Filling in Sorghum. <i>Agronomy Journal</i> , 2003 , 95, 199	2.2	41
104	On measuring quality of a probabilistic commodity forecast for a system that incorporates seasonal climate forecasts. <i>International Journal of Climatology</i> , 2003 , 23, 1195-1210	3.5	41
103	The GP problem: quantifying gene-to-phenotype relationships. <i>In Silico Biology</i> , 2002 , 2, 151-64	2	41

(2016-1997)

1	02	Effect of Radiation Environment on Radiation Use Efficiency and Growth of Sunflower. <i>Crop Science</i> , 1997 , 37, 1208-1214	2.4	40	
1	01	Effect of Specific Leaf Nitrogen on Radiation Use Efficiency and Growth of Sunflower. <i>Crop Science</i> , 1997 , 37, 1201-1208	2.4	40	
1	.00	Predicting Wheat Yield at the Field Scale by Combining High-Resolution Sentinel-2 Satellite Imagery and Crop Modelling. <i>Remote Sensing</i> , 2020 , 12, 1024	5	39	
9	9	Soil water capture trends over 50 years of single-cross maize (Zea mays L.) breeding in the US corn-belt. <i>Journal of Experimental Botany</i> , 2015 , 66, 7339-46	7	39	
9)8	Carbon isotope discrimination varies genetically in c(4) species. <i>Plant Physiology</i> , 1990 , 92, 534-7	6.6	39	
9	97	A physiological framework to explain genetic and environmental regulation of tillering in sorghum. <i>New Phytologist</i> , 2014 , 203, 155-67	9.8	38	
9	96	Exploring profit (Bustainability trade-offs in cropping systems using evolutionary algorithms. <i>Environmental Modelling and Software</i> , 2006 , 21, 1368-1374	5.2	37	
9	95	Designing crops for adaptation to the drought and high-temperature risks anticipated in future climates. <i>Crop Science</i> , 2020 , 60, 605-621	2.4	34	
9	94	Integrating genetic gain and gap analysis to predict improvements in crop productivity. <i>Crop Science</i> , 2020 , 60, 582-604	2.4	34	
9	03	Development of a phenotyping platform for high throughput screening of nodal root angle in sorghum. <i>Plant Methods</i> , 2017 , 13, 56	5.8	31	
9)2	Decrease in sorghum grain yield due to the dw3 dwarfing gene is caused by reduction in shoot biomass. <i>Field Crops Research</i> , 2011 , 124, 231-239	5.5	31	
9)1	Biological reality and parsimony in crop models why we need both in crop improvement!. <i>In Silico Plants</i> , 2019 , 1,	3.2	31	
9)0	Simulating daily field crop canopy photosynthesis: an integrated software package. <i>Functional Plant Biology</i> , 2018 , 45, 362-377	2.7	31	
8	39	Physiological determinants of high yielding ultra-narrow row cotton: Canopy development and radiation use efficiency. <i>Field Crops Research</i> , 2013 , 148, 86-94	5.5	30	
8	38	On the dynamic determinants of reproductive failure under drought in maize. <i>In Silico Plants</i> , 2019 , 1,	3.2	29	
8	37	QTL analysis in multiple sorghum populations facilitates the dissection of the genetic and physiological control of tillering. <i>Theoretical and Applied Genetics</i> , 2014 , 127, 2253-66	6	29	
8	36	Prediction of Sweet Corn Phenology in Subtropical Environments. <i>Agronomy Journal</i> , 1993 , 85, 410-415	2.2	29	
8	35	Yield trends under varying environmental conditions for sorghum and wheat across Australia. <i>Agricultural and Forest Meteorology</i> , 2016 , 228-229, 276-285	5.8	28	

84	Three Putative Types of El Ni\(\textit{\textit{B}}\) Revealed by Spatial Variability in Impact on Australian Wheat Yield. Journal of Climate, 2005, 18, 1566-1574	4.4	28
83	Genotype and Water Limitation Effects on Transpiration Efficiency in Sorghum. <i>The Journal of Crop Improvement: Innovations in Practiceory and Research</i> , 2000 , 2, 265-286		26
82	Genotype-by-Environment Interaction in Grain Sorghum I. Effects of Temperature on Radiation Use Efficiency. <i>Crop Science</i> , 1989 , 29, 370	2.4	26
81	Environmental control of potential yield of sunflower in the subtropics. <i>Australian Journal of Agricultural Research</i> , 1997 , 48, 231		26
80	Early-season crop area estimates for winter crops in NE Australia using MODIS satellite imagery. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2010 , 65, 380-387	11.8	25
79	Temperature and Sowing Date Affect the Linear Increase of Sunflower Harvest Index. <i>Agronomy Journal</i> , 1998 , 90, 324-328	2.2	25
78	Forecasting regional crop production using SOI phases: an example for the Australian peanut industry. <i>Australian Journal of Agricultural Research</i> , 1997 , 48, 789		25
77	Hybrid variation for root system efficiency in maize: potential links to drought adaptation. <i>Functional Plant Biology</i> , 2016 , 43, 502-511	2.7	25
76	Simulation Supplements Field Studies to Determine No-Till Dryland Corn Population Recommendations for Semiarid Western Nebraska. <i>Agronomy Journal</i> , 2003 , 95, 884	2.2	24
75	Simulation Supplements Field Studies to Determine No-Till Dryland Corn Population Recommendations for Semiarid Western Nebraska. <i>Agronomy Journal</i> , 2003 , 95, 884-891	2.2	24
74	A Sunflower Simulation Model: II. Simulating Production Risks in a Variable Sub-Tropical Environment. <i>Agronomy Journal</i> , 1993 , 85, 735-742	2.2	24
73	The Potential Value of Seasonal Climate Forecasting in Managing Cropping Systems. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 167-181		24
72	Effects of nitrogen supply on canopy development of maize and sunflower. <i>Crop and Pasture Science</i> , 2011 , 62, 1045	2.2	23
71	Genotype-by-Environment Interaction in Grain Sorghum. III. Modeling the Impact in Field Environments. <i>Crop Science</i> , 1989 , 29, 385	2.4	23
70	Improving wheat simulation capabilities in Australia from a cropping systems perspective II. Testing simulation capabilities of wheat growth. <i>European Journal of Agronomy</i> , 1998 , 8, 83-99	5	21
69	Leaf Nitrogen Content and Minimum Temperature Interactions Affect Radiation-Use Efficiency in Peanut. <i>Crop Science</i> , 1993 , 33, 476-481	2.4	21
68	Genotypic Differences in Effects of Short Episodes of High-Temperature Stress during Reproductive Development in Sorghum. <i>Crop Science</i> , 2016 , 56, 1561-1572	2.4	21
67	Sorghum dwarfing genes can affect radiation capture and radiation use efficiency. <i>Field Crops Research</i> , 2013 , 149, 283-290	5.5	20

66	Addressing Research Bottlenecks to Crop Productivity. <i>Trends in Plant Science</i> , 2021 , 26, 607-630	13.1	20
65	Crop science: A foundation for advancing predictive agriculture. <i>Crop Science</i> , 2020 , 60, 544-546	2.4	19
64	A Peanut Simulation Model: II. Assessing Regional Production Potential. <i>Agronomy Journal</i> , 1995 , 87, 1093-1099	2.2	19
63	Molecular Breeding for Complex Adaptive Traits: How Integrating Crop Ecophysiology and Modelling Can Enhance Efficiency 2016 , 147-162		19
62	A General Systems Approach to Applying Seasonal Climate Forecasts. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 51-65		19
61	Genetic Variation in Potential Kernel Size Affects Kernel Growth and Yield of Sorghum. <i>Crop Science</i> , 2010 , 50, 685-695	2.4	18
60	Reliability of production of quick to medium maturity maize in areas of variable rainfall in north-east Australia. <i>Australian Journal of Experimental Agriculture</i> , 2008 , 48, 326		18
59	Linking biophysical and genetic models to integrate physiology, molecular biology and plant breeding. 2002 , 167-187		18
58	Improving Estimates of Individual Leaf Area of Sunflower. <i>Agronomy Journal</i> , 2000 , 92, 761-765	2.2	16
57	Dry matter accumulation and distribution in five cultivars of maize (Zea mays): relationships and procedures for use in crop modelling. <i>Australian Journal of Agricultural Research</i> , 1999 , 50, 513		16
56	Reply to 'Temperature and drought effects on maize yield'. <i>Nature Climate Change</i> , 2014 , 4, 234-234	21.4	15
55	Estimating winter crop area across seasons and regions using time-sequential MODIS imagery. <i>International Journal of Remote Sensing</i> , 2011 , 32, 4281-4310	3.1	15
54	Preface to Special Issue: Complex traits and plant breeding@an we understand the complexities of gene-to-phenotype relationships and use such knowledge to enhance plant breeding outcomes?. <i>Australian Journal of Agricultural Research</i> , 2005 , 56, 869		15
53	Evaluating Plant Breeding Strategies by Simulating Gene Action and Dryland Environment Effects. <i>Agronomy Journal</i> , 2003 , 95, 99-113	2.2	14
52	Tackling G IE IM interactions to close on-farm yield-gaps: creating novel pathways for crop improvement by predicting contributions of genetics and management to crop productivity. <i>Theoretical and Applied Genetics</i> , 2021 , 134, 1625-1644	6	14
51	Physiological determinants of high yielding ultra-narrow row cotton: Biomass accumulation and partitioning. <i>Field Crops Research</i> , 2012 , 134, 122-129	5.5	13
50	Genotypic variation in whole-plant transpiration efficiency in sorghum only partly aligns with variation in stomatal conductance. <i>Functional Plant Biology</i> , 2019 , 46, 1072-1089	2.7	12
49	Quantifying high temperature risks and their potential effects on sorghum production in Australia. <i>Field Crops Research</i> , 2017 , 211, 77-88	5.5	12

48	Implications of Seasonal Climate Forecasts on World Wheat Trade: A Stochastic, Dynamic Analysis. <i>Canadian Journal of Agricultural Economics</i> , 2004 , 52, 289-312	10.8	12
47	Yield and Maturity of Ultra-Narrow Row Cotton in High Input Production Systems. <i>Agronomy Journal</i> , 2010 , 102, 843-848	2.2	10
46	Improving wheat simulation capabilities in Australia from a cropping systems perspective: water and nitrogen effects on spring wheat in a semi-arid environment. <i>Developments in Crop Science</i> , 1997 , 99-112		10
45	Effects of Planting Time and Harvest Age on Cassava (Manihot esculenta) in Northern Australia. I. Crop Growth and Yield in Moist Environments. <i>Experimental Agriculture</i> , 1987 , 23, 401-414	1.7	10
44	Modelling temperature, photoperiod and vernalization responses of Brunonia australis (Goodeniaceae) and Calandrinia sp. (Portulacaceae) to predict flowering time. <i>Annals of Botany</i> , 2013 , 111, 629-39	4.1	9
43	Applying Seasonal Climate Forecasts in Agricultural and Natural Ecosystems (A Synthesis. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 453-462		9
42	Modelling selection response in plant-breeding programs using crop models as mechanistic gene-to-phenotype (CGM-G2P) multi-trait link functions. <i>In Silico Plants</i> , 2021 , 3,	3.2	9
41	Sorghum Biomass Prediction Using Uav-Based Remote Sensing Data and Crop Model Simulation 2018 ,		9
40	Differences in temperature response of phenological development among diverse Ethiopian sorghum genotypes are linked to racial grouping and agroecological adaptation. <i>Crop Science</i> , 2020 , 60, 977-990	2.4	8
39	Predicting Tillering of Diverse Sorghum Germplasm across Environments. <i>Crop Science</i> , 2017 , 57, 78-87	2.4	7
38	Effects of Planting Time and Harvest Age on Cassava (Manihot esculenta) in Northern Australia. II. Crop Growth and Yield in a Seasonally-Dry Environment. <i>Experimental Agriculture</i> , 1987 , 23, 415-424	1.7	7
37	In pursuit of a better world: crop improvement and the CGIAR. <i>Journal of Experimental Botany</i> , 2021 , 72, 5158-5179	7	7
36	Integrating crop growth models with remote sensing for predicting biomass yield of sorghum. <i>In Silico Plants</i> , 2021 , 3,	3.2	7
35	The Impacts of Flowering Time and Tillering on Grain Yield of Sorghum Hybrids across Diverse Environments. <i>Agronomy</i> , 2020 , 10, 135	3.6	6
34	Juvenility and flowering of Brunonia australis (Goodeniaceae) and Calandrinia sp. (Portulacaceae) in relation to vernalization and daylength. <i>Annals of Botany</i> , 2011 , 108, 215-20	4.1	6
33	Large-scale genome-wide association study reveals that drought-induced lodging in grain sorghum is associated with plant height and traits linked to carbon remobilisation. <i>Theoretical and Applied Genetics</i> , 2020 , 133, 3201-3215	6	6
32	Determining Crop Growth Dynamics in Sorghum Breeding Trials Through Remote and Proximal Sensing Technologies 2018 ,		6
31	Highlights of Drought Policy and Related Science in Australia and the U.S.A <i>Water International</i> , 2001 , 26, 349-357	2.4	5

(2021-2011)

30	Cardinal Temperatures and Thermal Time for Seed Germination of Brunonia australis (Goodeniaceae) and Calandrinia sp. (Portulacaceae). <i>Hortscience: A Publication of the American Society for Hortcultural Science</i> , 2011 , 46, 753-758	2.4	5
29	The development of strategies for improved agricultural systems and land-use management. <i>Systems Approaches for Sustainable Agricultural Development</i> , 1994 , 81-96		5
28	Using Seasonal Climate Forecasts in Forecasting the Australian Wheat Crop. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 351-366		5
27	Sorghum Crop Modeling and Its Utility in Agronomy and Breeding. <i>Agronomy</i> , 2016 ,	0.8	4
26	Detecting Sorghum Plant and Head Features from Multispectral UAV Imagery. <i>Plant Phenomics</i> , 2021 , 2021, 9874650	7	4
25	Comparing the Value of Seasonal Climate Forecasting Systems in Managing Cropping Systems. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 183-195		4
24	Can Seasonal Climate Forecasts Predict Movements in Grain Prices?. <i>Atmospheric and Oceanographic Sciences Library</i> , 2000 , 367-380		4
23	Reproductive resilience but not root architecture underpins yield improvement under drought in maize. <i>Journal of Experimental Botany</i> , 2021 , 72, 5235-5245	7	4
22	Floral ontogeny of Brunonia australis (Goodeniaceae) and Calandrinia sp. (Portulacaceae). <i>Australian Journal of Botany</i> , 2010 , 58, 61	1.2	3
21	An integrated framework for predicting the risk of experiencing temperature conditions that may trigger late-maturity alpha-amylase in wheat across Australia. <i>Crop and Pasture Science</i> , 2020 , 71, 1	2.2	3
20	Are crop and detailed physiological models equally the chanistic for predicting the genetic variability of whole-plant behaviour? The nexus between mechanisms and adaptive strategies. <i>In Silico Plants</i> , 2020 , 2,	3.2	3
19	Limiting transpiration rate in high evaporative demand conditions to improve Australian wheat productivity. <i>In Silico Plants</i> , 2021 , 3,	3.2	3
18	Spatial and temporal patterns of lodging in grain sorghum (Sorghum bicolor) in Australia. <i>Crop and Pasture Science</i> , 2020 , 71, 379	2.2	2
17	Effects of Seasonal Climate Variability and the Use of Climate Forecasts on Wheat Supply in the United States, Australia, and Canada. <i>ASA Special Publication</i> , 2015 , 101-123	1.1	2
16	Designing the sorghum crop model in APSIM to simulate the physiology and genetics of complex adaptive traits. <i>Comparative Biochemistry and Physiology Part A, Molecular & Designative Physiology</i> , 2009 , 153, S222	2.6	2
15	Sorghum Crop Modeling and Its Utility in Agronomy and Breeding. <i>Agronomy</i> ,215-239	0.8	2
14	Two decades of creating drought tolerant maize and underpinning prediction technologies in the US corn-belt: Review and perspectives on the future of crop design		2
13	Dissecting and modelling the comparative adaptation to water limitation of sorghum and maize: role of transpiration efficiency, transpiration rate and height. <i>In Silico Plants</i> , 2021 , 3,	3.2	2

12	Sorghum 2021 , 196-221		2
11	Simulating the effect of flowering time on maize individual leaf area in contrasting environmental scenarios. <i>Journal of Experimental Botany</i> , 2020 , 71, 5577-5588	7	1
10	Genetic control of leaf angle in sorghum and its effect on light interception. <i>Journal of Experimental Botany</i> , 2021 ,	7	1
9	The development of strategies for improved agricultural systems and land-use management 1994 , 81-	96	1
8	The roles of credibility and transdisciplinarity in modelling to support future crop improvement. <i>In Silico Plants</i> , 2020 , 2,	3.2	1
7	Genetic Manipulation of Root System Architecture to Improve Drought Adaptation in Sorghum. <i>Compendium of Plant Genomes</i> , 2016 , 207-226	0.8	1
6	Modelling Heat and Drought Adaptation in Crops. <i>Proceedings (mdpi)</i> , 2019 , 36, 190	0.3	1
5	Perspectives on Applications of Hierarchical Gene-To-Phenotype (G2P) Maps to Capture Non-stationary Effects of Alleles in Genomic Prediction. <i>Frontiers in Plant Science</i> , 2021 , 12, 663565	6.2	O
4	Predicting phenotypes from genetic, environment, management, and historical data using CNNs. <i>Theoretical and Applied Genetics</i> , 2021 , 134, 3997-4011	6	0
3	Estimating Photosynthetic Attributes from High-Throughput Canopy Hyperspectral Sensing in Sorghum <i>Plant Phenomics</i> , 2022 , 2022, 9768502	7	O
2	How Do Crops Balance Water Supply and Demand when Water Is Limiting?. <i>Proceedings (mdpi)</i> , 2019 , 36, 208	0.3	
1	Integrating Crop Modelling, Physiology, Genetics and Breeding to Aid Crop Improvement for Changing Environments in the Australian Wheatbelt. <i>Proceedings (mdpi)</i> , 2019 , 36, 4	0.3	