

Cristina Giovannoli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2961726/cristina-giovannoli-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

3,071
citations

32
h-index

52
g-index

100
ext. papers

3,336
ext. citations

5.4
avg, IF

5.19
L-index

#	Paper	IF	Citations
99	Delayed Addition of Template Molecules Enhances the Binding Properties of Diclofenac-Imprinted Polymers. <i>Polymers</i> , 2020 , 12,	4.5	2
98	Selective enrichment of ailanthone from leaves of ailanthus altissima by tandem reverse phase/molecularly imprinted solid phase extraction. <i>Microchemical Journal</i> , 2020 , 158, 105198	4.8	
97	Amine-rich carbon nitride nanoparticles: Synthesis, covalent functionalization with proteins and application in a fluorescence quenching assay. <i>Nano Research</i> , 2019 , 12, 1862-1870	10	8
96	Functionalized nanoporous gold as a new biosensor platform for ultra-low quantitative detection of human serum albumin. <i>Sensors and Actuators B: Chemical</i> , 2019 , 288, 460-468	8.5	17
95	Development of a biomimetic enzyme-linked immunosorbent assay based on a molecularly imprinted polymer for the detection of cortisol in human saliva. <i>Analytical Methods</i> , 2019 , 11, 2320-2326 ^{3,2}	9.5	9
94	Direct vs Mediated Coupling of Antibodies to Gold Nanoparticles: The Case of Salivary Cortisol Detection by Lateral Flow Immunoassay. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 32758-32768	9.5	32
93	Silver and gold nanoparticles as multi-chromatic lateral flow assay probes for the detection of food allergens. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 1905-1913	4.4	41
92	Colour-encoded lateral flow immunoassay for the simultaneous detection of aflatoxin B1 and type-B fumonisins in a single Test line. <i>Talanta</i> , 2019 , 192, 288-294	6.2	65
91	Evidence of an Important Role of Photochemistry in the Attenuation of the Secondary Contaminant 3,4-Dichloroaniline in Paddy Water. <i>Environmental Science & Technology</i> , 2018 , 52, 6334-6342	10.3	9
90	A versatile and sensitive lateral flow immunoassay for the rapid diagnosis of visceral leishmaniasis. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4123-4134	4.4	23
89	A lateral flow immunoassay for straightforward determination of fumonisin mycotoxins based on the quenching of the fluorescence of CdSe/ZnS quantum dots by gold and silver nanoparticles. <i>Mikrochimica Acta</i> , 2018 , 185, 94	5.8	73
88	Affinity Capillary Electrochromatography of Molecularly Imprinted Thin Layers Grafted onto Silica Capillaries Using a Surface-Bound Azo-Initiator and Living Polymerization. <i>Polymers</i> , 2018 , 10,	4.5	7
87	Multiplex Lateral Flow Immunoassay: An Overview of Strategies towards High-throughput Point-of-Need Testing. <i>Biosensors</i> , 2018 , 9,	5.9	82
86	Multicolor immunochromatographic strip test based on gold nanoparticles for the determination of aflatoxin B1 and fumonisins. <i>Mikrochimica Acta</i> , 2017 , 184, 1295-1304	5.8	58
85	Synthesis of Randomly Substituted Anionic Cyclodextrins in Ball Milling. <i>Molecules</i> , 2017 , 22,	4.8	10
84	Screening of a Combinatorial Library of Organic Polymers for the Solid-Phase Extraction of Patulin from Apple Juice. <i>Toxins</i> , 2017 , 9,	4.9	4
83	Full vs. partial competitive binding behaviour in molecularly imprinted polymers. The case for a chlorinated phenoxyacids-binding polymer. <i>RSC Advances</i> , 2016 , 6, 78317-78321	3.7	0

82	Validation of a qualitative immunochromatographic test for the noninvasive assessment of stress in dogs. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1028, 192-198	3.2	12
81	A fluorescent immunochromatographic strip test using Quantum Dots for fumonisins detection. <i>Talanta</i> , 2016 , 150, 463-8	6.2	53
80	Mycotoxin detection. <i>Current Opinion in Biotechnology</i> , 2016 , 37, 120-126	11.4	146
79	Functionalized TiO ₂ Nanoparticles as Labels for Immunoassay. <i>ChemistrySelect</i> , 2016 , 1, 2021-2027	1.8	2
78	Peptide-based affinity media for solid-phase extraction of Ochratoxin A from wine samples: Effect of the solid support on binding properties. <i>Talanta</i> , 2015 , 144, 496-501	6.2	15
77	A multiplex chemiluminescent biosensor for type B-fumonisins and aflatoxin B1 quantitative detection in maize flour. <i>Analyst, The</i> , 2015 , 140, 358-65	5	66
76	Comparison of binding behavior for molecularly imprinted polymers prepared by hierarchical imprinting or Pickering emulsion polymerization. <i>Journal of Separation Science</i> , 2015 , 38, 3661-8	3.4	8
75	Man-Made Synthetic Receptors for Capture and Analysis of Ochratoxin A. <i>Toxins</i> , 2015 , 7, 4083-98	4.9	11
74	Enzyme immunoassay for monitoring aflatoxins in eggs. <i>Food Control</i> , 2015 , 57, 115-121	6.2	22
73	A broad-selective enzyme immunoassay for non-invasive stress assessment in African penguins (<i>Spheniscus demersus</i>) held in captivity. <i>Analytical Methods</i> , 2014 , 6, 8222-8231	3.2	9
72	Multi-analyte homogenous immunoassay based on quenching of quantum dots by functionalized graphene. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 4841-9	4.4	18
71	Determination of ochratoxin A in Italian red wines by molecularly imprinted solid phase extraction and HPLC analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5220-5	5.7	67
70	Lateral-flow immunoassays for mycotoxins and phycotoxins: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 467-80	4.4	151
69	Solid phase extraction of penicillins from milk by using sacrificial silica beads as a support for a molecular imprint. <i>Mikrochimica Acta</i> , 2013 , 180, 1371-1377	5.8	17
68	Increased sensitivity of lateral flow immunoassay for ochratoxin A through silver enhancement. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9859-67	4.4	88
67	Optimization of a lateral flow immunoassay for the ultrasensitive detection of aflatoxin M1 in milk. <i>Analitica Chimica Acta</i> , 2013 , 772, 75-80	6.6	69
66	Effect of the mimic structure on the molecular recognition properties of molecularly imprinted polymers for ochratoxin A prepared by a fragmental approach. <i>Reactive and Functional Polymers</i> , 2013 , 73, 833-837	4.6	11
65	MIP-based immunoassays: State of the Art, limitations and Perspectives. <i>Molecular Imprinting</i> , 2013 , 1,		21

64	Lateral Flow Immunoassays for Aflatoxins B and G and for Aflatoxin M1 2013 ,		3
63	A lateral flow immunoassay for the rapid detection of ochratoxin A in wine and grape must. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 11491-7	5.7	49
62	A rational route to the development of a competitive capillary electrophoresis immunoassay: assessment of the variables affecting the performances of a competitive capillary electrophoresis immunoassay for human serum albumin. <i>Talanta</i> , 2012 , 94, 65-9	6.2	8
61	A connection between the binding properties of imprinted and nonimprinted polymers: a change of perspective in molecular imprinting. <i>Journal of the American Chemical Society</i> , 2012 , 134, 1513-8	16.4	125
60	Occurrence of aflatoxin M1 in Italian cheese: Results of a survey conducted in 2010 and correlation with manufacturing, production season, milking animals, and maturation of cheese. <i>Food Control</i> , 2012 , 25, 125-130	6.2	34
59	An innovative approach to molecularly imprinted capillaries for polar templates by grafting polymerization. <i>Journal of Molecular Recognition</i> , 2012 , 25, 377-82	2.6	7
58	Binding behaviour of molecularly imprinted polymers prepared by a hierarchical approach in mesoporous silica beads of varying porosity. <i>Journal of Chromatography A</i> , 2011 , 1218, 1828-34	4.5	19
57	Development of a quantitative lateral flow immunoassay for the detection of aflatoxins in maize. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011 , 28, 226-34	3.2	47
56	Molecularly imprinted polymer/cryogel composites for solid-phase extraction of bisphenol A from river water and wine. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 815-22	4.4	44
55	Development of a molecularly imprinted polymer for selective extraction of bisphenol A in water samples. <i>Journal of Separation Science</i> , 2010 , 33, 1644-51	3.4	38
54	Development and application of a quantitative lateral flow immunoassay for fumonisins in maize. <i>Analytica Chimica Acta</i> , 2010 , 682, 104-9	6.6	71
53	Molecularly imprinted polymers for corticosteroids: analysis of binding selectivity. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 590-5	11.8	24
52	Mycotoxins in Food and Feed: Extraction, Analysis and Emerging Technologies for Rapid and on-Field Detection. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2010 , 2, 140-153	1.9	5
51	Mycotoxins in food and feed: Extraction, analysis and emerging technologies for rapid and on-field detection. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2010 , 2, 140-53	1.9	1
50	Development of enzyme-linked immunosorbent assays for Sudan dyes in chilli powder, ketchup and egg yolk. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2009 , 26, 800-7	3.2	28
49	Molecular Recognition of the Fungicide Carbendazim by a Molecular Imprinted Polymer Obtained through a Mimic Template Approach. <i>Analytical Letters</i> , 2009 , 42, 807-820	2.2	7
48	Determination of banned Sudan dyes in food samples by molecularly imprinted solid phase extraction-high performance liquid chromatography. <i>Journal of Separation Science</i> , 2009 , 32, 3292-300	3.4	60
47	Homogeneous immunoassay based on gold nanoparticles and visible absorption detection. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 507-12	4.4	18

46	Artificial Systems for Molecular Recognition of Mycotoxins 2009 , 3-20		1
45	Molecular imprinted polymers as synthetic receptors for the analysis of myco- and phyco-toxins. <i>Analyst, The</i> , 2008 , 133, 719-30	5	38
44	Development and application of solvent-free extraction for the detection of aflatoxin M1 in dairy products by enzyme immunoassay. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1852-7	5.7	62
43	Binding properties of a monoclonal antibody against the Cry1Ab from <i>Bacillus Thuringensis</i> for the development of a capillary electrophoresis competitive immunoassay. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 392, 385-93	4.4	28
42	Aptamers and molecularly imprinted polymers as artificial biomimetic receptors in affinity capillary electrophoresis and electrochromatography. <i>Electrophoresis</i> , 2008 , 29, 3349-65	3.6	32
41	Synthetic peptides as artificial receptors towards proteins from genetically modified organisms. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 493-7	11.8	4
40	A novel approach for a non competitive capillary electrophoresis immunoassay with laser-induced fluorescence detection for the determination of human serum albumin. <i>Journal of Chromatography A</i> , 2007 , 1155, 187-92	4.5	21
39	Solid-phase extraction of ochratoxin A from wine based on a binding hexapeptide prepared by combinatorial synthesis. <i>Journal of Chromatography A</i> , 2007 , 1175, 174-80	4.5	47
38	Solid phase extraction of food contaminants using molecular imprinted polymers. <i>Analytica Chimica Acta</i> , 2007 , 591, 29-39	6.6	213
37	Molecular recognition of polycyclic aromatic hydrocarbons by pyrene-imprinted microspheres. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 389, 413-22	4.4	24
36	Molecular Imprinted Solid-Phase Extraction for Cleanup of Chlorinated Phenoxyacids From Aqueous Samples 2006 , 421-433		
35	Binding behaviour of pyrimethanil-imprinted polymers prepared in the presence of polar co-monomers. <i>Journal of Chromatography A</i> , 2006 , 1117, 74-80	4.5	7
34	Molecular Imprinted Polymers: Useful Tools for Pharmaceutical Analysis. <i>Current Pharmaceutical Analysis</i> , 2006 , 2, 219-247	0.6	20
33	Selectivity features of molecularly imprinted polymers recognising the carbamate group. <i>Analytica Chimica Acta</i> , 2005 , 531, 199-207	6.6	30
32	Evaluation of purification procedures of DNA from maize-meal samples by exploiting different analytical techniques for the assessment of DNA quality. <i>Annali Di Chimica</i> , 2004 , 94, 269-80		4
31	DNA separation by capillary electrophoresis with hydrophilic substituted celluloses as coating and sieving polymers. Application to the analysis of genetically modified meals. <i>Journal of Separation Science</i> , 2004 , 27, 1551-6	3.4	13
30	Adsorption isotherms of a molecular imprinted polymer prepared in the presence of a polymerisable template. <i>Analytica Chimica Acta</i> , 2004 , 504, 43-52	6.6	73
29	Multivariate analysis of the selectivity for a pentachlorophenol-imprinted polymer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 804, 31-41	3.2	25

28	Development of a non-competitive immunoassay for monitoring DDT, its metabolites and analogues in water samples. <i>Analytica Chimica Acta</i> , 2004 , 506, 87-95	6.6	26
27	Increased sensitivity of autoantibody determination by coupled-particle light-scattering assay by poly(ethylene glycols)-modified beads. <i>Analytica Chimica Acta</i> , 2004 , 510, 153-161	6.6	5
26	Binding properties of 2,4,5-trichlorophenoxyacetic acid-imprinted polymers prepared with different molar ratios between template and functional monomer. <i>Talanta</i> , 2004 , 62, 1029-34	6.2	52
25	A combinatorial approach to obtain affinity media with binding properties towards the aflatoxins. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 375, 994-9	4.4	25
24	Determination of the insecticide fenoxycarb in apple leaf samples by an enzyme-linked immunosorbent assay. <i>Analytica Chimica Acta</i> , 2003 , 478, 271-280	6.6	5
23	Molecular recognition properties of peptide mixtures obtained by polymerisation of amino acids in the presence of estradiol. <i>Analytica Chimica Acta</i> , 2003 , 481, 41-53	6.6	10
22	Binding properties of a polyclonal antibody directed towards lead complexes. <i>Annali Di Chimica</i> , 2003 , 93, 499-512		
21	Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach. <i>Journal of Chromatography A</i> , 2002 , 966, 71-9	4.5	22
20	Development of a non-competitive immunoassay for cortisol and its application to the analysis of saliva. <i>Analytica Chimica Acta</i> , 2002 , 468, 315-321	6.6	23
19	Catalytic and spectroscopic characterisation of a copper-substituted alcohol dehydrogenase from yeast. <i>International Journal of Biological Macromolecules</i> , 2002 , 30, 41-5	7.9	14
18	Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples. <i>Journal of Chromatography A</i> , 2001 , 938, 35-44	4.5	137
17	Polycarboxylated Derivatives of β -Cyclodextrin. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001 , 39, 139-143		6
16	Functionalized biopolymers as soluble macromolecular chelating agents. <i>Annali Di Chimica</i> , 2001 , 91, 1-8		
15	The complexation of mercury (II) and organomercurial compounds by 8-hydroxyquinoline-bovine serum albumin conjugates. <i>Annali Di Chimica</i> , 2001 , 91, 541-51		
14	Optimization of the cyclodextrin-assisted capillary electrophoresis separation of the enantiomers of phenoxyacid herbicides. <i>Journal of Chromatography A</i> , 2000 , 875, 423-30	4.5	23
13	Chromatographic characterization of molecularly imprinted polymers binding the herbicide 2,4,5-trichlorophenoxyacetic acid. <i>Journal of Chromatography A</i> , 2000 , 883, 119-26	4.5	46
12	Effect of homologous and heterologous spacer arms of progesterone horse radish peroxidase conjugates on the equilibrium constants for an immobilised anti-progesterone antiserum. <i>Analytica Chimica Acta</i> , 2000 , 417, 95-100	6.6	6
11	Chromatographic characterization of a molecular imprinted polymer binding cortisol. <i>Talanta</i> , 2000 , 51, 71-5	6.2	35

10	Estradiol binding synthetic polypeptides. <i>Chemical Communications</i> , 2000 , 1135-1136	5.8	8
9	Synthesis and characterisation of 8-hydroxyquinoline-bovine serum albumin conjugates as metal ion chelating proteins. <i>Analytica Chimica Acta</i> , 1999 , 378, 225-233	6.6	10
8	Affinity between immobilised monoclonal and polyclonal antibodies and steroid-enzyme tracers increases sharply at high surface density. <i>Analytica Chimica Acta</i> , 1999 , 381, 133-146	6.6	10
7	Development of an enzyme-linked immunosorbent assay for benalaxyl and its application to the analysis of water and wine. <i>Analytica Chimica Acta</i> , 1999 , 392, 85-94	6.6	29
6	Reactivity of an immobilized anti-progesterone antiserum with homologous and heterologous progesterone-horseradish peroxidase conjugates. <i>Analyst, The</i> , 1999 , 124, 313-318	5	3
5	A molecularly imprinted polymer for the pesticide bentazone. <i>Analytical Communications</i> , 1999 , 36, 263-266		56
4	A general method to perform a noncompetitive immunoassay for small molecules. <i>Analytical Chemistry</i> , 1999 , 71, 4697-700	7.8	30
3	New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers. <i>Journal of Chromatography A</i> , 1998 , 810, 193-200	4.5	13
2	Enzyme immunoassay for the determination of the insecticide fenoxycarb. <i>Analytical Communications</i> , 1998 , 35, 183-185		6
1	Inaccuracy of the Bradford method for the determination of protein concentration in steroid-horseradish peroxidase conjugates. <i>Analytica Chimica Acta</i> , 1997 , 337, 93-97	6.6	14