

Frederick W Quelle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2962109/publications.pdf>

Version: 2024-02-01

40
papers

7,895
citations

236833

25
h-index

289141

40
g-index

40
all docs

40
docs citations

40
times ranked

5236
citing authors

#	ARTICLE	IF	CITATIONS
1	Lack of IL-4-induced Th2 response and IgE class switching in mice with disrupted State6 gene. <i>Nature</i> , 1996, 380, 630-633.	13.7	1,223
2	JAK2 associates with the erythropoietin receptor and is tyrosine phosphorylated and activated following stimulation with erythropoietin. <i>Cell</i> , 1993, 74, 227-236.	13.5	1,190
3	Association and activation of Jak-Tyk kinases by CNTF-LIF-OSM-IL-6 beta receptor components. <i>Science</i> , 1994, 263, 92-95.	6.0	967
4	Signaling by the cytokine receptor superfamily: JAKs and STATs. <i>Trends in Biochemical Sciences</i> , 1994, 19, 222-227.	3.7	637
5	Signaling Through the Hematopoietic Cytokine Receptors. <i>Annual Review of Immunology</i> , 1995, 13, 369-398.	9.5	589
6	Complementation by the protein tyrosine kinase JAK2 of a mutant cell line defective in the interferon- γ signal transduction pathway. <i>Nature</i> , 1993, 366, 166-170.	13.7	532
7	Structure of the murine Jak2 protein-tyrosine kinase and its role in interleukin 3 signal transduction.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8429-8433.	3.3	511
8	Cloning of Murine Stat6 and Human Stat6, Stat Proteins That Are Tyrosine Phosphorylated in Responses to IL-4 and IL-3 but Are Not Required for Mitogenesis. <i>Molecular and Cellular Biology</i> , 1995, 15, 3336-3343.	1.1	319
9	Nucleophosmin (B23) Targets ARF to Nucleoli and Inhibits Its Function. <i>Molecular and Cellular Biology</i> , 2005, 25, 1258-1271.	1.1	264
10	Erythropoietin Induces Activation of Stat5 through Association with Specific Tyrosines on the Receptor That Are Not Required for a Mitogenic Response. <i>Molecular and Cellular Biology</i> , 1996, 16, 1622-1631.	1.1	262
11	Distribution of the Mammalian Stat Gene Family in Mouse Chromosomes. <i>Genomics</i> , 1995, 29, 225-228.	1.3	177
12	Phosphorylation and Activation of the DNA Binding Activity of Purified Stat1 by the Janus Protein-tyrosine Kinases and the Epidermal Growth Factor Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 20775-20780.	1.6	146
13	Interleukin-9 Induces Tyrosine Phosphorylation of Insulin Receptor Substrate-1 via JAK Tyrosine Kinases. <i>Journal of Biological Chemistry</i> , 1995, 270, 20497-20502.	1.6	126
14	Jaks and stats in cytokine signaling. <i>Stem Cells</i> , 1997, 15, 105-112.	1.4	100
15	Cytokine rescue of p53-dependent apoptosis and cell cycle arrest is mediated by distinct Jak kinase signaling pathways. <i>Genes and Development</i> , 1998, 12, 1099-1107.	2.7	93
16	DNA damage-induced cell-cycle arrest of hematopoietic cells is overridden by activation of the PI-3 kinase/Akt signaling pathway. <i>Blood</i> , 2001, 98, 834-841.	0.6	91
17	Endothelial PPAR- γ provides vascular protection from IL-1 β -induced oxidative stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H39-H48.	1.5	61
18	Hypertension-causing Mutations in Cullin3 Protein Impair RhoA Protein Ubiquitination and Augment the Association with Substrate Adaptors. <i>Journal of Biological Chemistry</i> , 2015, 290, 19208-19217.	1.6	54

#	ARTICLE	IF	CITATIONS
19	Cullin-3 mutation causes arterial stiffness and hypertension through a vascular smooth muscle mechanism. <i>JCI Insight</i> , 2016, 1, e91015.	2.3	53
20	[3H]Dexamethasone Binding to Plasma Membrane-Enriched Fractions from Liver of Nonadrenalectomized Rats*. <i>Endocrinology</i> , 1988, 123, 1642-1651.	1.4	51
21	Signal transduction through the receptor for erythropoietin. <i>Seminars in Immunology</i> , 1993, 5, 375-389.	2.7	46
22	FOXO Transcription Factors Enforce Cell Cycle Checkpoints and Promote Survival of Hematopoietic Cells after DNA Damage. <i>Molecular Cancer Research</i> , 2009, 7, 1294-1303.	1.5	41
23	2 Cytokine receptors and signal transduction. <i>Best Practice and Research: Clinical Haematology</i> , 1994, 7, 17-48.	1.1	36
24	RABL6A Promotes G1â€S Phase Progression and Pancreatic Neuroendocrine Tumor Cell Proliferation in an Rb1-Dependent Manner. <i>Cancer Research</i> , 2014, 74, 6661-6670.	0.4	32
25	RhoBTB1 protects against hypertension and arterial stiffness by restraining phosphodiesterase 5 activity. <i>Journal of Clinical Investigation</i> , 2019, 129, 2318-2332.	3.9	32
26	Hypertension-Causing Mutation in Peroxisome Proliferatorâ€Activated Receptor Î³ Impairs Nuclear Export of Nuclear Factor-Î² p65 in Vascular Smooth Muscle. <i>Hypertension</i> , 2017, 70, 174-182.	1.3	25
27	RABL6A inhibits tumor-suppressive PP2A/AKT signaling to drive pancreatic neuroendocrine tumor growth. <i>Journal of Clinical Investigation</i> , 2019, 129, 1641-1653.	3.9	25
28	Conditional deletion of smooth muscle Cullin-3 causes severe progressive hypertension. <i>JCI Insight</i> , 2019, 4, .	2.3	24
29	Retinol-binding protein 7 is an endothelium-specific PPARÎ³ cofactor mediating an antioxidant response through adiponectin. <i>JCI Insight</i> , 2017, 2, e91738.	2.3	24
30	DNA Damage-Induced G 1 Arrest in Hematopoietic Cells Is Overridden following Phosphatidylinositol 3-Kinase-Dependent Activation of Cyclin-Dependent Kinase 2. <i>Molecular and Cellular Biology</i> , 2001, 21, 6113-6121.	1.1	23
31	Erythropoietin Receptors Associate with a Ubiquitin Ligase, p33RUL, and Require Its Activity for Erythropoietin-induced Proliferation. <i>Journal of Biological Chemistry</i> , 2003, 278, 26851-26861.	1.6	23
32	Nuclear interactor of ARF and Mdm2 regulates multiple pathways to activate p53. <i>Cell Cycle</i> , 2014, 13, 1288-1298.	1.3	23
33	Cytokine activation of phosphoinositide 3-kinase sensitizes hematopoietic cells to cisplatin-induced death. <i>Cancer Research</i> , 2003, 63, 1034-9.	0.4	22
34	Cytokine signaling to the cell cycle. <i>Immunologic Research</i> , 2007, 39, 173-184.	1.3	18
35	Cytokine-induced phosphoinositide 3-kinase activity promotes Cdk2 activation in factor-dependent hematopoietic cells. <i>Experimental Cell Research</i> , 2004, 299, 257-266.	1.2	15
36	Phosphoinositide 3-kinase signaling overrides a G₂ phase arrest checkpoint and promotes aberrant cell cycling and death of hematopoietic cells after DNA damage. <i>Cell Cycle</i> , 2008, 7, 2877-2885.	1.3	11

#	ARTICLE	IF	CITATIONS
37	PPAR β . <i>Circulation Research</i> , 2013, 112, 411-414.	2.0	11
38	PPAR β and retinol binding protein 7 form a regulatory hub promoting antioxidant properties of the endothelium. <i>Physiological Genomics</i> , 2017, 49, 653-658.	1.0	8
39	RhoBTB1 reverses established arterial stiffness in angiotensin II-induced hypertension by promoting actin depolymerization. <i>JCI Insight</i> , 2022, 7, .	2.3	8
40	ARF sees Pdgfr β through the miR. <i>Cell Cycle</i> , 2014, 13, 1520-1521.	1.3	2