

Derick T Wade

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2964180/derick-t-wade-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

284
papers

25,544
citations

78
h-index

152
g-index

369
ext. papers

28,596
ext. citations

4.3
avg, IF

7.13
L-index

#	Paper	IF	Citations
284	The Barthel ADL Index: a reliability study. <i>International Disability Studies</i> , 1988 , 10, 61-3		1661
283	The Barthel ADL Index: a standard measure of physical disability?. <i>International Disability Studies</i> , 1988 , 10, 64-7		1000
282	The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. <i>Journal of Neurology</i> , 1995 , 242, 587-92	5.5	930
281	Functional abilities after stroke: measurement, natural history and prognosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987 , 50, 177-82	5.5	612
280	Face and voice expression identification in patients with emotional and behavioural changes following ventral frontal lobe damage. <i>Neuropsychologia</i> , 1996 , 34, 247-61	3.2	592
279	The Rivermead Mobility Index: a further development of the Rivermead Motor Assessment. <i>International Disability Studies</i> , 1991 , 13, 50-4		473
278	Correlation between motor improvements and altered fMRI activity after rehabilitative therapy. <i>Brain</i> , 2002 , 125, 2731-42	11.2	456
277	Long-term survival after first-ever stroke: the Oxfordshire Community Stroke Project. <i>Stroke</i> , 1993 , 24, 796-800	6.7	456
276	Dysphagia in acute stroke. <i>British Medical Journal</i> , 1987 , 295, 411-4		438
275	Long-term risk of recurrent stroke after a first-ever stroke. The Oxfordshire Community Stroke Project. <i>Stroke</i> , 1994 , 25, 333-7	6.7	424
274	Mobility after stroke: reliability of measures of impairment and disability. <i>International Disability Studies</i> , 1990 , 12, 6-9		419
273	Do cannabis-based medicinal extracts have general or specific effects on symptoms in multiple sclerosis? A double-blind, randomized, placebo-controlled study on 160 patients. <i>Multiple Sclerosis Journal</i> , 2004 , 10, 434-41	5	390
272	The hemiplegic arm after stroke: measurement and recovery. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1983 , 46, 521-4	5.5	389
271	Writing SMART rehabilitation goals and achieving goal attainment scaling: a practical guide. <i>Clinical Rehabilitation</i> , 2009 , 23, 352-61	3.3	370
270	Outcome measures in acute stroke trials: a systematic review and some recommendations to improve practice. <i>Stroke</i> , 2000 , 31, 1429-38	6.7	368
269	Arm function after stroke: measurement and recovery over the first three months. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987 , 50, 714-9	5.5	367
268	Recovery after stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1983 , 46, 5-8	5.5	338

267	Walking after stroke. Measurement and recovery over the first 3 months. <i>Journal of Rehabilitation Medicine</i> , 1987 , 19, 25-30		336
266	Loss of arm function after stroke: measurement, frequency, and recovery. <i>International Rehabilitation Medicine</i> , 1986 , 8, 69-73		328
265	A preliminary controlled study to determine whether whole-plant cannabis extracts can improve intractable neurogenic symptoms. <i>Clinical Rehabilitation</i> , 2003 , 17, 21-9	3.3	310
264	Validity and reliability comparison of 4 mobility measures in patients presenting with neurologic impairment. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001 , 82, 9-13	2.8	301
263	The functional anatomy of a hysterical paralysis. <i>Cognition</i> , 1997 , 64, B1-8	3.5	292
262	Social activities after stroke: measurement and natural history using the Frenchay Activities Index. <i>International Rehabilitation Medicine</i> , 1985 , 7, 176-81		279
261	Aphasia after stroke: natural history and associated deficits. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1986 , 49, 11-6	5.5	273
260	Recovery after stroke--the first 3 months. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1985 , 48, 7-13	5.5	255
259	Cognitive impairments in survivors of out-of-hospital cardiac arrest: a systematic review. <i>Resuscitation</i> , 2009 , 80, 297-305	4	252
258	Visuospatial neglect: underlying factors and test sensitivity. <i>Lancet, The</i> , 1989 , 2, 908-11	4.0	241
257	Enhanced physical therapy improves recovery of arm function after stroke. A randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992 , 55, 530-5	5.5	240
256	Depressed mood after stroke. A community study of its frequency. <i>British Journal of Psychiatry</i> , 1987 , 151, 200-5	5.4	238
255	The left parietal cortex and motor attention. <i>Neuropsychologia</i> , 1997 , 35, 1261-73	3.2	222
254	Do biomedical models of illness make for good healthcare systems?. <i>BMJ, The</i> , 2004 , 329, 1398-401	5.9	219
253	Physiotherapy intervention late after stroke and mobility. <i>BMJ: British Medical Journal</i> , 1992 , 304, 609-13		218
252	Long-term use of a cannabis-based medicine in the treatment of spasticity and other symptoms in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 639-45	5	212
251	The effects of mental practice in stroke rehabilitation: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 842-52	2.8	207
250	The biopsychosocial model of illness: a model whose time has come. <i>Clinical Rehabilitation</i> , 2017 , 31, 995-1004	3.3	197

249	Family support for stroke: a randomised controlled trial. <i>Lancet, The</i> , 2000 , 356, 808-13	40	187
248	Predicting Barthel ADL score at 6 months after an acute stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 1983 , 64, 24-8	2.8	184
247	Routine follow up after head injury: a second randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998 , 65, 177-83	5.5	181
246	Life after survival: long-term daily functioning and quality of life after an out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2009 , 80, 517-22	4	177
245	Recent advances in rehabilitation. <i>BMJ: British Medical Journal</i> , 2000 , 320, 1385-8		177
244	The Frenchay Aphasia Screening Test: a short, simple test for aphasia appropriate for non-specialists. <i>International Rehabilitation Medicine</i> , 1987 , 8, 166-70		167
243	The Rivermead Post Concussion Symptoms Questionnaire: a confirmatory factor analysis. <i>Journal of Neurology</i> , 2006 , 253, 1603-14	5.5	159
242	Visual gait analysis: the development of a clinical assessment and scale. <i>Clinical Rehabilitation</i> , 1998 , 12, 107-19	3.3	150
241	A comparison of two physiotherapy treatment approaches to improve walking in multiple sclerosis: a pilot randomized controlled study. <i>Clinical Rehabilitation</i> , 1998 , 12, 477-86	3.3	137
240	The clinical aspects of mirror therapy in rehabilitation: a systematic review of the literature. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 1-13	1.8	130
239	Multidisciplinary rehabilitation for people with Parkinson's disease: a randomised controlled study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 158-62	5.5	124
238	An investigation into the social participation of stroke survivors with aphasia. <i>Disability and Rehabilitation</i> , 2010 , 32, 1678-85	2.4	123
237	Meta-analysis of the efficacy and safety of Sativex (nabiximols), on spasticity in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010 , 16, 707-14	5	121
236	Brain activity changes associated with treadmill training after stroke. <i>Stroke</i> , 2009 , 40, 2460-7	6.7	120
235	Treadmill training for individuals with multiple sclerosis: a pilot randomised trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 531-3	5.5	117
234	Can aerobic treadmill training reduce the effort of walking and fatigue in people with multiple sclerosis: a pilot study. <i>Multiple Sclerosis Journal</i> , 2007 , 13, 113-9	5	115
233	Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD004170		114
232	Motor loss and swallowing difficulty after stroke: frequency, recovery, and prognosis. <i>Acta Neurologica Scandinavica</i> , 1987 , 76, 50-4	3.8	114

231	The Rivermead Assessment of Somatosensory Performance (RASP): standardization and reliability data. <i>Clinical Rehabilitation</i> , 2002 , 16, 523-33	3.3	112
230	Is cardiopulmonary bypass still the cause of cognitive dysfunction after cardiac operations?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 414-20; discussion 420-1	1.5	110
229	The effects of stretching in spasticity: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1395-406	2.8	105
228	Effects of living with and looking after survivors of a stroke. <i>British Medical Journal</i> , 1986 , 293, 418-20		105
227	Social participation through the eyes of people with aphasia. <i>International Journal of Language and Communication Disorders</i> , 2010 , 45, 537-50	2.9	102
226	The association of physical deconditioning and chronic low back pain: a hypothesis-oriented systematic review. <i>Disability and Rehabilitation</i> , 2006 , 28, 673-93	2.4	101
225	Does reducing spasticity translate into functional benefit? An exploratory meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004 , 75, 1547-51	5.5	99
224	Thumb in cheek? Sensory reorganization and perceptual plasticity after limb amputation. <i>NeuroReport</i> , 1993 , 4, 233-6	1.7	99
223	Driving after a stroke. <i>Journal of the Royal Society of Medicine</i> , 1986 , 79, 200-3	2.3	98
222	The impact of an information pack on patients with stroke and their carers: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 1998 , 12, 465-76	3.3	95
221	Measurement in neurological rehabilitation. <i>Current Opinion in Neurology and Neurosurgery</i> , 1992 , 5, 682-6		93
220	The Rivermead head injury follow up questionnaire: a study of a new rating scale and other measures to evaluate outcome after head injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996 , 60, 510-4	5.5	92
219	The left hemisphere and the selection of learned actions. <i>Neuropsychologia</i> , 1998 , 36, 11-24	3.2	91
218	Short-term effectiveness of intensive multidisciplinary rehabilitation for people with Parkinson's disease and their carers. <i>Clinical Rehabilitation</i> , 2002 , 16, 717-25	3.3	91
217	Functional MRI correlates of lower limb function in stroke victims with gait impairment. <i>Stroke</i> , 2008 , 39, 1507-13	6.7	89
216	Determinants of quality of life in survivors of cardiac arrest. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 553-8	3.4	87
215	Controlled trial of a home-care service for acute stroke patients. <i>Lancet, The</i> , 1985 , 1, 323-6	4.0	87
214	Three arms: a case study of supernumerary phantom limb after right hemisphere stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993 , 56, 159-66	5.5	85

213	Measuring arm impairment and disability after stroke. <i>International Disability Studies</i> , 1989 , 11, 89-92		85
212	Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. <i>The Cochrane Library</i> , 2015 , CD004170	5.2	82
211	Does routine follow up after head injury help? A randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 62, 478-84	5.5	81
210	The Short Orientation-Memory-Concentration Test: a study of its reliability and validity. <i>Clinical Rehabilitation</i> , 1999 , 13, 164-70	3.3	81
209	Early neurologically-focused follow-up after cardiac arrest improves quality of life at one year: A randomised controlled trial. <i>International Journal of Cardiology</i> , 2015 , 193, 8-16	3.2	75
208	Enhanced physical therapy for arm function after stroke: a one year follow up study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994 , 57, 856-8	5.5	75
207	The effects of mental practice in neurological rehabilitation; a systematic review and meta-analysis. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 390	3.3	71
206	Unilateral somatoparaphrenia after right hemisphere stroke: a case description. <i>Cortex</i> , 1995 , 31, 173-82,8		71
205	Facilitating the participation of people with aphasia in research: a description of strategies. <i>Clinical Rehabilitation</i> , 2009 , 23, 948-59	3.3	70
204	Stroke: rehabilitation and long-term care. <i>Lancet, The</i> , 1992 , 339, 791-3	4.0	70
203	Exercise for multiple sclerosis: a single-blind randomized trial comparing three exercise intensities. <i>Multiple Sclerosis Journal</i> , 2011 , 17, 594-603	5	69
202	Evidence-based cognitive rehabilitation after acquired brain injury: a systematic review of content of treatment. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 653-73	3.1	68
201	A description of social participation in working-age persons with aphasia: A review of the literature. <i>Aphasiology</i> , 2008 , 22, 1071-1091	1.6	68
200	Using mental practice in stroke rehabilitation: a framework. <i>Clinical Rehabilitation</i> , 2008 , 22, 579-91	3.3	67
199	Current practice and clinical relevance of somatosensory assessment after stroke. <i>Clinical Rehabilitation</i> , 1999 , 13, 48-55	3.3	66
198	Measurement of post-traumatic amnesia: how reliable is it?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 62, 38-42	5.5	65
197	Do visual field deficits exacerbate visuo-spatial neglect?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990 , 53, 487-91	5.5	65
196	An integrated motor imagery program to improve functional task performance in neurorehabilitation: a single-blind randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 939-46	2.8	64

195	Early prediction of persisting post-concussion symptoms following mild and moderate head injuries. <i>British Journal of Clinical Psychology</i> , 1999 , 38, 15-25	3.6	64
194	Inter-rater reliability of the Frenchay activities index in patients with stroke and their carers. <i>Clinical Rehabilitation</i> , 2000 , 14, 433-40	3.3	63
193	Walking performance and its recovery in chronic stroke in relation to extent of lesion overlap with the descending motor tract. <i>Experimental Brain Research</i> , 2008 , 186, 325-33	2.3	62
192	Ethics, audit, and research: all shades of grey. <i>BMJ, The</i> , 2005 , 330, 468-71	5.9	62
191	Community rehabilitation, or rehabilitation in the community?. <i>Disability and Rehabilitation</i> , 2003 , 25, 875-81	2.4	59
190	Left on the right: allochiria in a case of left visuo-spatial neglect. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992 , 55, 717-9	5.5	59
189	The natural history of visual neglect after stroke. Indications from two methods of assessment. <i>International Disability Studies</i> , 1987 , 9, 55-9		56
188	Cluster randomized pilot controlled trial of an occupational therapy intervention for residents with stroke in UK care homes. <i>Stroke</i> , 2006 , 37, 2336-41	6.7	54
187	A randomised placebo controlled exploratory study of vitamin B-12, lofepramine, and L-phenylalanine (the "Cari Loder regime") in the treatment of multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 246-9	5.5	54
186	Goal Planning in Stroke Rehabilitation: How?. <i>Topics in Stroke Rehabilitation</i> , 1999 , 6, 16-36	2.6	54
185	Outcome measures for clinical rehabilitation trials: impairment, function, quality of life, or value?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2003 , 82, S26-31	2.6	53
184	Research in rehabilitation medicine: methodological challenges. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 699-704	5.7	52
183	Efficacy of time pressure management in stroke patients with slowed information processing: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1672-9	2.8	52
182	The permanent vegetative state: practical guidance on diagnosis and management. <i>BMJ: British Medical Journal</i> , 1999 , 319, 841-4		52
181	Bedside screening for aphasia: a comparison of two methods. <i>Journal of Neurology</i> , 1996 , 243, 201-4	5.5	52
180	Interventions and service need following mild and moderate head injury: the Oxford Head Injury Service. <i>Clinical Rehabilitation</i> , 1997 , 11, 13-27	3.3	51
179	Life after survival: long-term daily life functioning and quality of life of patients with hypoxic brain injury as a result of a cardiac arrest. <i>Clinical Rehabilitation</i> , 2007 , 21, 425-31	3.3	51
178	Borg's rating of perceived exertion scales: do the verbal anchors mean the same for different clinical groups?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 912-6	2.8	51

177	Evaluation of the Modified Jebsen Test of Hand Function and the University of Maryland Arm Questionnaire for Stroke. <i>Clinical Rehabilitation</i> , 2004 , 18, 195-202	3.3	51
176	Cognitive performance after cardiac operation: implications of regression toward the mean. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 117, 481-5	1.5	50
175	Therapy after stroke: amounts, determinants and effects. <i>International Rehabilitation Medicine</i> , 1984 , 6, 105-10		50
174	Recovery of cognitive function soon after stroke: a study of visual neglect, attention span and verbal recall. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988 , 51, 10-3	5.5	49
173	Visuo-spatial neglect: qualitative differences and laterality of cerebral lesion. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992 , 55, 1060-8	5.5	48
172	Sensory detection without localization. <i>Neurocase</i> , 1995 , 1, 259-266	0.8	47
171	When seeing is feeling: Acquired synaesthesia or phantom touch?. <i>Neurocase</i> , 1996 , 2, 21-29	0.8	47
170	First steps towards an interdisciplinary approach to rehabilitation. <i>Clinical Rehabilitation</i> , 1992 , 6, 237-244	3.3	47
169	Outlook after an acute stroke: urinary incontinence and loss of consciousness compared in 532 patients. <i>The Quarterly Journal of Medicine</i> , 1985 , 56, 601-8		47
168	A study of perceived facilitators to physical activity in neurological conditions. <i>International Journal of Therapy and Rehabilitation</i> , 2009 , 16, 17-24	0.4	46
167	Rehabilitation with mental practice has similar effects on mobility as rehabilitation with relaxation in people with Parkinson's disease: a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2011 , 57, 27-34	2.9	45
166	The Guy's Neurological Disability Scale in patients with multiple sclerosis: a clinical evaluation of its reliability and validity. <i>Clinical Rehabilitation</i> , 2002 , 16, 75-95	3.3	45
165	Stroke: influence of patient's sex and side of weakness on outcome. <i>Archives of Physical Medicine and Rehabilitation</i> , 1984 , 65, 513-6	2.8	44
164	Non pharmacological interventions for spasticity in multiple sclerosis. <i>The Cochrane Library</i> , 2013 , CD009974	3.2	43
163	Fast walking under cognitive-motor interference conditions in chronic stroke. <i>Brain Research</i> , 2009 , 1287, 104-10	3.7	43
162	Current practice and clinical relevance of somatosensory assessment after stroke. <i>Clinical Rehabilitation</i> , 1999 , 13, 48-55	3.3	43
161	Community rehabilitation in the United Kingdom. <i>Clinical Rehabilitation</i> , 2001 , 15, 577-81	3.3	42
160	Hospital admission for acute stroke: who, for how long, and to what effect?. <i>Journal of Epidemiology and Community Health</i> , 1985 , 39, 347-52	5.1	42

159	Somatosensory recovery: a longitudinal study of the first 6 months after unilateral stroke. <i>Disability and Rehabilitation</i> , 2007 , 29, 293-9	2.4	41
158	Regional variations in stroke care in England, Wales and Northern Ireland: results from the National Sentinel Audit of Stroke. Royal College of Physicians Intercollegiate Stroke Working Party. <i>Clinical Rehabilitation</i> , 2001 , 15, 562-72	3.3	41
157	Pitch and timing abilities in adult left-hemisphere-dysphasic and right-hemisphere-damaged subjects. <i>Brain and Language</i> , 2000 , 75, 47-65	2.9	41
156	Interventions for fatigue in Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2014 , 29, 1675-8	7	40
155	The adaptation process following acute onset disability: an interactive two-dimensional approach applied to acquired brain injury. <i>Clinical Rehabilitation</i> , 2012 , 26, 840-52	3.3	40
154	Epidemiology of some neurological diseases with special reference to work load on the NHS. <i>International Rehabilitation Medicine</i> , 1987 , 8, 129-37		40
153	Rehabilitation after COVID-19: an evidence-based approach. <i>Clinical Medicine</i> , 2020 , 20, 359-365	1.9	40
152	Psychometric properties of the community integration questionnaire adjusted for people with aphasia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 395-9	2.8	39
151	Gait adaptations to simultaneous cognitive and mechanical constraints. <i>Experimental Brain Research</i> , 2009 , 199, 39-48	2.3	38
150	Relative contribution of footwear to the efficacy of ankle-foot orthoses. <i>Clinical Rehabilitation</i> , 2003 , 17, 553-7	3.3	38
149	Is it possible to use the Structural Dimension Analysis of Motor Memory (SDA-M) to investigate representations of motor actions in stroke patients?. <i>Clinical Rehabilitation</i> , 2007 , 21, 822-32	3.3	37
148	Long-term Outcome After Survival of a Cardiac Arrest: A Prospective Longitudinal Cohort Study. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 530-539	4.7	36
147	Somatosensory assessment: can seeing produce feeling?. <i>Journal of Neurology</i> , 1997 , 244, 199-203	5.5	36
146	Functional outcome of lower limb amputees with peripheral vascular disease. <i>Clinical Rehabilitation</i> , 1992 , 6, 13-21	3.3	36
145	Memory disturbance after stroke: frequency and associated losses. <i>International Rehabilitation Medicine</i> , 1986 , 8, 60-4		36
144	Stroke: the influence of age upon outcome. <i>Age and Ageing</i> , 1984 , 13, 357-62	3	36
143	Weekly exercise does not improve fatigue levels in Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 143-6	7	35
142	Long-term survival after stroke. <i>Age and Ageing</i> , 1984 , 13, 76-82	3	35

141	Postoperative hypoxia is a contributory factor to cognitive impairment after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 126, 1061-4	1.5	34
140	Pedometer step counts in individuals with neurological conditions. <i>Clinical Rehabilitation</i> , 2009 , 23, 171-5,3	3.3	32
139	Comparison of postal version of the Frenchay Activities Index with interviewer-administered version for use in people with stroke. <i>Clinical Rehabilitation</i> , 1997 , 11, 131-8	3.3	32
138	Squints and diplopia seen after brain damage. <i>Journal of Neurology</i> , 1996 , 243, 86-90	5.5	32
137	Malingering and factitious disorder. <i>Practical Neurology</i> , 2019 , 19, 96-105	2.4	32
136	Measures for rating social participation in people with aphasia: a systematic review. <i>Clinical Rehabilitation</i> , 2008 , 22, 542-55	3.3	31
135	Disruption of sitting balance after stroke: influence of spoken output. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 674-6	5.5	31
134	Admission after head injury: how many occur and how many are recorded?. <i>Injury</i> , 1996 , 27, 159-61	2.5	31
133	Influence of cognitive function on social, domestic, and leisure activities of community-dwelling older people. <i>International Disability Studies</i> , 1990 , 12, 169-72		31
132	Life goal attainment in the adaptation process after acquired brain injury: the influence of self-efficacy and of flexibility and tenacity in goal pursuit. <i>Clinical Rehabilitation</i> , 2015 , 29, 611-22	3.3	30
131	A multicenter randomized controlled trial to compare subacute 'treatment as usual' with and without mental practice among persons with stroke in Dutch nursing homes. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 85.e1-7	5.9	30
130	'Stand still [and move on]', an early neurologically-focused follow-up for cardiac arrest survivors and their caregivers: a process evaluation. <i>BMC Health Services Research</i> , 2014 , 14, 34	2.9	28
129	Influence of self-efficacy and coping on quality of life and social participation after acquired brain injury: a 1-year follow-up study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 2327-34	2.8	28
128	Neuroprotection during cardiac surgery: a randomised trial of a platelet activating factor antagonist. <i>British Heart Journal</i> , 2003 , 89, 897-900		28
127	Assault, post-traumatic amnesia and other variables related to outcome following head injury. <i>Clinical Rehabilitation</i> , 1998 , 12, 53-63	3.3	28
126	Goal Planning in Stroke Rehabilitation: Why?. <i>Topics in Stroke Rehabilitation</i> , 1999 , 6, 1-7	2.6	28
125	'Stand still ... , and move on', a new early intervention service for cardiac arrest survivors and their caregivers: rationale and description of the intervention. <i>Clinical Rehabilitation</i> , 2011 , 25, 867-79	3.3	27
124	Evaluating rehabilitation using cost-consequences analysis: an example in Parkinson's disease. <i>Clinical Rehabilitation</i> , 2006 , 20, 232-8	3.3	27

123	Services for stroke patients one year after stroke. <i>Journal of Epidemiology and Community Health</i> , 1986 , 40, 161-5	5.1	27
122	Supported community exercise in people with long-term neurological conditions: a phase II randomized controlled trial. <i>Clinical Rehabilitation</i> , 2011 , 25, 588-98	3.3	26
121	Aphasia after stroke: a detailed study of recovery in the first 3 months. <i>International Rehabilitation Medicine</i> , 1987 , 8, 162-5		26
120	Stroke: associations with age, sex, and side of weakness. <i>Archives of Physical Medicine and Rehabilitation</i> , 1986 , 67, 540-5	2.8	26
119	Workloads of Parkinson's specialist nurses: implications for implementing national service guidelines in England. <i>Journal of Clinical Nursing</i> , 2010 , 19, 3575-80	3.2	25
118	A pilot randomised controlled trial of a home-based exercise programme aimed at improving endurance and function in adults with neuromuscular disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 959-62	5.5	25
117	Training patients in Time Pressure Management, a cognitive strategy for mental slowness. <i>Clinical Rehabilitation</i> , 2009 , 23, 79-90	3.3	24
116	RIVCAM: a simple video-based kinematic analysis for clinical disorders of gait. <i>Computer Methods and Programs in Biomedicine</i> , 2002 , 69, 197-209	6.9	24
115	Rehabilitation therapy after stroke. <i>Lancet, The</i> , 1999 , 354, 176-7	4.0	24
114	Goal Planning in Stroke Rehabilitation: Evidence. <i>Topics in Stroke Rehabilitation</i> , 1999 , 6, 37-42	2.6	24
113	Residual mobility problems after stroke. <i>International Disability Studies</i> , 1991 , 13, 12-5		24
112	Persistent metabolic sequelae of severe head injury in humans in vivo. <i>Acta Neurochirurgica</i> , 1990 , 104, 1-7	3	24
111	Rehabilitation interventions for foot drop in neuromuscular disease. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD003908		23
110	Combined analysis of two randomized trials of community physiotherapy for patients more than one year post stroke. <i>Clinical Rehabilitation</i> , 2004 , 18, 249-52	3.3	23
109	Psychometric properties of the Coping Inventory for Stressful Situations (CISS) in patients with acquired brain injury. <i>Psychological Assessment</i> , 2014 , 26, 848-856	5.3	22
108	Life goals of people with disabilities due to neurological disorders. <i>Clinical Rehabilitation</i> , 2003 , 17, 521-3	3.3	22
107	A subjective memory assessment questionnaire for use with elderly people after stroke. <i>Clinical Rehabilitation</i> , 1995 , 9, 238-244	3.3	22
106	Characteristics of patients with persistent severe disability and medically unexplained neurological symptoms: a pilot study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 307-9	5.5	21

105	Does parietal cortex contribute to feature binding?. <i>Neuropsychologia</i> , 1999 , 37, 999-1004	3.2	21
104	Manifestations of mental slowness in the daily life of patients with stroke: A qualitative study. <i>Clinical Rehabilitation</i> , 2006 , 20, 827-34	3.3	20
103	Satisfaction of members of interdisciplinary rehabilitation teams with goal planning meetings. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003 , 84, 1710-3	2.8	20
102	How often is the diagnosis of the permanent vegetative state incorrect? A review of the evidence. <i>European Journal of Neurology</i> , 2018 , 25, 619-625	6	19
101	Verbal fluency assessment of patients with multiple sclerosis: test-retest and inter-observer reliability. <i>Clinical Rehabilitation</i> , 2003 , 17, 756-64	3.3	19
100	Selected cognitive losses after stroke. Frequency, recovery and prognostic importance. <i>International Disability Studies</i> , 1989 , 11, 34-9		19
99	Reliability and validity of two new instruments for measuring aspects of mental slowness in the daily lives of stroke patients. <i>Neuropsychological Rehabilitation</i> , 2009 , 19, 64-85	3.1	18
98	Evaluation of the safety and tolerability profile of Sativex: is it reassuring enough?. <i>Expert Review of Neurotherapeutics</i> , 2012 , 12, 9-14	4.3	18
97	Feasibility of a mental practice intervention in stroke patients in nursing homes; a process evaluation. <i>BMC Neurology</i> , 2010 , 10, 74	3.1	18
96	Effects of mental practice embedded in daily therapy compared to therapy as usual in adult stroke patients in Dutch nursing homes: design of a randomised controlled trial. <i>BMC Neurology</i> , 2007 , 7, 34	3.1	18
95	Family support for stroke: one year follow up of a randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 1006-8	5.5	18
94	Post-concussion symptoms: is stress a mediating factor?. <i>Clinical Rehabilitation</i> , 1994 , 8, 149-156	3.3	18
93	Practical research-based guidance for motor imagery practice in neurorehabilitation. <i>Disability and Rehabilitation</i> , 2012 , 34, 2192-200	2.4	17
92	Agreement between two different scoring procedures for goal attainment scaling is low. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 46-9	3.4	17
91	Motor imagery in patients with a right hemisphere stroke and unilateral neglect. <i>Brain Injury</i> , 2011 , 25, 387-93	2.1	17
90	Activity and Life After Survival of a Cardiac Arrest (ALASCA) and the effectiveness of an early intervention service: design of a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2007 , 7, 26	2.3	17
89	Changes in life goals of people with neurological disabilities. <i>Clinical Rehabilitation</i> , 2003 , 17, 797-803	3.3	17
88	Contrapositioning in a case of visual neglect. <i>Neuropsychological Rehabilitation</i> , 1992 , 2, 125-135	3.1	17

87	Phase II randomised controlled trial of a 6-month self-managed community exercise programme for people with Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 204-211	5.5	16
86	The Barthel Index and its relationship to nursing dependency in rehabilitation. <i>Clinical Rehabilitation</i> , 1997 , 11, 335-7	3.3	16
85	Rehabilitation following acquired brain injury: concise guidance. <i>Clinical Medicine</i> , 2004 , 4, 61-5	1.9	16
84	"Wheelchair" patients with nonorganic disease: a psychological inquiry. <i>Journal of Psychosomatic Research</i> , 1999 , 47, 93-103	4.1	16
83	Delayed discharges from Oxford city hospitals: who and why?. <i>Clinical Rehabilitation</i> , 2002 , 16, 315-20	3.3	15
82	Why admit stroke patients to hospital?. <i>Lancet, The</i> , 1983 , 1, 807-9	4.0	15
81	Use of hospital resources by acute stroke patients. <i>Journal of the Royal College of Physicians of London</i> , 1985 , 19, 48-52		15
80	Measurement in neurologic rehabilitation. <i>Current Opinion in Neurology</i> , 1993 , 6, 778-84	7.1	14
79	Mental techniques during manual stretching in spasticity--a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009 , 23, 137-45	3.3	13
78	Epidemiology of disabling neurological disease: how and why does disability occur?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996 , 61, 242-9	5.5	13
77	Rehabilitation interventions for foot drop in neuromuscular disease. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD003908		13
76	The Adult Memory and Information Processing Battery (AMIPB) test of information-processing speed: a study of its reliability and feasibility in patients with multiple sclerosis. <i>Clinical Rehabilitation</i> , 2003 , 17, 386-93	3.3	13
75	Goal Planning in Stroke Rehabilitation: What?. <i>Topics in Stroke Rehabilitation</i> , 1999 , 6, 8-15	2.6	13
74	SleepSure: a pilot randomized-controlled trial to assess the effects of eye masks and earplugs on the quality of sleep for patients in hospital. <i>Clinical Rehabilitation</i> , 2019 , 33, 253-261	3.3	13
73	Back to the bedside? Making clinical decisions in patients with prolonged unconsciousness. <i>Journal of Medical Ethics</i> , 2017 , 43, 457-458	2.5	12
72	Exertional symptoms and exercise capacity in individuals with brain injury. <i>Disability and Rehabilitation</i> , 2006 , 28, 1243-50	2.4	12
71	SaGAS, the Short and Graphic Ability Score: an alternative scoring method for the motor components of the Multiple Sclerosis Functional Composite. <i>Multiple Sclerosis Journal</i> , 2004 , 10, 231-42	5	12
70	An Audit of Goal Planning in Rehabilitation. <i>Topics in Stroke Rehabilitation</i> , 1999 , 6, 51-61	2.6	12

69	Selection of aphasic stroke patients for intensive speech therapy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987 , 50, 1488-92	5.5	12
68	Measurement in rehabilitation. <i>Age and Ageing</i> , 1988 , 17, 289-92	3	12
67	Determining whether someone has mental capacity to make a decision: clinical guidance based on a review of the evidence. <i>Clinical Rehabilitation</i> , 2019 , 33, 1561-1570	3.3	11
66	Uro-Vaxom [®] versus placebo for the prevention of recurrent symptomatic urinary tract infections in participants with chronic neurogenic bladder dysfunction: a randomised controlled feasibility study. <i>Trials</i> , 2019 , 20, 223	2.8	11
65	Delayed recovery of leg fatigue symptoms following a maximal exercise session in people with multiple sclerosis. <i>Neurorehabilitation and Neural Repair</i> , 2014 , 28, 139-48	4.7	11
64	An initial investigation of the reliability of the Rivermead Extended ADL index in patients presenting with neurological impairment. <i>Journal of Rehabilitation Medicine</i> , 2001 , 33, 61-70	3.4	11
63	Reduplication of an event after head injury? A cautionary case report. <i>Cortex</i> , 1995 , 31, 183-90	3.8	11
62	A pilot study to investigate explosive leg extensor power and walking performance after stroke. <i>Journal of Sports Science and Medicine</i> , 2005 , 4, 556-62	2.7	11
61	Making healthcare decisions in a person's best interests when they lack capacity: clinical guidance based on a review of evidence. <i>Clinical Rehabilitation</i> , 2019 , 33, 1571-1585	3.3	10
60	A randomised double-blind placebo-controlled feasibility trial of flavonoid-rich cocoa for fatigue in people with relapsing and remitting multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 507-513	5.5	10
59	How flexible is coping after acquired brain injury? A 1-year prospective study investigating coping patterns and influence of self-efficacy, executive functioning and self-awareness. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 869-75	3.4	10
58	Study protocol of the Restore4Stroke self-management study: a multicenter randomized controlled trial in stroke patients and their partners. <i>International Journal of Stroke</i> , 2014 , 9, 818-23	6.3	10
57	Should all stroke rehabilitation be home based?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2003 , 82, 733-5	2.6	10
56	The Northwick Park Dependency Score and its relationship to nursing hours in neurological rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2003 , 35, 116-20	3.4	10
55	Designing district disability services -the Oxford experience. <i>Clinical Rehabilitation</i> , 1990 , 4, 147-158	3.3	10
54	Applying the WHO ICF framework to the rehabilitation of patients with cognitive deficits 2005 , 31-42		10
53	Cardiovascular adaptation in people with multiple sclerosis following a twelve week exercise programme suggest deconditioning rather than autonomic dysfunction caused by the disease. Results from a randomized controlled trial. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2013 , 49, 765-74	4.4	10
52	One-year functional outcomes following major trauma: experience of a UK level 1 major trauma centre. <i>Clinical Rehabilitation</i> , 2017 , 31, 1646-1652	3.3	9

51	Dealing with a life changing event: The influence of spirituality and coping style on quality of life after survival of a cardiac arrest or myocardial infarction. <i>Resuscitation</i> , 2016 , 109, 81-86	4	9
50	Somatosensory Assessment after Central Nerve Damage: the Need for Standardized Clinical Measures. <i>Physical Therapy Reviews</i> , 1999 , 4, 21-28	0.7	9
49	A randomized controlled trial of a walking training with simultaneous cognitive demand (dual-task) in chronic stroke. <i>European Journal of Neurology</i> , 2019 , 26, 435-441	6	9
48	Measuring complexity in neurological rehabilitation: the Oxford Case Complexity Assessment Measure (OCCAM). <i>Clinical Rehabilitation</i> , 2014 , 28, 499-507	3.3	8
47	Adverse effects of rehabilitation - an opportunity to increase quality and effectiveness of rehabilitation. <i>Clinical Rehabilitation</i> , 2009 , 23, 387-93	3.3	8
46	High-intensity cycling exercise after a stroke: a single case study. <i>Clinical Rehabilitation</i> , 2000 , 14, 570-3	3.3	8
45	Evaluating outcome in stroke rehabilitation (quality control and clinical audit). <i>Scandinavian Journal of Rehabilitation Medicine Supplement</i> , 1992 , 26, 97-104		8
44	A long-term self-managed handwriting intervention for people with Parkinson's disease: results from the control group of a phase II randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017 , 31, 1636-1645	2.2	7
43	Using best interests meetings for people in a prolonged disorder of consciousness to improve clinical and ethical management. <i>Journal of Medical Ethics</i> , 2018 , 44, 336-342	2.5	7
42	Does feedback on daily activity level from a Smart watch during inpatient stroke rehabilitation increase physical activity levels? Study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 177	2.8	7
41	Services for helping acute stroke patients avoid hospital admission. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD000444		7
40	The development of a disease classification system, based on the International Classification of Diseases, for use by neurologists. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989 , 52, 449-58	5.5	7
39	Hydration and independence in activities of daily living in people with multiple sclerosis: a pilot investigation. <i>Disability and Rehabilitation</i> , 2011 , 33, 1822-5	2.4	6
38	The Oxfordshire Head Injury Register. <i>Disability and Rehabilitation</i> , 1996 , 18, 169-73	2.4	6
37	Diminution and enhancement of visuo-spatial neglect with sequential trials. <i>Journal of Neurology</i> , 1993 , 240, 117-20	5.5	6
36	Organization of stroke care services. <i>Clinical Rehabilitation</i> , 1989 , 3, 227-233	3.3	6
35	Is stroke rehabilitation worthwhile?. <i>Current Opinion in Neurology and Neurosurgery</i> , 1993 , 6, 78-82		6
34	Specialist rehabilitation for people with Parkinson's disease in the community: a randomised controlled trial. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-376	1.5	6

33	Use of movement imagery in neurorehabilitation: researching effects of a complex intervention. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 203-8	1.8	5
32	The effect of a perceptual cognitive task on exercise performance: the dual-task condition after brain injury. <i>Clinical Rehabilitation</i> , 2003 , 17, 535-9	3.3	5
31	The effect of magnesium oral therapy on spasticity in a patient with multiple sclerosis. <i>European Journal of Neurology</i> , 2000 , 7, 741-4	6	5
30	Services for people with stroke. <i>Quality and Safety in Health Care</i> , 1993 , 2, 263-6		5
29	Neurological rehabilitation. <i>International Disability Studies</i> , 1987 , 9, 45-7		5
28	The effect of increasing effort on movement economy during incremental cycling exercise in individuals early after acquired brain injury. <i>Clinical Rehabilitation</i> , 2003 , 17, 528-534	3.3	5
27	The effects of small-needle-knife therapy on pain and mobility from knee osteoarthritis: a pilot randomized-controlled study. <i>Clinical Rehabilitation</i> , 2020 , 34, 1497-1505	3.3	4
26	A comparison of specialist rehabilitation and care assistant support with specialist rehabilitation alone and usual care for people with Parkinson's living in the community: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 250	2.8	4
25	Impact commentaries. Functional abilities after stroke: measurement, natural history and prognosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 770	5.5	4
24	Rehabilitation research--time for a change of focus. <i>Lancet Neurology, The</i> , 2002 , 1, 209	24.1	4
23	Evaluation of a smartwatch-based intervention providing feedback of daily activity within a research-naive stroke ward: a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 157	1.9	4
22	Heart Rate as a Measure of Exercise Testing Early after Acquired Brain Injury. <i>Physiotherapy</i> , 2003 , 89, 570-574	3	3
21	Sensory detection without localization. <i>Neurocase</i> , 1995 , 1, 259-266	0.8	3
20	How many patients in a prolonged disorder of consciousness might need a best interests meeting about starting or continuing gastrostomy feeding?. <i>Clinical Rehabilitation</i> , 2018 , 32, 1551-1564	3.3	3
19	A protocol for a randomised double-blind placebo-controlled feasibility study to determine whether the daily consumption of flavonoid-rich pure cocoa has the potential to reduce fatigue in people with relapsing and remitting multiple sclerosis (RRMS). <i>Pilot and Feasibility Studies</i> , 2018 , 4, 35	1.9	2
18	Treatment of mental slowness: how to evaluate treatment effects. A systematic review of outcome measures. <i>Neuropsychological Rehabilitation</i> , 2011 , 21, 860-83	3.1	2
17	Disease-specific training in Parkinson's disease for care assistants: a comparison of interactive and self-study methods. <i>Clinical Rehabilitation</i> , 2012 , 26, 545-57	3.3	2
16	Randomization in clinical research. <i>Brain Injury</i> , 2005 , 19, 961	2.1	2

15	An interdisciplinary approach to neurological rehabilitation 2015 , 8-17		2
14	Immunotherapy to reduce frequency of urinary tract infections in people with neurogenic bladder dysfunction; a pilot randomised, placebo-controlled trial. <i>Clinical Rehabilitation</i> , 2020 , 34, 1458-1464	3.3	2
13	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ('My Therapy'): protocol for a stepped-wedge cluster randomised trial. <i>BMC Health Services Research</i> , 2021 , 21, 811	2.9	2
12	Conscientious care for the unconscious patient: new guidance from the Royal College of Physicians. <i>Clinical Medicine</i> , 2014 , 14, 290-1	1.9	1
11	Psychiatric aspects of head injury management. <i>Psychiatry (Abingdon, England)</i> , 2006 , 5, 69-72		1
10	The dis-integration of death. <i>Lancet, The</i> , 2002 , 360, 425	4.0	1
9	Dual-task walking and automaticity after Stroke: Insights from a secondary analysis and imaging sub-study of a randomised controlled trial. <i>Clinical Rehabilitation</i> , 2021 , 35, 1599-1610	3.3	1
8	Mitoxantrone plus methylprednisolone improved active multiple sclerosis. <i>ACP Journal Club</i> , 1997 , 127, 12		1
7	Prolonged disorders of consciousness: A response to a "critical evaluation of the new UK guidelines.". <i>Clinical Rehabilitation</i> , 2022 , 2692155221099704	3.3	1
6	Commentary on Charles Foster's 'The rebirth of medical paternalism: an NHS Trust v Y'. <i>Journal of Medical Ethics</i> , 2019 , 45, 8-9	2.5	0
5	Eine Reise durch die neurologische Rehabilitation: die letzten 20 und die nahsten 30 Jahre. <i>Neuroreha</i> , 2019 , 11, 14-19	0.2	
4	Restricting freedom of people with limited awareness of maintaining their well-being: a legal quagmire. <i>Practical Neurology</i> , 2015 , 15, 330-2	2.4	
3	Disability after Stroke and Its Impact on Secondary Prevention. <i>Cerebrovascular Diseases</i> , 1993 , 3, 24-28	3.2	
2	Continuing health care criteria: their use in a specialist disability service. <i>Journal of the Royal College of Physicians of London</i> , 1997 , 31, 287-90		
1	Evaluation of Neuropsychological Therapies: The Importance of Measurement 1992 , 88-95		