

Flavio D Fuchs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2965207/publications.pdf>

Version: 2024-02-01

145
papers

7,156
citations

101384

36
h-index

64668

79
g-index

149
all docs

149
docs citations

149
times ranked

11210
citing authors

#	ARTICLE	IF	CITATIONS
1	2022 World Hypertension League, Resolve To Save Lives and International Society of Hypertension dietary sodium (salt) global call to action. <i>Journal of Human Hypertension</i> , 2023, 37, 428-437.	1.0	22
2	Thiazide diuretics alone or in combination with a potassium-sparing diuretic on blood pressure-lowering in patients with primary hypertension: protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2022, 11, 23.	2.5	6
3	Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension and diabetes mellitus: results from the PREVER-treatment randomized controlled trial. <i>Acta Diabetologica</i> , 2021, 58, 215-220.	1.2	6
4	Response to the letter to the editor entitled "Angiotensin-II receptor blockers or angiotensin converting enzyme inhibitors for the treatment of hypertension amid COVID-19 pandemic". <i>Expert Review of Cardiovascular Therapy</i> , 2021, 19, 189-190.	0.6	1
5	The effect of continuous positive airway pressure on blood pressure in patients with obstructive sleep apnea and uncontrolled hypertension - Study design and challenges during the COVID-19 pandemic. <i>Clinics</i> , 2021, 76, e2926.	0.6	0
6	Renin-Angiotensin-Aldosterone System Inhibitors in COVID-19: A Review. <i>Clinics</i> , 2021, 76, e2342.	0.6	8
7	Diretrizes Brasileiras de Hipertensão Arterial "2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 516-658.	0.3	340
8	Development, Validation, and Reproducibility of Food Group-Based Frequency Questionnaires for Clinical Use in Brazil: A Pre-Hypertension and Hypertension Diet Assessment. <i>Nutrients</i> , 2021, 13, 3881.	1.7	6
9	The Effect of Alcohol on Blood Pressure and Hypertension. <i>Current Hypertension Reports</i> , 2021, 23, 42.	1.5	35
10	Quality of life in patients with stable coronary artery disease submitted to percutaneous, surgical, and medical therapies: a cohort study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 261.	1.0	1
11	High Blood Pressure and Cardiovascular Disease. <i>Hypertension</i> , 2020, 75, 285-292.	1.3	728
12	Effectiveness of Clinical, Surgical and Percutaneous Treatment to Prevent Cardiovascular Events in Patients Referred for Elective Coronary Angiography: An Observational Study. <i>Vascular Health and Risk Management</i> , 2020, Volume 16, 285-297.	1.0	6
13	The role of angiotensin receptor blockers in CVD risk management. <i>Expert Review of Cardiovascular Therapy</i> , 2020, 18, 181-185.	0.6	6
14	Effect of metformin on blood pressure in patients with hypertension: a randomized clinical trial. <i>Endocrine</i> , 2019, 63, 252-258.	1.1	7
15	Stage I hypertension is associated with impaired systolic function by strain imaging compared with prehypertension: A report from the prever study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1705-1710.	1.0	6
16	Response to Letter to the Editor: New Insights and Old Questions in Acute Stroke Blood Pressure Control. <i>Neurocritical Care</i> , 2019, 30, 698-699.	1.2	0
17	Self-reported adherence to physical activity recommendations compared to the IPAQ interview in patients with hypertension. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 209-214.	0.8	7
18	Efficacy of chlorthalidone and hydrochlorothiazide in combination with amiloride in multiple doses on blood pressure in patients with primary hypertension: a protocol for a factorial randomized controlled trial. <i>Trials</i> , 2019, 20, 736.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Early Manipulation of Arterial Blood Pressure in Acute Ischemic Stroke (MAPAS): Results of a Randomized Controlled Trial. <i>Neurocritical Care</i> , 2019, 30, 372-379.	1.2	22
20	Spirolactone Versus Clonidine as a Fourth-Drug Therapy for Resistant Hypertension. <i>Hypertension</i> , 2018, 71, 681-690.	1.3	123
21	Diuretic or sodium-restricted diet for obstructive sleep apnea—a randomized trial. <i>Sleep</i> , 2018, 41, .	0.6	29
22	Echocardiographic Left Ventricular Reverse Remodeling After 18 Months of Antihypertensive Treatment in Stage I Hypertension. Results From the Prever-Treatment Study. <i>American Journal of Hypertension</i> , 2018, 31, 321-328.	1.0	10
23	Effectiveness of low-dose diuretics for blood pressure reduction to optimal values in prehypertension. <i>Journal of Hypertension</i> , 2018, 36, 933-938.	0.3	5
24	Partial anomalous pulmonary venous connection in a 72-year-old woman: A case report. <i>SAGE Open Medical Case Reports</i> , 2018, 6, 2050313X1878764.	0.2	1
25	Diuretics are Similar to Losartan on Echocardiographic Target-Organ Damage in Stage I Hypertension. PREVER-Treatment Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 87-90.	0.3	0
26	Technologies for Innovative Monitoring to Reduce Blood Pressure and Change Lifestyle Using Mobile Phones in Adult and Elderly Populations (TIM Study): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018, 7, e169.	0.5	3
27	Influence of high risk of obstructive sleep apnea on adherence to antihypertensive treatment in outpatients. <i>Journal of Clinical Hypertension</i> , 2017, 19, 534-539.	1.0	13
28	Association of workplace and population characteristics with prevalence of hypertension among Brazilian industry workers: a multilevel analysis. <i>BMJ Open</i> , 2017, 7, e015755.	0.8	10
29	Adiposity phenotypes are associated with type-2 diabetes: LAP index, body adiposity index, and neck circumference. <i>Atherosclerosis</i> , 2017, 266, 145-150.	0.4	21
30	Response to the letter entitled “Obstructive sleep apnea, excessive daytime sleepiness, and adherence to antihypertensive treatment: Questionnaire survey” <i>Journal of Clinical Hypertension</i> , 2017, 19, 1384-1384.	1.0	0
31	Disrupted day-night pattern of cardiovascular death in obstructive sleep apnea. <i>Sleep Medicine</i> , 2017, 38, 144-150.	0.8	15
32	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet</i> , The, 2017, 389, 37-55.	6.3	1,667
33	Hypertension Management in Brazil: Usual Practice in Primary Care—A Meta-Analysis. <i>International Journal of Hypertension</i> , 2017, 2017, 1-9.	0.5	22
34	The effectiveness of an educational intervention for sodium restriction in patients with hypertension: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 347.	0.7	3
35	Obstructive sleep apnea—Hypertension link: almost there?. <i>Journal of Thoracic Disease</i> , 2017, 9, 3537-3540.	0.6	5
36	Syntax Score and Major Adverse Cardiac Events in Patients with Suspected Coronary Artery Disease: Results from a Cohort Study in a University-Affiliated Hospital in Southern Brazil. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 107, 207-215.	0.3	7

#	ARTICLE	IF	CITATIONS
37	Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension. <i>Journal of Hypertension</i> , 2016, 34, 798-806.	0.3	17
38	Sleep duration and mortality in the elderly: a systematic review with meta-analysis. <i>BMJ Open</i> , 2016, 6, e008119.	0.8	185
39	Effectiveness of Chlorthalidone Plus Amiloride for the Prevention of Hypertension: The PREVERâ€Prevention Randomized Clinical Trial. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	47
40	Prehypertension Is Associated With Abnormalities of Cardiac Structure and Function in the Atherosclerosis Risk in Communities Study. <i>American Journal of Hypertension</i> , 2016, 29, 568-574.	1.0	46
41	Alcohol Drinking Pattern: A Comparison between HIV-Infected Patients and Individuals from the General Population. <i>PLoS ONE</i> , 2016, 11, e0158535.	1.1	19
42	Chlorthalidone Plus Amiloride Reduces the Central Systolic Blood Pressure in Stage 1 Hypertension Patients. <i>Cardiology Research</i> , 2016, 7, 196-201.	0.5	5
43	Are Retinal Vessels Calibers Influenced by Blood Pressure Measured at the Time of Retinography Acquisition?. <i>PLoS ONE</i> , 2015, 10, e0136678.	1.1	4
44	Effect of diuretics and sodium-restricted diet on sleep apnea severity: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 188.	0.7	9
45	Obstructive sleep apnoea should be deemed a cardiovascular disease. <i>Heart</i> , 2015, 101, 1261-1262.	1.2	8
46	Preventing the Progression of Prehypertension to Hypertension: Role of Antihypertensives. <i>Current Hypertension Reports</i> , 2015, 17, 505.	1.5	18
47	Association between plasma adiponectin and arteriolar vesselâcaliberâamong elderly hypertensive subjects. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 620-627.e1.	2.3	10
48	Relationship Between Alcohol Consumption and Cardiac Structure and Function in the Elderly. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	1.3	36
49	Angiotensin receptor blockers for prevention of cardiovascular disease: where does the evidence stand?. <i>Open Heart</i> , 2015, 2, e000236.	0.9	10
50	It Takes the Right Medications to Prevent a Million Heart Attacks and Strokes. <i>Postgraduate Medicine</i> , 2014, 126, 164-167.	0.9	0
51	The effect of antihypertensive agents on sleep apnea: protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 1.	0.7	80
52	Optimal aspirin dose in acute coronary syndromes: an emerging consensus. <i>Future Cardiology</i> , 2014, 10, 291-300.	0.5	8
53	Influence of sleep apnea severity on blood pressure variability of patients with hypertension. <i>Sleep and Breathing</i> , 2014, 18, 397-401.	0.9	39
54	Abstract 20260: The Effect of Lifestyle Recommendations on Blood Pressure and Blood Pressure Control in Patients With Stage I Hypertension: The Prever Treatment Trial. <i>Circulation</i> , 2014, 130, .	1.6	0

#	ARTICLE	IF	CITATIONS
55	Assessment of primary health care received by the elderly and health related quality of life: a cross-sectional study. <i>BMC Public Health</i> , 2013, 13, 605.	1.2	15
56	Effects of FTO RS9939906 and MC4R RS17782313 on obesity, type 2 diabetes mellitus and blood pressure in patients with hypertension. <i>Cardiovascular Diabetology</i> , 2013, 12, 103.	2.7	45
57	Association between carotid intima-media thickness and retinal arteriolar and venular diameter in patients with hypertension: A cross-sectional study. <i>Atherosclerosis</i> , 2013, 229, 134-138.	0.4	15
58	Beyond Medications and Diet: Alternative Approaches to Lowering Blood Pressure. <i>Hypertension</i> , 2013, 61, 1360-1383.	1.3	458
59	Improved diagnostic accuracy of a 3-day protocol of home blood pressure monitoring for the diagnosis of arterial hypertension. <i>Blood Pressure Monitoring</i> , 2013, 18, 119-126.	0.4	17
60	The role of angiotensin receptor blockers in the prevention of cardiovascular and renal disease: time for reassessment?. <i>Evidence-Based Medicine</i> , 2013, 18, 44-47.	0.6	11
61	Prevalence of Hypertension Among Elderly Persons in Urban Brazil: A Systematic Review With Meta-Analysis. <i>American Journal of Hypertension</i> , 2013, 26, 541-548.	1.0	67
62	Association of Blood Pressure and Hypertension with Alcohol Consumption in HIV-Infected White and Nonwhite Patients. <i>Scientific World Journal, The</i> , 2013, 2013, 1-8.	0.8	6
63	Long-Term Effectiveness of Non-Drug Recommendations to Treat Hypertension in a Clinical Setting. <i>American Journal of Hypertension</i> , 2012, 25, 1202-1208.	1.0	15
64	Health-related quality of life and awareness of hypertension. <i>Journal of Hypertension</i> , 2012, 30, 629.	0.3	6
65	Association between hypertension and musculoskeletal complaints. <i>Journal of Hypertension</i> , 2012, 30, 2112-2117.	0.3	21
66	Efficacy of isolated home blood pressure monitoring for blood pressure control. <i>Journal of Hypertension</i> , 2012, 30, 75-80.	0.3	32
67	Fruits and vegetables intake and characteristics associated among adolescents from Southern Brazil. <i>Nutrition Journal</i> , 2012, 11, 95.	1.5	13
68	Trends in Prevalence of Hypertension in Brazil: A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e48255.	1.1	129
69	Proof of concept in cardiovascular risk: the paradoxical findings in blood pressure and lipid abnormalities. <i>Vascular Health and Risk Management</i> , 2012, 8, 437.	1.0	13
70	Prevalência de hipertensão resistente em adultos não idosos: estudo prospectivo em contexto ambulatorial. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 99, 630-635.	0.3	16
71	Obstructive sleep apnea, detected by the Berlin Questionnaire: an associated risk factor for coronary artery disease. <i>Cadernos De Saude Publica</i> , 2012, 28, 1530-1538.	0.4	9
72	The Association between Socioeconomic Characteristics and Consumption of Food Items among Brazilian Industry Workers. <i>Scientific World Journal, The</i> , 2012, 2012, 1-14.	0.8	6

#	ARTICLE	IF	CITATIONS
73	Population-Attributable Risks for Ischemic Stroke in a Community in South Brazil: A Case-Control Study. PLoS ONE, 2012, 7, e35680.	1.1	20
74	Prevention of hypertension in patients with pre-hypertension: protocol for the PREVER-prevention trial. Trials, 2011, 12, 65.	0.7	26
75	The Influence of Cognition, Anxiety and Psychiatric Disorders over Treatment Adherence in Uncontrolled Hypertensive Patients. PLoS ONE, 2011, 6, e22925.	1.1	20
76	Health-related quality of life and hypertension: a systematic review and meta-analysis of observational studies. Journal of Hypertension, 2011, 29, 179-188.	0.3	173
77	Erectile Dysfunction and Coronary Artery Disease: An Association of Higher Risk in Younger Men. Journal of Sexual Medicine, 2011, 8, 1445-1453.	0.3	36
78	A comparison between diuretics and angiotensin-receptor blocker agents in patients with stage I hypertension (PREVER-treatment trial): study protocol for a randomized double-blind controlled trial. Trials, 2011, 12, 53.	0.7	7
79	Acute ingestion of alcohol and cardiac autonomic modulation in healthy volunteers. Alcohol, 2011, 45, 123-129.	0.8	23
80	Risk factors for cardiovascular disease in the very elderly: results of a cohort study in a city in southern Brazil. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 369-377.	3.1	24
81	Computer-Assisted Methods to Evaluate Retinal Vascular Caliber: What Are They Measuring?. Investigative Ophthalmology and Visual Science, 2011, 52, 810-815.	3.3	26
82	Why Do Black Americans Have Higher Prevalence of Hypertension?. Hypertension, 2011, 57, 379-380.	1.3	62
83	Accuracy of Anthropometric Indexes of Obesity to Predict Diabetes Mellitus Type 2 Among Men and Women With Hypertension. American Journal of Hypertension, 2011, 24, 175-180.	1.0	12
84	Association between different measurements of blood pressure variability by ABP monitoring and ankle-brachial index. BMC Cardiovascular Disorders, 2010, 10, 55.	0.7	14
85	Co-Infection by Hepatitis C Virus in HIV-Infected Patients in Southern Brazil: Genotype Distribution and Clinical Correlates. PLoS ONE, 2010, 5, e10494.	1.1	25
86	Corporate influence over planning and presentation of clinical trials: beauty and the beast. Expert Review of Cardiovascular Therapy, 2010, 8, 7-9.	0.6	2
87	Does the blood pressure-lowering effect of statins contribute to their beneficial cardiovascular effects?. Expert Review of Cardiovascular Therapy, 2010, 8, 775-779.	0.6	10
88	Correction of the hypertensive response in the treadmill testing by the work performance improves the prediction of hypertension by ambulatory blood pressure monitoring and incidence of cardiac abnormalities by echocardiography: Results of an eight year follow-up study. International Journal of Cardiology, 2010, 141, 243-249.	0.8	13
89	Prehypertension: the Rationale for Early Drug Therapy. Cardiovascular Therapeutics, 2010, 28, 339-343.	1.1	23
90	Performance of the ISAAC Questionnaire to Establish the Prevalence of Asthma in Adolescents: A Population-Based Study. Journal of Asthma, 2010, 47, 166-169.	0.9	34

#	ARTICLE	IF	CITATIONS
91	Shift Work Is Not Associated with High Blood Pressure or Prevalence of Hypertension. PLoS ONE, 2010, 5, e15250.	1.1	41
92	Influence of depression and early adverse experiences on illicit drug dependence: a case-control study. Revista Brasileira De Psiquiatria, 2009, 31, 106-113.	0.9	12
93	Cardiovascular Risk Attributable to Diabetes in Southern Brazil: A population-based cohort study. Diabetes Care, 2009, 32, 854-856.	4.3	9
94	Diuretics: still essential drugs for the management of hypertension. Expert Review of Cardiovascular Therapy, 2009, 7, 591-598.	0.6	13
95	Diagnosis of Obstructive Sleep Apnea Syndrome and Its Outcomes With Home Portable Monitoring. Chest, 2009, 135, 330-336.	0.4	112
96	Reposio hormonal e doena cardiovascular: uma diretriz contrria  evidncia. Arquivos Brasileiros De Cardiologia, 2009, 93, e11-3.	0.3	1
97	Stressful life events and current psychological distress are associated with self-reported hypertension but not with true hypertension: results from a cross-sectional population-based study. BMC Public Health, 2008, 8, 357.	1.2	22
98	Relationship of Alcohol Consumption and Type of Alcoholic Beverage Consumed With Plasma Lipid Levels: Differences Between Whites and African Americans of the ARIC Study. Annals of Epidemiology, 2008, 18, 101-107.	0.9	66
99	The ADVANCE trial. Lancet, The, 2008, 371, 25.	6.3	6
100	Blood Pressure-Lowering Efficacy of Amiloride versus Enalapril as Add-On Drugs in Patients with Uncontrolled Blood Pressure Receiving Hydrochlorothiazide. Clinical and Experimental Hypertension, 2008, 30, 553-564.	0.5	27
101	Risk for Obstructive Sleep Apnea by Berlin Questionnaire, But Not Daytime Sleepiness, Is Associated With Resistant Hypertension: A Case-control Study. American Journal of Hypertension, 2008, 21, 832-835.	1.0	84
102	Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study. Cadernos De Saude Publica, 2008, 24, s285-s293.	0.4	31
103	What is next when the first blood pressure-lowering drug is not sufficient?. Expert Review of Cardiovascular Therapy, 2007, 5, 435-439.	0.6	4
104	Why Is Nondipping in Ambulatory Blood Pressure Monitoring Not Prognostic in Poor Sleepers?. Hypertension, 2007, 50, e20; author reply e21.	1.3	1
105	Obstructive Sleep Apnea and Resistant Hypertension. Chest, 2007, 132, 1858-1862.	0.4	229
106	Detection of Arteriolar Narrowing in Fundoscopic Examination: Evidence of a Low Performance of Direct Ophthalmoscopy in Comparison With a Microdensitometric Method. American Journal of Hypertension, 2007, 20, 501-505.	1.0	10
107	Is the cardioprotective effect of alcohol real?. Alcohol, 2007, 41, 399-402.	0.8	52
108	Alcohol consumption, cardiovascular health, and endothelial function markers. Alcohol, 2007, 41, 479-488.	0.8	65

#	ARTICLE	IF	CITATIONS
109	Adverse events of blood-pressure-lowering drugs: evidence of high incidence in a clinical setting. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 973-978.	0.8	26
110	The efficacy of the combination of sertraline with buspirone for smoking cessation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 383-388.	1.8	13
111	Development and validity of a method for the evaluation of printed education material. <i>Pharmacy Practice</i> , 2007, 5, 89-94.	0.8	11
112	ASCOT-BPLA. <i>Lancet</i> , The, 2006, 367, 205.	6.3	6
113	Pharmaceutical Care Program for Patients With Uncontrolled Hypertension Report of a Double-Blind Clinical Trial With Ambulatory Blood Pressure Monitoring. <i>American Journal of Hypertension</i> , 2006, 19, 528-533.	1.0	50
114	The efficacy of herbal medicines in clinical models: The case of jambolan. <i>Journal of Ethnopharmacology</i> , 2006, 108, 16-19.	2.0	18
115	Incidence of hypertension by alcohol consumption: is it modified by race?. <i>Journal of Hypertension</i> , 2006, 24, 1489-1492.	0.3	28
116	Changing drinking pattern does not influence health perception: a longitudinal study of the atherosclerosis risk in communities study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 345-350.	2.0	6
117	Methicillin Resistance and Its Relation to Prognosis in Patients with Ventilator-Associated Pneumonia: Still an Unsolved Issue. <i>Clinical Infectious Diseases</i> , 2006, 42, 1343-1343.	2.9	1
118	Are the Eutrophic Effects of Angiotensin Receptor Blockers Real?. <i>Hypertension</i> , 2006, 48, E18; author reply E19.	1.3	2
119	Anthropometric Indices and the Incidence of Hypertension: A Comparative Analysis. <i>Obesity</i> , 2005, 13, 1515-1517.	4.0	77
120	Vascular Effects of Alcoholic Beverages. <i>Hypertension</i> , 2005, 45, 851-852.	1.3	29
121	Measuring arteriolar-to-venous ratio in retinal photography of patients with hypertension: Development and application of a new semi-automated method. <i>American Journal of Hypertension</i> , 2005, 18, 417-421.	1.0	36
122	JNC-7 versus renin-based strategies for optimal antihypertensive drug treatment. <i>American Journal of Hypertension</i> , 2005, 18, 572-572.	1.0	2
123	Prognostic factors for amputation or death in patients submitted to vascular surgery for acute limb ischemia. <i>Vascular Health and Risk Management</i> , 2005, 1, 345-349.	1.0	19
124	Association between Alcoholic Beverage Consumption and Incidence of Coronary Heart Disease in Whites and Blacks: The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2004, 160, 466-474.	1.6	84
125	Common blood pressure treatments lower the risk of major cardiovascular events. <i>Evidence-Based Healthcare and Public Health</i> , 2004, 8, 153-155.	0.0	0
126	Is hypertensive response in treadmill testing better identified with correction for working capacity? A study with clinical, echocardiographic and ambulatory blood pressure correlates. <i>Blood Pressure</i> , 2004, 13, 225-229.	0.7	8

#	ARTICLE	IF	CITATIONS
127	Blood pressure-lowering drugs: essential therapy for some patients with normal blood pressure. Expert Review of Cardiovascular Therapy, 2004, 2, 771-775.	0.6	13
128	Association between different measurements of obesity and the incidence of hypertension. American Journal of Hypertension, 2004, 17, 50-53.	1.0	96
129	Oral contraceptives: a risk factor for uncontrolled blood pressure among hypertensive women. Contraception, 2003, 67, 19-24.	0.8	49
130	Risk factors for cardiovascular disease in a Brazilian population-based cohort study. International Journal of Cardiology, 2003, 90, 205-211.	0.8	25
131	Diuretics: drugs of choice for the initial management of patients with hypertension. Expert Review of Cardiovascular Therapy, 2003, 1, 35-41.	0.6	14
132	Prevalence of and Risk Factors for HIV Infection in Individuals Testing for HIV at Counseling Centers in Brazil. Sexually Transmitted Diseases, 2003, 30, 166-173.	0.8	24
133	Red wine with the noon meal lowers post-meal blood pressure: a randomized trial in centrally obese, hypertensive patients.. Journal of Studies on Alcohol and Drugs, 2002, 63, 247-251.	2.4	28
134	Migraine is more frequent in individuals with optimal and normal blood pressure: a population-based study. Journal of Hypertension, 2002, 20, 1303-1306.	0.3	78
135	Reliability of race assessment based on the race of the ascendants: a cross-sectional study. BMC Public Health, 2002, 2, 1.	1.2	44
136	Diuretics: again the first step in the treatment of most patients with hypertension. , 2001, 2, 244.		5
137	Health-Associated Changes in Drinking: A Period Prevalence Study of the Atherosclerosis Risk in Communities (ARIC) Cohort (1987-1995). Preventive Medicine, 2000, 31, 81-89.	1.6	15
138	Absence of antihyperglycemic effect of jambolan in experimental and clinical models. Journal of Ethnopharmacology, 2000, 71, 343-347.	2.0	69
139	The classics. Journal of Clinical Epidemiology, 2000, 53, 335-342.	2.4	23
140	Is Epistaxis Evidence of End-Organ Damage in Patients With Hypertension?. Laryngoscope, 1999, 109, 1111-1115.	1.1	62
141	The Effects of Two Aerobic Training Intensities on Ambulatory Blood Pressure in Hypertensive Patients. Journal of Clinical Epidemiology, 1999, 52, 637-642.	2.4	45
142	A Study of the Association between Epistaxis and the Severity of Hypertension. American Journal of Rhinology & Allergy, 1998, 12, 269-272.	2.3	35
143	Alcohol intake and blood pressure. Journal of Hypertension, 1998, 16, 175-180.	0.3	89
144	Blood pressure effects of antihypertensive drugs and changes in lifestyle in a Brazilian hypertensive cohort. Journal of Hypertension, 1997, 15, 783-792.	0.3	27

#	ARTICLE	IF	CITATIONS
145	The effect of <i>Syzygium cumini</i> (L.) skeels on post-prandial blood glucose levels in non-diabetic rats and rats with streptozotocin-induced diabetes mellitus. <i>Journal of Ethnopharmacology</i> , 1997, 56, 209-213.	2.0	50