

Hongqiang Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2965287/hongqiang-li-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

3,442
citations

33
h-index

50
g-index

159
ext. papers

4,367
ext. citations

5.5
avg, IF

5.98
L-index

#	Paper	IF	Citations
153	Thiolated graphene-based superhydrophobic sponges for oil-water separation. <i>Chemical Engineering Journal</i> , 2017 , 316, 736-743	14.7	202
152	Vapor-Liquid Sol-Gel Approach to Fabricating Highly Durable and Robust Superhydrophobic Polydimethylsiloxane@Silica Surface on Polyester Textile for Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 28089-28099	9.5	180
151	One-pot fabrication of superhydrophobic and flame-retardant coatings on cotton fabrics via sol-gel reaction. <i>Journal of Colloid and Interface Science</i> , 2019 , 533, 198-206	9.3	155
150	Flame-retardant mechanism of a novel polymeric intumescent flame retardant containing caged bicyclic phosphate for polypropylene. <i>Polymer Degradation and Stability</i> , 2015 , 113, 22-31	4.7	100
149	Dual-Functional Superhydrophobic Textiles with Asymmetric Roll-Down/Pinned States for Water Droplet Transportation and Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4213-4221	9.5	82
148	Highly Stretchable and Conductive Superhydrophobic Coating for Flexible Electronics. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10587-10597	9.5	80
147	Polydimethylsiloxane-Based Superhydrophobic Surfaces on Steel Substrate: Fabrication, Reversibly Extreme Wettability and Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 3131-3141	9.5	69
146	Facile fabrication of superhydrophobic and flame-retardant coatings on cotton fabrics via layer-by-layer assembly. <i>Cellulose</i> , 2018 , 25, 3135-3149	5.5	67
145	Facile fabrication of superhydrophobic filtration fabric with honeycomb structures for the separation of water and oil. <i>Materials Letters</i> , 2014 , 120, 255-258	3.3	66
144	Low Drag Porous Ship with Superhydrophobic and Superoleophilic Surface for Oil Spills Cleanup. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26184-94	9.5	64
143	Thiolated Graphene@Polyester Fabric-Based Multilayer Piezoresistive Pressure Sensors for Detecting Human Motion. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41784-41792	9.5	62
142	Vacuum-assisted layer-by-layer superhydrophobic carbon nanotube films with electrothermal and photothermal effects for deicing and controllable manipulation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 16910-16919	13	60
141	Conductive and superhydrophobic F-rGO@CNTs/chitosan aerogel for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , 2020 , 386, 123998	14.7	56
140	Synthesis of a novel macromolecular charring agent with free-radical quenching capability and its synergism in flame retardant polypropylene. <i>Polymer Degradation and Stability</i> , 2016 , 130, 68-77	4.7	55
139	A highly efficient flame retardant nacre-inspired nanocoating with ultrasensitive fire-warning and self-healing capabilities. <i>Chemical Engineering Journal</i> , 2019 , 369, 8-17	14.7	52
138	A study on the fabrication of superhydrophobic iron surfaces by chemical etching and galvanic replacement methods and their anti-icing properties. <i>Applied Surface Science</i> , 2015 , 346, 458-463	6.7	51
137	3D Porous Superhydrophobic CNT/EVA Composites for Recoverable Shape Reconfiguration and Underwater Vibration Detection. <i>Advanced Functional Materials</i> , 2019 , 29, 1900554	15.6	50

136	Highly hydrophobic F-rGO@wood sponge for efficient clean-up of viscous crude oil. <i>Chemical Engineering Journal</i> , 2020 , 386, 123994	14.7	48
135	Fabrication and characterization of stable superhydrophobic fluorinated-polyacrylate/silica hybrid coating. <i>Applied Surface Science</i> , 2014 , 298, 214-220	6.7	43
134	Study on the wetting behavior and theoretical models of polydimethylsiloxane/silica coating. <i>Applied Surface Science</i> , 2013 , 279, 458-463	6.7	43
133	Synergistic effect between a triazine-based macromolecule and melamine pyrophosphate in flame retardant polypropylene. <i>Polymer Composites</i> , 2012 , 33, 35-43	3	41
132	Effect and mechanism of N-alkoxy hindered amine on the flame retardancy, UV aging resistance and thermal degradation of intumescent flame retardant polypropylene. <i>Polymer Degradation and Stability</i> , 2015 , 118, 167-177	4.7	39
131	Superhydrophobic mGO/PDMS hybrid coating on polyester fabric for oil/water separation. <i>Progress in Organic Coatings</i> , 2018 , 115, 172-180	4.8	39
130	Three-Dimensional Binary-Conductive-Network Silver Nanowires@Thiolated Graphene Foam-Based Room-Temperature Self-Healable Strain Sensor for Human Motion Detection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 44360-44370	9.5	39
129	Facile fabrication of a robust superhydrophobic/superoleophilic sponge for selective oil absorption from oily water. <i>RSC Advances</i> , 2014 , 4, 23861	3.7	36
128	Suppression Effect and Mechanism of Platinum and Nitrogen-Containing Silane on the Tracking and Erosion of Silicone Rubber for High-Voltage Insulation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 21039-45	9.5	36
127	Thermal degradation mechanism of addition-cure liquid silicone rubber with urea-containing silane. <i>Thermochimica Acta</i> , 2015 , 605, 28-36	2.9	35
126	Highly stretchable, transparent and room-temperature self-healable polydimethylsiloxane elastomer for bending sensor. <i>Journal of Colloid and Interface Science</i> , 2020 , 570, 1-10	9.3	35
125	Preparation and characterization of nano-SiO ₂ /fluorinated polyacrylate composite latex via nano-SiO ₂ /acrylate dispersion. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 396, 328-335	5.1	35
124	Synthesis and antioxidative properties in natural rubber of novel macromolecular hindered phenol antioxidants containing thioether and urethane groups. <i>Polymer Degradation and Stability</i> , 2015 , 111, 232-238	4.7	34
123	An ultrasensitive fire-warning chitosan/montmorillonite/carbon nanotube composite aerogel with high fire-resistance. <i>Chemical Engineering Journal</i> , 2020 , 399, 125729	14.7	34
122	Effect of urea-containing anti-tracking additive on the tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Polymer Testing</i> , 2014 , 37, 19-27	4.5	34
121	Fabrication of ZrP nanosheet decorated macromolecular charring agent and its efficient synergism with ammonium polyphosphate in flame-retarding polypropylene. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 105, 223-234	8.4	34
120	Effects of calcination temperature on the microstructure and wetting behavior of superhydrophobic polydimethylsiloxane/silica coating. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 445, 111-118	5.1	31
119	Preparation and characterization of UV-curable hyperbranched polyurethane acrylate 2011 , 8, 61-66		31

118	Synergistic effect and mechanism of platinum catalyst and nitrogen-containing silane on the thermal stability of silicone rubber. <i>Thermochimica Acta</i> , 2016 , 632, 1-9	2.9	31
117	A green approach to fabricating nacre-inspired nanocoating for super-efficiently fire-safe polymers via one-step self-assembly. <i>Journal of Hazardous Materials</i> , 2019 , 365, 125-136	12.8	31
116	Conductive superhydrophobic cotton fabrics via layer-by-layer assembly of carbon nanotubes for oil-water separation and human motion detection. <i>Materials Letters</i> , 2019 , 253, 230-233	3.3	30
115	Thermal degradation and combustion behavior of novel intumescent flame retardant polypropylene with N-alkoxy hindered amine. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016 , 120, 361-370	6	30
114	Vapor-liquid interfacial reaction to fabricate superhydrophilic and underwater superoleophobic thiol-ene/silica hybrid decorated fabric for oil/water separation. <i>Applied Surface Science</i> , 2018 , 427, 92-107	6.7	29
113	Synergistic Effect of Phosphorus-Containing Montmorillonite with Intumescent Flame Retardant in Polypropylene. <i>Journal of Macromolecular Science - Physics</i> , 2012 , 51, 1186-1198	1.4	28
112	Functionalized graphene as an effective antioxidant in natural rubber. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 107, 47-54	8.4	27
111	Synthesis, photopolymerization kinetics, and thermal properties of UV-curable waterborne hyperbranched polyurethane acrylate dispersions 2011 , 8, 577-584		27
110	Facile fabrication of a novel polyborosiloxane-decorated layered double hydroxide for remarkably reducing fire hazard of silicone rubber. <i>Composites Part B: Engineering</i> , 2019 , 175, 107068	10	26
109	Synthesis and Characterization of A Novel Macromolecular Hindered Phenol Antioxidant and Its Thermo-Oxidative Aging Resistance for Natural Rubber. <i>Journal of Macromolecular Science - Physics</i> , 2014 , 53, 1244-1257	1.4	26
108	Bioinspired Superhydrophobic Thermochromic Films with Robust Healability. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 14578-14587	9.5	25
107	Effect of Polyborosiloxane on the Flame Retardancy and Thermal Degradation of Intumescent Flame Retardant Polypropylene. <i>Journal of Macromolecular Science - Physics</i> , 2014 , 53, 721-734	1.4	24
106	Synergistic effect of phosphorus-containing nanosponges on intumescent flame-retardant polypropylene. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 1758-1765	2.9	24
105	Zirconium phosphate functionalized by hindered amine: A new strategy for effectively enhancing the flame retardancy of addition-cure liquid silicone rubber. <i>Materials Letters</i> , 2016 , 174, 230-233	3.3	23
104	A sandwich-like flame retardant nanocoating for supersensitive fire-warning. <i>Chemical Engineering Journal</i> , 2020 , 382, 122929	14.7	23
103	Preparation of functionalized zirconium phosphate and its effect on the flame retardancy of silicone rubber. <i>RSC Advances</i> , 2018 , 8, 111-121	3.7	22
102	Carbonized cotton fabric-based multilayer piezoresistive pressure sensors. <i>Cellulose</i> , 2019 , 26, 5001-5014	4.5	21
101	Facile Fabrication of Superhydrophobic and Magnetic Poly(lactic acid) Nonwoven Fabric for Oil/Water Separation. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 9127-9135	3.9	21

100	An efficient strategy for simultaneously improving tracking resistance and flame retardancy of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , 2017 , 144, 176-186	4.7	20
99	Effect of Polymerized Rosin on Polymer Microstructure and Adhesive Properties in Tackified Acrylate Emulsions. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 122-127		20
98	Synthesis and antioxidative properties of a star-shaped macromolecular antioxidant based on Cyclodextrin. <i>Materials Letters</i> , 2015 , 151, 72-74	3.3	19
97	Hindered phenol functionalized graphene oxide for natural rubber. <i>Materials Letters</i> , 2018 , 210, 239-242	3.3	19
96	Multifunctional MXene/Chitosan-Coated Cotton Fabric for Intelligent Fire Protection. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 23020-23029	9.5	19
95	Remarkably improving the fire-safety of polypropylene by synergism of functionalized ZrP nanosheet and N-alkoxy hindered amine. <i>Applied Clay Science</i> , 2018 , 166, 61-73	5.2	19
94	Superhydrophobic MXene@carboxylated carbon nanotubes/carboxymethyl chitosan aerogel for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , 2021 , 425, 130462	14.7	19
93	Effect of alkyl-disubstituted ureido silanes with different alkyl chain structures on tracking resistance property of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , 2017 , 142, 263-272	4.7	18
92	Synthesis and Characterization of Nano-silica/Polyacrylate Composite Emulsions by Sol-gel Method and in-situ Emulsion Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2010 , 48, 42-46	2.2	18
91	Investigation of the tracking and erosion resistance of cured liquid silicone rubber containing ureido-modified MQ silicone resin. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016 , 23, 3668-3675	2.3	18
90	Effect of mixing sequences of Epiperazine propylmethyl dimethoxysilane on the tracking and erosion resistance of silicone rubber. <i>Polymer Testing</i> , 2018 , 65, 491-496	4.5	17
89	Multiblock thermoplastic elastomers via one-pot thiol-ene reaction. <i>Polymer Chemistry</i> , 2016 , 7, 4824-4832	4.9	17
88	Significant improvement of urethane-containing silane on the tracking and erosion resistance of silicone rubber/silica nanocomposite by enhancing the interfacial effect. <i>Polymer Testing</i> , 2018 , 69, 16-25	4.5	17
87	Preparation of a flame retardant phosphorus-containing polyacrylate/Zirconium phosphate nanocomposite through in situ emulsion polymerization. <i>RSC Advances</i> , 2017 , 7, 49290-49298	3.7	17
86	Superhydrophobic Carbon Nanotubes Membrane for Effective Water-in-Oil Emulsions Separation and Quick Deicing. <i>Industrial & Engineering Chemistry Research</i> , 2019 ,	3.9	16
85	Synthesis of A Star-Shaped Macromolecular Antioxidant Based on Cyclodextrin and its Antioxidative Properties in Natural Rubber. <i>Macromolecular Materials and Engineering</i> , 2015 , 300, 893-900	3.9	16
84	Synthesis and Thermo-Oxidative Aging Resistance of Hydroxyl Terminated Polybutadiene Bound 2,2-Thiobis(4-methyl-6-tert-butylphenol). <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 1006-1013		16
83	Synthesis of Siloxanes Containing Vinyl and Epoxy Group and its Enhancement for Adhesion of Addition-Cure Silicone Encapsulant. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2013 , 50, 1126-1132	2.2	16

82	Preparation and Characterization of Organic Nano-Titanium Dioxide/Acrylate Composite Emulsions by in-situ Emulsion Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2011 , 48, 309-314	2.2	16
81	Stimuli-responsive superhydrophobic films driven by solvent vapor for electric switch and liquid manipulation. <i>Chemical Engineering Journal</i> , 2020 , 394, 124919	14.7	15
80	Efficiently enhancing the tracking and erosion resistance of silicone rubber by the synergism of fluorine-containing polyphenylsilsesquioxane and ureido-containing MQ silicone resin. <i>Applied Surface Science</i> , 2018 , 459, 483-491	6.7	15
79	Synergistic effect between silicone-containing macromolecular charring agent and ammonium polyphosphate in flame retardant polypropylene. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	14
78	Compatibilizing effect of Cyclodextrin in RDP/phosphorus-containing polyacrylate composite emulsion and its synergism on the flame retardancy of the latex film. <i>Progress in Organic Coatings</i> , 2014 , 77, 975-980	4.8	13
77	Suppression Effect and Mechanism of Amine-Containing MQ Silicone Resin on the Tracking and Erosion Resistance of Silicone Rubber. <i>ACS Omega</i> , 2017 , 2, 5111-5121	3.9	13
76	Structural Characterization of Hydroxyl-Terminated Polybutadiene-Bound 2, 2-Thiobis(4-methyl-6-tert-butylphenol) and Its Thermo-Oxidative Aging Resistance for Natural Rubber Vulcanizates. <i>Journal of Macromolecular Science - Physics</i> , 2012 , 51, 1904-1920	1.4	13
75	Epoxidation of Styrene-Isoprene-Styrene Block Copolymer and Its Use for Hot-Melt Pressure Sensitive Adhesives. <i>Polymer-Plastics Technology and Engineering</i> , 2008 , 47, 978-983		13
74	Effect and mechanism of hepta-phenyl vinyl polyhedral oligomeric silsesquioxane on the flame retardancy of silicone rubber. <i>Polymer Degradation and Stability</i> , 2019 , 159, 163-173	4.7	13
73	Preparation and Properties of Flame Retardant Polypropylene with an Intumescent System Encapsulated by Thermoplastic Polyurethane. <i>Journal of Macromolecular Science - Physics</i> , 2012 , 51, 35-47 ⁴		12
72	Steady rheological behaviors of UV-curable waterborne hyperbranched polyurethane acrylate dispersions 2013 , 10, 57-64		11
71	Effect of the platinum catalyst content on the tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Polymer Testing</i> , 2017 , 63, 92-100	4.5	11
70	Enhancement of wollastonite on flame retardancy and mechanical properties of PP/IFR composite. <i>Polymer Composites</i> , 2014 , 35, 158-166	3	11
69	Preparation and Characterization of Epoxidized Styrene-Isoprene-Styrene Tri-block Copolymer Using Formic Acid-Hydrogen Peroxide. <i>Journal of Elastomers and Plastics</i> , 2008 , 40, 317-330	1.6	10
68	Light Stimuli-Responsive Superhydrophobic Films for Electric Switches and Water-Droplet Manipulation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 36621-36631	9.5	10
67	Superhydrophobic and high-performance wood-based piezoresistive pressure sensors for detecting human motions. <i>Chemical Engineering Journal</i> , 2021 , 426, 130837	14.7	10
66	Preparation, structural characterization, and antioxidative behavior in natural rubber of antioxidant GM functionalized nanosilica. <i>Polymer Composites</i> , 2017 , 38, 1241-1247	3	9
65	Effective improvement of anti-tracking of addition-cure liquid silicone rubber via charge dissipation of fluorosilane-grafted silica. <i>Polymer Degradation and Stability</i> , 2019 , 167, 250-258	4.7	9

64	Combination effect of zirconium phosphate nanosheet and PU-coated carbon fiber on flame retardancy and thermal behavior of PA46/PPO alloy. <i>Composites Part B: Engineering</i> , 2019 , 166, 621-632	10	9
63	Synthesis of an adhesion-enhancing polyhydrosiloxane containing acrylate groups and its cross-linked addition-cure silicone encapsulant. <i>Journal of Elastomers and Plastics</i> , 2015 , 47, 416-430	1.6	9
62	Synthesis of silane oligomers containing vinyl and epoxy group for improving the adhesion of addition-cure silicone encapsulant. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 1131-1142	2	9
61	The preparation of fluorine-containing polysiloxane low-melting glass and its effect on the tracking resistance and thermostability of addition-cure liquid silicone rubber. <i>RSC Advances</i> , 2017 , 7, 33020-33028	3.7	9
60	Remarkable improvement of organic-to-inorganic conversion of silicone rubber at elevated temperature through platinum-nitrogen catalytic system. <i>Polymer Degradation and Stability</i> , 2020 , 171, 109026	4.7	9
59	Functionalized ZrP nanosheet with free-radical quenching capability and its synergism in intumescent flame-retardant polypropylene. <i>Polymers for Advanced Technologies</i> , 2020 , 31, 602-615	3.2	9
58	Synthesis of Zirconium-Containing Polyhedral Oligometallasilsesquioxane as an Efficient Thermal Stabilizer for Silicone Rubber. <i>Polymers</i> , 2018 , 10,	4.5	9
57	Synthesis of a novel hydantoin-containing silane and its effect on the tracking and bacteria resistance of addition-cure liquid silicone rubber. <i>Applied Surface Science</i> , 2017 , 423, 630-640	6.7	8
56	A facile approach to UV-curable super-hydrophilic polyacrylate coating film grafted on glass substrate 2016 , 13, 1115-1121		8
55	Facile fabrication of superhydrophobic conductive polydimethylsiloxane@silver nanowires cotton fabric via dipping-thermal curing method. <i>Materials Letters</i> , 2019 , 255, 126511	3.3	8
54	Two-step synthesis and characterization of urea- β -butyraldehyde-formaldehyde resins. <i>Progress in Organic Coatings</i> , 2009 , 66, 167-172	4.8	8
53	In situ preparation of reduced graphene oxide reinforced acrylic rubber by self-assembly. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47187	2.9	8
52	Mussel-inspired cotton fabric with pH-responsive superwettability for bidirectional oil/water separation. <i>Journal of Materials Science</i> , 2019 , 54, 3648-3660	4.3	8
51	Superhydrophobic and phosphorus-nitrogen flame-retardant cotton fabric. <i>Progress in Organic Coatings</i> , 2021 , 159, 106446	4.8	8
50	Phenolic antioxidants based on calixarene: Synthesis, structural characterization, and antioxidative properties in natural rubber. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45144	2.9	7
49	Well-defined Seven-arm Star Macromolecular Antioxidant based on β -Cyclodextrin for Stabilization of Natural Rubber. <i>Chemistry Letters</i> , 2016 , 45, 191-193	1.7	7
48	Significant improvement of tribological performances of polyamide 46/polyphenylene oxide alloy by functionalized zirconium phosphate. <i>Tribology International</i> , 2018 , 128, 204-213	4.9	7
47	Facile Synthesis of Polyhydroxylated Polybutadiene Derived from Hydroxyl-Terminated Polybutadiene via Thiol-Ene Click Reaction. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2014 , 51, 229-239	2.2	7

46	Compatibilization of Fluororubber/ Silicone Rubber Blends by the Incorporation of 2,2,2-Trifluoroethyl Methacrylate Grafted Silicone Rubber. <i>Journal of Elastomers and Plastics</i> , 2010 , 42, 539-560	1.6	7
45	A facile fabrication of robust thiol-ene/hierarchically mesoporous silica nanoparticles hybrid superhydrophilic coating films under UV radiation. <i>Progress in Organic Coatings</i> , 2016 , 101, 423-430	4.8	7
44	Effect and mechanism of ureido-modified MQ silicone resin and platinum on tracking and erosion resistance of silicone rubber. <i>Polymer Testing</i> , 2018 , 70, 162-169	4.5	7
43	Skin-inspired flexible and high-performance MXene@polydimethylsiloxane piezoresistive pressure sensor for human motion detection.. <i>Journal of Colloid and Interface Science</i> , 2022 , 617, 478-488	9.3	7
42	Cross-linking of COOH-containing polymers using Ag(i)-catalyzed oxidative decarboxylation in aqueous solution. <i>Soft Matter</i> , 2017 , 13, 5028-5037	3.6	6
41	Effect of hydrogenated acrylic rosin on structure and properties of polyacrylates emulsions by seeded semibatch emulsion polymerization method. <i>Journal of Adhesion Science and Technology</i> , 2015 , 29, 740-752	2	6
40	Synthesis of phenyl silicone resin with epoxy and acrylate group and its adhesion enhancement for addition-cure silicone encapsulant with high refractive index. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 2699-2709	2	6
39	Improvement of platinum nanoparticles-immobilized Zirconium phosphate sheets on tracking and erosion resistance of silicone rubber. <i>Composites Part B: Engineering</i> , 2019 , 176, 107203	10	6
38	Kinetics and effect of surfactant and cosurfactant on miniemulsion polymerization of acrylate monomers 2014 , 11, 959-966		6
37	Fabrication of polymethylphenylsiloxane decorated C60 via π -stacking interaction for reducing the flammability of silicone rubber. <i>Materials Letters</i> , 2018 , 229, 85-88	3.3	6
36	Skin-inspired thermoelectric nanocoating for temperature sensing and fire safety. <i>Journal of Colloid and Interface Science</i> , 2021 , 602, 756-766	9.3	6
35	Synthesis and characterization of polyphenylsilsesquioxane terminated with methyl and vinyl groups low-melting glass. <i>Journal of Adhesion Science and Technology</i> , 2017 , 31, 2399-2409	2	5
34	UV-curable superhydrophobic organosilicon/silica hybrid coating on cotton fabric for oil/water separation 2020 , 17, 1413-1423		5
33	Efficient organic-to-inorganic conversion of polysiloxane by novel platinum-thiol catalytic system. <i>Polymer Degradation and Stability</i> , 2020 , 176, 109161	4.7	5
32	Synthesis and characterization of polyhydroxylated polybutadiene binding 2,2'-thiobis(4-methyl-6-tert-butylphenol) with isophorone diisocyanate. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	5
31	Preparation of fluorinated polyacrylate composite latex with in situ generated nano-silica dispersion and film durability. <i>Iranian Polymer Journal (English Edition)</i> , 2013 , 22, 775-784	2.3	5
30	Conductive and room-temperature self-healable polydimethylsiloxane-based elastomer film with ridge-like microstructure for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , 2022 , 430, 133103	14.7	5
29	Synthesis of a novel N-alkoxyamine containing macromolecular intumescent flame retardant and its synergism in flame-retarding polypropylene. <i>Polymers for Advanced Technologies</i> , 2021 , 32, 2452-2464	2.2	5

28	Investigation of ureido-attached vinyl MQ silicone resin on tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47360	2.9	5
27	In situ synthesis and properties of hydrogenated rosin/polyacrylate composite miniemulsions-based pressure sensitive adhesives. <i>Journal of Adhesion Science and Technology</i> , 2015 , 29, 2220-2232	2	4
26	Preparation and Characterization of Nano-TiO ₂ /poly (methyl methacrylate) Hybrid Latex by Reverse Microemulsion Method and In-Situ Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2013 , 50, 836-843	2.2	4
25	Epoxidation of styrene-isoprene-styrene block copolymer and research on its reaction mechanism. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2010 , 25, 403-407	1	4
24	Superwetable Janus nylon membrane for multifunctional emulsion separation. <i>Journal of Membrane Science</i> , 2022 , 642, 119995	9.6	4
23	Plasma resistance of addition-cure liquid silicone rubber with Ureido-attached MQ silicone resin. <i>Surfaces and Interfaces</i> , 2019 , 14, 55-60	4.1	4
22	Superhydrophobic, flame-retardant and magnetic polyurethane sponge for oil-water separation. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107580	6.8	4
21	Extraction resistance and mechanism of a macromolecular hindered phenol antioxidant in natural rubber. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	3
20	Flame-Retardant and Thermal Degradation Mechanism of Caged Phosphate Charring Agent with Melamine Pyrophosphate for Polypropylene. <i>International Journal of Polymer Science</i> , 2015 , 2015, 1-11	2.4	3
19	Mechanically robust and multifunctional polyimide/MXene composite aerogel for smart fire protection. <i>Chemical Engineering Journal</i> , 2022 , 434, 134630	14.7	3
18	Superhydrophobic reduced graphene oxide@poly(lactic acid) foam with electrothermal effect for fast separation of viscous crude oil. <i>Journal of Materials Science</i> , 2021 , 56, 11266-11277	4.3	3
17	Remarkable enhancement of tracking resistance of addition-cure liquid silicone rubber by alkyl-disubstituted ureido siloxane immobilized on the silica filler surface. <i>Polymer Degradation and Stability</i> , 2021 , 188, 109565	4.7	3
16	Synthesis of sulphonic lanthanum complex based on C-methylcalix[4]resorcinarene and its thermo-oxidative aging resistance for natural rubber. <i>Plastics, Rubber and Composites</i> , 2017 , 46, 251-257 ¹⁻⁵		2
15	Synthesis and characterization of ureido-containing MQ silicone resin. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2019 , 56, 1141-1147	2.2	2
14	Synergistic enhancement of vinyltriethoxysilane and layered MgAl double hydroxide on the tracking and erosion resistance of silicone rubber. <i>Polymer Testing</i> , 2020 , 84, 106373	4.5	2
13	Preparation and Characterization of UV-Curable Cyclohexanone-Formaldehyde Resin and Its Cured Film Properties. <i>International Journal of Polymer Science</i> , 2014 , 2014, 1-8	2.4	2
12	N-alkoxyamine-containing macromolecular intumescent flame-retardant-decorated ZrP nanosheet and their synergism in flame-retarding polypropylene. <i>Polymers for Advanced Technologies</i> , 2021 , 32, 3804-3816	3.2	2
11	Significantly improve fire safety of silicone rubber by efficiently catalyzing ceramization on fluorophlogopite. <i>Composites Communications</i> , 2021 , 25, 100683	6.7	2

10	Superhydrophobic, stretchable and conductive elastomeric strip for human motion detection. <i>Materials Letters</i> , 2020 , 280, 128591	3.3	1
9	Improvement of fluorosilicone resin on the tracking resistance of addition-cure liquid silicone rubber. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2020 , 57, 725-733	2.2	1
8	Thermo-oxidative aging resistance and mechanism of a macromolecular hindered phenol antioxidant for natural rubber. <i>Journal of Elastomers and Plastics</i> , 2018 , 50, 372-387	1.6	1
7	Synthesis and Characterization of Hydrogenated Rosin/Polyacrylate Composite Emulsions by Two-Step Mini-Emulsion Polymerization Method. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2014 , 51, 712-717	2.2	1
6	Preparation and characterization of polyacrylate/polymerized rosin composite emulsions by seeded semicontinuous emulsion polymerization. <i>Journal of Applied Polymer Science</i> , 2011 , 124, n/a-n/a	2.9	1
5	Facile fabrication of superhydrophobic, flame-retardant and conductive cotton fabric for human motion detection. <i>Cellulose</i> , 1	5.5	1
4	Superhydrophobic and conductive polydimethylsiloxane/titanium dioxide@reduced graphene oxide coated cotton fabric for human motion detection. <i>Cellulose</i> , 2021 , 28, 7373-7388	5.5	1
3	Skin-inspired multifunctional MXene/cellulose nanocoating for smart and efficient fire protection. <i>Chemical Engineering Journal</i> , 2022 , 136899	14.7	1
2	Graphene wrapped wood-based phase change composite for efficient electro-thermal energy conversion and storage. <i>Cellulose</i> , 2022 , 29, 223	5.5	0
1	Characterization and properties of UV-curable hyperbranched polyurethane acrylate-polyurethane diacrylate/SiO ₂ hybrid coatings. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 4375-81	1.3	