

Galina S Bogatkevich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2966214/publications.pdf>

Version: 2024-02-01

23
papers

744
citations

687363

13
h-index

752698

20
g-index

23
all docs

23
docs citations

23
times ranked

1038
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic ACPA inhibits NET formation: a potential therapy for neutrophil-mediated inflammatory diseases. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1528-1544.	10.5	90
2	Differential DNA Methylation Landscape in Skin Fibroblasts from African Americans with Systemic Sclerosis. <i>Genes</i> , 2021, 12, 129.	2.4	12
3	Progression of Interstitial Lung Disease in Systemic Sclerosis: The Importance of Pneumoproteins Krebs von den Lungen 6 and CCL18. <i>Arthritis and Rheumatology</i> , 2019, 71, 2059-2067.	5.6	55
4	Antifibrotic efficacy of nintedanib in a cellular model of systemic sclerosis-associated interstitial lung disease. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 115-124.	0.8	2
5	Novel lung imaging biomarkers and skin gene expression subsetting in dasatinib treatment of systemic sclerosis-associated interstitial lung disease. <i>PLoS ONE</i> , 2017, 12, e0187580.	2.5	58
6	Establishment of an indirect ELISA for detection of the novel antifibrotic peptide M10. <i>PLoS ONE</i> , 2017, 12, e0188588.	2.5	6
7	D1398G Variant of MET Is Associated with Impaired Signaling of Hepatocyte Growth Factor in Alveolar Epithelial Cells and Lung Fibroblasts. <i>PLoS ONE</i> , 2016, 11, e0162357.	2.5	2
8	M10, a caspase cleavage product of the hepatocyte growth factor receptor, interacts with Smad2 and demonstrates antifibrotic properties in vitro and in vivo. <i>Translational Research</i> , 2016, 170, 99-111.	5.0	8
9	Editorial: Fate of Fat Tissue Adipocytes: Do They Transform Into Myofibroblasts in Scleroderma?. <i>Arthritis and Rheumatology</i> , 2015, 67, 860-861.	5.6	2
10	Recent Advances in Understanding the Pathogenesis of Scleroderma-Interstitial Lung Disease. <i>Current Rheumatology Reports</i> , 2014, 16, 411.	4.7	47
11	The PPAR α Agonist Rosiglitazone Is Antifibrotic for Scleroderma Lung Fibroblasts: Mechanisms of Action and Differential Racial Effects. <i>Pulmonary Medicine</i> , 2012, 2012, 1-9.	1.9	20
12	Coagulation and Autoimmunity in Scleroderma Interstitial Lung Disease. <i>Seminars in Arthritis and Rheumatism</i> , 2011, 41, 212-222.	3.4	25
13	Antiinflammatory and antifibrotic effects of the oral direct thrombin inhibitor dabigatran etexilate in a murine model of interstitial lung disease. <i>Arthritis and Rheumatism</i> , 2011, 63, 1416-1425.	6.7	100
14	The effects of bosentan on thrombin-activated fibroblasts and endothelial cells. <i>FASEB Journal</i> , 2010, 24, 774.3.	0.5	0
15	Dabigatran, a direct thrombin inhibitor, demonstrates antifibrotic effects on lung fibroblasts. <i>Arthritis and Rheumatism</i> , 2009, 60, 3455-3464.	6.7	92
16	Dabigatran inhibits thrombin's differentiation of lung fibroblasts to a myofibroblast phenotype. <i>FASEB Journal</i> , 2009, 23, 1025.5.	0.5	1
17	Proteomic analysis of CTGF-activated lung fibroblasts: identification of IQGAP1 as a key player in lung fibroblast migration. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008, 295, L603-L611.	2.9	43
18	Proteomic analysis of connective tissue growth factor activation in normal and scleroderma lung fibroblasts. <i>FASEB Journal</i> , 2008, 22, 929.3.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Impairment of the antifibrotic effect of hepatocyte growth factor in lung fibroblasts from African Americans: Possible role in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2432-2442.	6.7	37
20	Downregulation of collagen and connective tissue growth factor expression with hepatocyte growth factor in lung fibroblasts from white scleroderma patients via two signaling pathways. <i>Arthritis and Rheumatism</i> , 2007, 56, 3468-3477.	6.7	32
21	HGF reduces accumulation of collagen I in lung myofibroblasts isolated from Caucasian scleroderma patients via Grb2/Ras/MAPK/MMP-dependent pathway. <i>FASEB Journal</i> , 2007, 21, A961.	0.5	0
22	Distinct PKC isoforms mediate cell survival and DNA synthesis in thrombin-induced myofibroblasts. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2005, 288, L190-L201.	2.9	57
23	Contractile activity and smooth muscle α -actin organization in thrombin-induced human lung myofibroblasts. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2003, 285, L334-L343.	2.9	55