

Yung-Tai Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2966818/publications.pdf>

Version: 2024-02-01

62
papers

1,708
citations

304743

22
h-index

302126

39
g-index

62
all docs

62
docs citations

62
times ranked

3359
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Mortality and Major Adverse Cardiovascular Events in Sepsis Survivors. A Nationwide Population-based Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, 209-217.	5.6	149
2	Association of Postdischarge Rehabilitation with Mortality in Intensive Care Unit Survivors of Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 1003-1011.	5.6	97
3	Long-Term Clinical Outcome of Major Adverse Cardiac Events in Survivors of Infective Endocarditis. <i>Circulation</i> , 2014, 130, 1684-1691.	1.6	96
4	Proton pump inhibitor use represents an independent risk factor for myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 177, 292-297.	1.7	84
5	Effects on Clinical Outcomes of Adding Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylureas to Metformin Therapy in Patients With Type 2 Diabetes Mellitus. <i>Annals of Internal Medicine</i> , 2015, 163, 663-672.	3.9	81
6	Risks of Death and Stroke in Patients Undergoing Hemodialysis With New-Onset Atrial Fibrillation. <i>Circulation</i> , 2016, 133, 265-272.	1.6	69
7	Sleep Disorders and Increased Risk of Autoimmune Diseases in Individuals without Sleep Apnea. <i>Sleep</i> , 2015, 38, 581-586.	1.1	67
8	Statin Therapy Reduces Future Risk of Lower-Limb Amputation in Patients With Diabetes and Peripheral Artery Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2373-2381.	3.6	65
9	Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: a nested case-control analysis. <i>Cardiovascular Diabetology</i> , 2016, 15, 125.	6.8	53
10	Proton-Pump Inhibitor Use and the Risk of First-Time Ischemic Stroke in the General Population: A Nationwide Population-Based Study. <i>American Journal of Gastroenterology</i> , 2017, 112, 1084-1093.	0.4	52
11	U-shaped mortality curve associated with platelet count among older people: a community-based cohort study. <i>Blood</i> , 2015, 126, 1633-1635.	1.4	50
12	Periodontal Disease and Risks of Kidney Function Decline and Mortality in Older People: A Community-Based Cohort Study. <i>American Journal of Kidney Diseases</i> , 2015, 66, 223-230.	1.9	39
13	Association between influenza vaccination and reduced risks of major adverse cardiovascular events in elderly patients. <i>American Heart Journal</i> , 2017, 193, 1-7.	2.7	39
14	Sleep disorders and an increased risk of Parkinson's disease in individuals with non-apnea sleep disorders: a population-based cohort study. <i>Journal of Sleep Research</i> , 2017, 26, 623-628.	3.2	35
15	The impact of dialysis therapy on older patients with advanced chronic kidney disease: a nationwide population-based study. <i>BMC Medicine</i> , 2014, 12, 169.	5.5	34
16	Comorbidities and risk of mortality in patients with sleep apnea. <i>Annals of Medicine</i> , 2017, 49, 377-383.	3.8	34
17	Verapamil Use Is Associated With Reduction of Newly Diagnosed Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2604-2610.	3.6	32
18	The Risk of Cancer in Patients with Congenital Heart Disease: A Nationwide Population-Based Cohort Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0116844.	2.5	32

#	ARTICLE	IF	CITATIONS
19	Association between Use of Oral Anti-Diabetic Drugs and the Risk of Sepsis: A Nested Case-Control Study. <i>Scientific Reports</i> , 2015, 5, 15260.	3.3	29
20	Risk of tuberculosis among healthcare workers in an intermediate-burden country: A nationwide population study. <i>Journal of Infection</i> , 2014, 69, 525-532.	3.3	26
21	Increased risk of trigeminal neuralgia in patients with migraine: A nationwide population-based study. <i>Cephalalgia</i> , 2016, 36, 1218-1227.	3.9	25
22	Influenza vaccination and secondary prevention of cardiovascular disease among Taiwanese eldersâ€”A propensity score-matched follow-up study. <i>PLoS ONE</i> , 2019, 14, e0219172.	2.5	25
23	Association of sleep apnoea with chronic kidney disease in a large cohort from Taiwan. <i>Respirology</i> , 2016, 21, 754-760.	2.3	24
24	Association of weekend effect with early mortality in severe sepsis patients over time. <i>Journal of Infection</i> , 2017, 74, 345-351.	3.3	22
25	Dipeptidyl Peptidase-4 Inhibitors, Peripheral Arterial Disease, and Lower Extremity Amputation Risk in Diabetic Patients. <i>American Journal of Medicine</i> , 2017, 130, 348-355.	1.5	22
26	Bidirectional association between the risk of comorbidities and the diagnosis of retinal vein occlusion in an elderly population: A nationwide population-based study. <i>International Journal of Cardiology</i> , 2015, 178, 256-261.	1.7	21
27	Impact of physical activity on the association between lipid profiles and mortality among older people. <i>Scientific Reports</i> , 2017, 7, 8399.	3.3	21
28	The advantages of peritoneal dialysis over hemodialysis during the COVID-19 pandemic. <i>Seminars in Dialysis</i> , 2020, 33, 369-371.	1.3	20
29	Increased risk of Bell palsy in patients with migraine. <i>Neurology</i> , 2015, 84, 116-124.	1.1	19
30	Comparison of Peptic Ulcer Disease Risk between Peritoneal and Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2010, 32, 212-218.	3.1	18
31	Temperature variation and the incidence of cluster headache periods: A nationwide population study. <i>Cephalalgia</i> , 2014, 34, 656-663.	3.9	18
32	Acid reflux and head and neck cancer risk: A nationwide registry over 13 years. <i>Auris Nasus Larynx</i> , 2015, 42, 401-405.	1.2	18
33	Sleep Apnea and Risk of Panic Disorder. <i>Annals of Family Medicine</i> , 2015, 13, 325-330.	1.9	18
34	Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. <i>Scientific Reports</i> , 2016, 6, 26541.	3.3	18
35	Association between migraine and risk of venous thromboembolism: A nationwide cohort study. <i>Headache</i> , 2016, 56, 1290-1299.	3.9	18
36	Long-Term Risk of Cardiovascular Events in Patients With Chronic Kidney Disease Who Have Survived Sepsis: A Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	18

#	ARTICLE	IF	CITATIONS
37	Dipeptidyl peptidase-4 inhibitors and cardiovascular risks in patients with pre-existing heart failure. <i>Heart</i> , 2017, 103, 414-420.	2.9	17
38	The impact of chronic hepatitis B infection on major adverse cardiovascular events and all-cause mortality in patients with diabetes: a nationwide population-based study from Taiwan. <i>BMJ Open</i> , 2017, 7, e016179.	1.9	14
39	Proton pump inhibitor-related headaches: A nationwide population-based case-crossover study in Taiwan. <i>Cephalalgia</i> , 2015, 35, 203-210.	3.9	13
40	Effects of DPP-4 inhibitors on cardiovascular outcomes in patients with type 2 diabetes and end-stage renal disease. <i>International Journal of Cardiology</i> , 2016, 218, 170-175.	1.7	13
41	Effect of Statin Therapy on Mortality in Patients With Infective Endocarditis. <i>American Journal of Cardiology</i> , 2014, 114, 94-99.	1.6	12
42	Association Between Use of Dipeptidyl Peptidase-4 Inhibitors and the Risk of Acute Kidney Injury: A Nested Case-Control Study. <i>Mayo Clinic Proceedings</i> , 2016, 91, 867-872.	3.0	12
43	Cardiovascular Outcomes of Dipeptidyl Peptidase-4 Inhibitors in Elderly Patients With Type 2 Diabetes: A Nationwide Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 59-64.	2.5	12
44	Systemic Sclerosis and the Risk of Tuberculosis. <i>Journal of Rheumatology</i> , 2014, 41, 1662-1669.	2.0	11
45	Adult narcoleptic patients have increased risk of cancer: A nationwide population-based study. <i>Cancer Epidemiology</i> , 2015, 39, 793-797.	1.9	11
46	Comparative effectiveness of angiotensin-converting-enzyme inhibitors and angiotensin II receptor blockers in patients with type 2 diabetes and retinopathy. <i>Cmaj</i> , 2016, 188, E148-E157.	2.0	11
47	Risk of meningioma in patients with head injury: A nationwide population-based study. <i>Journal of the Chinese Medical Association</i> , 2014, 77, 457-462.	1.4	10
48	Observed Blood Pressure and Mortality Among People Aged 65 Years and Older: A Community-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 654-662.	2.5	10
49	Comparative effectiveness of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers on major adverse cardiac events in patients with newly diagnosed type 2 diabetes: A nationwide study. <i>International Journal of Cardiology</i> , 2015, 199, 283-289.	1.7	9
50	Kidney disease progression in patients of upper tract urothelial carcinoma following unilateral radical nephroureterectomy. <i>Renal Failure</i> , 2016, 38, 77-83.	2.1	9
51	Cholecystectomy Reduces Recurrent Pancreatitis and Improves Survival After Endoscopic Sphincterotomy. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 294-301.	1.7	9
52	Genotype polymorphisms of genes regulating nitric oxide synthesis determine long-term arteriovenous fistula patency in male hemodialysis patients. <i>Renal Failure</i> , 2016, 38, 228-237.	2.1	8
53	Association between influenza vaccination and the reduced risk of acute kidney injury among older people: A nested case-control study. <i>European Journal of Internal Medicine</i> , 2018, 54, 65-69.	2.2	7
54	Association of pre-hospital theophylline use and mortality in chronic obstructive pulmonary disease patients with sepsis. <i>Respiratory Medicine</i> , 2017, 125, 33-38.	2.9	6

#	ARTICLE	IF	CITATIONS
55	The Effect of Far-Infrared Therapy on the Peritoneal Expression of Glucose Degradation Products in Diabetic Patients on Peritoneal Dialysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3732.	4.1	6
56	Incidence of and risk factors for cryptococcosis in kidney transplant recipients in Taiwan—a nationwide population-based study. <i>International Journal of Infectious Diseases</i> , 2019, 88, 154-158.	3.3	5
57	Persistence of pregabalin treatment in Taiwan: a nation-wide population-based study. <i>Journal of Headache and Pain</i> , 2020, 21, 54.	6.0	5
58	Low air temperature increases the risk of oesophageal variceal bleeding: a population and hospital-based case–crossover study in Taiwan. <i>Liver International</i> , 2016, 36, 856-864.	3.9	4
59	Prognosis of Vascular Access in Haemodialysis Patients with Autosomal Dominant Polycystic Kidney Disease. <i>Scientific Reports</i> , 2020, 10, 1985.	3.3	4
60	Judicious use of sodium-glucose cotransporter 2 inhibitors in patients with diabetes on coronavirus-19 pandemic. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 809-811.	1.4	2
61	Long-term prognosis of vascular access in hemodialysis patients with systemic lupus erythematosus: a retrospective cohort study. <i>Scientific Reports</i> , 2021, 11, 12519.	3.3	0
62	The Effect of Far-Infrared Therapy on the Peritoneal Membrane Transport Characteristics of Uremic Patients Undergoing Peritoneal Dialysis: An Open-Pro prospective Proof-of-Concept Study. <i>Membranes</i> , 2021, 11, 669.	3.0	0