

Fernando Pulido

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/296687/publications.pdf>

Version: 2024-02-01

47
papers

1,665
citations

331670

21
h-index

289244

40
g-index

48
all docs

48
docs citations

48
times ranked

1910
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Regeneration of a Mediterranean oak: A whole-cycle approach. <i>Ecoscience</i> , 2005, 12, 92-102. | 1.4 | 274 |
| 2 | Size structure and regeneration of Spanish holm oak <i>Quercus ilex</i> forests and dehesas: effects of agroforestry use on their long-term sustainability. <i>Forest Ecology and Management</i> , 2001, 146, 1-13. | 3.2 | 214 |
| 3 | Effects of land-use history on size structure of holm oak stands in Spanish dehesas: implications for conservation and restoration. <i>Environmental Conservation</i> , 2003, 30, 61-70. | 1.3 | 135 |
| 4 | Effects of land-use and landscape structure on holm oak recruitment and regeneration at farm level in <i>Quercus ilex</i> L. dehesas. <i>Journal of Arid Environments</i> , 2004, 57, 345-364. | 2.4 | 109 |
| 5 | Driving competitive and facilitative interactions in oak dehesas through management practices. <i>Agroforestry Systems</i> , 2007, 70, 25-40. | 2.0 | 96 |
| 6 | Stakeholder perspectives of wood-pasture ecosystem services: A case study from Iberian dehesas. <i>Land Use Policy</i> , 2017, 60, 324-333. | 5.6 | 83 |
| 7 | Multiple pathways for tree regeneration in anthropogenic savannas: incorporating biotic and abiotic drivers into management schemes. <i>Journal of Applied Ecology</i> , 2010, 47, 1272-1281. | 4.0 | 73 |
| 8 | Exploring the causes of high biodiversity of Iberian dehesas: the importance of wood pastures and marginal habitats. <i>Agroforestry Systems</i> , 2016, 90, 87-105. | 2.0 | 62 |
| 9 | Polyploidy and microsatellite variation in the relict tree <i>Prunus lusitanica</i> : how effective are refugia in preserving genotypic diversity of clonal taxa?. <i>Molecular Ecology</i> , 2013, 22, 1546-1557. | 3.9 | 48 |
| 10 | Herbivore effects on developmental instability and fecundity of holm oaks. <i>Oecologia</i> , 2004, 139, 224-234. | 2.0 | 47 |
| 11 | Phenotypic correlates of potential range size and range filling in European trees. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2014, 16, 219-227. | 2.7 | 39 |
| 12 | Tertiary relict trees in a Mediterranean climate: abiotic constraints on the persistence of <i>Prunus lusitanica</i> at the eroding edge of its range. <i>Journal of Biogeography</i> , 2008, 35, 1425-1435. | 3.0 | 35 |
| 13 | Predicting mechanisms across scales: amplified effects of abiotic constraints on the recruitment of yew <i>Taxus baccata</i> . <i>Ecography</i> , 2009, 32, 993-1000. | 4.5 | 34 |
| 14 | Targeted policy proposals for managing spontaneous forest expansion in the Mediterranean. <i>Journal of Applied Ecology</i> , 2020, 57, 2373-2380. | 4.0 | 34 |
| 15 | REPRODUCTIVE BEHAVIOR IN FEMALE IBERIAN RED DEER: EFFECTS OF AGGREGATION AND DISPERSION OF FOOD. <i>Journal of Mammalogy</i> , 2004, 85, 761-767. | 1.3 | 29 |
| 16 | Are silvopastoral systems compatible with forest regeneration? An integrative approach in southern Patagonia. <i>Agroforestry Systems</i> , 2013, 87, 1213-1227. | 2.0 | 25 |
| 17 | Resource manipulation reveals flexible allocation rules to growth and reproduction in a Mediterranean evergreen oak. <i>Journal of Plant Ecology</i> , 2014, 7, 77-85. | 2.3 | 24 |
| 18 | Fruit abortion, developmental selection and developmental stability in <i>Quercus ilex</i> . <i>Oecologia</i> , 2003, 135, 378-385. | 2.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Regulation by biotic stress of tannins biosynthesis in <i>Quercus ilex</i> : Crosstalk between defoliation and <i>Phytophthora cinnamomi</i> infection. <i>Physiologia Plantarum</i> , 2019, 165, 319-329. | 5.2 | 23 |
| 20 | Persistence of tree relicts in the Spanish Central System through the Holocene. <i>Lazaroa</i> , 2014, 35, . | 0.8 | 22 |
| 21 | Linking individual foraging behavior and population spatial distribution in patchy environments: a field example with Mediterranean blue tits. <i>Oecologia</i> , 1997, 111, 434-442. | 2.0 | 21 |
| 22 | Genetic determination of tannins and herbivore resistance in <i>Quercus ilex</i> . <i>Tree Genetics and Genomes</i> , 2016, 12, 1. | 1.6 | 21 |
| 23 | Acorn Production Patterns. <i>Landscape Series</i> , 2013, , 181-209. | 0.2 | 19 |
| 24 | Variable retention harvesting influences biotic and abiotic drivers of regeneration in <i>Nothofagus pumilio</i> southern Patagonian forests. <i>Forest Ecology and Management</i> , 2013, 289, 106-114. | 3.2 | 18 |
| 25 | Critical range of soil organic carbon in southern Europe lands under desertification risk. <i>Journal of Environmental Management</i> , 2021, 287, 112285. | 7.8 | 18 |
| 26 | Forest Adaptation to Climate Change along Steep Ecological Gradients: The Case of the Mediterranean-Temperate Transition in South-Western Europe. <i>Sustainability</i> , 2018, 10, 3065. | 3.2 | 17 |
| 27 | Farmland biodiversity and agricultural management on 237 farms in 13 European and two African regions. <i>Ecology</i> , 2016, 97, 1625-1625. | 3.2 | 15 |
| 28 | Boreal trees in the Mediterranean: recruitment of downy birch (<i>Betula alba</i>) at its southern range limit. <i>Annals of Forest Science</i> , 2011, 68, 793-802. | 2.0 | 13 |
| 29 | Oak Regeneration: Ecological Dynamics and Restoration Techniques. <i>Landscape Series</i> , 2013, , 123-144. | 0.2 | 13 |
| 30 | Heathlands, fire and grazing. A palaeoenvironmental view of Las Hurdes (C aceres, Spain) history during the last 1200 years. <i>Forest Systems</i> , 2014, 23, 247. | 0.3 | 12 |
| 31 | Managing Wildfire Risk in Mosaic Landscapes: A Case Study of the Upper Gata River Catchment in Sierra de Gata, Spain. <i>Land</i> , 2022, 11, 465. | 2.9 | 11 |
| 32 | Pollen limitation and fruit abortion in a declining rare tree, the Eurasian yew (<i>Taxus baccata</i> L.): A reproductive cost of ecological marginality. <i>Plant Biosystems</i> , 2015, 149, 818-826. | 1.6 | 6 |
| 33 | Changes in height growth patterns in the upper tree-line forests of Tierra del Fuego in relation to climate change. <i>Bosque</i> , 2012, 33, 11-12. | 0.3 | 6 |
| 34 | Foraging behaviour of Blue Tits <i>Parus caeruleus</i> in a patchy environment under contrasting levels of natural food supply. <i>Journal of Avian Biology</i> , 2000, 31, 81-86. | 1.2 | 5 |
| 35 | Post dispersal seed depletion by rodents in marginal populations of yew (<i>Taxus</i>) Tj ETQq1 1 0.784314 rgBT 5/Overload | 1.0 | 5 |
| 36 | Intraspecific variation in heritable secondary metabolites and defensive strategies in a relict tree. <i>Journal of Plant Ecology</i> , 0, , rtw141. | 2.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Upscaling hypotheses on herbivore damage in plants facing environmental stress: Variation among scales and plant enemies in a relict tree. <i>Basic and Applied Ecology</i> , 2017, 21, 34-44. | 2.7 | 5 |
| 38 | Rangewide determinants of population performance in <i>Prunus lusitanica</i> : Lessons for the contemporary conservation of a Tertiary relict tree. <i>Acta Oecologica</i> , 2018, 86, 42-48. | 1.1 | 4 |
| 39 | Spatiotemporal variation in acorn production and damage in a Spanish holm oak (<i>Quercus ilex</i>) dehesa. <i>Forest Systems</i> , 2013, 22, 106. | 0.3 | 4 |
| 40 | Geographical and within-population variation of constitutive chemical defences in a Mediterranean oak (<i>Quercus ilex</i>). <i>Forest Systems</i> , 2020, 29, e011. | 0.3 | 3 |
| 41 | Interactive effects of biotic stressors and provenance on chemical defence induction by holm oak (<i>Quercus ilex</i>). <i>Trees - Structure and Function</i> , 2022, 36, 227-240. | 1.9 | 3 |
| 42 | Simulated herbivory does not constrain phenotypic plasticity to shade through ontogeny in a relict tree. <i>Plant Biology</i> , 2016, 18, 618-626. | 3.8 | 2 |
| 43 | Estimating leaf biomass of pollarded lebanon oak in open silvopastoral systems using allometric equations. <i>Trees - Structure and Function</i> , 2018, 32, 99-108. | 1.9 | 2 |
| 44 | Biometric indices of wild pistachio (<i>Pistacia atlantica</i> Desf.) trees under resin extraction in Western Iran. <i>Agroforestry Systems</i> , 2020, 94, 1977-1988. | 2.0 | 2 |
| 45 | A quantitative study of pollarding process in silvopastoral systems of Northern Zagros, Iran. <i>Forest Systems</i> , 2018, 26, e018. | 0.3 | 2 |
| 46 | Hacia los territorios inteligentes frente a incendios forestales. <i>Ciudades</i> , 2021, , 65-78. | 0.2 | 1 |
| 47 | Susceptibility to <i>Phytophthora cinnamomi</i> of six holm oak (<i>Quercus ilex</i>) provenances: are results under controlled vs. natural conditions consistent?. <i>Forest Systems</i> , 2022, 31, e011. | 0.3 | 1 |