

Josã Rioja Villodres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2967574/publications.pdf>

Version: 2024-02-01

29
papers

665
citations

567247

15
h-index

580810

25
g-index

30
all docs

30
docs citations

30
times ranked

1192
citing authors

#	ARTICLE	IF	CITATIONS
1	Low Doses of Insulin-Like Growth Factor-I Induce Mitochondrial Protection in Aging Rats. <i>Endocrinology</i> , 2008, 149, 2620-2627.	2.8	103
2	Cognitive Dysfunctions in Middle-Aged Type 2 Diabetic Patients and Neuroimaging Correlations: A Cross-Sectional Study. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 1337-1346.	2.6	66
3	Structural and Functional Brain Changes in Middle-Aged Type 2 Diabetic Patients: A Cross-Sectional Study. <i>Journal of Alzheimer's Disease</i> , 2014, 40, 375-386.	2.6	58
4	Omega 3 fatty acids induce a marked reduction of apolipoprotein B48 when added to fluvastatin in patients with type 2 diabetes and mixed hyperlipidemia: a preliminary report. <i>Cardiovascular Diabetology</i> , 2009, 8, 1.	6.8	55
5	Additive effects of LPL, APOA5 and APOE variant combinations on triglyceride levels and hypertriglyceridemia: results of the ICARIA genetic sub-study. <i>BMC Medical Genetics</i> , 2010, 11, 66.	2.1	55
6	Exploring the value of apoB48 as a marker for atherosclerosis in clinical practice. <i>European Journal of Clinical Investigation</i> , 2012, 42, 702-708.	3.4	35
7	Alzheimer's like brain changes correlate with low adiponectin plasma levels in type 2 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 281-286.	2.3	33
8	Insulin resistance and levels of adipokines in patients with untreated early rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016, 35, 43-53.	2.2	29
9	Novel mutations in the GPIIIBP1 gene identified in 2 patients with recurrent acute pancreatitis. <i>Journal of Clinical Lipidology</i> , 2016, 10, 92-100.e1.	1.5	27
10	Lipoprotein lipase activity and mass, apolipoprotein C-II mass and polymorphisms of apolipoproteins E and A5 in subjects with prior acute hypertriglyceridaemic pancreatitis. <i>BMC Gastroenterology</i> , 2009, 9, 46.	2.0	26
11	Molecular basis of the familial chylomicronemia syndrome in patients from the National Dyslipidemia Registry of the Spanish Atherosclerosis Society. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1482-1492.e3.	1.5	22
12	Smoking and postprandial triglycerides are associated with vascular disease in patients with type 2 diabetes. <i>Atherosclerosis</i> , 2007, 194, 391-396.	0.8	19
13	In vivo evidence for chylomicrons as mediators of postprandial inflammation. <i>Atherosclerosis</i> , 2015, 243, 540-545.	0.8	18
14	5-HT1A receptor activation counteracts c-Fos immunoreactivity induced in serotonin neurons of the raphe nuclei after immobilization stress in the male rat. <i>Neuroscience Letters</i> , 2006, 397, 190-195.	2.1	17
15	Evaluation of the chylomicron to VLDL ratio for type I hyperlipoproteinemia diagnostic. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13345.	3.4	16
16	Association of the -250G/A promoter polymorphism of the hepatic lipase gene with the risk of peripheral arterial disease in type 2 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2008, 22, 273-277.	2.3	13
17	Postprandial Apolipoprotein B48 is Associated with Subclinical Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2483.	2.4	11
18	5-HT1A receptor activation counteracted the effect of acute immobilization of noradrenergic neurons in the rat locus coeruleus. <i>Neuroscience Letters</i> , 2007, 412, 84-88.	2.1	8

#	ARTICLE	IF	CITATIONS
19	Evidence for increased chylomicron remnants in rheumatoid arthritis. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12873.	3.4	8
20	High risk of subclinical atherosclerosis in COPD exacerbator phenotype. <i>Respiratory Medicine</i> , 2018, 141, 165-171.	2.9	8
21	Fractional excretion of phosphorus and vascular calcification in stage 3 chronic kidney disease. <i>Journal of Investigative Medicine</i> , 2019, 67, 674-680.	1.6	8
22	Genetic variants in the LPL and GPIHBP1 genes, in patients with severe hypertriglyceridaemia, detected with high resolution melting analysis. <i>Clinica Chimica Acta</i> , 2020, 500, 163-171.	1.1	8
23	Plasma redox status is impaired in the portacaval shunted rat " the risk of the reduced antioxidant ability. <i>Comparative Hepatology</i> , 2008, 7, 1.	0.9	7
24	The Effects of Parenteral K1 Administration in Pseudoxanthoma Elasticum Patients Versus Controls. A Pilot Study. <i>Frontiers in Medicine</i> , 2018, 5, 86.	2.6	6
25	Postprandial Hyperlipidemia: Association with Inflammation and Subclinical Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Biomedicines</i> , 2022, 10, 133.	3.2	6
26	Análisis de la influencia de polimorfismos en APOE, APOA5, LPL, LIPC y CETP sobre los niveles de triglicéridos en población laboral malagueña. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2011, 23, 62-71.	0.8	1
27	Polimorfismo "250G/A de LIPC y su asociaci3n con la enfermedad arterial periférica en pacientes con diabetes tipo 2. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2008, 20, 22-27.	0.8	0
28	Respuesta posprandial de la apolipoproteína B-48 y del perfil lipídico en pacientes con diabetes mellitus tipo 2. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2008, 20, 145-150.	0.8	0
29	Subclinical Arteriosclerosis is Associated with Common Vascular Risk Factors in Long-Term Survivors of Testicular Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 971.	2.4	0