

Woorim Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2969318/publications.pdf>

Version: 2024-02-01

78
papers

633
citations

687363

13
h-index

794594

19
g-index

80
all docs

80
docs citations

80
times ranked

983
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between Mobile Phone Addiction and the Incidence of Poor and Short Sleep among Korean Adolescents: a Longitudinal Study of the Korean Children & Youth Panel Survey. <i>Journal of Korean Medical Science</i> , 2017, 32, 1166.	2.5	57
2	Effect of working hours and precarious employment on depressive symptoms in South Korean employees: a longitudinal study. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103553.	2.8	43
3	The impact of shift and night work on health related quality of life of working women: findings from the Korea Health Panel. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 162.	2.4	21
4	Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. <i>Alcohol</i> , 2018, 71, 15-23.	1.7	21
5	Mortality in Schizophrenia and Other Psychoses: Data from the South Korea National Health Insurance Cohort, 2002â€“2013. <i>Journal of Korean Medical Science</i> , 2017, 32, 835.	2.5	20
6	Mortality differences by surgical volume among patients with stomach cancer: a threshold for a favorable volume-outcome relationship. <i>World Journal of Surgical Oncology</i> , 2017, 15, 134.	1.9	17
7	The influence of family stress and conflict on depressive symptoms among working married women: A longitudinal study. <i>Health Care for Women International</i> , 2018, 39, 275-288.	1.1	17
8	Factors associated with mental health consultation in South Korea. <i>BMC Psychiatry</i> , 2018, 18, 17.	2.6	17
9	Temporary work and depressive symptoms in South Korean workers. <i>Occupational Medicine</i> , 2017, 67, 421-424.	1.4	16
10	The effect of cost-sharing in private health insurance on the utilization of health care services between private insurance purchasers and non-purchasers: a study of the Korean health panel survey (2008â€“2012). <i>BMC Health Services Research</i> , 2015, 15, 489.	2.2	15
11	Depressive symptoms of house-poor persons: Korean panel data evidence. <i>International Journal of Social Psychiatry</i> , 2016, 62, 569-577.	3.1	15
12	Association between unmet healthcare needs and health-related quality of life: a longitudinal study. <i>European Journal of Public Health</i> , 2017, 27, ckw264.	0.3	15
13	Association between reduction in copayment and gastric cancer patient concentration to the capital area in South Korea: NHI cohort 2003â€“2013. <i>Health Policy</i> , 2016, 120, 580-589.	3.0	14
14	Association between sleep disorder and panic disorder in South Korea: Nationwide nested case-control study of data from 2004 to 2013. <i>Psychiatry Research</i> , 2018, 260, 286-291.	3.3	13
15	The relationship between catastrophic health expenditure and health-related quality of life. <i>International Journal for Equity in Health</i> , 2018, 17, 166.	3.5	13
16	The association between relative income and depressive symptoms in adults: Findings from a nationwide survey in Korea. <i>Journal of Affective Disorders</i> , 2020, 263, 236-240.	4.1	13
17	Combined effect of body mass index and body size perception on metabolic syndrome in South Korea: results of the fifth Korea National Health and Nutrition Examination Surveys (2010-2012). <i>BMC Public Health</i> , 2015, 15, 554.	2.9	12
18	Early Impact on Outpatients of Mandatory Adoption of the Diagnosisâ€Related Groupâ€Based Reimbursement System in Korea on Use of Outpatient Care: Differences in Medical Utilization and Presurgery Examination. <i>Health Services Research</i> , 2018, 53, 2064-2083.	2.0	12

#	ARTICLE	IF	CITATIONS
19	Does Delaying Time in Cancer Treatment Affect Mortality? A Retrospective Cohort Study of Korean Lung and Gastric Cancer Patients. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3462.	2.6	12
20	Lack of Retirement Preparation is Associated with Increased Depressive Symptoms in the Elderly: Findings from the Korean Retirement and Income Panel Study. <i>Journal of Korean Medical Science</i> , 2017, 32, 1516.	2.5	11
21	Associations of volume and other hospital characteristics on mortality within 30 days of acute myocardial infarction in South Korea. <i>BMJ Open</i> , 2015, 5, e009186.	1.9	10
22	Is nutritional labeling associated with individual health? The effects of labeling-based awareness on dyslipidemia risk in a South Korean population. <i>Nutrition Journal</i> , 2015, 15, 81.	3.4	10
23	Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. <i>BMC Psychiatry</i> , 2016, 16, 96.	2.6	10
24	Association between continuity of care and subsequent hospitalization and mortality in patients with mood disorders: Results from the Korea National Health Insurance cohort. <i>PLoS ONE</i> , 2018, 13, e0207740.	2.5	10
25	Effective strategy for improving health care outcomes: Multidisciplinary care in cerebral infarction patients. <i>Health Policy</i> , 2015, 119, 1039-1045.	3.0	9
26	The effect of childhood and current economic status on depressive symptoms in South Korean individuals: a longitudinal study. <i>International Journal for Equity in Health</i> , 2016, 15, 111.	3.5	9
27	Does relationship satisfaction and financial aid from offspring influence the quality of life of older parents?: a longitudinal study based on findings from the Korean longitudinal study of aging, 2006-2012. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 108.	2.4	9
28	Depressive symptoms in spouse caregivers of dementia patients: A longitudinal study in South Korea. <i>Geriatrics and Gerontology International</i> , 2017, 17, 973-983.	1.5	9
29	Implementation of the Chronic Disease Care System and its association with health care costs and continuity of care in Korean adults with type 2 diabetes mellitus. <i>BMC Health Services Research</i> , 2018, 18, 991.	2.2	9
30	Disparities in avoidable hospitalization by income in South Korea: data from the National Health Insurance cohort. <i>European Journal of Public Health</i> , 2019, 29, 225-231.	0.3	9
31	The impact of occupation according to income on depressive symptoms in South Korean individuals: Findings from the Korean Welfare Panel Study. <i>International Journal of Social Psychiatry</i> , 2016, 62, 227-234.	3.1	8
32	Association between weight control failure and suicidal ideation in overweight and obese adults: a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 259.	2.9	8
33	Solitary drinking and the risk of depressive symptoms and suicidal ideation in college students: Findings from a nationwide survey in Korea. <i>Journal of Affective Disorders</i> , 2019, 257, 710-715.	4.1	8
34	Length of stay and readmission in lumbar intervertebral disc disorder inpatients by hospital characteristics and volumes. <i>Health Policy</i> , 2016, 120, 1008-1016.	3.0	7
35	Are sleep disorders associated with increased mortality in asthma patients?. <i>BMC Pulmonary Medicine</i> , 2016, 16, 154.	2.0	7
36	Factors Related to the Institutionalization of Older Aged Individuals Using Home- and Community-Based Care Services: Data From the South Korea Long-Term Care Insurance Program, 2008-2013. <i>Journal of Aging and Social Policy</i> , 2019, 31, 321-337.	1.6	7

#	ARTICLE	IF	CITATIONS
37	Sleep disorders and risk of hospitalization in patients with mood disorders: Analysis of the National Sample Cohort over 10 years. <i>Psychiatry Research</i> , 2016, 245, 259-266.	3.3	6
38	Relationship between socioeconomic status and mortality after femur fracture in a Korean population aged 65 years and older. <i>Medicine (United States)</i> , 2016, 95, e5311.	1.0	6
39	The association between objective income and subjective financial need and depressive symptoms in South Koreans aged 60 and older. <i>Psychogeriatrics</i> , 2017, 17, 389-396.	1.2	6
40	The effect of neonatal hypothyroidism and low family income on intellectual disability: A population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0205955.	2.5	6
41	Comparable Risk of Suicidal Ideation between Workers at Precarious Employment and Unemployment: Data from the Korean Welfare Panel Study, 2012–2017. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2811.	2.6	6
42	Depressive symptoms in individuals with family members requiring ADL assistance. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 49.	3.4	6
43	The association between intimate partner violence onset and gender-specific depression: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019, 250, 79-84.	4.1	6
44	A cost-effectiveness analysis of the Chronic Disease Management Program in patients with hypertension in Korea. <i>International Journal for Quality in Health Care</i> , 2021, 33, .	1.8	6
45	Is time-to-treatment associated with higher mortality in Korean elderly lung cancer patients?. <i>Health Policy</i> , 2021, 125, 1047-1053.	3.0	6
46	Association between home-visit nursing utilization and all-cause hospitalization among long-term care insurance beneficiaries: A retrospective cohort study. <i>International Journal of Nursing Studies</i> , 2017, 75, 93-100.	5.6	5
47	Regional Differences in Access to Clinical Trials for Cancer in Korea. <i>Han'gug Yiryo QA Haghoeji</i> , 2021, 27, 20-25.	0.4	5
48	Perceived friend support buffers against symptoms of depression in peer victimized adolescents: Evidence from a population-based cohort in South Korea. <i>Journal of Affective Disorders</i> , 2021, 291, 24-31.	4.1	5
49	Job displacement and social safety net on depressive symptoms in individuals aged 45 years or above: findings from the Korean Longitudinal Study of Aging. <i>Ageing and Society</i> , 2018, 38, 1199-1222.	1.7	4
50	Association between Continuity of Care and the Onset of Thyroid Disorder among Diabetes Patients in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 233.	2.6	4
51	The Relationship between Physical Exercise and Cognitive Function in Korean Middle Aged and Elderly Adults without Dementia. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8821.	2.6	4
52	Is fear of falling and the associated restrictions in daily activity related to depressive symptoms in older adults?. <i>Psychogeriatrics</i> , 2021, 21, 304-310.	1.2	4
53	Association Between Recent Experience of Childbirth and Sleep Quality in South Korean Women: Results from a Nationwide Study. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 467-475.	2.7	4
54	Do Patients Residing in Provincial Areas Transport and Spend More on Cancer Treatment in Korea?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9247.	2.6	4

#	ARTICLE	IF	CITATIONS
55	Association between Parents' Country of Birth and Adolescent Depressive Symptoms: the Early Stages of Multicultural Society. <i>Journal of Korean Medical Science</i> , 2018, 33, e116.	2.5	4
56	Deregulation of sale of over-the-counter drugs outside of pharmacies in the Republic of Korea: interrupted-time-series analysis of outpatient visits before and after the policy. <i>BMC Health Services Research</i> , 2017, 17, 478.	2.2	3
57	Effects of different types and frequencies of physical activity on the homeostatic model assessment of insulin resistance. <i>Journal of Investigative Medicine</i> , 2019, 67, 841-849.	1.6	3
58	Strategic Distributional Cost-Effectiveness Analysis for Improving National Cancer Screening Uptake in Cervical Cancer: A Focus on Regional Inequality in South Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 212-221.	3.0	3
59	Effects of difference in self-esteem between spouses on depressive symptom: Result from a data nationally representative of South Korean. <i>Psychiatry Research</i> , 2016, 246, 623-628.	3.3	2
60	Association between human resources and risk of hospitalisation in end-stage renal disease outpatients receiving haemodialysis: a longitudinal cohort study using claim data during 2013-2014. <i>BMJ Open</i> , 2016, 6, e011319.	1.9	2
61	Management of Chronic Disease and Hospitalization Due to Diabetes among Type 2 Diabetes Patients in Korea: Using the National Sample Cohort Data 2002-2013. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2541.	2.6	2
62	Differences in electronic cigarette use among adolescents in Korea: A nationwide analysis. <i>Journal of Substance Abuse Treatment</i> , 2021, 131, 108554.	2.8	2
63	Suicide attempt and violence victimization in Korean adolescents with migrant parents: A nationwide study. <i>Journal of Affective Disorders</i> , 2021, 290, 164-168.	4.1	2
64	Disparities in Cancer-Related Avoidable Mortality by the Level of Area Deprivation in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7856.	2.6	2
65	The impact of offspring marital status on depressive symptoms of parents: findings from the Korean Longitudinal Study of Aging. <i>International Psychogeriatrics</i> , 2017, 29, 399-407.	1.0	1
66	Expression of a soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) correlates with clinical disease activity in intestinal Behcet's disease.. <i>Inflammatory Bowel Diseases</i> , 2011, 17, S33-S33.	1.9	0
67	Consumption of pharmaceutical drugs in exception region of separation for drug prescribing and dispensing program in South Korea. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2015, 10, 36.	2.2	0
68	Is Korean society prepared for the financial burden of novel anticancer drugs? A survey of willingness to pay among National Health Insurance beneficiaries. <i>Supportive Care in Cancer</i> , 2021, 29, 6681-6688.	2.2	0
69	A phase II trial of gemcitabine, ifosfamide, dexamethasone, and oxaliplatin (GIDOX) for patients with refractory or relapsed non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 8559-8559.	1.6	0
70	GENDER OF COLONOSCOPIST: TRENDS OF PATIENT PREFERENCE DURING THE LAST DECADE IN KOREA. <i>Endoscopy</i> , 2018, 50, .	1.8	0
71	A NEWLY DEVELOPED INTRAGASTRIC BALLOON FOR WEIGHT LOSS: A PRELIMINARY ANALYSIS OF IMPROVED EMPLOYMENT. <i>Endoscopy</i> , 2018, 50, .	1.8	0
72	PROSPECTIVE COMPARATIVE STUDY OF "STYLET SLOW-PULL" VERSUS "NEGATIVE PRESSURE" SUCTION IN EUS-GUIDED FINE NEEDLE ASPIRATION OF PANCREATIC MASS. , 2018, 50, .		0

#	ARTICLE	IF	CITATIONS
73	DEVELOPMENT AND FEASIBILITY STUDY OF KUMC ROBOTIC MANIPULATOR DURING ENDOSCOPIC SUBMUCOSAL DISSECTION. , 2018, 50, .		0
74	DEVELOPMENT OF NOVEL ENDOSCOPIC IRREVERSIBLE ELECTROPORATION ABLATION DEVICE. Endoscopy, 2018, 50, .	1.8	0
75	DISTORTION-FREE IMAGING THROUGH WAVEFRONT SENSING TECHNIQUE IN GASTROINTESTINAL ENDOSCOPE: IN VITRO STUDY. , 2018, 50, .		0
76	A NONINVASIVE ENDOSCOPIC METHOD FOR EVALUATING GASTRIC SLOW WAVE PATTERNS. , 2018, 50, .		0
77	EVALUATION OF AN INNOVATIVE 3D IMAGE GUIDED COLONOSCOPE SYSTEM USING FIBER BRAG GRATING ARRAY “ 3D COLONOSCOPE SHAPE IMAGING BASED ON FIBER BRAG GRATING ARRAY. Endoscopy, 2018, 50, .	1.8	0
78	The Ability to Rest at Home During COVID-19 Symptom Manifestation and Depressive Symptoms: Evidence From Korea. Psychiatry Investigation, 2022, 19, 92-99.	1.6	0