Christophe El-Nakhel

List of Publications by Citations

Source: https://exaly.com/author-pdf/2969626/christophe-el-nakhel-publications-by-citations.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 118
 2,791
 31
 49

 papers
 citations
 h-index
 g-index

 124
 4,068
 4.6
 5.76

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
118	Protein hydrolysates as biostimulants in horticulture. <i>Scientia Horticulturae</i> , 2015 , 196, 28-38	4.1	256
117	The effect of a plant-derived biostimulant on metabolic profiling and crop performance of lettuce grown under saline conditions. <i>Scientia Horticulturae</i> , 2015 , 182, 124-133	4.1	187
116	Co-inoculation of Glomus intraradices and Trichoderma atroviride acts as a biostimulant to promote growth, yield and Inutrient uptake of Degetable crops. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 1706-15	4.3	144
115	Foliar applications of a legume-derived protein hydrolysate elicit dose-dependent increases of growth, leaf mineral composition, yield and fruit quality in two greenhouse tomato cultivars. <i>Scientia Horticulturae</i> , 2017 , 226, 353-360	4.1	135
114	Effects of saline stress on mineral composition, phenolic acids and flavonoids in leaves of artichoke and cardoon genotypes grown in floating system. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 1119-27	4.3	81
113	Insight into the role of grafting and arbuscular mycorrhiza on cadmium stress tolerance in tomato. <i>Frontiers in Plant Science</i> , 2015 , 6, 477	6.2	80
112	Functional quality in novel food sources: Genotypic variation in the nutritive and phytochemical composition of thirteen microgreens species. <i>Food Chemistry</i> , 2019 , 277, 107-118	8.5	72
111	A Vegetal Biopolymer-Based Biostimulant Promoted Root Growth in Melon While Triggering Brassinosteroids and Stress-Related Compounds. <i>Frontiers in Plant Science</i> , 2018 , 9, 472	6.2	62
110	Understanding the Biostimulant Action of Vegetal-Derived Protein Hydrolysates by High-Throughput Plant Phenotyping and Metabolomics: A Case Study on Tomato. <i>Frontiers in Plant Science</i> , 2019 , 10, 47	6.2	56
109	Metabolomic responses triggered by arbuscular mycorrhiza enhance tolerance to water stress in wheat cultivars. <i>Plant Physiology and Biochemistry</i> , 2019 , 137, 203-212	5.4	55
108	Mild Potassium Chloride Stress Alters the Mineral Composition, Hormone Network, and Phenolic Profile in Artichoke Leaves. <i>Frontiers in Plant Science</i> , 2016 , 7, 948	6.2	52
107	Phenolic Compounds and Sesquiterpene Lactones Profile in Leaves of Nineteen Artichoke Cultivars. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 8540-8548	5.7	51
106	Zinc Excess Triggered Polyamines Accumulation in Lettuce Root Metabolome, As Compared to Osmotic Stress under High Salinity. <i>Frontiers in Plant Science</i> , 2016 , 7, 842	6.2	50
105	Botanical and biological pesticides elicit a similar Induced Systemic Response in tomato (Solanum lycopersicum) secondary metabolism. <i>Phytochemistry</i> , 2016 , 130, 56-63	4	49
104	Plant-Based Biostimulants Influence the Agronomical, Physiological, and Qualitative Responses of Baby Rocket Leaves under Diverse Nitrogen Conditions. <i>Plants</i> , 2019 , 8,	4.5	48
103	Inoculation of Rhizoglomus irregulare or Trichoderma atroviride differentially modulates metabolite profiling of wheat root exudates. <i>Phytochemistry</i> , 2019 , 157, 158-167	4	48
102	Physiological and Metabolic Responses Triggered by Omeprazole Improve Tomato Plant Tolerance to NaCl Stress. <i>Frontiers in Plant Science</i> , 2018 , 9, 249	6.2	47

(2020-2019)

101	Gluten-free flours from cereals, pseudocereals and legumes: Phenolic fingerprints and in vitro antioxidant properties. <i>Food Chemistry</i> , 2019 , 271, 157-164	8.5	47	
100	A Combined Phenotypic and Metabolomic Approach for Elucidating the Biostimulant Action of a Plant-Derived Protein Hydrolysate on Tomato Grown Under Limited Water Availability. <i>Frontiers in Plant Science</i> , 2019 , 10, 493	6.2	45	
99	Bioaccessibility of phenolic compounds following in vitro large intestine fermentation of nuts for human consumption. <i>Food Chemistry</i> , 2018 , 245, 633-640	8.5	43	
98	Morphological and Physiological Responses Induced by Protein Hydrolysate-Based Biostimulant and Nitrogen Rates in Greenhouse Spinach. <i>Agronomy</i> , 2019 , 9, 450	3.6	41	
97	Changes in Biomass, Mineral Composition, and Quality of Cardoon in Response to [Formula: see text]:Cl(-) Ratio and Nitrate Deprivation from the Nutrient Solution. <i>Frontiers in Plant Science</i> , 2016 , 7, 978	6.2	40	
96	Interactions between phenolic compounds, amylolytic enzymes and starch: an updated overview. <i>Current Opinion in Food Science</i> , 2020 , 31, 102-113	9.8	37	
95	Macronutrient deprivation eustress elicits differential secondary metabolites in red and green-pigmented butterhead lettuce grown in a closed soilless system. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 6962-6972	4.3	37	
94	Protein Hydrolysate or Plant Extract-based Biostimulants Enhanced Yield and Quality Performances of Greenhouse Perennial Wall Rocket Grown in Different Seasons. <i>Plants</i> , 2019 , 8,	4.5	37	
93	Nutrient Solution Concentration Affects Growth, Mineral Composition, Phenolic Acids, and Flavonoids in Leaves of Artichoke and Cardoon. <i>Hortscience: A Publication of the American Society for Hortcultural Science</i> , 2012 , 47, 1424-1429	2.4	37	
92	Appraisal of Combined Applications of Trichoderma virens and a Biopolymer-Based Biostimulant on Lettuce Agronomical, Physiological, and Qualitative Properties under Variable N Regimes. <i>Agronomy</i> , 2020 , 10, 196	3.6	35	
91	Biostimulant Application with a Tropical Plant Extract Enhances Corchorus olitorius Adaptation to Sub-Optimal Nutrient Regimens by Improving Physiological Parameters. <i>Agronomy</i> , 2019 , 9, 249	3.6	33	
90	Selenium Biofortification Impacts the Nutritive Value, Polyphenolic Content, and Bioactive Constitution of Variable Microgreens Genotypes. <i>Antioxidants</i> , 2020 , 9,	7.1	33	
89	Profile of bioactive secondary metabolites and antioxidant capacity of leaf exudates from eighteen Aloe species. <i>Industrial Crops and Products</i> , 2017 , 108, 44-51	5.9	33	
88	Metabolomic Responses of Maize Shoots and Roots Elicited by Combinatorial Seed Treatments With Microbial and Non-microbial Biostimulants. <i>Frontiers in Microbiology</i> , 2020 , 11, 664	5.7	31	
87	Genotype-Specific Modulatory Effects of Select Spectral Bandwidths on the Nutritive and Phytochemical Composition of Microgreens. <i>Frontiers in Plant Science</i> , 2019 , 10, 1501	6.2	30	
86	Nitrogen Use and Uptake Efficiency and Crop Performance of Baby Spinach (Spinacia oleracea L.) and Lamba Lettuce (Valerianella locusta L.) Grown under Variable Sub-Optimal N Regimes Combined with Plant-Based Biostimulant Application. <i>Agronomy</i> , 2020 , 10, 278	3.6	29	
85	Sensory and functional quality characterization of protected designation of origin 'Piennolo del Vesuvio' cherry tomato landraces from Campania-Italy. <i>Food Chemistry</i> , 2019 , 292, 166-175	8.5	28	
84	Phenolic Constitution, Phytochemical and Macronutrient Content in Three Species of Microgreens as Modulated by Natural Fiber and Synthetic Substrates. <i>Antioxidants</i> , 2020 , 9,	7.1	28	

83	Phytochemical Analysis and Anti-Inflammatory Activity of Different Ethanolic Phyto-Extracts of L. <i>Biomolecules</i> , 2021 , 11,	5.9	28
82	The bioactive profile of lettuce produced in a closed soilless system as configured by combinatorial effects of genotype and macrocation supply composition. <i>Food Chemistry</i> , 2020 , 309, 125713	8.5	26
81	Combating Micronutrient Deficiency and Enhancing Food Functional Quality Through Selenium Fortification of Select Lettuce Genotypes Grown in a Closed Soilless System. <i>Frontiers in Plant Science</i> , 2019 , 10, 1495	6.2	24
80	Application of , 6-pentyl-Epyrone and Plant Biopolymer Formulations Modulate Plant Metabolism and Fruit Quality of Plum Tomatoes. <i>Plants</i> , 2020 , 9,	4.5	23
79	Iron Biofortification of Red and Green Pigmented Lettuce in Closed Soilless Cultivation Impacts Crop Performance and Modulates Mineral and Bioactive Composition. <i>Agronomy</i> , 2019 , 9, 290	3.6	22
78	Variation in Macronutrient Content, Phytochemical Constitution and Antioxidant Capacity of Green and Red Butterhead Lettuce Dictated by Different Developmental Stages of Harvest Maturity. Antioxidants, 2020, 9,	7.1	21
77	Successive Harvests Affect Yield, Quality and Metabolic Profile of Sweet Basil (Ocimum basilicum L.). <i>Agronomy</i> , 2020 , 10, 830	3.6	20
76	Cultivar-Specific Performance and Qualitative Descriptors for Butterhead Salanova Lettuce Produced in Closed Soilless Cultivation as a Candidate Salad Crop for Human Life Support in Space. <i>Life</i> , 2019 , 9,	3	19
75	Sensory Attributes and Consumer Acceptability of 12 Microgreens Species. <i>Agronomy</i> , 2020 , 10, 1043	3.6	19
74	Foliar Application of Different Vegetal-Derived Protein Hydrolysates Distinctively Modulates Tomato Root Development and Metabolism. <i>Plants</i> , 2021 , 10,	4.5	18
73	Reducing Energy Requirements in Future Bioregenerative Life Support Systems (BLSSs): Performance and Bioactive Composition of Diverse Lettuce Genotypes Grown Under Optimal and Suboptimal Light Conditions. <i>Frontiers in Plant Science</i> , 2019 , 10, 1305	6.2	16
72	Genotype and Successive Harvests Interaction Affects Phenolic Acids and Aroma Profile of Genovese Basil for Pesto Sauce Production. <i>Foods</i> , 2021 , 10,	4.9	16
71	Appraisal of Biodegradable Mulching Films and Vegetal-Derived Biostimulant Application as Eco-Sustainable Practices for Enhancing Lettuce Crop Performance and Nutritive Value. <i>Agronomy</i> , 2020 , 10, 427	3.6	15
70	Combining Molecular Weight Fractionation and Metabolomics to Elucidate the Bioactivity of Vegetal Protein Hydrolysates in Tomato Plants. <i>Frontiers in Plant Science</i> , 2020 , 11, 976	6.2	15
69	Exogenous application of ZnO nanoparticles and ZnSO distinctly influence the metabolic response in Phaseolus vulgaris L. <i>Science of the Total Environment</i> , 2021 , 778, 146331	10.2	15
68	Morpho-physiological and homeostatic adaptive responses triggered by omeprazole enhance lettuce tolerance to salt stress. <i>Scientia Horticulturae</i> , 2019 , 249, 22-30	4.1	14
67	A Microbial-Based Biostimulant Enhances Sweet Pepper Performance by Metabolic Reprogramming of Phytohormone Profile and Secondary Metabolism. <i>Frontiers in Plant Science</i> , 2020 , 11, 567388	6.2	14
66	Extending the concept of terroir from grapes to other agricultural commodities: an overview. <i>Current Opinion in Food Science</i> , 2020 , 31, 88-95	9.8	14

(2014-2020)

65	Metabolic Insights into the Anion-Anion Antagonism in Sweet Basil: Effects of Different Nitrate/Chloride Ratios in the Nutrient Solution. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	14	
64	Stand-Alone and Combinatorial Effects of Plant-based Biostimulants on the Production and Leaf Quality of Perennial Wall Rocket. <i>Plants</i> , 2020 , 9,	4.5	13	
63	The Metabolic Reprogramming Induced by Sub-Optimal Nutritional and Light Inputs in Soilless Cultivated Green and Red Butterhead Lettuce. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13	
62	The Strength of the Nutrient Solution Modulates the Functional Profile of Hydroponically Grown Lettuce in a Genotype-Dependent Manner. <i>Foods</i> , 2020 , 9,	4.9	13	
61	Nutrient Supplementation Configures the Bioactive Profile and Production Characteristics of Three Brassica L. Microgreens Species Grown in Peat-Based Media. <i>Agronomy</i> , 2021 , 11, 346	3.6	12	
60	(L.) DC. Yield and Quality as Influenced by Cropping Season, Protein Hydrolysates, and Applications. <i>Plants</i> , 2020 , 9,	4.5	11	
59	Omeprazole Promotes Chloride Exclusion and Induces Salt Tolerance in Greenhouse Basil. <i>Agronomy</i> , 2019 , 9, 355	3.6	11	
58	Nutritional stress suppresses nitrate content and positively impacts ascorbic acid concentration and phenolic acids profile of lettuce microgreens. <i>Italus Hortus</i> , 2020 , 27, 41-52	4	11	
57	Foliar and Root Applications of Vegetal-Derived Protein Hydrolysates Differentially Enhance the Yield and Qualitative Attributes of Two Lettuce Cultivars Grown in Floating System. <i>Agronomy</i> , 2021 , 11, 1194	3.6	11	
56	Understanding the Morpho-Anatomical, Physiological, and Functional Response of Sweet Basil to Isosmotic Nitrate to Chloride Ratios. <i>Biology</i> , 2020 , 9,	4.9	10	
55	Morpho-Physiological Responses and Secondary Metabolites Modulation by Preharvest Factors of Three Hydroponically Grown Genovese Basil Cultivars. <i>Frontiers in Plant Science</i> , 2021 , 12, 671026	6.2	10	
54	Sweet Basil Functional Quality as Shaped by Genotype and Macronutrient Concentration Reciprocal Action. <i>Plants</i> , 2020 , 9,	4.5	9	
53	Mars Regolith Simulant Ameliorated by Compost as in situ Cultivation Substrate Improves Lettuce Growth and Nutritional Aspects. <i>Plants</i> , 2020 , 9,	4.5	9	
52	Biostimulant Substances for Sustainable Agriculture: Origin, Operating Mechanisms and Effects on Cucurbits, Leafy Greens, and Nightshade Vegetables Species. <i>Biomolecules</i> , 2021 , 11,	5.9	9	
51	Biochemical, Physiological, and Productive Response of Greenhouse Vegetables to Suboptimal Growth Environment Induced by Insect Nets. <i>Biology</i> , 2020 , 9,	4.9	8	
50	Hydroponically Grown Scop.: Effects of Cut and Storage on Fresh-Cut Produce. <i>Antioxidants</i> , 2019 , 8,	7.1	8	
49	Biostimulant Application under Different Nitrogen Fertilization Levels: Assessment of Yield, Leaf Quality, and Nitrogen Metabolism of Tunnel-Grown Lettuce. <i>Agronomy</i> , 2021 , 11, 1613	3.6	8	
48	Does CaCl2 Play a Role in Improving Biomass Yield and Quality of Cardoon Grown in a Floating System under Saline Conditions?. <i>Hortscience: A Publication of the American Society for Hortcultural Science</i> , 2014 , 49, 1523-1528	2.4	7	

47	Shading Affects Yield, Elemental Composition and Antioxidants of Perennial Wall Rocket Crops Grown from Spring to Summer in Southern Italy. <i>Plants</i> , 2020 , 9,	4.5	7
46	Iodine Biofortification Counters Micronutrient Deficiency and Improve Functional Quality of Open Field Grown Curly Endive. <i>Horticulturae</i> , 2021 , 7, 58	2.5	7
45	An Appraisal of Urine Derivatives Integrated in the Nitrogen and Phosphorus Inputs of a Lettuce Soilless Cultivation System. <i>Sustainability</i> , 2021 , 13, 4218	3.6	7
44	Dataset on the Effects of Anti-Insect Nets of Different Porosity on Mineral and Organic Acids Profile of Cucurbita pepo L. Fruits and Leaves. <i>Data</i> , 2021 , 6, 50	2.3	7
43	Nutrient Solution Deprivation as a Tool to Improve Hydroponics Sustainability: Yield, Physiological, and Qualitative Response of Lettuce. <i>Agronomy</i> , 2021 , 11, 1469	3.6	7
42	Geo-mineralogical characterisation of Mars simulant MMS-1 and appraisal of substrate physico-chemical properties and crop performance obtained with variable green compost amendment rates. <i>Science of the Total Environment</i> , 2020 , 720, 137543	10.2	6
41	Improved Porosity of Insect Proof Screens Enhances Quality Aspects of Zucchini Squash without Compromising the Yield. <i>Plants</i> , 2020 , 9,	4.5	6
40	Mineral and Antioxidant Attributes of Petroselinum crispum at Different Stages of Ontogeny: Microgreens vs. Baby Greens. <i>Agronomy</i> , 2021 , 11, 857	3.6	6
39	Seed Priming With Protein Hydrolysates Improves Arabidopsis Growth and Stress Tolerance to Abiotic Stresses. <i>Frontiers in Plant Science</i> , 2021 , 12, 626301	6.2	6
38	Preharvest Nutrient Deprivation Reconfigures Nitrate, Mineral, and Phytochemical Content of Microgreens. <i>Foods</i> , 2021 , 10,	4.9	5
37	Bioformulations with Beneficial Microbial Consortia, a Bioactive Compound and Plant Biopolymers Modulate Sweet Basil Productivity, Photosynthetic Activity and Metabolites. <i>Pathogens</i> , 2021 , 10,	4.5	5
36	Dataset on the organic acids, sulphate, total nitrogen and total chlorophyll contents of two lettuce cultivars grown hydroponically using nutrient solutions of variable macrocation ratios. <i>Data in Brief</i> , 2020 , 29, 105135	1.2	4
35	Protein hydrolysates modulate leaf proteome and metabolome in water-stressed grapevines. <i>Scientia Horticulturae</i> , 2020 , 270, 109413	4.1	4
34	Trichoderma spp. and Mulching Films Differentially Boost Qualitative and Quantitative Aspects of Greenhouse Lettuce under Diverse N Conditions. <i>Horticulturae</i> , 2020 , 6, 55	2.5	4
33	Successive Harvests Modulate the Productive and Physiological Behavior of Three Genovese Pesto Basil Cultivars. <i>Agronomy</i> , 2021 , 11, 560	3.6	4
32	Foliar application of plant-based biostimulants improve yield and upgrade qualitative characteristics of processing tomato. <i>Italian Journal of Agronomy</i> , 2021 , 16,	1.4	4
31	Ontogenetic Variation in the Mineral, Phytochemical and Yield Attributes of Brassicaceous Microgreens. <i>Foods</i> , 2021 , 10,	4.9	4
30	Nitrogen use efficiency, rhizosphere bacterial community and root metabolome reprogramming due to maize seed treatment with microbial biostimulants <i>Physiologia Plantarum</i> , 2022 , e13679	4.6	4

29	The potential of greenhouse diffusing cover material on yield and nutritive values of lambalettuce grown under diverse nitrogen regimes. <i>Italus Hortus</i> ,27, 55-67	4	3	
28	An Appraisal of Biodegradable Mulch Films with Respect to Strawberry Crop Performance and Fruit Quality. <i>Horticulturae</i> , 2020 , 6, 48	2.5	3	
27	Divergent Leaf Morpho-Physiological and Anatomical Adaptations of Four Lettuce Cultivars in Response to Different Greenhouse Irradiance Levels in Early Summer Season. <i>Plants</i> , 2021 , 10,	4.5	3	
26	Trichoderma and Phosphite Elicited Distinctive Secondary Metabolite Signatures in Zucchini Squash Plants. <i>Agronomy</i> , 2021 , 11, 1205	3.6	3	
25	Intraspecific Variability Largely Affects the Leaf Metabolomics Response to Isosmotic Macrocation Variations in Two Divergent Lettuce (L.) Varieties. <i>Plants</i> , 2021 , 10,	4.5	3	
24	The Combination of Mild Salinity Conditions and Exogenously Applied Phenolics Modulates Functional Traits in Lettuce. <i>Plants</i> , 2021 , 10,	4.5	3	
23	Productive and Morphometric Traits, Mineral Composition and Secondary Metabolome Components of Borage and Purslane as Underutilized Species for Microgreens Production. <i>Horticulturae</i> , 2021 , 7, 211	2.5	3	
22	Physiological and Biochemical Effects of an Aqueous Extract of Lemna minor L. as a Potential Biostimulant for Maize. <i>Journal of Plant Growth Regulation</i> ,1	4.7	3	
21	Mitigation of High-Temperature Damage by Application of Kaolin and Pinolene on Young Olive Trees (Olea europaea L.): A Preliminary Experiment to Assess Biometric, Eco-Physiological and Nutraceutical Parameters. <i>Agronomy</i> , 2021 , 11, 1884	3.6	3	
20	Assessment of Yield and Nitrate Content of Wall Rocket Grown under Diffuse-Light- or Clear-Plastic Films and Subjected to Different Nitrogen Fertilization Levels and Biostimulant Application. <i>Horticulturae</i> , 2022 , 8, 138	2.5	2	
19	Biostimulants Improve Plant Growth and Bioactive Compounds of Young Olive Trees under Abiotic Stress Conditions. <i>Agriculture (Switzerland)</i> , 2022 , 12, 227	3	2	
18	Metabolomics and Physiological Insights into the Ability of Exogenously Applied Chlorogenic Acid and Hesperidin to Modulate Salt Stress in Lettuce Distinctively. <i>Molecules</i> , 2021 , 26,	4.8	2	
17	Root-Associated Bacterial Community Shifts in Hydroponic Lettuce Cultured with Urine-Derived Fertilizer. <i>Microorganisms</i> , 2021 , 9,	4.9	2	
16	Isosmotic Macrocation Variation Modulates Mineral Efficiency, Morpho-Physiological Traits, and Functional Properties in Hydroponically Grown Lettuce Varieties (L.). <i>Frontiers in Plant Science</i> , 2021 , 12, 678799	6.2	2	
15	Optical Characteristics of Greenhouse Plastic Films Affect Yield and Some Quality Traits of Spinach (Spinacia oleracea L.) Subjected to Different Nitrogen Doses. <i>Horticulturae</i> , 2021 , 7, 200	2.5	2	
14	A metabolomics insight into the Cyclic Nucleotide Monophosphate signaling cascade in tomato under non-stress and salinity conditions. <i>Plant Science</i> , 2021 , 309, 110955	5-3	2	
13	Pearl Grey Shading Net Boosts the Accumulation of Total Carotenoids and Phenolic Compounds That Accentuate the Antioxidant Activity of Processing Tomato <i>Antioxidants</i> , 2021 , 10,	7.1	2	
12	Can Seaweed Extract Improve Yield and Quality of Brewing Barley Subjected to Different Levels of Nitrogen Fertilization?. <i>Agronomy</i> , 2021 , 11, 2481	3.6	2	

11	The Mycorrhiza-and Trichoderma-Mediated Elicitation of Secondary Metabolism and Modulation of Phytohormone Profile in Tomato Plants. <i>Horticulturae</i> , 2021 , 7, 394	2.5	1
10	Dataset on the Effects of Different Pre-Harvest Factors on the Metabolomics Profile of Lettuce (Lactuca sativa L.) Leaves. <i>Data</i> , 2020 , 5, 119	2.3	1
9	The Effects of Nutrient Solution Feeding Regime on Yield, Mineral Profile, and Phytochemical Composition of Spinach Microgreens. <i>Horticulturae</i> , 2021 , 7, 162	2.5	1
8	Protein Hydrolysate Combined with Hydroponics Divergently Modifies Growth and Shuffles Pigments and Free Amino Acids of Carrot and Dill Microgreens. <i>Horticulturae</i> , 2021 , 7, 279	2.5	1
7	Biostimulant Effects of an Aqueous Extract of Duckweed (Lemna minor L.) on Physiological and Biochemical Traits in the Olive Tree. <i>Agriculture (Switzerland)</i> , 2021 , 11, 1299	3	1
6	Plant-Derived Biostimulants Differentially Modulate Primary and Secondary Metabolites and Improve the Yield Potential of Red and Green Lettuce Cultivars. <i>Agronomy</i> , 2022 , 12, 1361	3.6	1
5	Integration of Phenomics and Metabolomics Datasets Reveals Different Mode of Action of Biostimulants Based on Protein Hydrolysates in L. and L. Under Salinity <i>Frontiers in Plant Science</i> , 2021 , 12, 808711	6.2	O
4	Biostimulant Application Improves Yield Parameters and Accentuates Fruit Color of Annurca Apples. <i>Agronomy</i> , 2021 , 11, 715	3.6	О
3	The Modulation of Auxin-Responsive Genes, Phytohormone Profile, and Metabolomic Signature in Leaves of Tomato Cuttings Is Specifically Modulated by Different Protein Hydrolysates. <i>Agronomy</i> , 2021 , 11, 1524	3.6	О
2	Vegetal-protein hydrolysates based microgranule enhances growth, mineral content, and quality traits of vegetable transplants. <i>Scientia Horticulturae</i> , 2021 , 290, 110554	4.1	O
1	Biostimulatory Action of a Plant-Derived Protein Hydrolysate on Morphological Traits, Photosynthetic Parameters, and Mineral Composition of Two Basil Cultivars Grown Hydroponically under Variable Electrical Conductivity. <i>Horticulturae</i> , 2022 , 8, 409	2.5	