

Ka-Wing Cheng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2970113/ka-wing-cheng-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

3,775
citations

33
h-index

59
g-index

106
ext. papers

4,442
ext. citations

6.1
avg. IF

5.29
L-index

#	Paper	IF	Citations
100	Evaluation of antioxidant capacity and total phenolic content of different fractions of selected microalgae. <i>Food Chemistry</i> , 2007 , 102, 771-776	8.5	409
99	A systematic survey of antioxidant activity of 30 Chinese medicinal plants using the ferric reducing antioxidant power assay. <i>Food Chemistry</i> , 2006 , 97, 705-711	8.5	337
98	Antioxidant properties in vitro and total phenolic contents in methanol extracts from medicinal plants. <i>LWT - Food Science and Technology</i> , 2008 , 41, 385-390	5.4	278
97	Cinnamon bark proanthocyanidins as reactive carbonyl scavengers to prevent the formation of advanced glycation endproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1907-11	5.7	169
96	Inhibitory effect of mung bean extract and its constituents vitexin and isovitexin on the formation of advanced glycation endproducts. <i>Food Chemistry</i> , 2008 , 106, 475-481	8.5	164
95	The effects of grape seed extract fortification on the antioxidant activity and quality attributes of bread. <i>Food Chemistry</i> , 2010 , 119, 49-53	8.5	140
94	Tyrosinase inhibitors from paper mulberry (<i>Broussonetia papyrifera</i>). <i>Food Chemistry</i> , 2008 , 106, 529-533	8.5	106
93	Tyrosinase inhibitory constituents from the roots of <i>Morus nigra</i> : a structure-activity relationship study. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 5368-73	5.7	96
92	Isolation of tyrosinase inhibitors from <i>Artocarpus heterophyllus</i> and use of its extract as antibrowning agent. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 1530-8	5.9	96
91	Inhibitory activities of dietary phenolic compounds on heterocyclic amine formation in both chemical model system and beef patties. <i>Molecular Nutrition and Food Research</i> , 2007 , 51, 969-76	5.9	86
90	Heterocyclic amines: chemistry and health. <i>Molecular Nutrition and Food Research</i> , 2006 , 50, 1150-70	5.9	80
89	Natural polyphenols as direct trapping agents of lipid peroxidation-derived acrolein and 4-hydroxy-trans-2-nonenal. <i>Chemical Research in Toxicology</i> , 2009 , 22, 1721-7	4	70
88	Protective effects of pinostilbene, a resveratrol methylated derivative, against 6-hydroxydopamine-induced neurotoxicity in SH-SY5Y cells. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 482-9	6.3	67
87	SLC25A22 Promotes Proliferation and Survival of Colorectal Cancer Cells With KRAS Mutations and Xenograft Tumor Progression in Mice via Intracellular Synthesis of Aspartate. <i>Gastroenterology</i> , 2016 , 151, 945-960.e6	13.3	65
86	Inhibition of heterocyclic amine formation by water-soluble vitamins in Maillard reaction model systems and beef patties. <i>Food Chemistry</i> , 2012 , 133, 760-766	8.5	64
85	Inhibition of acrylamide formation by vitamins in model reactions and fried potato strips. <i>Food Chemistry</i> , 2009 , 116, 34-39	8.5	62
84	Inhibitory effect of fruit extracts on the formation of heterocyclic amines. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 10359-65	5.7	57

83	Inhibition of mutagenic PhIP formation by epigallocatechin gallate via scavenging of phenylacetaldehyde. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 716-25	5.9	53
82	Activities of hydrocolloids as inhibitors of acrylamide formation in model systems and fried potato strips. <i>Food Chemistry</i> , 2010 , 121, 424-428	8.5	52
81	Trapping of phenylacetaldehyde as a key mechanism responsible for naringenin's inhibitory activity in mutagenic 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine formation. <i>Chemical Research in Toxicology</i> , 2008 , 21, 2026-34	4	52
80	Oxyresveratrol as an antibrowning agent for cloudy apple juices and fresh-cut apples. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2604-10	5.7	52
79	Identification and characterization of molecular targets of natural products by mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2010 , 29, 126-55	11	51
78	A Hetero-Photoautotrophic Two-Stage Cultivation Process for Production of Fucoxanthin by the Marine Diatom. <i>Marine Drugs</i> , 2018 , 16,	6	48
77	Inhibitory mechanism of naringenin against carcinogenic acrylamide formation and nonenzymatic browning in Maillard model reactions. <i>Chemical Research in Toxicology</i> , 2009 , 22, 1483-9	4	47
76	8-C-(E-phenylethenyl)quercetin from onion/beef soup induces autophagic cell death in colon cancer cells through ERK activation. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600437	5.9	44
75	Staged cultivation enhances biomass accumulation in the green growth phase of <i>Haematococcus pluvialis</i> . <i>Bioresource Technology</i> , 2017 , 233, 326-331	11	43
74	Apigenin and its methylglyoxal-adduct inhibit advanced glycation end products-induced oxidative stress and inflammation in endothelial cells. <i>Biochemical Pharmacology</i> , 2019 , 166, 231-241	6	43
73	Chemical components and tyrosinase inhibitors from the twigs of <i>Artocarpus heterophyllus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6649-55	5.7	40
72	Effects of fruit extracts on the formation of acrylamide in model reactions and fried potato crisps. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 309-12	5.7	38
71	Analysis of antioxidant activity and antioxidant constituents of Chinese toon. <i>Journal of Functional Foods</i> , 2009 , 1, 253-259	5.1	37
70	Preclinical predictors of anticancer drug efficacy: critical assessment with emphasis on whether nanomolar potency should be required of candidate agents. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 341, 572-8	4.7	35
69	Fucoxanthin modulates cecal and fecal microbiota differently based on diet. <i>Food and Function</i> , 2019 , 10, 5644-5655	6.1	33
68	6-C-(E-phenylethenyl)-naringenin suppresses colorectal cancer growth by inhibiting cyclooxygenase-1. <i>Cancer Research</i> , 2014 , 74, 243-52	10.1	33
67	Evaluation of two methods for the extraction of antioxidants from medicinal plants. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 483-8	4.4	33
66	Carboxylesterases 1 and 2 hydrolyze phospho-nonsteroidal anti-inflammatory drugs: relevance to their pharmacological activity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 340, 422-32	4.7	32

65	2,3,4,4',5'-Pentamethoxy-trans-stilbene, a resveratrol derivative, is a potent inducer of apoptosis in colon cancer cells via targeting microtubules. <i>Biochemical Pharmacology</i> , 2009 , 78, 1224-32	6	31
64	Trapping effects of green and black tea extracts on peroxidation-derived carbonyl substances of seal blubber oil. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 1065-9	5-7	31
63	Curcumin enhances the lung cancer chemopreventive efficacy of phospho-sulindac by improving its pharmacokinetics. <i>International Journal of Oncology</i> , 2013 , 43, 895-902	4-4	28
62	Sesquiterpenoids from <i>Homalomena occulta</i> affect osteoblast proliferation, differentiation and mineralization in vitro. <i>Phytochemistry</i> , 2008 , 69, 2367-73	4	28
61	6-C-(E-phenylethenyl)naringenin induces cell growth inhibition and cytoprotective autophagy in colon cancer cells. <i>European Journal of Cancer</i> , 2016 , 68, 38-50	7-5	27
60	Extract of the Microalga <i>Nitzschia laevis</i> Prevents High-Fat-Diet-Induced Obesity in Mice by Modulating the Composition of Gut Microbiota. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e18008	5-8	27
59	Inhibition of autophagy modulates astaxanthin and total fatty acid biosynthesis in <i>Chlorella zofingiensis</i> under nitrogen starvation. <i>Bioresource Technology</i> , 2018 , 247, 610-615	11	25
58	Unraveling the inhibitory effect of dihydromyricetin on heterocyclic aromatic amines formation. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 1988-1994	4-3	21
57	Regioselective oxidation of phospho-NSAIDs by human cytochrome P450 and flavin monooxygenase isoforms: implications for their pharmacokinetic properties and safety. <i>British Journal of Pharmacology</i> , 2012 , 167, 222-32	8-6	21
56	Phosphosulindac (OXT-328) selectively targets breast cancer stem cells in vitro and in human breast cancer xenografts. <i>Stem Cells</i> , 2012 , 30, 2065-75	5-8	21
55	Steroidal saponins and ecdysterone from <i>Asparagus filicinus</i> and their cytotoxic activities. <i>Steroids</i> , 2010 , 75, 734-9	2-8	20
54	The multifunctional roles of flavonoids against the formation of advanced glycation end products (AGEs) and AGEs-induced harmful effects. <i>Trends in Food Science and Technology</i> , 2020 , 103, 333-347	15-3	19
53	Phospho-aspirin (MDC-22) inhibits breast cancer in preclinical animal models: an effect mediated by EGFR inhibition, p53 acetylation and oxidative stress. <i>BMC Cancer</i> , 2014 , 14, 141	4-8	19
52	Quantification of nepetalactones in catnip (<i>Nepeta cataria</i> L.) by HPLC coupled with ultraviolet and mass spectrometric detection. <i>Phytochemical Analysis</i> , 2007 , 18, 157-60	3-4	15
51	Phospho-NSAIDs have enhanced efficacy in mice lacking plasma carboxylesterase: implications for their clinical pharmacology. <i>Pharmaceutical Research</i> , 2015 , 32, 1663-75	4-5	14
50	Sulfur-containing constituents and one 1H-pyrrole-2-carboxylic acid derivative from pineapple [<i>Ananas comosus</i> (L.) Merr.] fruit. <i>Phytochemistry</i> , 2010 , 71, 2046-51	4	14
49	Screening and identification of inhibitors of advanced glycation endproduct formation from microalgal extracts. <i>Food and Function</i> , 2018 , 9, 1683-1691	6-1	13
48	Phospho-sulindac (OXT-328) inhibits the growth of human lung cancer xenografts in mice: enhanced efficacy and mitochondria targeting by its formulation in solid lipid nanoparticles. <i>Pharmaceutical Research</i> , 2012 , 29, 3090-101	4-5	13

47	Topical phospho-sulindac (OXT-328) is effective in the treatment of non-melanoma skin cancer. <i>International Journal of Oncology</i> , 2012 , 41, 1199-203	4.4	13
46	Light induces carotenoids accumulation in a heterotrophic docosaheanoic acid producing microalga, <i>Cryptocodinium</i> sp. SUN. <i>Bioresource Technology</i> , 2019 , 276, 177-182	11	13
45	Novel roles of hydrocolloids in foods: Inhibition of toxic maillard reaction products formation and attenuation of their harmful effects. <i>Trends in Food Science and Technology</i> , 2021 , 111, 706-715	15.3	12
44	Application of high pressure processing to improve digestibility, reduce allergenicity, and avoid protein oxidation in cod (<i>Gadus morhua</i>). <i>Food Chemistry</i> , 2019 , 298, 125087	8.5	11
43	Aerosol administration of phospho-sulindac inhibits lung tumorigenesis. <i>Molecular Cancer Therapeutics</i> , 2013 , 12, 1417-28	6.1	11
42	Fucoxanthinol from the Diatom Ameliorates Neuroinflammatory Responses in Lipopolysaccharide-Stimulated BV-2 Microglia. <i>Marine Drugs</i> , 2020 , 18,	6	10
41	Antibrowning activity of MRPs in enzyme and fresh-cut apple slice models. <i>Food Chemistry</i> , 2008 , 109, 379-85	8.5	10
40	DHA protects against monosodium urate-induced inflammation through modulation of oxidative stress. <i>Food and Function</i> , 2019 , 10, 4010-4021	6.1	9
39	Inhibitory effects of some hydrocolloids on the formation of heterocyclic amines in roast beef. <i>Food Hydrocolloids</i> , 2020 , 108, 106073	10.6	9
38	Resveratrol: Evidence for Its Nephroprotective Effect in Diabetic Nephropathy. <i>Advances in Nutrition</i> , 2020 , 11, 1555-1568	10	9
37	A comparison of mutagenic PhIP and beneficial 8-C-(E-phenylethenyl)quercetin and 6-C-(E-phenylethenyl)quercetin formation under microwave and conventional heating. <i>Food and Function</i> , 2018 , 9, 3853-3859	6.1	9
36	Nutritional and functional activities of protein from steamed, baked, and high hydrostatic pressure treated cod (<i>Gadus morhua</i>). <i>Food Control</i> , 2019 , 96, 9-15	6.2	9
35	Comparative in vitro metabolism of phospho-tyrosol-indomethacin by mice, rats and humans. <i>Biochemical Pharmacology</i> , 2013 , 85, 1195-202	6	9
34	Comparative proteomic analysis of indioside D-triggered cell death in HeLa cells. <i>Journal of Proteome Research</i> , 2008 , 7, 2050-8	5.6	9
33	Unraveling the molecular targets of natural products: Insights from genomic and proteomic analyses. <i>Proteomics - Clinical Applications</i> , 2008 , 2, 338-54	3.1	9
32	Topically applied phospho-sulindac hydrogel is efficacious and safe in the treatment of experimental arthritis in rats. <i>Pharmaceutical Research</i> , 2013 , 30, 1471-82	4.5	8
31	Direct trapping of acrylamide as a key mechanism for niacin's inhibitory activity in carcinogenic acrylamide formation. <i>Chemical Research in Toxicology</i> , 2010 , 23, 802-7	4	8
30	A novel ibuprofen derivative with anti-lung cancer properties: synthesis, formulation, pharmacokinetic and efficacy studies. <i>International Journal of Pharmaceutics</i> , 2014 , 477, 236-43	6.5	7

29	Effects of melamine on the Maillard reaction between lactose and phenylalanine. <i>Food Chemistry</i> , 2010 , 119, 1-6	8.5	7
28	Use of capillary electrophoresis to evaluate protective effects of methylglyoxal scavengers on the activity of creatine kinase. <i>Journal of Separation Science</i> , 2008 , 31, 2846-51	3.4	7
27	Phospho-aspirin-2 (MDC-22) inhibits estrogen receptor positive breast cancer growth both in vitro and in vivo by a redox-dependent effect. <i>PLoS ONE</i> , 2014 , 9, e111720	3.7	7
26	6-C-(E-Phenylethenyl)Naringenin Attenuates the Stemness of Hepatocellular Carcinoma Cells by Suppressing Wnt/ECatenin Signaling. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 13939-13947	5.7	7
25	The apple dihydrochalcone phloretin suppresses growth and improves chemosensitivity of breast cancer cells via inhibition of cytoprotective autophagy. <i>Food and Function</i> , 2021 , 12, 177-190	6.1	7
24	Oral administration of EGCG solution equivalent to daily achievable dosages of regular tea drinkers effectively suppresses miR483-3p induced metastasis of hepatocellular carcinoma cells in mice. <i>Food and Function</i> , 2021 , 12, 3381-3392	6.1	7
23	Investigation of carbon and energy metabolic mechanism of mixotrophy in <i>Chromochloris zofingiensis</i> . <i>Biotechnology for Biofuels</i> , 2021 , 14, 36	7.8	7
22	Review: Seafood Allergy and Potential Application of High Hydrostatic Pressure to Reduce Seafood Allergenicity. <i>International Journal of Food Engineering</i> , 2019 , 15,	1.9	5
21	The in vitro metabolism of phospho-sulindac amide, a novel potential anticancer agent. <i>Biochemical Pharmacology</i> , 2014 , 91, 249-55	6	4
20	Simultaneous determination of three phytoecdysteroids in the roots of four medicinal plants from the genus <i>Asparagus</i> by HPLC. <i>Phytochemical Analysis</i> , 2009 , 20, 58-63	3.4	4
19	Advances in smart delivery of food bioactive compounds using stimuli-responsive carriers: Responsive mechanism, contemporary challenges, and prospects. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 5449-5488	16.4	4
18	Kinetic Study and Degradation Mechanism of Glycidyl Esters in both Palm Oil and Chemical Models during High-Temperature Heating. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 15319-15326	5.7	4
17	A novel potent inhibitor of 2-amino-1-methyl-6-phenylimidazo[4,5-b] pyridine (PhIP) formation from Chinese chive: Identification, inhibitory effect and action mechanism. <i>Food Chemistry</i> , 2021 , 345, 128753	8.5	4
16	Chinese chive and Mongolian leek suppress heterocyclic amine formation and enhance nutritional profile of roasted cod.. <i>RSC Advances</i> , 2020 , 10, 34996-35006	3.7	3
15	Oligostilbenes from <i>Gnetum</i> Species and Anticarcinogenic and Antiinflammatory Activities of Oligostilbenes. <i>ACS Symposium Series</i> , 2008 , 36-58	0.4	3
14	In vitro and in vivo metabolic studies of phospho-aspirin (MDC-22). <i>Pharmaceutical Research</i> , 2012 , 29, 3292-301	4.5	2
13	High-performance liquid chromatographic determination of creatine kinase activity influenced by methylglyoxal. <i>Biomedical Chromatography</i> , 2009 , 23, 170-4	1.7	2
12	Development of an Isotope Dilution UHPLC-QqQ-MS/MS-Based Method for Simultaneous Determination of Typical Advanced Glycation End Products and Acrylamide in Baked and Fried Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 2611-2618	5.7	2

11	Neuroprotective Potential of Mung Bean (L.) Polyphenols in Alzheimer's Disease: A Review. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 11554-11571	5.7	2
10	Investigation of new products of quercetin formed in boiling water via UPLC-Q-TOF-MS-MS analysis.. <i>Food Chemistry</i> , 2022 , 386, 132747	8.5	2
9	Chitosan and flavonoid glycosides are promising combination partners for enhanced inhibition of heterocyclic amine formation in roast beef.. <i>Food Chemistry</i> , 2021 , 375, 131859	8.5	1
8	Multi-Mechanistic Antidiabetic Potential of Astaxanthin: An Update on Preclinical and Clinical Evidence. <i>Molecular Nutrition and Food Research</i> , 2021 , e2100252	5.9	1
7	Tricoumaroylspermidine from rose exhibits inhibitory activity against ethanol-induced apoptosis in HepG2 cells. <i>Food and Function</i> , 2021 , 12, 5892-5902	6.1	1
6	Development and evaluation of a novel nanofibersolosome for enhancing the stability, in vitro bioaccessibility, and colonic delivery of cyanidin-3-O-glucoside. <i>Food Research International</i> , 2021 , 149, 110712	7	1
5	Polysaccharide-Zein Composite Nanoparticles for Enhancing Cellular Uptake and Oral Bioavailability of Curcumin: Characterization, Anti-colorectal Cancer Effect, and Pharmacokinetics.. <i>Frontiers in Nutrition</i> , 2022 , 9, 846282	6.2	1
4	Protein oxidation in muscle-based products: Effects on physicochemical properties, quality concerns, and challenges to food industry. <i>Food Research International</i> , 2022 , 157, 111322	7	1
3	Red Wine High-Molecular-Weight Polyphenolic Complex: An Emerging Modulator of Human Metabolic Disease Risk and Gut Microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10907-10919	5.7	1 ^o
2	Heterocyclic Amines in Foods: Analytical Methods, Formation Mechanism, and Mitigation Strategies 2019 , 107-119		
1	A novel formation pathway of N-(carboxyethyl)lysine from lactic acid during high temperature exposure in wheat sourdough bread and chemical model.. <i>Food Chemistry</i> , 2022 , 388, 132942	8.5	