## Anders Engeland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/297029/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	β2-Adrenoreceptor is a regulator of the α-synuclein gene driving risk of Parkinson's disease. Science, 2017, 357, 891-898.	12.6	341
2	Body Mass Index in Adolescence in Relation to Cause-specific Mortality: A Follow-up of 230,000 Norwegian Adolescents. American Journal of Epidemiology, 2008, 168, 30-37.	3.4	282
3	Risk of Fetal Death after Pandemic Influenza Virus Infection or Vaccination. New England Journal of Medicine, 2013, 368, 333-340.	27.0	260
4	Selective serotonin reuptake inhibitors during pregnancy and risk of persistent pulmonary hypertension in the newborn: population based cohort study from the five Nordic countries. BMJ: British Medical Journal, 2011, 344, d8012-d8012.	2.3	232
5	Blood Pressure and Risk of Cancer Incidence and Mortality in the Metabolic Syndrome and Cancer Project. Hypertension, 2012, 59, 802-810.	2.7	210
6	Obesity in Adolescence and Adulthood and the Risk of Adult Mortality. Epidemiology, 2004, 15, 79-85.	2.7	195
7	Body Mass Index in Adolescence in Relation to Total Mortality: 32-Year Follow-up of 227,000 Norwegian Boys and Girls. American Journal of Epidemiology, 2003, 157, 517-523.	3.4	181
8	Body Mass Index in Relation to Adult Asthma among 135,000 Norwegian Men and Women. American Journal of Epidemiology, 2004, 160, 969-976.	3.4	180
9	Cohort Profile: Cohort of Norway (CONOR). International Journal of Epidemiology, 2008, 37, 481-485.	1.9	171
10	Prescription drug use among fathers and mothers before and during pregnancy. A populationâ€based cohort study of 106 000 pregnancies in Norway 2004–2006. British Journal of Clinical Pharmacology, 2008, 65, 653-660.	2.4	162
11	Road traffic accident risk related to prescriptions of the hypnotics zopiclone, zolpidem, flunitrazepam and nitrazepam. Sleep Medicine, 2008, 9, 818-822.	1.6	158
12	Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. BMJ, The, 2015, 350, h1798-h1798.	6.0	152
13	Smoking habits and risk of cancers other than lung cancer: 28 years' follow-up of 26,000 Norwegian men and women. Cancer Causes and Control, 1996, 7, 497-506.	1.8	150
14	Risk of Road Traffic Accidents Associated With the Prescription of Drugs: A Registry-Based Cohort Study. Annals of Epidemiology, 2007, 17, 597-602.	1.9	147
15	Height, Body Mass Index, and Ovarian Cancer: A Follow-Up of 1.1 Million Norwegian Women. Journal of the National Cancer Institute, 2003, 95, 1244-1248.	6.3	142
16	Attention-Deficit/Hyperactivity Disorder in Offspring of Mothers With Inflammatory and Immune System Diseases. Biological Psychiatry, 2017, 81, 452-459.	1.3	141
17	Metabolic risk factors and primary liver cancer in a prospective study of 578,700 adults. International Journal of Cancer, 2012, 131, 193-200.	5.1	140
18	Body size in relation to cancer of the uterine corpus in 1 million Norwegian women. International Journal of Cancer, 2007, 120, 378-383.	5.1	130

#	Article	IF	CITATIONS
19	Metabolic risk score and cancer risk: pooled analysis of seven cohorts. International Journal of Epidemiology, 2015, 44, 1353-1363.	1.9	110
20	Height and Body Mass Index in Relation to Colorectal and Gallbladder Cancer in Two Million Norwegian Men and Women. Cancer Causes and Control, 2005, 16, 987-996.	1.8	107
21	Serum triglycerides and cancer risk in the metabolic syndrome and cancer (Me-Can) collaborative study. Cancer Causes and Control, 2011, 22, 291-299.	1.8	106
22	The impact of body mass index on later total hip arthroplasty for primary osteoarthritis: A cohort study in 1.2 million persons. Arthritis and Rheumatism, 2006, 54, 802-807.	6.7	102
23	Metabolic Syndrome and Endometrial Carcinoma. American Journal of Epidemiology, 2010, 171, 892-902.	3.4	99
24	Total Serum Cholesterol and Cancer Incidence in the Metabolic Syndrome and Cancer Project (Me-Can). PLoS ONE, 2013, 8, e54242.	2.5	97
25	Metabolic factors and the risk of colorectal cancer in 580,000 men and women in the metabolic syndrome and cancer project (Me an). Cancer, 2011, 117, 2398-2407.	4.1	94
26	Association Between Methylphenidate and Amphetamine Use in Pregnancy and Risk of Congenital Malformations. JAMA Psychiatry, 2018, 75, 167.	11.0	93
27	The impact of smoking habits on lung cancer risk: 28 years' observation of 26,000 Norwegian men and women. Cancer Causes and Control, 1996, 7, 366-376.	1.8	90
28	Prospective study on metabolic factors and risk of prostate cancer. Cancer, 2012, 118, 6199-6206.	4.1	88
29	Risk of hip fracture among older people using anxiolytic and hypnotic drugs: a nationwide prospective cohort study. European Journal of Clinical Pharmacology, 2014, 70, 873-880.	1.9	88
30	Relation of height and body mass index to renal cell carcinoma in two million Norwegian men and women. American Journal of Epidemiology, 2004, 160, 1168-76.	3.4	88
31	Cohort Profile: The Metabolic syndrome and Cancer project (Me-Can). International Journal of Epidemiology, 2010, 39, 660-667.	1.9	81
32	Height and Body Mass Index in Relation to Esophageal Cancer; 23-year Follow-up of Two Million Norwegian Men and Women. Cancer Causes and Control, 2004, 15, 837-843.	1.8	79
33	Pooled cohort study on height and risk of cancer and cancer death. Cancer Causes and Control, 2014, 25, 151-159.	1.8	79
34	Metabolic factors and risk of thyroid cancer in the Metabolic syndrome and Cancer project (Me-Can). Cancer Causes and Control, 2011, 22, 743-751.	1.8	78
35	Selective Serotonin Reuptake Inhibitors During Pregnancy and Risk of Stillbirth and Infant Mortality. JAMA - Journal of the American Medical Association, 2013, 309, 48.	7.4	77
36	Metabolic Factors Associated with Risk of Renal Cell Carcinoma. PLoS ONE, 2013, 8, e57475.	2.5	75

#	Article	IF	CITATIONS
37	Height and Body Mass Index and Risk of Lymphohematopoietic Malignancies in Two Million Norwegian Men and Women. American Journal of Epidemiology, 2006, 165, 44-52.	3.4	73
38	Risk of diabetes after gestational diabetes and preeclampsia. A registry-based study of 230,000 women in Norway. European Journal of Epidemiology, 2011, 26, 157-163.	5.7	68
39	Increased risk of hip fracture among older people using antidepressant drugs: data from the Norwegian Prescription Database and the Norwegian Hip Fracture Registry. Age and Ageing, 2013, 42, 514-520.	1.6	68
40	Relative Survival of Cancer Patients: A Comparison between Denmark and the other Nordic Countries. Acta Oncológica, 1998, 37, 49-59.	1.8	66
41	β-Blocker Use in Pregnancy and the Risk for Congenital Malformations. Annals of Internal Medicine, 2018, 169, 665.	3.9	65
42	Metabolic syndrome and risk of bladder cancer: prospective cohort study in the metabolic syndrome and cancer project (Meâ€Can). International Journal of Cancer, 2011, 128, 1890-1898.	5.1	62
43	Height and body mass index in relation to total mortality. Epidemiology, 2003, 14, 293-9.	2.7	62
44	Prognosis of patients with ovarian cancer and borderline tumours diagnosed in Norway between 1954 and 1993. , 1998, 75, 663-670.		57
45	Age- and gender-specific antibacterial prescribing in Norway. Journal of Antimicrobial Chemotherapy, 2007, 59, 971-976.	3.0	55
46	Starting insomnia treatment: the use of benzodiazepines versus z-hypnotics. A prescription database study of predictors. European Journal of Clinical Pharmacology, 2009, 65, 295-301.	1.9	55
47	Carisoprodol use and abuse in Norway. A pharmacoepidemiological study. British Journal of Clinical Pharmacology, 2007, 64, 210-218.	2.4	54
48	Risk of hip fracture among older people using antihypertensive drugs: a nationwide cohort study. BMC Geriatrics, 2015, 15, 153.	2.7	54
49	Trends in prescription drug use during pregnancy and postpartum in Norway, 2005 to 2015. Pharmacoepidemiology and Drug Safety, 2018, 27, 995-1004.	1.9	53
50	Minor Increase in Risk of Road Traffic Accidents After Prescriptions of Antidepressants. Journal of Clinical Psychiatry, 2008, 69, 1099-1103.	2.2	51
51	Metabolic risk factors and cervical cancer in the metabolic syndrome and cancer project (Me–Can). Gynecologic Oncology, 2012, 125, 330-335.	1.4	49
52	Smoking duration before first childbirth: an emerging risk factor for breast cancer? Results from 302,865 Norwegian women. Cancer Causes and Control, 2013, 24, 1347-1356.	1.8	49
53	Associations between attention-deficit/hyperactivity disorder and autoimmune diseases are modified by sex: a population-based cross-sectional study. European Child and Adolescent Psychiatry, 2018, 27, 663-675.	4.7	48
54	The triglyceride-glucose index as a measure of insulin resistance and risk of obesity-related cancers. International Journal of Epidemiology, 2020, 49, 193-204.	1.9	48

#	Article	IF	CITATIONS
55	Metabolic risk factors and ovarian cancer in the Metabolic Syndrome and Cancer project. International Journal of Epidemiology, 2011, 40, 1667-1677.	1.9	47
56	Fetal Growth and Childhood Cancer: A Population-Based Study. Pediatrics, 2013, 132, e1265-e1275.	2.1	45
57	BMI and weight changes and risk of obesity-related cancers: a pooled European cohort study. International Journal of Epidemiology, 2019, 48, 1872-1885.	1.9	44
58	Trends in the incidence of ovarian cancer and borderline tumours in Norway, 1954-1993. International Journal of Cancer, 1997, 71, 780-786.	5.1	43
59	Medical abortion with mifepristone and home administration of misoprostol up to 63Âdays' gestation. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 647-653.	2.8	43
60	Prospective cohort study of metabolic risk factors and gastric adenocarcinoma risk in the Metabolic Syndrome and Cancer Project (Me-Can). Cancer Causes and Control, 2013, 24, 107-116.	1.8	42
61	Urate and the risk of Parkinson's disease in men and women. Parkinsonism and Related Disorders, 2018, 52, 76-82.	2.2	42
62	Selective Serotonin Reuptake Inhibitor (SSRI) Antidepressants in Pregnancy and Congenital Anomalies: Analysis of Linked Databases in Wales, Norway and Funen, Denmark. PLoS ONE, 2016, 11, e0165122.	2.5	42
63	Use of multiple primary cancers to indicate associations between smoking and cancer incidence: An analysis of 500,000 cancer cases diagnosed in Norway during 1953–93. International Journal of Cancer, 1997, 70, 401-407.	5.1	41
64	Validation of disease registration in pregnant women in the Medical Birth Registry of Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 1083-1089.	2.8	41
65	Patterns of Psychiatric Comorbidity and Genetic Correlations Provide New Insights Into Differences Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder. Biological Psychiatry, 2019, 86, 587-598.	1.3	41
66	Male to female ratios in autism spectrum disorders by age, intellectual disability and attentionâ€deficit/hyperactivity disorder. Acta Psychiatrica Scandinavica, 2021, 144, 635-646.	4.5	41
67	Inappropriate prescribing for older people admitted to an intermediate-care nursing home unit and hospital wards. Scandinavian Journal of Primary Health Care, 2012, 30, 169-175.	1.5	40
68	Prescribing quality for older people in Norwegian nursing homes and home nursing services using multidose dispensed drugs. Pharmacoepidemiology and Drug Safety, 2012, 21, 929-936.	1.9	39
69	Metabolic factors and blood cancers among 578,000 adults in the metabolic syndrome and cancer project (Me-Can). Annals of Hematology, 2012, 91, 1519-1531.	1.8	37
70	A Prospective Study on Metabolic Risk Factors and Gallbladder Cancer in the Metabolic Syndrome and Cancer (Me-Can) Collaborative Study. PLoS ONE, 2014, 9, e89368.	2.5	37
71	Residential radon exposure and lung cancer—an epidemiological study of Norwegian municipalities. International Journal of Cancer, 1994, 58, 1-7.	5.1	35
72	Effects of preconceptional paternal drug exposure on birth outcomes: cohort study of 340 000 pregnancies using <scp>N</scp> orwegian populationâ€based databases. British Journal of Clinical Pharmacology, 2013, 75, 1134-1141.	2.4	35

#	Article	IF	CITATIONS
73	The risk of traffic accidents after prescriptions of carisoprodol. Accident Analysis and Prevention, 2007, 39, 1050-1055.	5.7	34
74	Use of prescribed opioid analgesics and co-medication with benzodiazepines in women before, during, and after pregnancy: a population-based cohort study. European Journal of Clinical Pharmacology, 2011, 67, 953-960.	1.9	34
75	Does the choice of antiepileptic drug affect survival in glioblastoma patients?. Journal of Neuro-Oncology, 2016, 129, 461-469.	2.9	34
76	Cohort Profile Update: The Janus Serum Bank Cohort in Norway. International Journal of Epidemiology, 2017, 46, dyw302.	1.9	34
77	Antiepileptic drug prescribing before, during and after pregnancy: a study in seven European regions. Pharmacoepidemiology and Drug Safety, 2015, 24, 1144-1154.	1.9	33
78	Prognosis of 2,800 patients with epithelial ovarian cancer diagnosed during 1975-94 and treated at the Norwegian Radium Hospital. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 777-781.	2.8	32
79	Effects of first-aid training in junior high schools. International Journal of Injury Control and Safety Promotion, 2002, 9, 99-106.	0.6	30
80	Antipsychotic drug use in pregnancy: A multinational study from ten countries. Schizophrenia Research, 2020, 220, 106-115.	2.0	30
81	Educational attainment among long-term survivors of cancer in childhood and adolescence: a Norwegian population-based cohort study. Journal of Cancer Survivorship, 2016, 10, 87-95.	2.9	28
82	Trends in the incidence of smoking-associated cancers in Norway, 1954–93. , 1996, 68, 39-46.		27
83	Comparison of recorded medication use in the Medical Birth Registry of Norway with prescribed medicines registered in the Norwegian Prescription Database. Pharmacoepidemiology and Drug Safety, 2011, 20, 243-248.	1.9	25
84	Neonatal outcomes after fetal exposure to methadone and buprenorphine: national registry studies from the Czech Republic and Norway. Addiction, 2018, 113, 1286-1294.	3.3	25
85	An increased risk of motor vehicle accidents after prescription of methadone. Addiction, 2012, 107, 967-972.	3.3	24
86	Asthma medication prescribing before, during and after pregnancy: a study in seven European regions. BMJ Open, 2016, 6, e009237.	1.9	24
87	Prescription drug use among pregnant women in opioid Maintenance Treatment. Addiction, 2013, 108, 367-376.	3.3	23
88	Cancer risk in individuals with major birth defects: large Nordic population based case-control study among children, adolescents, and adults. BMJ, The, 2020, 371, m4060.	6.0	23
89	The impact of height and body mass index on the risk of testicular cancer in 600,000 Norwegian men. Cancer Causes and Control, 2006, 17, 983-987.	1.8	22
90	Dispensing of benzodiazepines and benzodiazepine-related drugs to pregnant women: a population-based cohort study. European Journal of Clinical Pharmacology, 2014, 70, 1367-1374.	1.9	22

#	Article	IF	CITATIONS
91	Prescribing of Antidiabetic Medicines before, during and after Pregnancy: A Study in Seven European Regions. PLoS ONE, 2016, 11, e0155737.	2.5	21
92	Antipsychotic Drugs and Risk of Hip Fracture in People Aged 60 and Older in Norway. Journal of the American Geriatrics Society, 2016, 64, 1203-1209.	2.6	20
93	Neuraminidase inhibitors during pregnancy and risk of adverse neonatal outcomes and congenital malformations: population based European register study. BMJ: British Medical Journal, 2017, 356, j629.	2.3	19
94	An increased risk of road traffic accidents after prescriptions of lithium or valproate?. Pharmacoepidemiology and Drug Safety, 2009, 18, 492-496.	1.9	18
95	Preeclampsia in pregnancy and later use of antihypertensive drugs. European Journal of Epidemiology, 2015, 30, 501-508.	5.7	18
96	Urinary incontinence associated with anxiety and depression: the impact of psychotropic drugs in a cross-sectional study from the Norwegian HUNT study. BMC Psychiatry, 2020, 20, 521.	2.6	18
97	Use of antirheumatic drugs in mothers and fathers before and during pregnancy—a populationâ€based cohort study. Pharmacoepidemiology and Drug Safety, 2009, 18, 737-742.	1.9	17
98	Oral Fluconazole in Pregnancy and Risk of Stillbirth and Neonatal Death. JAMA - Journal of the American Medical Association, 2018, 319, 2333.	7.4	16
99	Pre-eclampsia and childhood asthma. European Respiratory Journal, 2016, 48, 1622-1630.	6.7	15
100	Prognosis of patients with lung cancer diagnosed in Norway, 1954-93. Cancer Causes and Control, 1998, 9, 57-65.	1.8	14
101	The use of lithium, valproate or lamotrigine for psychiatric conditions in children and adolescents in Norway 2004–2007 — A prescription database study. Journal of Affective Disorders, 2009, 117, 208-211.	4.1	14
102	Diabetes is associated with decreased migraine risk: A nationwide cohort study. Cephalalgia, 2018, 38, 1759-1764.	3.9	14
103	Pregnancy complications and subsequent breast cancer risk in the mother: a <scp>N</scp> ordic populationâ€based case–control study. International Journal of Cancer, 2018, 143, 1904-1913.	5.1	13
104	The association between lifetime smoking exposure and breast cancer mortality – results from a Norwegian cohort. Cancer Medicine, 2014, 3, 1448-1457.	2.8	12
105	Linear ageâ€course effects on the associations between body mass index, triglycerides, and female breast and male liver cancer risk: An internal replication study of 800,000 individuals. International Journal of Cancer, 2020, 146, 58-67.	5.1	12
106	Associations of pregnancyâ€related factors and birth characteristics with risk of endometrial cancer: A Nordic populationâ€based case–control study. International Journal of Cancer, 2020, 146, 1523-1531.	5.1	12
107	Preterm delivery is associated with an increased risk of epithelial ovarian cancer among parous women. International Journal of Cancer, 2018, 143, 1858-1867.	5.1	11
108	Maternal health, in-utero, and perinatal exposures and risk of thyroid cancer in offspring: a Nordic population-based nested case-control study. Lancet Diabetes and Endocrinology,the, 2021, 9, 94-105.	11.4	10

#	Article	IF	CITATIONS
109	Sex differences in parent–offspring recurrence of attentionâ€deficit/hyperactivity disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1010-1018.	5.2	10
110	Social inequalities and smoking-associated breast cancer — Results from a prospective cohort study. Preventive Medicine, 2015, 73, 125-129.	3.4	9
111	Preterm births and use of medication in early adulthood: a populationâ€based registry study. Pharmacoepidemiology and Drug Safety, 2017, 26, 742-751.	1.9	9
112	Incidence of Malformations After Early Pregnancy Exposure to Modafinil in Sweden and Norway. JAMA - Journal of the American Medical Association, 2020, 324, 895.	7.4	9
113	Epilepsy and autoimmune diseases: Comorbidity in a national patient cohort. Seizure: the Journal of the British Epilepsy Association, 2020, 75, 89-95.	2.0	8
114	Association between medical androgen deprivation therapy and longâ€term cardiovascular disease and allâ€cause mortality in nonmetastatic prostate cancer. International Journal of Cancer, 2022, 151, 1109-1119.	5.1	7
115	Impact of the Safe Community program in Harstad on the incidence of injuries. International Journal of Injury Control and Safety Promotion, 2000, 7, 29-39.	0.6	6
116	Reproductive history and risk of colorectal adenocarcinoma in parous women: a Nordic population-based case–control study. British Journal of Cancer, 2016, 115, 1416-1420.	6.4	5
117	Prenatal exposure to opioid maintenance treatment and neonatal outcomes: Nationwide registry studies from the Czech Republic and Norway. Pharmacology Research and Perspectives, 2019, 7, e00501.	2.4	5
118	Metabolic factors and the risk of small intestine cancers: Pooled study of 800 000 individuals in the metabolic syndrome and cancer project. International Journal of Cancer, 2021, 149, 66-74.	5.1	5
119	The Inverse Association of Body Mass Index with Lung Cancer: Exploring Residual Confounding, Metabolic Aberrations and Within-Person Variability in Smoking. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1489-1497.	2.5	5
120	Interaction of leisureâ€time physical activity with body mass index on the risk of obesityâ€related cancers: A pooled study. International Journal of Cancer, 2022, , .	5.1	4
121	Serum Dehydroepiandrosterone Sulfate Concentration and Thyroid Cancer Risk: A Matched Case Control Study. Thyroid, 1999, 9, 285-288.	4.5	3
122	Risk of Fetal Death After Pandemic Influenza Virus Infection or Vaccination. Obstetrical and Gynecological Survey, 2013, 68, 348-349.	0.4	3
123	Pregnancy-related risk factors for sex cord-stromal tumours and germ cell tumours in parous women: a registry-based study. British Journal of Cancer, 2020, 123, 161-166.	6.4	3
124	Prescribed drugs in 27 000 individuals after diagnosis of colorectal cancer: A populationâ€based cohort study. Pharmacoepidemiology and Drug Safety, 2021, 30, 1037-1048.	1.9	2
125	Use of sildenafil and other phosphodiesterase type 5 inhibitors among pregnant women in Scandinavia. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2111-2118.	2.8	2
126	Validation of Assisted Reproductive Technology in the Medical Birth Registry of Norway Versus the Norwegian Prescription Database. Epidemiology, 2020, 31, 681-686.	2.7	1

#	Article	IF	CITATIONS
127	Cancer Risk in Individuals With Major Birth Defects: Large Nordic Population Based Case-Control Study Among Children, Adolescents, and Adults. Obstetrical and Gynecological Survey, 2021, 76, 191-193.	0.4	0