
## Nicoletta Marazzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2970692/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationship Between Basal Metabolic Rate, Gender, Age, and Body Composition in 8,780 White Obese Subjects. Obesity, 2010, 18, 71-78.	1.5	135
2	Prediction of resting energy expenditure in severely obese Italian males. Journal of Endocrinological Investigation, 2007, 30, 754-761.	1.8	43
3	The relationship between body composition and muscle power output in men and women with obesity. Journal of Endocrinological Investigation, 2004, 27, 854-861.	1.8	32
4	Growth hormone abuse: methods of detection. Trends in Endocrinology and Metabolism, 2005, 16, 160-166.	3.1	32
5	Combined evaluation of resting IGF-I, N-terminal propeptide of type III procollagen (PIIINP) and C-terminal cross-linked telopeptide of type I collagen (ICTP) levels might be useful for detecting inappropriate GH administration in athletes: a preliminary report. Clinical Endocrinology, 2004, 61, 487-493.	1.2	24
6	Anorexigenic postprandial responses of PYY and GLP1 to slow ice cream consumption: preservation in obese adults. European Journal of Endocrinology, 2013, 168, 429-436.	1.9	24
7	The use of local reference growth charts for clinical use or a universal standard: A balanced appraisal. Journal of Endocrinological Investigation, 2012, 35, 224-226.	1.8	22
8	External validation of equations to estimate resting energy expenditure in 14952 adults with overweight and obesity and 1948 adults with normal weight from Italy. Clinical Nutrition, 2019, 38, 457-464.	2.3	22
9	The burden of chronic noncommunicable diseases in undocumented migrants: a 1-year survey of drugs dispensation by a non–governmental organization in Italy. Public Health, 2016, 141, 26-31.	1.4	21
10	Feasibility, Validity, and Reliability of the Italian Pediatric Quality of Life Inventory Multidimensional Fatigue Scale for Adults in Inpatients with Severe Obesity. Obesity Facts, 2018, 11, 25-36.	1.6	21
11	Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in morbidly obese women. European Journal of Clinical Nutrition, 2013, 67, 1129-1132.	1.3	20
12	Growth hormone and lactate responses induced by maximal isometric voluntary contractions and whole-body vibrations in healthy subjects. Journal of Endocrinological Investigation, 2011, 34, 216-221.	1.8	19
13	Gender-, age-, body composition- and training workloaddependent differences of GH response to a disciplinespecific training session in elite athletes: A study on the field. Journal of Endocrinological Investigation, 2004, 27, 121-129.	1.8	17
14	GH responses to two consecutive bouts of whole body vibration, maximal voluntary contractions or vibration alternated with maximal voluntary contractions administered at 2-h intervals in healthy adults. Growth Hormone and IGF Research, 2010, 20, 416-421.	0.5	17
15	The Cholestyramine-induced Decrease of PYY Postprandial Response is Negatively Correlated with Fat Mass in Obese Women. Hormone and Metabolic Research, 2011, 43, 569-573.	0.7	17
16	Changes in plasma levels of ghrelin, leptin, and other hormonal and metabolic parameters following standardized breakfast, lunch, and physical exercise before and after a multidisciplinary weight-reduction intervention in obese adolescents. Journal of Endocrinological Investigation, 2010, 33, 633-639.	1.8	16
17	Growth hormone responses to growth hormone-releasing hormone and hexarelin in fed and fasted dogs: effect of somatostatin infusion or pretreatment with pirenzepine. Journal of Endocrinology, 1998, 156, 341-348.	1.2	15
18	Elite volunteer athletes of different sport disciplines may have elevated baseline GH levels divorced from unaltered levels of both IGF-I and GH-dependent bone and collagen markers: A study on-the-field. Journal of Endocrinological Investigation, 2004, 27, 410-415.	1.8	13

NICOLETTA MARAZZI

#	Article	IF	CITATIONS
19	A follow-up of GH-dependent biomarkers during a 6-month period of the sporting season of male and female athletes. Journal of Endocrinological Investigation, 2006, 29, 237-243.	1.8	13
20	Six-week treatment with hexarelin in young dogs: evaluation of the GH responsiveness to acute hexarelin or GHRH administration, and of the orexigenic effect of hexarelin. European Journal of Endocrinology, 1999, 141, 313-320.	1.9	12
21	The GHRH+arginine stimulated pituitary GH secretion in children and adults with Prader–Willi syndrome shows age- and BMI-dependent and genotype-related differences. Growth Hormone and IGF Research, 2013, 23, 261-266.	0.5	12
22	Post-prandial anorexigenic gut peptide, appetite and glucometabolic responses at different eating rates in obese patients undergoing laparoscopic sleeve gastrectomy. Endocrine, 2017, 55, 113-123.	1.1	12
23	Multidisciplinary Integrated Metabolic Rehabilitation in Elderly Obese Patients: Effects on Cardiovascular Risk Factors, Fatigue and Muscle Performance. Nutrients, 2019, 11, 1240.	1.7	12
24	Does segmental body composition differ in women with Prader–Willi syndrome compared to women with essential obesity?. Journal of Endocrinological Investigation, 2015, 38, 957-961.	1.8	11
25	GH responses to two consecutive bouts of neuromuscular electrical stimulation in healthy adults. European Journal of Endocrinology, 2008, 158, 311-316.	1.9	10
26	Severely Obese Adolescents and Adults Exhibit a Different Association of Circulating Levels of Adipokines and Leukocyte Expression of the Related Receptors with Insulin Resistance. International Journal of Endocrinology, 2013, 2013, 1-12.	0.6	9
27	Different Effects of Cholestyramine on Postprandial Secretions of Cholecystokinin and Peptide YY in Women with Bulimia Nervosa. Neuropsychobiology, 2014, 70, 228-234.	0.9	9
28	Unaltered ratio of circulating levels of growth hormone/GH isoforms in adults with Prader–Willi syndrome after GHRH plus arginine administration. Growth Hormone and IGF Research, 2015, 25, 168-173.	0.5	9
29	Hypogonadotropic hypogonadism and pituitary hypoplasia as recurrent features in Ulnar-Mammary syndrome. Endocrine Connections, 2018, 7, 1432-1441.	0.8	9
30	Nitric oxide modulation of the growth hormone—releasing activity of hexarelin in young and old dogs. Metabolism: Clinical and Experimental, 1999, 48, 176-182.	1.5	8
31	Combined evaluation of resting IGF1, N-terminal propeptide of type III procollagen and C-terminal cross-linked telopeptide of type I collagen levels might be useful for detecting inappropriate GH administration in female athletes. European Journal of Endocrinology, 2009, 160, 753-758.	1.9	8
32	The relationship between hyperthyrotropinemia and metabolic and cardiovascular risk factors in a large group of overweight and obese children and adolescents. Journal of Endocrinological Investigation, 2017, 40, 1311-1319.	1.8	8
33	Muscle Strength and Power, Maximum Oxygen Consumption, and Body Composition in Middle-Aged Short-stature Adults with Childhood-onset Growth Harmone Deficiency. Archives of Medical Research, 2008, 39, 78-83.	1.5	6
34	External Validation of Equations to Estimate Resting Energy Expenditure in 2037 Children and Adolescents with and 389 without Obesity: A Cross-Sectional Study. Nutrients, 2020, 12, 1421.	1.7	6
35	Psychotropic drugs prescription in undocumented migrants and indigent natives in Italy. International Clinical Psychopharmacology, 2017, 32, 294-297.	0.9	5
36	Nonalcoholic Fatty Liver Is Not Associated with the Relationship between Insulin Secretion and Insulin Sensitivity in Obese Children: Matched Case–Control Study. Childhood Obesity, 2016, 12, 426-431.	0.8	4

NICOLETTA MARAZZI

#	Article	IF	CITATIONS
37	Gender and age related differences in the use of medicines for chronic diseases among undocumented migrants. International Journal of Migration, Health and Social Care, 2018, 14, 221-229.	0.2	3
38	Will undocumented migrants contribute to change epidemiology, presentation and pharmacologic treatment of diabetes in Western countries?. Primary Care Diabetes, 2020, 14, 21-28.	0.9	3
39	Impact of percent body fat on oral glucose tolerance testing: a cross-sectional study in 1512 obese children. Journal of Endocrinological Investigation, 2012, 35, 893-6.	1.8	3
40	Cardiometabolic risk factors differ among adolescents with obesity in three European countries - a cross-sectional study. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 493-501.	0.7	2
41	Factor structure, reliability, inter-rater agreement and convergent validity of the parent and child Italian versions of the paediatric quality of life inventory multidimensional fatigue scale for children and adolescents in paediatric inpatients with obesity and their parents. Eating and Weight Disorders, 2021 1.	1.2	1
42	GH responses to two consecutive bouts of respiratory muscle endurance training in healthy adults. Journal of Endocrinological Investigation, 2013, 36, 255-60.	1.8	1
43	Changes in the Oswestry Disability Index after a 3-Week In-Patient Multidisciplinary Body Weight Reduction Program in Adults with Obesity. Journal of Clinical Medicine, 2022, 11, 3175.	1.0	1
44	Drugs Delivery by Charities: A Possible Epidemiologic Indicator in Children of Undocumented Migrants. Journal of Immigrant and Minority Health, 2017, 19, 1379-1385.	0.8	0