

Jack C Ng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2971028/jack-c-ng-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,968
citations

28
h-index

50
g-index

110
ext. papers

3,394
ext. citations

5.4
avg, IF

5.37
L-index

#	Paper	IF	Citations
109	Concentrations of essential and toxic elements and health risk assessment in brown rice from Qatari market.. <i>Food Chemistry</i> , 2022 , 376, 131938	8.5	2
108	Combined effects of mixed per- and polyfluoroalkyl substances on the Nrf2-ARE pathway in ARE reporter-HepG2 cells. <i>Journal of Hazardous Materials</i> , 2022 , 421, 126827	12.8	1
107	Metal(loid) flux change in Dongting Lake due to the operation of Three Gorges Dam, China.. <i>Environmental Pollution</i> , 2022 , 119342	9.3	0
106	Development and Validation of an ICP-MS Method and Its Application to Determine Multiple Trace Elements in Small Volumes of Whole Blood and Plasma. <i>Journal of Analytical Toxicology</i> , 2021 , 44, 1036-1046	2.9	7
105	How the population in Mount Isa is living with lead exposure from mining activities. <i>The Extractive Industries and Society</i> , 2021 , 8, 123-134	3.2	2
104	Assessing the human health risks of per- and polyfluoroalkyl substances: A need for greater focus on their interactions as mixtures. <i>Journal of Hazardous Materials</i> , 2021 , 407, 124863	12.8	26
103	Assessment of human health risk due to lead in urban park soils using in vitro methods. <i>Chemosphere</i> , 2021 , 269, 128714	8.4	4
102	Assessment methodology applied to arsenic pollution in lake sediments combining static and dynamic processes. <i>Chemosphere</i> , 2021 , 277, 130260	8.4	1
101	Evaluation of the individual and combined toxicity of perfluoroalkyl substances to human liver cells using biomarkers of oxidative stress. <i>Chemosphere</i> , 2021 , 281, 130808	8.4	8
100	Combined effects and toxicological interactions of perfluoroalkyl and polyfluoroalkyl substances mixtures in human liver cells (HepG2). <i>Environmental Pollution</i> , 2020 , 263, 114182	9.3	34
99	Pollution characteristics and chronic health risk assessment of metals and metalloids in ambient PM in Licheng District, Jinan, China. <i>Environmental Geochemistry and Health</i> , 2020 , 42, 1803-1815	4.7	8
98	Health risk apportionment of arsenic from multiple exposure pathways in Paracatu, a gold mining town in Brazil. <i>Science of the Total Environment</i> , 2019 , 673, 36-43	10.2	19
97	Gastric/lung bioaccessibility and identification of arsenic-bearing phases and sources of fine surface dust in a gold mining district. <i>Science of the Total Environment</i> , 2019 , 689, 1244-1254	10.2	9
96	Using human epidemiological analyses to support the assessment of the impacts of coal mining on health. <i>Reviews on Environmental Health</i> , 2019 , 34, 391-401	3.8	1
95	Investigating the Use of Layered Double Hydroxide Nanoparticles as Carriers of Metal Oxides for Theranostics of ROS-Related Diseases.. <i>ACS Applied Bio Materials</i> , 2019 , 2, 5930-5940	4.1	16
94	Identification of circular RNAs and their alterations involved in developing male <i>Xenopus laevis</i> chronically exposed to atrazine. <i>Chemosphere</i> , 2018 , 200, 295-301	8.4	25
93	Relationship of bioaccessibility and fractionation of cadmium in long-term spiked soils for health risk assessment based on four in vitro gastrointestinal simulation models. <i>Science of the Total Environment</i> , 2018 , 631-632, 1582-1589	10.2	24

92	Genotoxicity evaluation of multi-component mixtures of polyaromatic hydrocarbons (PAHs), arsenic, cadmium, and lead using flow cytometry based micronucleus test in HepG2 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2018 , 827, 9-18	3	9
91	Low arsenic bioaccessibility by fixation in nanostructured iron (Hydr)oxides: Quantitative identification of As-bearing phases. <i>Journal of Hazardous Materials</i> , 2018 , 353, 261-270	12.8	14
90	Validation and bioinformatics analysis of differentially expressed circRNAs involved in developing male chronically exposed to atrazine. <i>Data in Brief</i> , 2018 , 18, 1282-1291	1.2	1
89	Interaction effects of As, Cd and Pb on their respective bioaccessibility with time in co-contaminated soils assessed by the Unified BARGE Method. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 5585-5594	5.1	5
88	Issues raised by the reference doses for perfluorooctane sulfonate and perfluorooctanoic acid. <i>Environment International</i> , 2017 , 105, 86-94	12.9	28
87	Dietary arsenic exposure in Brazil: The contribution of rice and beans. <i>Chemosphere</i> , 2017 , 168, 996-1003	3.4	46
86	Effects of binary mixtures of benzo[a]pyrene, arsenic, cadmium, and lead on oxidative stress and toxicity in HepG2 cells. <i>Chemosphere</i> , 2016 , 165, 41-51	8.4	23
85	Relationship of arsenic speciation and bioavailability in mine wastes for human health risk assessment. <i>Environmental Chemistry</i> , 2016 , 13, 641	3.2	6
84	Gene expression profiles in testis of developing male <i>Xenopus laevis</i> damaged by chronic exposure of atrazine. <i>Chemosphere</i> , 2016 , 159, 145-152	8.4	14
83	Bioavailability study of arsenic and mercury in traditional Chinese medicines (TCM) using an animal model after a single dose exposure. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 76, 51-6	3.4	21
82	Bioaccessibility of arsenic and cadmium assessed for in vitro bioaccessibility in spiked soils and their interaction during the Unified BARGE Method (UBM) extraction. <i>Chemosphere</i> , 2016 , 147, 444-50	8.4	23
81	The binary, ternary and quaternary mixture toxicity of benzo[a]pyrene, arsenic, cadmium and lead in HepG2 cells. <i>Toxicology Research</i> , 2016 , 5, 703-713	2.6	17
80	The Role of Epigenetic Changes in Benzene- Induced Acute Myeloid Leukaemia. <i>Journal of Clinical Epigenetics</i> , 2016 , 2,		2
79	Effects of multi-component mixtures of polyaromatic hydrocarbons and heavy metal/loid(s) on Nrf2-antioxidant response element (ARE) pathway in ARE reporter-HepG2 cells. <i>Toxicology Research</i> , 2016 , 5, 1160-1171	2.6	7
78	Effects of arsenic and cadmium on bioaccessibility of lead in spiked soils assessed by Unified BARGE Method. <i>Chemosphere</i> , 2016 , 154, 343-349	8.4	6
77	BTEX in vitro exposure tool using human lung cells: trips and gains. <i>Chemosphere</i> , 2015 , 128, 321-6	8.4	24
76	Micronucleus formation by single and mixed heavy metals/loids and PAH compounds in HepG2 cells. <i>Mutagenesis</i> , 2015 , 30, 593-602	2.8	16
75	Toxic effects of individual and combined effects of BTEX on <i>Euglena gracilis</i> . <i>Journal of Hazardous Materials</i> , 2015 , 284, 10-8	12.8	36

74	Assessing the bioavailability and bioaccessibility of metals and metalloids. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 8802-25	5.1	76
73	A review of non-exhaustive chemical and bioavailability methods for the assessment of polycyclic aromatic hydrocarbons in soil. <i>Environmental Technology and Innovation</i> , 2015 , 4, 159-167	7	14
72	Mixture effects of benzene, toluene, ethylbenzene, and xylenes (BTEX) on lung carcinoma cells via a hanging drop air exposure system. <i>Chemical Research in Toxicology</i> , 2014 , 27, 952-9	4	28
71	Bioavailability and pharmacokinetics of arsenic are influenced by the presence of cadmium. <i>Chemosphere</i> , 2014 , 112, 203-9	8.4	17
70	Human health risk assessment of lead from mining activities at semi-arid locations in the context of total lead exposure. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 8404-16	5.1	21
69	Interaction effects of lead on bioavailability and pharmacokinetics of arsenic in the rat. <i>Environmental Geochemistry and Health</i> , 2013 , 35, 757-66	4.7	15
68	Assessing benzene-induced toxicity on wild type <i>Euglena gracilis</i> Z and its mutant strain SMZ. <i>Chemosphere</i> , 2013 , 93, 2381-9	8.4	7
67	Hanging drop: an in vitro air toxic exposure model using human lung cells in 2D and 3D structures. <i>Journal of Hazardous Materials</i> , 2013 , 261, 701-10	12.8	26
66	Biomarkers for the evaluation of population health status 16 years after the intervention of arsenic-contaminated groundwater in Xinjiang, China. <i>Journal of Hazardous Materials</i> , 2013 , 262, 1159-66	12.8	20
65	Genotoxicity of hydroquinone in A549 cells. <i>Cell Biology and Toxicology</i> , 2013 , 29, 213-27	7.4	23
64	Metabolism of bilirubin by human cytochrome P450 2A6. <i>Toxicology and Applied Pharmacology</i> , 2012 , 261, 50-8	4.6	31
63	Urinary excretion of bilirubin oxidative metabolites in arsenite-treated mice. <i>Journal of Toxicological Sciences</i> , 2012 , 37, 655-61	1.9	4
62	Dissolved organic carbon reduces uranium bioavailability and toxicity. 1. Characterization of an aquatic fulvic acid and its complexation with uranium[VI]. <i>Environmental Science & Technology</i> , 2011 , 45, 3075-81	10.3	31
61	Consistent chemical form of Cd in liver and kidney tissues in rats dosed with a range of Cd treatments: XAS of intact tissues. <i>Chemical Research in Toxicology</i> , 2010 , 23, 1647-9	4	3
60	Chronic exposure of arsenic via drinking water and its adverse health impacts on humans. <i>Environmental Geochemistry and Health</i> , 2009 , 31 Suppl 1, 189-200	4.7	276
59	Association of arsenic and kidney dysfunction in people with diabetes and validation of its effects in rats. <i>Environment International</i> , 2009 , 35, 507-11	12.9	38
58	Arsenicosis status and urinary malondialdehyde (MDA) in people exposed to arsenic contaminated-coal in China. <i>Environment International</i> , 2009 , 35, 502-6	12.9	16
57	Striking association between urinary cadmium level and albuminuria among Torres Strait Islander people with diabetes. <i>Environmental Research</i> , 2008 , 106, 379-83	7.9	56

56	Risk management for mycotoxin contamination of Australian maize. <i>Australian Journal of Experimental Agriculture</i> , 2008 , 48, 342		4
55	Exploring potential dietary contributions including traditional seafood and other determinants of urinary cadmium levels among indigenous women of a Torres Strait Island (Australia). <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007 , 17, 298-306	6.7	25
54	Urinary arsenic methylation and porphyrin profile of C57Bl/6J mice chronically exposed to sodium arsenate. <i>Science of the Total Environment</i> , 2007 , 379, 235-43	10.2	6
53	Urinary arsenic and porphyrin profile in C57BL/6J mice chronically exposed to monomethylarsonous acid (MMAIII) for two years. <i>Toxicology and Applied Pharmacology</i> , 2007 , 224, 89-97	4.6	18
52	Imidacloprid residues in fruits, vegetables and water samples from Palestine. <i>Environmental Geochemistry and Health</i> , 2007 , 29, 45-50	4.7	25
51	In vitro physiologically based extraction test (PBET) and bioaccessibility of arsenic and lead from various mine waste materials. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2007 , 70, 1700-11	3.2	48
50	A randomised intervention trial to assess two arsenic mitigation options in Bangladesh. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007 , 42, 1897-908	2.3	19
49	Using Synchrotron-based X-ray Absorption Spectrometry to Identify the Arsenic Chemical Forms in Mine Waste Materials. <i>AIP Conference Proceedings</i> , 2007 ,	0	3
48	Urinary porphyrins as biomarkers for arsenic exposure among susceptible populations in Guizhou province, China. <i>Toxicology and Applied Pharmacology</i> , 2005 , 206, 176-84	4.6	41
47	Environmental Contamination of Arsenic and its Toxicological Impact on Humans. <i>Environmental Chemistry</i> , 2005 , 2, 146	3.2	159
46	Intervention trial to assess arsenic exposure from food crops in Bangladesh. <i>Archives of Environmental Health</i> , 2004 , 59, 209-12		5
45	Urinary arsenic speciation and porphyrins in C57Bl/6J mice chronically exposed to low doses of sodium arsenate. <i>Toxicology Letters</i> , 2004 , 154, 149-57	4.4	17
44	Laboratory and field evaluation of potential arsenic exposure from mine tailings to grazing cattle 2003 , 181-195		
43	A field study conducted at Kidston Gold Mine, to evaluate the impact of arsenic and zinc from mine tailing to grazing cattle. <i>Toxicology Letters</i> , 2003 , 137, 23-34	4.4	42
42	Arsenic speciation in the urine and hair of individuals exposed to airborne arsenic through coal-burning in Guizhou, PR China. <i>Toxicology Letters</i> , 2003 , 137, 35-48	4.4	69
41	A global health problem caused by arsenic from natural sources. <i>Chemosphere</i> , 2003 , 52, 1353-9	8.4	484
40	The absorption and excretion of fluoride and arsenic in humans. <i>Toxicology Letters</i> , 2002 , 133, 77-82	4.4	42
39	A review of animal models for the study of arsenic carcinogenesis. <i>Toxicology Letters</i> , 2002 , 133, 17-31	4.4	81

38	Arsenic inhibits the repair of DNA damage induced by benzo(a)pyrene. <i>Toxicology Letters</i> , 2002 , 133, 59-67	4.4	49
37	HPLC measurement of harderoporphyrin in the harderian glands of rodents as a biomarker for sub-lethal or chronic arsenic exposure. <i>Toxicology Letters</i> , 2002 , 133, 93-101	4.4	7
36	Porphyrin profiles in blood and urine as a biomarker for exposure to various arsenic species. <i>Cellular and Molecular Biology</i> , 2002 , 48, 111-23	1.1	13
35	Pesticides in Sediments From Queensland Irrigation Channels and Drains. <i>Marine Pollution Bulletin</i> , 2000 , 41, 294-301	6.7	46
34	Basal cell carcinoma in chronic arsenicism occurring in Queensland, Australia, after ingestion of an asthma medication. <i>Journal of the American Academy of Dermatology</i> , 2000 , 43, 664-9	4.5	30
33	Unique toxic peptides isolated from sawfly larvae in three continents. <i>Toxicon</i> , 1999 , 37, 537-44	2.8	26
32	Tumours in Mice Induced by Exposure to Sodium Arsenate in Drinking Water 1999 , 217-223		8
31	Effects of inflammation-associated acute-phase response on hepatic and renal indices in the horse. <i>Australian Veterinary Journal</i> , 1998 , 76, 187-94	1.2	23
30	Speciation of arsenic metabolites in the urine of occupational workers and experimental rats using an optimised hydride cold-trapping method. <i>Analyst, The</i> , 1998 , 123, 929-33	5	38
29	Speciation and absolute bioavailability: risk assessment of arsenic-contaminated sites in a residential suburb in Canberra. <i>Analyst, The</i> , 1998 , 123, 889-92	5	50
28	Trace metal concentrations in livers and kidneys of sea turtles from south-eastern Queensland, Australia. <i>Marine and Freshwater Research</i> , 1998 , 49, 409	2.2	49
27	Environmental poisoning: presentation and management. <i>Therapeutic Drug Monitoring</i> , 1998 , 20, 502-9	3.2	
26	Stress response to chronic inflammation in the horse. <i>Equine Veterinary Journal</i> , 1997 , 29, 483-6	2.4	25
25	The effect of the acute-phase response on in vitro drug metabolism and plasma protein binding in the horse. <i>Veterinary Research Communications</i> , 1997 , 21, 361-8	2.9	9
24	Isolation and characterisation of urushiol components from the Australian native cashew (<i>Semecarpus australiensis</i>). <i>Natural Toxins</i> , 1997 , 5, 96-8		
23	The effect of inflammation on the disposition of phenylbutazone in thoroughbred horses. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1996 , 19, 475-81	1.4	10
22	Purification of ptaquiloside, a carcinogen from <i>Pteridium aquilinum</i> . <i>Phytochemistry</i> , 1995 , 40, 53-56	4	17
21	Disposition and urinary excretion of phenylbutazone in normal and febrile greyhounds. <i>Research in Veterinary Science</i> , 1995 , 59, 261-6	2.5	7

20	Kinetics, dose response, tachyphylaxis and cross-tachyphylaxis of vascular leakage induced by endotoxin, zymosan-activated plasma and platelet-activating factor in the horse. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1995 , 18, 204-9	1.4	8
19	Phenylbutazone in racing greyhounds: plasma and urinary residues 24 and 48 hours after a single intravenous administration. <i>Australian Veterinary Journal</i> , 1995 , 72, 304-8	1.2	2
18	Isolation and identification of a compound from avocado (<i>Persea americana</i>) leaves which causes necrosis of the acinar epithelium of the lactating mammary gland and the myocardium. <i>Natural Toxins</i> , 1995 , 3, 344-9		45
17	Kinetics of endotoxin, complement and platelet-activating factor (PAF) induced vascular permeability in greyhounds. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1994 , 17, 470-2	1.4	
16	The magical and medicinal usage of <i>Stangeria eriopus</i> in South Africa. <i>Journal of Ethnopharmacology</i> , 1994 , 43, 67-72	5	14
15	Lead concentrations in tissues of fruit bats (<i>Pteropus</i> sp.) in urban and non-urban locations. <i>Wildlife Research</i> , 1993 , 20, 315	1.8	34
14	Vascular leakage induced by histamine, bradykinin, serotonin and prostaglandin E2 in greyhounds. <i>Australian Veterinary Journal</i> , 1993 , 70, 21-4	1.2	8
13	Free radical oxidation products in plasma and synovial fluid of horses with synovial inflammation. <i>Australian Veterinary Journal</i> , 1993 , 70, 49-52	1.2	15
12	Determination of tannic acid and its phenolic metabolites in biological fluids by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1992 , 577, 77-85		32
11	Anti-inflammatory drugs inhibit degradation of equine synovial fluid induced by free radicals. <i>Australian Veterinary Journal</i> , 1991 , 68, 403-5	1.2	5
10	Assessment of histamine, bradykinin, prostaglandins E1 and E2 and carrageenin as vascular permeability agents in the horse. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1991 , 14, 61-9	1.4	12
9	Superoxide production by stimulated equine polymorphonuclear leukocytes--inhibition by anti-inflammatory drugs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1990 , 13, 59-66	1.4	10
8	Copper salicylate and copper phenylbutazone as topically applied anti-inflammatory agents in the rat and horse. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1990 , 13, 67-75	1.4	7
7	Effect of palosein (superoxide dismutase) and catalase upon oxygen derived free radical induced degradation of equine synovial fluid. <i>Equine Veterinary Journal</i> , 1990 , 22, 13-7	2.4	16
6	A suspected case of acute copper toxicity in a horse. <i>Australian Veterinary Journal</i> , 1989 , 66, 191-2	1.2	7
5	Acute phase response in horses: changes in plasma cation concentrations after localised tissue injury. <i>Veterinary Record</i> , 1989 , 124, 235-9	0.9	40
4	Monthly variation in the plasma copper and zinc concentration of pregnant and non-pregnant mares. <i>Australian Veterinary Journal</i> , 1988 , 65, 61-2	1.2	6
3	Assessment of copper and zinc status of farm horses and training thoroughbreds in south-east Queensland. <i>Australian Veterinary Journal</i> , 1988 , 65, 317-20	1.2	13

2	Environmental Exposure to Metals and Metalloids in Primary School-Aged Children Living in Industrialised Areas of Eastern South Asian Megacity Dhaka, Bangladesh. <i>Exposure and Health</i> ,1	8.8	2
1	Human Exposure Assessment of Mixed Metal/Loids at and Near Mega-Scale Open Beaching Shipwrecking Activities in Bangladesh. <i>Exposure and Health</i> ,1	8.8	0