

Masamichi Nakajima

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2971166/masamichi-nakajima-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,711
citations

21
h-index

40
g-index

79
ext. papers

1,922
ext. citations

4.2
avg, IF

3.94
L-index

#	Paper	IF	Citations
74	Control of band structure of FeSe single crystals via biaxial strain. <i>Physical Review Materials</i> , 2021 , 5,	3.2	4
73	Effect of the sample work function on alkali metal dosing induced electronic structure change. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2021 , 249, 147045	1.7	3
72	Discovery of mesoscopic nematicity wave in iron-based superconductors. <i>Science</i> , 2021 , 373, 1122-1125	33.3	1
71	Superconducting-Gap Anisotropy of Iron Pnictides Investigated via Combinatorial Microwave Measurements. <i>Scientific Reports</i> , 2020 , 10, 7064	4.9	4
70	Lattice dynamics in FeSe via inelastic x-ray scattering and first-principles calculations. <i>Physical Review B</i> , 2020 , 101,	3.3	5
69	Superconducting gap and nematic resonance at the quantum critical point observed by Raman scattering in BaFe ₂ (As _{1-x} P _x) ₂ . <i>Physical Review B</i> , 2020 , 101,	3.3	2
68	Doping dependence of the pinning efficiency in K-doped Ba122 single crystals prior to and after fast neutron irradiation. <i>Superconductor Science and Technology</i> , 2019 , 32, 094004	3.1	1
67	Effect of Cr substitution for V in Sr ₂ VFeAsO ₃ . <i>Superconductor Science and Technology</i> , 2019 , 32, 064003	3.1	1
66	Experimental investigation of the suppressed superconducting gap and double-resonance mode in Ba _{1-x} K _x Fe ₂ As ₂ . <i>Physical Review B</i> , 2019 , 100,	3.3	1
65	Optical Study of Electron-Doped Cuprate Pr _{1.3} La _{0.7} Ce _x CuO ₄ + δ in Under-Doped Regime: Revisit the Phase Diagram. <i>Journal of the Physical Society of Japan</i> , 2018 , 87, 043705	1.5	6
64	Orbital-anisotropic electronic structure in the nonmagnetic state of BaFe(AsP) superconductors. <i>Scientific Reports</i> , 2018 , 8, 2169	4.9	6
63	Direct observation of in-plane anisotropy of the superconducting critical current density in Ba(Fe _{1-x} Cox) ₂ As ₂ crystals. <i>Physical Review B</i> , 2018 , 97,	3.3	3
62	Antiphase Fermi-surface modulations accompanying displacement excitation in a parent compound of iron-based superconductors. <i>Physical Review B</i> , 2018 , 97,	3.3	6
61	Comprehensive study of out-of-plane transport properties in BaFe ₂ As ₂ : Three-dimensional electronic state and effect of chemical substitution. <i>Physical Review B</i> , 2018 , 97,	3.3	5
60	Effect of electron correlations on spin excitation bandwidth in Ba _{0.75} K _{0.25} Fe ₂ As ₂ as seen via time-of-flight inelastic neutron scattering. <i>Physical Review B</i> , 2018 , 97,	3.3	5
59	Anisotropic Gr \ddot{u} benisen Parameter and Diverse Order Parameter Fluctuations in Iron-Based Superconductor Ba(Fe _{1-x} Cox) ₂ As ₂ . <i>Journal of the Physical Society of Japan</i> , 2018 , 87, 074710	1.5	5
58	Investigation of Precursor Superconducting State in YBa ₂ Cu ₃ O _{7δ} through In-Plane Optical Spectroscopy. <i>Journal of the Physical Society of Japan</i> , 2017 , 86, 023701	1.5	5

57	Doping-dependent critical current properties in K, Co, and P-doped BaFe ₂ As ₂ single crystals. <i>Physical Review B</i> , 2017 , 95,	3-3	39
56	Unusual nodal behaviors of the superconducting gap in the iron-based superconductor Ba(Fe _{0.65} Ru _{0.35}) ₂ As ₂ : Effects of spin-orbit coupling. <i>Physical Review B</i> , 2017 , 95,	3-3	1
55	Three superconducting phases with different categories of pairing in hole- and electron-doped LaFeAs _{1-x} P _x O. <i>Physical Review B</i> , 2017 , 95,	3-3	9
54	Antiferroic electronic structure in the nonmagnetic superconducting state of the iron-based superconductors. <i>Science Advances</i> , 2017 , 3, e1700466	14-3	10
53	Ultrafast melting of spin density wave order in BaFe ₂ As ₂ observed by time- and angle-resolved photoemission spectroscopy with extreme-ultraviolet higher harmonic generation. <i>Physical Review B</i> , 2017 , 95,	3-3	4
52	Gradual Fermi-surface modification in orbitally ordered state of FeSe revealed by optical spectroscopy. <i>Physical Review B</i> , 2017 , 95,	3-3	10
51	Hybridization Effect in BaFe ₂ (As _{1-x} P _x) ₂ Observed by Hard X-ray Photoemission Spectroscopy. <i>Journal of the Physical Society of Japan</i> , 2017 , 86, 053702	1-5	1
50	Enhanced superconductivity in surface-electron-doped iron pnictide Ba(FeCo)As. <i>Nature Materials</i> , 2016 , 15, 1233-1236	27	12
49	Effect of magnetism on lattice dynamics in SrFe ₂ As ₂ using high-resolution inelastic x-ray scattering. <i>Physical Review B</i> , 2016 , 93,	3-3	10
48	Single-Crystal Growth of Ba _{1-x} K _x Fe ₂ As ₂ by KAs Self-Flux Method. <i>Journal of the Physical Society of Japan</i> , 2016 , 85, 034718	1-5	15
47	Carrier localization due to local magnetic order induced by magnetic impurities in Ba(Fe _{1-x} TM _x) ₂ As ₂ (TM = Mn and Cr) as seen via optical spectra. <i>Physical Review B</i> , 2016 , 94,	3-3	1
46	Distinct doping dependence of critical temperature and critical current density in Ba _{1-x} K _x Fe ₂ As ₂ superconductor. <i>Scientific Reports</i> , 2016 , 6, 26671	4-9	23
45	Effects of introducing isotropic artificial defects on the superconducting properties of differently doped Ba-122 based single crystals. <i>Scientific Reports</i> , 2016 , 6, 27783	4-9	15
44	Distinctive orbital anisotropy observed in the nematic state of a FeSe thin film. <i>Physical Review B</i> , 2016 , 94,	3-3	54
43	Interaction of vortices in anisotropic superconductors with isotropic defects. <i>Superconductor Science and Technology</i> , 2015 , 28, 102001	3-1	15
42	In-plane electronic anisotropy in the antiferromagnetic orthorhombic phase of isovalent-substituted Ba(Fe _{1-x} Ru _x) ₂ As ₂ . <i>Physical Review B</i> , 2015 , 92,	3-3	6
41	Anisotropy of the superconducting gap in the iron-based superconductor BaFe ₂ (As _{1-x} P _x) ₂ . <i>Scientific Reports</i> , 2014 , 4, 7292	4-9	22
40	Pseudogap formation above the superconducting dome in iron pnictides. <i>Physical Review B</i> , 2014 , 89,	3-3	63

39	Vortex lattice structure in BaFe ₂ (As _{0.67} P _{0.33}) ₂ via small-angle neutron scattering. <i>Physical Review B</i> , 2014 , 90,	3.3	9
38	Penetration depth and flux-flow resistivity measurements of BaFe ₂ (As _{0.55} P _{0.45}) ₂ single crystals. <i>Physica C: Superconductivity and Its Applications</i> , 2014 , 504, 24-27	1.3	9
37	Normal-state charge dynamics in doped BaFe ₂ As ₂ : Roles of doping and necessary ingredients for superconductivity. <i>Scientific Reports</i> , 2014 , 4, 5873	4.9	38
36	Strong Electronic Correlations in Iron Pnictides: Comparison of Optical Spectra for BaFe ₂ As ₂ -Related Compounds. <i>Journal of the Physical Society of Japan</i> , 2014 , 83, 104703	1.5	21
35	Evidence of a universal relation between electron-mode coupling and T _c in Ba _{1-x} K _x Fe ₂ As ₂ superconductor from laser angle-resolved photoemission spectroscopy. <i>Physical Review B</i> , 2014 , 90,	3.3	5
34	Electronic structure of BaNi ₂ P ₂ observed by angle-resolved photoemission spectroscopy. <i>Physical Review B</i> , 2014 , 89,	3.3	11
33	Selective Raman Scattering Detection of the Dirac Node and the Anti-node of the Spin Density Wave Gap and Magnetic Excitations in BaFe ₂ As ₂ . <i>Journal of Superconductivity and Novel Magnetism</i> , 2013 , 26, 1179-1183	1.5	4
32	Crossover from bad to good metal in BaFe ₂ (As _{1-x} P _x) ₂ induced by isovalent P substitution. <i>Physical Review B</i> , 2013 , 88,	3.3	19
31	Effect of doping on the magnetostructural ordered phase of iron arsenides: a comparative study of the resistivity anisotropy in doped BaFe ₂ As ₂ with doping into three different sites. <i>Journal of the American Chemical Society</i> , 2013 , 135, 3158-63	16.4	39
30	Dependence of carrier doping on the impurity potential in transition-metal-substituted FeAs-based superconductors. <i>Physical Review Letters</i> , 2013 , 110, 107007	7.4	63
29	Effects of Zn substitution on the electronic structure of BaFe ₂ As ₂ revealed by angle-resolved photoemission spectroscopy. <i>Physical Review B</i> , 2013 , 87,	3.3	8
28	Anisotropy of the in-plane resistivity of underdoped Ba(Fe _{1-x} Co _x) ₂ As ₂ superconductors induced by impurity scattering in the antiferromagnetic orthorhombic phase. <i>Physical Review Letters</i> , 2013 , 110, 207001	7.4	86
27	Strange Inter-Layer Properties of Ba(Fe _{1-x} Co _x) ₂ As ₂ Appearing in Ultrasonic Measurements. <i>Journal of the Physical Society of Japan</i> , 2013 , 82, 114604	1.5	18
26	Universality of the dispersive spin-resonance mode in superconducting BaFe ₂ As ₂ . <i>Physical Review Letters</i> , 2013 , 111, 167002	7.4	21
25	Quantum oscillations in iron-based superconductors: BaFe ₂ As ₂ vs. KFe ₂ As ₂ . <i>Journal of Physics: Conference Series</i> , 2013 , 449, 012022	0.3	1
24	Large elastic anomalies and strong electron-lattice coupling in iron-based superconductor Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Solid State Communications</i> , 2012 , 152, 680-687	1.6	5
23	Angle-resolved photoemission study on the superconducting iron-pnictides of BaFe ₂ (As,P) ₂ with low energy photons. <i>Solid State Communications</i> , 2012 , 152, 695-700	1.6	7
22	Growth of BaFe ₂ (As _{1-x} P _x) ₂ Single Crystals (0 \times 1) by Ba ₂ As ₃ /Ba ₂ P ₃ -Flux Method. <i>Journal of the Physical Society of Japan</i> , 2012 , 81, 104710	1.5	48

21	Structural Quantum Criticality and Superconductivity in Iron-Based Superconductor Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Journal of the Physical Society of Japan</i> , 2012 , 81, 024604	1.5	155
20	Effect of Co doping on the in-plane anisotropy in the optical spectrum of underdoped Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Physical Review Letters</i> , 2012 , 109, 217003	7.4	60
19	Abrupt change in the energy gap of superconducting Ba _{1-x} K _x Fe ₂ As ₂ single crystals with hole doping. <i>Physical Review B</i> , 2012 , 86,	3.3	51
18	Elastic Anomalies Associated with superconducting phase transitions in Iron-based Superconductor Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Journal of Physics: Conference Series</i> , 2012 , 400, 022037	0.3	
17	The Nodal SDW Gap and the Superconducting Gap in BaFe _{2-x} Co _x As ₂ . <i>Journal of Superconductivity and Novel Magnetism</i> , 2011 , 24, 1185-1189	1.5	2
16	Superconducting gap in iron pnictides studied by optical spectroscopy. <i>Journal of Physics and Chemistry of Solids</i> , 2011 , 72, 511-513	3.9	3
15	Doping effect on the carrier scattering in iron-pnictide superconductors studied by charge transport. <i>Journal of Physics and Chemistry of Solids</i> , 2011 , 72, 407-409	3.9	1
14	Effects of uniaxial pressure and annealing on the resistivity of Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Journal of Physics and Chemistry of Solids</i> , 2011 , 72, 418-419	3.9	23
13	Complete Fermi surface in BaFe ₂ As ₂ observed via Shubnikov-de Haas oscillation measurements on detwinned single crystals. <i>Physical Review Letters</i> , 2011 , 107, 176402	7.4	74
12	Manifestations of multiple-carrier charge transport in the magnetostructurally ordered phase of BaFe ₂ As ₂ . <i>Physical Review B</i> , 2011 , 84,	3.3	63
11	Unprecedented anisotropic metallic state in undoped iron arsenide BaFe ₂ As ₂ revealed by optical spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 12238-42	11.5	158
10	Possible hydrogen doping and enhancement of T _c (=35 K) in a LaFeAsO-based superconductor. <i>Applied Physics Letters</i> , 2010 , 96, 072514	3.4	34
9	Evolution of the optical spectrum with doping in Ba(Fe _{1-x} Co _x) ₂ As ₂ . <i>Physical Review B</i> , 2010 , 81,	3.3	116
8	Strong carrier-scattering in iron-pnictide superconductors LnFeAsO _{1-y} (Ln=La and Nd) obtained from charge transport experiments. <i>Physical Review B</i> , 2010 , 81,	3.3	21
7	Single Crystal Growth and Characterization of the Iron-Based Superconductor KFe ₂ As ₂ Synthesized by KAs Flux Method. <i>Journal of the Physical Society of Japan</i> , 2010 , 79, 124713	1.5	104
6	Pairing symmetry of the multiorbital pnictide superconductor BaFe _{1.84} Co _{0.16} As ₂ from Raman scattering. <i>Physical Review B</i> , 2010 , 82,	3.3	19
5	Optical response of FeAs-based compounds. <i>Physica C: Superconductivity and Its Applications</i> , 2010 , 470, S326-S327	1.3	4
4	Characteristic charge transport in oxygen-deficiency-controlled LnFeAsO _{1-y} (Ln = La and Nd). <i>Physica C: Superconductivity and Its Applications</i> , 2010 , 470, S324-S325	1.3	

- 3 Three-dimensional nature of normal and superconducting states in BaNi₂P₂ single crystals with the ThCr₂Si₂-type structure. *Physical Review B*, **2009**, 79, 3.3 29
- 2 Transport properties of single crystal BaNi₂P₂. *Physica C: Superconductivity and Its Applications*, **2009**, 469, 905-907 1.3 1
- 1 A Resistive Transition between the Normal and Superconducting State of BaNi₂P₂ Single Crystals. *Journal of the Physical Society of Japan*, **2008**, 77, 136-137 1.5 5