
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2971967/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validation of a COVID-19 Job Exposure Matrix (COVID-19-JEM) for Occupational Risk of a SARS-CoV-2 Infection at Work: Using Data of Dutch Workers. Annals of Work Exposures and Health, 2023, 67, 9-20.	1.4	5
2	Experiences, Perceptions of Risk, and Lasting Impacts of COVID-19 for Employees in the Public Transport Sector. Annals of Work Exposures and Health, 2023, 67, 76-86.	1.4	4
3	Development of Harmonized COVID-19 Occupational Questionnaires. Annals of Work Exposures and Health, 2023, 67, 4-8.	1.4	2
4	Risks of COVID-19 by occupation in NHS workers in England. Occupational and Environmental Medicine, 2022, 79, 176-183.	2.8	26
5	Changing patterns of sickness absence among healthcare workers in England during the COVID-19 pandemic. Journal of Public Health, 2022, 44, e42-e50.	1.8	5
6	Towards further harmonization of a glossary for exposure science—an ISES Europe statement. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 526-529.	3.9	12
7	Exposure to a SARS-CoV-2 infection at work: development of an international job exposure matrix (COVID-19-JEM). Scandinavian Journal of Work, Environment and Health, 2022, 48, 61-70.	3.4	40
8	Response Letter to Koivisto <i>et al</i> . †Evaluating the Theoretical Background of STOFFENMANAGER® and the Advanced REACH Tool'. Annals of Work Exposures and Health, 2022, 66, 543-549.	1.4	3
9	Evaluation of two-year recall of self-reported pesticide exposure among Ugandan smallholder farmers. International Journal of Hygiene and Environmental Health, 2022, 240, 113911.	4.3	7
10	Cross-sectional study exploring the association between stressors and burnout in junior doctors during the COVID-19 pandemic in the United Kingdom. Journal of Occupational Health, 2022, 64, e12311.	2.1	13
11	The Effects of Traffic Air Pollution in and around Schools on Executive Function and Academic Performance in Children: A Rapid Review. International Journal of Environmental Research and Public Health, 2022, 19, 749.	2.6	10
12	Safe(r) by design guidelines for the nanotechnology industry. NanoImpact, 2022, 25, 100385.	4.5	15
13	Recall of exposure in UK farmers and pesticide applicators: trends with follow-up time. Annals of Work Exposures and Health, 2022, 66, 754-767.	1.4	2
14	Impact of occupational pesticide exposure assessment method on risk estimates for prostate cancer, non-Hodgkin's lymphoma and Parkinson's disease: results of three meta-analyses. Occupational and Environmental Medicine, 2022, 79, 566-574.	2.8	6
15	Occupational inhalational accidents: analysis of cases from the UK SWORD reporting scheme from 1999 to 2018. Occupational and Environmental Medicine, 2022, 79, 628-630.	2.8	4
16	Transmission and control of SARS-CoV-2 on ground public transport: A rapid review of the literature up to May 2021. Journal of Transport and Health, 2022, 26, 101356.	2.2	10
17	Occupation and COVID-19 mortality in England: a national linked data study of 14.3 million adults. Occupational and Environmental Medicine, 2022, 79, 433-441.	2.8	72
18	Excess mortality among essential workers in England and Wales during the COVID-19 pandemic. Journal of Epidemiology and Community Health, 2022, 76, 660-666.	3.7	15

#	Article	IF	CITATIONS
19	Workplace contact patterns in England during the COVID-19 pandemic: Analysis of the Virus Watch prospective cohort study. Lancet Regional Health - Europe, The, 2022, 16, 100352.	5.6	15
20	Agility and Sustainability: A Qualitative Evaluation of COVID-19 Non-pharmaceutical Interventions in the UK Logistics Sector. Frontiers in Public Health, 2022, 10, .	2.7	10
21	Occupational differences in SARS-CoV-2 infection: analysis of the UK ONS COVID-19 infection survey. Journal of Epidemiology and Community Health, 2022, 76, 841-846.	3.7	25
22	Carcinogenicity of acrolein, crotonaldehyde, and arecoline. Lancet Oncology, The, 2021, 22, 19-20.	10.7	60
23	Insufficient respiratory hazard identification in the safety data sheets for cleaning and disinfection products used in healthcare organisations across England and Wales. Occupational and Environmental Medicine, 2021, 78, 293-295.	2.8	5
24	Life Course Air Pollution Exposure and Cognitive Decline: Modelled Historical Air Pollution Data and the Lothian Birth Cohort 1936. Journal of Alzheimer's Disease, 2021, 79, 1063-1074.	2.6	36
25	Respiratory health and silicosis in artisanal mine workers in southern Brazil. American Journal of Industrial Medicine, 2021, 64, 511-518.	2.1	12
26	Ethnic differences in risk of severe Covid-19: To what extent are they driven by exposure?. Journal of Public Health, 2021, , .	1.8	0
27	O-283â€Recall ability of pesticide users in Uganda and the UK: results from the IMPRESS study. , 2021, , .		0
28	Risk factors associated with respiratory infectious disease-related presenteeism: a rapid review. BMC Public Health, 2021, 21, 1955.	2.9	29
29	Impact of COVID-19 pandemic on sickness absence for mental ill health in National Health Service staff. BMJ Open, 2021, 11, e054533.	1.9	11
30	Safe(r) by design implementation in the nanotechnology industry. NanoImpact, 2020, 20, 100267.	4.5	22
31	Occupational Asthma and Its Causation in the UK Seafood Processing Industry. Annals of Work Exposures and Health, 2020, 64, 817-825.	1.4	8
32	Commentary. Occupational and Environmental Medicine, 2020, 77, 513-514.	2.8	2
33	Factors Associated With Burnout and Stress in Trainee Physicians. JAMA Network Open, 2020, 3, e2013761.	5.9	116
34	Feasibility of Indonesia Family Life Survey Wave 5 (IFLS5) Data for Air Pollution Exposure–Response Study in Indonesia. International Journal of Environmental Research and Public Health, 2020, 17, 9508.	2.6	2
35	Systematic review of methods used to assess exposure to pesticides in occupational epidemiology studies, 1993–2017. Occupational and Environmental Medicine, 2020, 77, 357-367.	2.8	43
36	Interventions to Reduce Exposures in the Workplace: A Systematic Review of Intervention Studies Over Six Decades, 1960–2019. Frontiers in Public Health, 2020, 8, 67.	2.7	7

#	Article	IF	CITATIONS
37	Improving Exposure Assessment Methodologies for Epidemiological Studies on Pesticides: Study Protocol. JMIR Research Protocols, 2020, 9, e16448.	1.0	10
38	A Qualitative Study Exploring the Determinants, Coping, and Effects of Stress in United Kingdom Trainee Doctors. Academic Psychiatry, 2019, 43, 560-569.	0.9	10
39	X2018—The 9th International Conference on the Science of Exposure Assessment. Annals of Work Exposures and Health, 2019, 63, 605-607.	1.4	0
40	Indoor dispersion of airborne nano and fine particles: Main factors affecting spatial and temporal distribution in the frame of exposure modeling. Indoor Air, 2019, 29, 803-816.	4.3	6
41	Occupational and work-related respiratory disease attributed to cleaning products. Occupational and Environmental Medicine, 2019, 76, 530-536.	2.8	42
42	Emerging trends in the UK incidence of occupational asthma: should we be worried?. Occupational and Environmental Medicine, 2019, 76, 396-397.	2.8	13
43	Air pollution and brain health. Current Opinion in Psychiatry, 2019, 32, 97-104.	6.3	28
44	Epidemiology of silicosis: reports from the SWORD scheme in the UK from 1996 to 2017. Occupational and Environmental Medicine, 2019, 76, 17-21.	2.8	28
45	Evaluation of Exposure Assessment Tools under REACH: Part I—Tier 1 Tools. Annals of Work Exposures and Health, 2019, 63, 218-229.	1.4	18
46	Evaluation of Exposure Assessment Tools under REACH: Part II—Higher Tier Tools. Annals of Work Exposures and Health, 2019, 63, 230-241.	1.4	16
47	Lifetime exposure to rubber dusts, fumes and N-nitrosamines and cancer mortality in a cohort of British rubber workers with 49 years follow-up. Occupational and Environmental Medicine, 2019, 76, 250-258.	2.8	26
48	Healthy worker effects explain differences in internal and external comparisons in a rubber industry cohort study. Occupational and Environmental Medicine, 2019, 76, 781-781.	2.8	2
49	Artificial stone-associated silicosis in the UK. Occupational and Environmental Medicine, 2018, 75, 541.1-541.	2.8	6
50	The INTEROCC case-control study: risk of meningioma and occupational exposure to selected combustion products, dusts and other chemical agents. Occupational and Environmental Medicine, 2018, 75, 12-22.	2.8	6
51	Case–control study to assess the association between colorectal cancer and selected occupational agents using INTEROCC job exposure matrix. Occupational and Environmental Medicine, 2018, 75, 290-295.	2.8	4
52	The Essential Elements of a Risk Governance Framework for Current and Future Nanotechnologies. Risk Analysis, 2018, 38, 1321-1331.	2.7	27
53	1280â€Improving exposure assessment methodologies for epidemiological studies on pesticides. , 2018, , .		0
54	Authors' response to the Comments from S.M.J. Mortazavi regarding: "Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach― Environment International, 2018, 121, 1025-1026.	10.0	1

#	Article	IF	CITATIONS
55	A Systematic Review of the Routes and Forms of Exposure to Engineered Nanomaterials. Annals of Work Exposures and Health, 2018, 62, 639-662.	1.4	27
56	Comparison of Geometrical Layouts for a Multi-Box Aerosol Model from a Single-Chamber Dispersion Study. Environments - MDPI, 2018, 5, 52.	3.3	14
57	Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach. Environment International, 2018, 119, 353-365.	10.0	16
58	Radiofrequency Exposure Amongst Employees of Mobile Network Operators and Broadcasters. Radiation Protection Dosimetry, 2017, 175, 178-185.	0.8	2
59	Airborne engineered nanomaterials in the workplace—a review of release and worker exposure during nanomaterial production and handling processes. Journal of Hazardous Materials, 2017, 322, 17-28.	12.4	108
60	Assessment of Human Exposure to ENMs. Advances in Experimental Medicine and Biology, 2017, 947, 27-40.	1.6	5
61	Prioritising action on occupational carcinogens in Europe: a socioeconomic and health impact assessment. British Journal of Cancer, 2017, 117, 274-281.	6.4	30
62	On the effect of wearing personal nanoparticle monitors on the comparability of personal exposure measurements. Environmental Science: Nano, 2017, 4, 233-243.	4.3	16
63	Interactions between occupational exposure to extremely low frequency magnetic fields and chemicals for brain tumour risk in the INTEROCC study. Occupational and Environmental Medicine, 2017, 74, 802-809.	2.8	7
64	Validation of Lower Tier Exposure Tools Used for REACH: Comparison of Tools Estimates With Available Exposure Measurements. Annals of Work Exposures and Health, 2017, 61, 921-938.	1.4	38
65	Field Measurements of Inadvertent Ingestion Exposure to Metals. Annals of Work Exposures and Health, 2017, 61, 1097-1107.	1.4	10
66	Occupational solvent exposure and risk of glioma in the INTEROCC study. British Journal of Cancer, 2017, 117, 1246-1254.	6.4	10
67	Current and new challenges in occupational lung diseases. European Respiratory Review, 2017, 26, 170080.	7.1	71
68	Serum levels of decabromodiphenyl ether (BDE-209) in women from different European countries and possible relationships with lifestyle and diet. Environment International, 2017, 107, 16-24.	10.0	13
69	Lifetime occupational exposure to metals and welding fumes, and risk of glioma: a 7-country population-based case–control study. Environmental Health, 2017, 16, 90.	4.0	26
70	Evaluation of Tier One Exposure Assessment Models (ETEAM): Project Overview and Methods. Annals of Work Exposures and Health, 2017, 61, 911-920.	1.4	25
71	Between-User Reliability of Tier 1 Exposure Assessment Tools Used Under REACH. Annals of Work Exposures and Health, 2017, 61, 939-953.	1.4	18
72	Development of a Biomarker for Penconazole: A Human Oral Dosing Study and a Survey of UK Residents' Exposure. Toxics, 2016, 4, 10.	3.7	6

#	Article	IF	CITATIONS
73	A comparison of control banding tools for nanomaterials. Journal of Occupational and Environmental Hygiene, 2016, 13, 936-949.	1.0	24
74	Frameworks and tools for risk assessment of manufactured nanomaterials. Environment International, 2016, 95, 36-53.	10.0	97
75	Occupational exposure to metals and risk of meningioma: a multinational case-control study. Journal of Neuro-Oncology, 2016, 130, 505-515.	2.9	16
76	Inadvertent ingestion exposure: hand- and object-to-mouth behavior among workers. Journal of Exposure Science and Environmental Epidemiology, 2016, 26, 9-16.	3.9	25
77	A Source-based Measurement Database for Occupational Exposure Assessment of Electromagnetic Fields in the INTEROCC Study: A Literature Review Approach. Annals of Work Exposures and Health, 2016, 60, 184-204.	1.4	18
78	Occupational Exposure to Respirable Dust, Respirable Crystalline Silica and Diesel Engine Exhaust Emissions in the London Tunnelling Environment. Annals of Occupational Hygiene, 2016, 60, 263-269.	1.9	13
79	Personal exposure to static and time-varying magnetic fields during MRI procedures in clinical practice in the UK. Occupational and Environmental Medicine, 2015, 73, oemed-2015-103194.	2.8	17
80	Comparison of residents' pesticide exposure with predictions obtained using the UK regulatory exposure assessment approach. Regulatory Toxicology and Pharmacology, 2015, 73, 634-643.	2.7	15
81	The MARINA Risk Assessment Strategy: A Flexible Strategy for Efficient Information Collection and Risk Assessment of Nanomaterials. International Journal of Environmental Research and Public Health, 2015, 12, 15007-15021.	2.6	46
82	Dustiness and Deagglomeration Testing: Interlaboratory Comparison of Systems for Nanoparticle Powders. Aerosol Science and Technology, 2015, 49, 1222-1231.	3.1	12
83	Urinary biomarker concentrations of captan, chlormequat, chlorpyrifos and cypermethrin in UK adults and children living near agricultural land. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 623-631.	3.9	40
84	Occupational carcinogen exposure in Canada. Occupational and Environmental Medicine, 2015, 72, 4-5.	2.8	1
85	Occupational exposure to endocrine disruptors and lymphoma risk in a multi-centric European study. British Journal of Cancer, 2015, 112, 1251-1256.	6.4	15
86	Transient health symptoms of MRI staff working with 1.5 and 3.0 Tesla scanners in the UK. European Radiology, 2015, 25, 2718-2726.	4.5	32
87	Mortality of a cohort of workers in Great Britain with blood lead measurements. Occupational and Environmental Medicine, 2015, 72, 625-632.	2.8	27
88	Engaging with Community Researchers for Exposure Science: Lessons Learned from a Pesticide Biomonitoring Study. PLoS ONE, 2015, 10, e0136347.	2.5	5
89	Simulated Transfer of Liquids and Powders from Hands and Clothing to the Mouth. Journal of Occupational and Environmental Hygiene, 2014, 11, 633-644.	1.0	6
90	Occupational solvent exposure and risk of meningioma: results from the INTEROCC multicentre case–control study. Occupational and Environmental Medicine, 2014, 71, 253-258.	2.8	11

#	Article	IF	CITATIONS
91	Application of a quantitative weight of evidence approach for ranking and prioritising occupational exposure scenarios for titanium dioxide and carbon nanomaterials. Nanotoxicology, 2014, 8, 117-131.	3.0	30
92	Advanced REACH Tool: A Bayesian Model for Occupational Exposure Assessment. Annals of Occupational Hygiene, 2014, 58, 551-65.	1.9	34
93	A preliminary comparison of three dermal exposure sampling methods: rinses, wipes and cotton gloves. Environmental Sciences: Processes and Impacts, 2014, 16, 141-147.	3.5	10
94	An Evaluation of On-Tool Shrouds for Controlling Respirable Crystalline Silica in Restoration Stone Work. Annals of Occupational Hygiene, 2014, 58, 1155-67.	1.9	5
95	Occupational Exposure to Extremely Low-Frequency Magnetic Fields and Brain Tumor Risks in the INTEROCC Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1863-1872.	2.5	65
96	0375â€Mortality of a cohort of workers in Great Britain with blood lead measurements. Occupational and Environmental Medicine, 2014, 71, A47.2-A47.	2.8	0
97	INTEROCC case–control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. BMC Public Health, 2013, 13, 340.	2.9	26
98	Properties of Liquids and Dusts: How do They Influence Dermal Loading During Immersion, Deposition, and Surface Contact Exposure Pathways?. Annals of Occupational Hygiene, 2013, 57, 627-39.	1.9	12
99	Determinants of Respirable Crystalline Silica Exposure Among Stoneworkers Involved in Stone Restoration Work. Annals of Occupational Hygiene, 2013, 58, 6-18.	1.9	17
100	Assessing Occupational Exposure to Chemicals in an International Epidemiological Study of Brain Tumours. Annals of Occupational Hygiene, 2013, 57, 610-26.	1.9	24
101	The Advanced REACH Tool (ART): Incorporation of an Exposure Measurement Database. Annals of Occupational Hygiene, 2013, 57, 717-27.	1.9	24
102	The Future of Exposure Assessment: Perspectives From the X2012 Conference. Annals of Occupational Hygiene, 2013, 57, 280-5.	1.9	4
103	Respirable Crystalline Silica Exposures among Stone Workers in Ireland. , 2013, , 39-53.		1
104	An Integrated Approach to the Exposome. Environmental Health Perspectives, 2012, 120, A103-4; author reply A104.	6.0	25
105	Aggregation of Exposure Level and Probability into a Single Metric in Job-Exposure Matrices Creates Bias. Annals of Occupational Hygiene, 2012, 56, 1038-50.	1.9	16
106	Occupational cancer in Britain. British Journal of Cancer, 2012, 107, S18-S26.	6.4	20
107	Intervening to Reduce the Future Burden of Occupational Cancer in Britain: What Could Work?. Cancer Prevention Research, 2012, 5, 1213-1222.	1.5	15
108	Comparison of exposure estimates in the Finnish job-exposure matrix FINJEM with a JEM derived from expert assessments performed in Montreal. Occupational and Environmental Medicine, 2012, 69, 465-471.	2.8	44

#	Article	IF	CITATIONS
109	Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. Occupational and Environmental Medicine, 2012, 69, 745-751.	2.8	42
110	The Relationship Between Inadvertent Ingestion and Dermal Exposure Pathways: A New Integrated Conceptual Model and a Database of Dermal and Oral Transfer Efficiencies. Annals of Occupational Hygiene, 2012, 56, 1000-12.	1.9	19
111	The relationship between workers' self-reported changes in health and their attitudes towards a workplace intervention: lessons from smoke-free legislation across the UK hospitality industry. BMC Public Health, 2012, 12, 324.	2.9	5
112	Estimation methods with ordered exposure subject to measurement error and missingness in semi-ecological design. BMC Medical Research Methodology, 2012, 12, 135.	3.1	4
113	Comparison of the SidePakâ,"¢ personal monitor with the Aerosol Particle Sizer (APS). Journal of Environmental Monitoring, 2011, 13, 1841.	2.1	2
114	Advanced REACH Tool (ART): Calibration of the mechanistic model. Journal of Environmental Monitoring, 2011, 13, 1374.	2.1	56
115	Bias in the estimation of exposure effects with individual- or group-based exposure assessment. Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 212-221.	3.9	33
116	Conceptual model for assessment of inhalation exposure to manufactured nanoparticles. Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 450-463.	3.9	99
117	Biological monitoring of pesticide exposures in residents living near agricultural land. BMC Public Health, 2011, 11, 856.	2.9	19
118	Advanced REACH Tool (ART): Overview of Version 1.0 and Research Needs. Annals of Occupational Hygiene, 2011, 55, 949-56.	1.9	43
119	Effect of Drilling Fluid Systems and Temperature on Oil Mist and Vapour Levels Generated from Shale Shaker. Annals of Occupational Hygiene, 2011, 55, 347-56.	1.9	5
120	Advanced REACH Tool: Development and Application of the Substance Emission Potential Modifying Factor. Annals of Occupational Hygiene, 2011, 55, 980-8.	1.9	22
121	Oil Mist and Vapour Concentrations from Drilling Fluids: Inter- and Intra-laboratory Comparison of Chemical Analyses. Annals of Occupational Hygiene, 2011, 56, 61-9.	1.9	4
122	Advanced Reach Tool (ART): Development of the Mechanistic Model. Annals of Occupational Hygiene, 2011, 55, 957-79.	1.9	63
123	Revisiting the Effect of Room Size and General Ventilation on the Relationship between Near- and Far-Field Air Concentrations. Annals of Occupational Hygiene, 2011, 55, 1006-15.	1.9	42
124	An Assessment of Dermal Exposure to Heavy Fuel Oil (HFO) in Occupational Settings. Annals of Occupational Hygiene, 2011, 55, 319-28.	1.9	9
125	Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. Occupational and Environmental Medicine, 2011, 68, 148-153.	2.8	82
126	Classification of Occupational Activities for Assessment of Inhalation Exposure. Annals of Occupational Hygiene, 2011, 55, 989-1005.	1.9	19

#	Article	IF	CITATIONS
127	How much does benzene contribute to the overall burden of cancer due to occupation?. Chemico-Biological Interactions, 2010, 184, 290-292.	4.0	7
128	Occupation and cancer in Britain. British Journal of Cancer, 2010, 102, 1428-1437.	6.4	177
129	Does deprivation index modify the acute effect of black smoke on cardiorespiratory mortality?. Occupational and Environmental Medicine, 2010, 67, 104-110.	2.8	5
130	Development of a Task-Exposure Matrix (TEM) for Pesticide Use (TEMPEST). Annals of Occupational Hygiene, 2010, 54, 443-52.	1.9	19
131	UK Smoke-Free Legislation: Changes in PM _{2.5} Concentrations in Bars in Scotland, England, and Wales. Annals of Occupational Hygiene, 2010, 54, 272-80.	1.9	34
132	Exposure to rubber process dust and fume since 1970s in the United Kingdom; influence of origin of measurement data. Journal of Environmental Monitoring, 2010, 12, 1170.	2.1	9
133	Trends in Wood Dust Inhalation Exposure in the UK, 1985–2005. Annals of Occupational Hygiene, 2009, 53, 657-67.	1.9	28
134	Occupational exposure of UK adults to extremely low frequency magnetic fields. Occupational and Environmental Medicine, 2009, 66, 619-627.	2.8	6
135	Occupational exposure to potential endocrine disruptors: further development of a job exposure matrix. Occupational and Environmental Medicine, 2009, 66, 607-614.	2.8	47
136	Detergent protease exposure and respiratory disease: case-referent analysis of a retrospective cohort. Occupational and Environmental Medicine, 2009, 66, 754-758.	2.8	17
137	Temporal trends of flour dust exposure in the United Kingdom, 1985–2003. Journal of Environmental Monitoring, 2009, 11, 1492.	2.1	17
138	The LLP risk model: an individual risk prediction model for lung cancer. British Journal of Cancer, 2008, 98, 270-276.	6.4	406
139	Development of an advanced exposure assessment tool for REACH. Toxicology Letters, 2008, 180, S75-S76.	0.8	1
140	The UK Childhood Cancer Study: maternal occupational exposures and childhood leukaemia and lymphoma. Radiation Protection Dosimetry, 2008, 132, 232-240.	0.8	30
141	Interacting effects of particulate pollution and cold temperature on cardiorespiratory mortality in Scotland. Occupational and Environmental Medicine, 2008, 65, 197-204.	2.8	45
142	Conceptual Model for Assessment of Inhalation Exposure: Defining Modifying Factors. Annals of Occupational Hygiene, 2008, 52, 577-86.	1.9	59
143	Dietary zinc intake and brain cancer in adults: a case–control study. British Journal of Nutrition, 2008, 99, 667-673.	2.3	14
144	Trends in Inhalation Exposure—A Review of the Data in the Published Scientific Literature. Annals of Occupational Hygiene, 2007, 51, 665-78.	1.9	95

#	Article	IF	CITATIONS
145	Exposure to Occupational Carcinogens in Great Britain. Annals of Occupational Hygiene, 2007, 51, 653-64.	1.9	33
146	Occupational Exposure to Crystalline Silica and Risk of Lung Cancer. Epidemiology, 2007, 18, 36-43.	2.7	94
147	The incidence of occupational skin disease as reported to The Health and Occupation Reporting (THOR) network between 2002 and 2005. British Journal of Dermatology, 2007, 157, 713-722.	1.5	76
148	The INTERPHONE study: design, epidemiological methods, and description of the study population. European Journal of Epidemiology, 2007, 22, 647-664.	5.7	225
149	Levels of second hand smoke in pubs and bars by deprivation and food-serving status: a cross-sectional study from North West England. BMC Public Health, 2006, 6, 42.	2.9	36
150	History of allergies and risk of glioma in adults. International Journal of Cancer, 2006, 119, 2165-2172.	5.1	87
151	History of Allergic Disease and Risk of Meningioma. American Journal of Epidemiology, 2006, 165, 477-485.	3.4	30
152	Assigning exposure to pesticides and solvents from self-reports collected by a computer assisted personal interview and expert assessment of job codes: the UK Adult Brain Tumour Study. Occupational and Environmental Medicine, 2006, 63, 267-272.	2.8	12
153	Are Variance Components of Exposure Heterogeneous Between Time Periods and Factories in the European Carbon Black Industry?. Annals of Occupational Hygiene, 2005, 50, 55-64.	1.9	14
154	Environmental tobacco smoke. Occupational and Environmental Medicine, 2004, 61, 385-386.	2.8	2
155	Assessing occupational and domestic elf magnetic field exposure in the uk adult brain tumour study: results of a feasibility study. Radiation Protection Dosimetry, 2004, 108, 227-236.	0.8	13
156	Assessment of occupational exposure to radiofrequency fields and radiation. Radiation Protection Dosimetry, 2004, 111, 191-203.	0.8	16
157	Risk of hypospadias in relation to maternal occupational exposure to potential endocrine disrupting chemicals. Occupational and Environmental Medicine, 2003, 60, 543-550.	2.8	81
158	Commentary: Variability in Workplace Exposures and the Design of Efficient Measurement and Control Strategies. Annals of Occupational Hygiene, 2003, 47, 95-9.	1.9	24
159	Assessing Exposure Misclassification by Expert Assessment in Multicenter Occupational Studies. Epidemiology, 2003, 14, 585-592.	2.7	65
160	Longitudinal analyses of chest radiographs from the European Carbon Black Respiratory Morbidity Study. European Respiratory Journal, 2002, 20, 417-425.	6.7	18
161	A Job–Exposure Matrix for Potential Endocrine-disrupting Chemicals Developed for a Study into the Association between Maternal Occupational Exposure and Hypospadias. Annals of Occupational Hygiene, 2002, 46, 465-77.	1.9	77
162	Respiratory health effects from exposure to carbon black: results of the phase 2 and 3 cross sectional studies in the European carbon black manufacturing industry. Occupational and Environmental Medicine, 2001, 58, 496-503.	2.8	63

#	Article	IF	CITATIONS
163	A cohort mortality study of U.K. carbon black workers, 1951-1996. American Journal of Industrial Medicine, 2001, 39, 158-170.	2.1	59
164	Occupational exposure to magnetic fields relative to mortality from brain tumours: updated and revised findings from a study of United Kingdom electricity generation and transmission workers, 1973-97. Occupational and Environmental Medicine, 2001, 58, 626-630.	2.8	32
165	Determinants of Inhalable Dust Exposure in the European Carbon Black Manufacturing Industry. Journal of Occupational and Environmental Hygiene, 2001, 16, 237-245.	0.4	13
166	Leukaemia mortality in relation to magnetic field exposure: findings from a study of United Kingdom electricity generation and transmission workers, 1973-97. Occupational and Environmental Medicine, 2001, 58, 307-314.	2.8	23
167	Risk factors for bronchial hyperresponsiveness in workers exposed to acid anhydrides. European Respiratory Journal, 2000, 15, 710-715.	6.7	18
168	Assessment of the sensitivity of the relation between current exposure to carbon black and lung function parameters when using different grouping schemes. , 1999, 36, 548-556.		20
169	Risk factors for sensitisation and respiratory symptoms among workers exposed to acid anhydrides: a cohort study. Occupational and Environmental Medicine, 1998, 55, 684-691.	2.8	74
170	Retrospective exposure assessment for a cohort study into respiratory effects of acid anhydrides. Occupational and Environmental Medicine, 1998, 55, 692-696.	2.8	15
171	Efficiency of different grouping schemes for dust exposure in the European carbon black respiratory morbidity study Occupational and Environmental Medicine, 1997, 54, 714-719.	2.8	32
172	Occupational exposure to magnetic fields in relation to mortality from brain cancer among electricity generation and transmission workers Occupational and Environmental Medicine, 1997, 54, 7-13.	2.8	50
173	Exposure to Organic Dusts, Endotoxins, and Microorganisms in the Municipal Waste Industry. International Journal of Occupational and Environmental Health, 1997, 3, 30-36.	1.2	29
174	Occupational exposure to carbon black in its manufacture: Data from 1987 to 1992. Annals of Occupational Hygiene, 1996, 40, 65-77.	1.9	21
175	An Ecological Study of COVID-19 Infection Rates within the UK Food and Drink Processing Industry. Annals of Work Exposures and Health, 0, , .	1.4	1