Adel S Al-Jimaz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2972130/publications.pdf

Version: 2024-02-01

	567281	454955
974	15	30
citations	h-index	g-index
20	20	C 45
30	30	645
docs citations	times ranked	citing authors
	citations 30	974 15 citations h-index 30 30

#	Article	IF	CITATIONS
1	Dependency of Physicochemical Properties of Imidazolium Bis(Trifluoromethylsulfonyl)Imide-Based Ionic Liquids on Temperature and Alkyl Chain. Journal of Chemical & Engineering Data, 2022, 67, 858-868.	1.9	11
2	Effect of the Alkyl Chain on the Physical Properties of Imidazolium-Based Ionic Liquids with 1-Propanol, 1-Butanol, and 1-Pentanol Binary Mixtures. Journal of Chemical & Engineering Data, 2019, 64, 1366-1377.	1.9	10
3	Separation of Alkylbenzenes from <i>n</i>)-Heptane Using Binary Mixtures of Ionic Solvents. Journal of Chemical & Chemica	1.9	7
4	Liquid Extraction of Toluene from Heptane, Octane, or Nonane Using Mixed Ionic Solvents of 1-Ethyl-3-methylimidazolium Methylsulfate and 1-Hexyl-3-methylimidazolium Hexafluorophosphate. Journal of Chemical & Degraphy: Engineering Data, 2019, 64, 169-175.	1.9	15
5	Effect of Solvent Cation Alkyl-Chain Length on the Separation of Butylbenzene from <i>n</i> -Tetradecane Using Hexafluorophosphate-Based Ionic Liquids at (313.15 and 333.15) K and 101.3 kPa. Journal of Chemical & Description (2018, 63, 3751-3759).	1.9	6
6	Viscosities and Surface Tensions of Phenetole with N-Methyl-2-pyrrolidone, N,N-Dimethylformamide and Tetrahydrofuran Binary Systems at Three Temperatures. Journal of Solution Chemistry, 2018, 47, 449-467.	1.2	6
7	Comparative study of physical properties of binary mixtures of halogen free ionic liquids with alcohols. Journal of Chemical Thermodynamics, 2017, 110, 175-185.	2.0	8
8	Evaluation of 1-ethyl-3-methylimidazolium methylsulfate and 1,3-dimethylimidazolium methylsulfate as solvents for extraction of alkylbenzenes from hexadecane at 313 and 333ÂK. Fluid Phase Equilibria, 2017, 454, 35-42.	2.5	6
9	Temperature Dependence of Physicochemical Properties of Imidazolium-, Pyroldinium-, and Phosphonium-Based Ionic Liquids. Journal of Chemical & Engineering Data, 2014, 59, 1955-1963.	1.9	74
10	Study on the separation of propylbenzene from alkanes using two methylsulfate-based ionic liquids at (313 and 333) K. Fluid Phase Equilibria, 2013, 354, 29-37.	2.5	15
11	Viscosity and surface tension of binary systems of N,N-dimethylformamide with alkan-1-ols at different temperatures. Journal of Chemical Thermodynamics, 2013, 56, 106-113.	2.0	50
12	Evaluation of [bmim] [PF6] as an ionic solvent for the extraction of propylbenzene from aliphatic compounds. Journal of Chemical Thermodynamics, 2012, 54, 322-329.	2.0	17
13	Extraction of Butylbenzene from Dodecane Using Hexafluorophosphate-Based Ionic Liquids: Effect of Cation Change. Journal of Chemical & Data, 2012, 57, 2907-2914.	1.9	12
14	Extraction of propylbenzene from its mixtures with heptadecane using 4-methyl-N-butylpyridinium tetrafluoroborate. Fluid Phase Equilibria, 2012, 315, 21-28.	2.5	25
15	Extraction of propylbenzene or butylbenzene from dodecane using 4-methyl-N-butylpyridinium tetrafluoroborate, [mebupy][BF4], as an ionic liquid at different temperatures. Journal of Chemical Thermodynamics, 2011, 43, 1804-1809.	2.0	16
16	Separation of propylbenzene and n-alkanes from their mixtures using 4-methyl-N-butylpyridinium tetrafluoroborate as an ionic solvent at several temperatures. Fluid Phase Equilibria, 2011, 309, 102-107.	2.5	17
17	Liquid–liquid equilibria of aromatics removal from middle distillate using NMP. Fluid Phase Equilibria, 2009, 286, 190-195.	2.5	28
18	PHYSICOCHEMICAL PROPERTIES FOR BINARY MIXTURES OF ANISOLE WITH 1-HEXANOL, 1-HEPTANOL, 1-OCTANOL, 1-NONANOL, AND 1-DECANOL AT 298.15, 303.15, 308.15, AND 313.15ÅK. Chemical Engineering Communications, 2008, 195, 1585-1613.	2.6	25

#	Article	IF	CITATIONS
19	Extraction of Aromatics from Middle Distillate Using <i>N</i> Methyl-2-pyrrolidone:  Experiment, Modeling, and Optimization. Industrial & Engineering Chemistry Research, 2007, 46, 5686-5696.	3.7	50
20	Acoustical and Excess Properties of {Chlorobenzene + 1-Hexanol, or 1-Heptanol, or 1-Octanol, or 1-Nonanol, or 1-Decanol} at (298.15, 303.15, 308.15, and 313.15) K. Journal of Chemical & Engineering Data, 2007, 52, 206-214.	1.9	104
21	Densities, Viscosities, and Refractive Indices of Binary Mixtures of Anisole with Benzene, Methylbenzene, Ethylbenzene, Propylbenzene, and Butylbenzene at (293.15 and 303.15) K. Journal of Chemical & Chemical	1.9	68
22	Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene,o-Xylene,m-Xylene,p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K. Journal of Chemical & Description Data, 2006, 51, 2074-2082.	1.9	108
23	Liquidâ^'Liquid Equilibria Measurements for Ternary System of Hexadecane + 1,3,5-Trimethylbenzene + N-Methyl-2-pyrrolidone. Journal of Chemical & Engineering Data, 2006, 51, 1026-1030.	1.9	7
24	Phase equilibria for the extraction of sec-butylbenzene from dodecane with N,N-dimethylformamide. Fluid Phase Equilibria, 2006, 240, 79-86.	2.5	2
25	Extraction of pentylbenzene from high molar mass alkanes (C14 and C17) by N-methyl-2-pyrrolidone. Journal of Chemical Thermodynamics, 2006, 38, 455-460.	2.0	7
26	Excess molar volumes and refractive indices of (methoxybenzene+benzene, or toluene, or o-xylene, or) Tj ETQq0 Thermodynamics, 2006, 38, 1351-1361.	0 0 rgBT / 2.0	Overlock 10 ⁻ 47
27	Liquid–liquid equilibria for n-alkanes (C12, C14, C17)+propylbenzene+NMP mixtures at temperatures between 298 and 328K. Fluid Phase Equilibria, 2005, 231, 163-170.	2.5	14
28	Physical properties of {anisole+n-alkanes} at temperatures between (293.15 and 303.15) K. Journal of Chemical Thermodynamics, 2005, 37, 631-642.	2.0	65
29	Measurement and Correlation of Phase Equilibria for Dodecane +sec-Butylbenzene +N-Methyl-2-pyrrolidone. Journal of Chemical & Engineering Data, 2005, 50, 1740-1746.	1.9	6
30	Densities and viscosities for binary mixtures of phenetole with 1-pentanol, 1-hexanol, 1-heptanol, 1-octanol, 1-nonanol, and 1-decanol at different temperatures. Fluid Phase Equilibria, 2004, 218, 247-260.	2.5	148