

Kennosuke Karube

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2972308/publications.pdf>

Version: 2024-02-01

129
papers

3,781
citations

136950

32
h-index

138484

58
g-index

132
all docs

132
docs citations

132
times ranked

4590
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of FoxP3, a key molecule in CD4+ CD25+ regulatory T cells, in adult T-cell leukaemia/lymphoma cells. <i>British Journal of Haematology</i> , 2004, 126, 81-84.	2.5	244
2	Genome-wide array-based comparative genomic hybridization of natural killer cell lymphoma/leukemia: Different genomic alteration patterns of aggressive NK-cell leukemia and extranodal Nk/T-cell lymphoma, nasal type. <i>Genes Chromosomes and Cancer</i> , 2005, 44, 247-255.	2.8	195
3	Development of ET, primary myelofibrosis and PV in mice expressing JAK2 V617F. <i>Leukemia</i> , 2008, 22, 87-95.	7.2	158
4	Identification of FOXO3 and PRDM1 as tumor-suppressor gene candidates in NK-cell neoplasms by genomic and functional analyses. <i>Blood</i> , 2011, 118, 3195-3204.	1.4	153
5	Identification of subtype-specific genomic alterations in aggressive adult T-cell leukemia/lymphoma. <i>Blood</i> , 2006, 107, 4500-4507.	1.4	141
6	Integrating genomic alterations in diffuse large B-cell lymphoma identifies new relevant pathways and potential therapeutic targets. <i>Leukemia</i> , 2018, 32, 675-684.	7.2	141
7	CD10 ⁺ MUM1 ⁺ follicular lymphoma lacks BCL2 gene translocation and shows characteristic biologic and clinical features. <i>Blood</i> , 2007, 109, 3076-3079.	1.4	134
8	Synergistic action of the microRNA-17 polycistron and Myc in aggressive cancer development. <i>Cancer Science</i> , 2007, 98, 1482-1490.	3.9	133
9	Distribution of malignant lymphoma in Japan: Analysis of 2260 cases, 2001-2006. <i>Pathology International</i> , 2008, 58, 174-182.	1.3	129
10	IL-21 is expressed in Hodgkin lymphoma and activates STAT5: evidence that activated STAT5 is required for Hodgkin lymphomagenesis. <i>Blood</i> , 2008, 111, 4706-4715.	1.4	117
11	Genomic profiling combined with gene expression profiling in primary central nervous system lymphoma. <i>Blood</i> , 2011, 117, 1291-1300.	1.4	94
12	Lymphomatous polyposis of the gastrointestinal tract, including mantle cell lymphoma, follicular lymphoma and mucosa-associated lymphoid tissue lymphoma. <i>Histopathology</i> , 2005, 47, 467-478.	2.9	92
13	Plasmacytoid dendritic cells prime alloreactive T cells to mediate graft-versus-host disease as antigen-presenting cells. <i>Blood</i> , 2009, 113, 2088-2095.	1.4	92
14	Th1, Th2, and activated T-cell marker and clinical prognosis in peripheral T-cell lymphoma, unspecified: comparison with AILD, ALCL, lymphoblastic lymphoma, and ATLL. <i>Blood</i> , 2004, 103, 236-241.	1.4	89
15	Low-grade follicular lymphoma with t(14;18) presents a homogeneous disease entity otherwise the rest comprises minor groups of heterogeneous disease entities with Bcl2 amplification, Bcl6 translocation or other gene aberrances. <i>Leukemia</i> , 2005, 19, 1058-1063.	7.2	85
16	MYC Alterations in Diffuse Large B-Cell Lymphomas. <i>Seminars in Hematology</i> , 2015, 52, 97-106.	3.4	80
17	Usefulness of flow cytometry for differential diagnosis of precursor and peripheral T-cell and NK-cell lymphomas: Analysis of 490 cases. <i>Pathology International</i> , 2008, 58, 89-97.	1.3	74
18	The relationship of FOXP3 expression and clinicopathological characteristics in adult T-cell leukemia/lymphoma. <i>Modern Pathology</i> , 2008, 21, 617-625.	5.5	72

#	ARTICLE	IF	CITATIONS
19	Gene expression profiling of Epstein-Barr virus-positive diffuse large B-cell lymphoma of the elderly reveals alterations of characteristic oncogenetic pathways. <i>Cancer Science</i> , 2014, 105, 537-544.	3.9	61
20	Recurrent mutations of NOTCH genes in follicular lymphoma identify a distinctive subset of tumours. <i>Journal of Pathology</i> , 2014, 234, 423-430.	4.5	59
21	Clinicopathological analysis of a composite lymphoma containing both T- and B-cell lymphomas. <i>Pathology International</i> , 2012, 62, 690-698.	1.3	57
22	The International Prognostic Index predicts outcome in aggressive adult T-cell leukemia/lymphoma: analysis of 126 patients from the International Peripheral T-cell Lymphoma Project. <i>Annals of Oncology</i> , 2009, 20, 715-721.	1.2	56
23	MYD88 L265P Mutations, But No Other Variants, Identify a Subpopulation of DLBCL Patients of Activated B-cell Origin, Extranodal Involvement, and Poor Outcome. <i>Clinical Cancer Research</i> , 2016, 22, 2755-2764.	7.0	55
24	Transgenic mice overexpressing murine thrombopoietin develop myelofibrosis and osteosclerosis. <i>Leukemia Research</i> , 2005, 29, 761-769.	0.8	53
25	Pathological and immunohistological findings and genetic aberrations of intestinal enteropathy-associated T cell lymphoma in Japan. <i>Histopathology</i> , 2011, 58, 395-407.	2.9	47
26	Non-B, Non-T Neoplasms With Lymphoblast Morphology. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1366-1374.	3.7	44
27	BCL6 gene amplification/3q27 gain is associated with unique clinicopathological characteristics among follicular lymphoma without BCL2 gene translocation. <i>Modern Pathology</i> , 2008, 21, 973-978.	5.5	39
28	Monoclonal B cell lymphocytosis and in situ lymphoma. <i>Seminars in Cancer Biology</i> , 2014, 24, 3-14.	9.6	37
29	Molecular Characterization of Chronic-type Adult T-cell Leukemia/Lymphoma. <i>Cancer Research</i> , 2014, 74, 6129-6138.	0.9	37
30	Rare occurrence of JAK3 mutations in natural killer cell neoplasms in Japan. <i>Leukemia and Lymphoma</i> , 2014, 55, 962-963.	1.3	36
31	High serum levels of soluble interleukin-2 receptor (sIL2-R), interleukin-6 (IL-6) and tumor necrosis factor alpha (TNF) are associated with adverse clinical features and predict poor outcome in diffuse large B-cell lymphoma. <i>Leukemia Research</i> , 2017, 59, 20-25.	0.8	35
32	CXCR3-positive B cells found at elevated frequency in the peripheral blood of patients with MALT lymphoma are attracted by MIG and belong to the lymphoma clone. <i>International Journal of Cancer</i> , 2005, 114, 896-901.	5.1	34
33	Expression of Chemokine Receptor CXCR3 and its Ligand, Mig, in Gastric and Thyroid Marginal Zone Lymphomas. Possible Migration and Autocrine Mechanism. <i>Leukemia and Lymphoma</i> , 2003, 44, 329-336.	1.3	32
34	Imbalances of chemokines, chemokine receptors and cytokines in Hodgkin lymphoma: Classical Hodgkin lymphomas. Hodgkin-like ATLL. <i>International Journal of Cancer</i> , 2003, 106, 706-712.	5.1	31
35	Leukemic transformation of Langerhans cell sarcoma. <i>International Journal of Hematology</i> , 2008, 87, 527-531.	1.6	31
36	Cyclin D1 overexpression induces global transcriptional downregulation in lymphoid neoplasms. <i>Journal of Clinical Investigation</i> , 2018, 128, 4132-4147.	8.2	31

#	ARTICLE	IF	CITATIONS
37	Differential Chemokine, Chemokine Receptor and Cytokine Expression in Epstein-Barr Virus-associated Lymphoproliferative Diseases. <i>Leukemia and Lymphoma</i> , 2003, 44, 1367-1378.	1.3	27
38	Prognostic significance of hepatocyte growth factor and c-MET expression in patients with diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2004, 127, 305-307.	2.5	27
39	Adult T-cell Lymphoma/Leukemia With Angioimmunoblastic T-cell Lymphomalike Features: Report of 11 Cases. <i>American Journal of Surgical Pathology</i> , 2007, 31, 216-223.	3.7	27
40	Imbalance Between Apoptosis and Telomerase Activity in Myelodysplastic Syndromes: Possible Role in Ineffective Hemopoiesis. <i>Leukemia and Lymphoma</i> , 2003, 44, 1339-1346.	1.3	26
41	Bcl2-negative follicular lymphomas frequently have Bcl6 translocation and/or Bcl6 or p53 expression. <i>Pathology International</i> , 2007, 57, 148-152.	1.3	26
42	Trisomy 3 is a specific genomic aberration of t(14;18) negative follicular lymphoma. <i>Leukemia</i> , 2007, 21, 2549-2551.	7.2	25
43	Epstein-Barr virus-positive nodal peripheral T cell lymphomas: Clinicopathologic and gene expression profiling study. <i>Pathology Research and Practice</i> , 2013, 209, 448-454.	2.3	25
44	The comparison of expression of cutaneous lymphocyte-associated antigen (CLA), and Th1- and Th2-associated antigens in mycosis fungoides and cutaneous lesions of adult T-cell leukemia/lymphoma. <i>European Journal of Dermatology</i> , 2003, 13, 553-9.	0.6	25
45	Modeling mesothelioma utilizing human mesothelial cells reveals involvement of phospholipase-C beta 4 in YAP-active mesothelioma cell proliferation. <i>Carcinogenesis</i> , 2016, 37, 1098-1109.	2.8	22
46	Clinicobiological features and prognostic impact of diffuse large B-cell lymphoma component in the outcome of patients with previously untreated follicular lymphoma. <i>Annals of Oncology</i> , 2017, 28, 2799-2805.	1.2	22
47	Clinicopathological states of Epstein-Barr virus-associated T/NK-cell lymphoproliferative disorders (severe chronic active EBV infection) of children and young adults. <i>International Journal of Oncology</i> , 2004, 24, 1165.	3.3	20
48	Comprehensive gene expression profiles of NK cell neoplasms identify vorinostat as an effective drug candidate. <i>Cancer Letters</i> , 2013, 333, 47-55.	7.2	20
49	Granuloma With an Underlying Lymphoma: A Diagnostic Challenge and a Wider Histologic Spectrum Including Adult T-Cell Leukemia/Lymphoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 316-324.	1.2	19
50	“Double-hit” of DUSP22 and TP63 rearrangements in anaplastic large cell lymphoma, ALK-negative. <i>Blood</i> , 2020, 135, 700-700.	1.4	19
51	High-grade mature B-cell lymphoma with Burkitt-like morphology: Results of a clinicopathological study of 72 Japanese patients. <i>Cancer Science</i> , 2008, 99, 246-252.	3.9	18
52	Proteomic profiling of HTLV-1 carriers and ATL patients reveals sTNFR2 as a novel diagnostic biomarker for acute ATL. <i>Blood Advances</i> , 2020, 4, 1062-1071.	5.2	18
53	Clonal heterogeneity of mantle cell lymphoma revealed by array comparative genomic hybridization. <i>European Journal of Haematology</i> , 2013, 90, 51-58.	2.2	17
54	STX 11 functions as a novel tumor suppressor gene in peripheral T-cell lymphomas. <i>Cancer Science</i> , 2015, 106, 1455-1462.	3.9	17

#	ARTICLE	IF	CITATIONS
55	The expression of CD30 and its clinico-pathologic significance in peripheral T-cell lymphomas. <i>Expert Review of Hematology</i> , 2021, 14, 777-787.	2.2	17
56	A <i>HOXA13</i> variant of nodal marginal zone lymphoma. <i>Human Pathology</i> , 2005, 36, 202-206.	2.0	16
57	Mantle cell lymphoma shows three morphological evolutions of classical, intermediate, and aggressive forms, which occur in parallel with increased labeling index of cyclin D1 and <i>Ki67</i> . <i>Cancer Science</i> , 2010, 101, 806-814.	3.9	16
58	Classical Hodgkin lymphoma, lymphocyte depleted type: Clinicopathological analysis and prognostic comparison with other types of classical Hodgkin lymphoma. <i>Pathology Research and Practice</i> , 2013, 209, 201-207.	2.3	16
59	Gene expression profile of cytokines and chemokines in microdissected primary Hodgkin and Reed-Sternberg (HRS) cells: high expression of interleukin-11 receptor β . <i>Annals of Oncology</i> , 2006, 17, 110-116.	1.2	15
60	Classification of distinct subtypes of peripheral T-cell lymphoma unspecified, identified by chemokine and chemokine receptor expression: Analysis of prognosis. <i>International Journal of Oncology</i> , 2004, 25, 605.	3.3	14
61	Apoptosis- and cell cycle-associated gene expression profiling of histiocytic necrotising lymphadenitis. <i>European Journal of Haematology</i> , 2004, 72, 322-329.	2.2	14
62	Estimation of the relationship between caspase-3 expression and clinical outcome of Burkitt's and Burkitt-like lymphoma. <i>Cancer Science</i> , 2008, 99, 1564-1569.	3.9	14
63	Genetic profile of adult T-cell leukemia/lymphoma in Okinawa: Association with prognosis, ethnicity, and HTLV-1 strains. <i>Cancer Science</i> , 2021, 112, 1300-1309.	3.9	14
64	Clonal heterogeneity of lymphoid malignancies correlates with poor prognosis. <i>Cancer Science</i> , 2014, 105, 897-904.	3.9	13
65	Phosphorylated <i>STAT3</i> expression predicts better prognosis in smoldering type of adult T-cell leukemia/lymphoma. <i>Cancer Science</i> , 2019, 110, 2982-2991.	3.9	13
66	Mutation analysis of NF- κ B signal pathway-related genes in ocular MALT lymphoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 436-41.	0.5	13
67	Identification of multiple subclones in peripheral T-cell lymphoma, not otherwise specified with genomic aberrations. <i>Cancer Medicine</i> , 2012, 1, 289-294.	2.8	12
68	Oncogene Associated cDNA Microarray Analysis Shows PRAME Gene Expression is a Marker for Response to Anthracycline Containing Chemotherapy in Patients with Diffuse Large B-cell Lymphoma. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2009, 49, 1-7.	0.8	12
69	Clinical utility of target capture-based panel sequencing in hematological malignancies: A multicenter feasibility study. <i>Cancer Science</i> , 2020, 111, 3367-3378.	3.9	11
70	A new diagnostic algorithm using biopsy specimens in adult T-cell leukemia/lymphoma: combination of RNA in situ hybridization and quantitative PCR for HTLV-1. <i>Modern Pathology</i> , 2021, 34, 51-58.	5.5	11
71	Lineage-specific growth inhibition of NK cell lines by FOXO3 in association with Akt activation status. <i>Experimental Hematology</i> , 2012, 40, 1005-1015.e6.	0.4	10
72	Clinical usefulness of FDG-PET/CT for the evaluation of various types of adult T-cell leukemia. <i>Hematology</i> , 2017, 22, 536-543.	1.5	10

#	ARTICLE	IF	CITATIONS
73	Characterization of patients with aggressive adult T-cell leukemia/lymphoma in Okinawa, Japan: a retrospective analysis of a large cohort. <i>International Journal of Hematology</i> , 2016, 104, 468-475.	1.6	9
74	Human T-cell leukemia virus type I Tax genotype analysis in Okinawa, the southernmost and remotest islands of Japan: Different distributions compared with mainland Japan and the potential value for the prognosis of aggressive adult T-cell leukemia/lymphoma. <i>Leukemia Research</i> , 2017, 61, 18-24.	0.8	9
75	Upregulation of CC chemokine ligand 18 and downregulation of CX3C chemokine receptor 1 expression in human T-cell leukemia virus type I-associated lymph node lesions: Results of chemokine and chemokine receptor DNA chip analysis. <i>Cancer Science</i> , 2007, 98, 1875-1880.	3.9	8
76	Microenvironment of adult T-cell leukemia/lymphoma-associated nodal lesions. <i>International Journal of Hematology</i> , 2014, 99, 240-248.	1.6	8
77	Dasatinib-related effusion lymphoma in a patient treated for chronic myeloid leukaemia. <i>Cytopathology</i> , 2020, 31, 602-606.	0.7	8
78	Primary Mediastinal Non-seminomatous Germ Cell Tumor Associated with Hemophagocytic Syndrome. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2009, 49, 117-120.	0.8	7
79	Generation of mouse models of lymphoid neoplasm using retroviral gene transduction of in vitro induced germinal center B and T cells. <i>Experimental Hematology</i> , 2013, 41, 731-741.e9.	0.4	7
80	Identification of TRAF6-positive cells as a potent refractory population in follicular lymphomas. <i>Cancer Science</i> , 2018, 110, 443-457.	3.9	7
81	Epstein-Barr Virus-Positive Blastoid Variant of Mantle Cell Lymphoma in an Adult with Recurrent Infectious Mononucleosis-Like Symptoms: A Case Report. <i>International Journal of Hematology</i> , 2007, 85, 219-222.	1.6	6
82	Estimation of apoptosis and cell proliferation in histiocytic necrotizing lymphadenitis using immunohistochemical double staining. <i>Pathology International</i> , 2008, 58, 98-103.	1.3	6
83	Recurrence of Psoriasis Vulgaris Accompanied by Treatment with C-C Chemokine Receptor Type 4 (CCR4) Antibody (Mogamulizumab) Therapies in a Patient with Adult T cell Leukemia/ Lymphoma: Insight into Autoinflammatory Diseases. <i>Internal Medicine</i> , 2016, 55, 1345-1349.	0.7	6
84	Composite gastrointestinal lymphoma consisting of diffuse large B-cell lymphoma and peripheral T-cell lymphoma. <i>International Journal of Hematology</i> , 2009, 90, 275-277.	1.6	5
85	Co-occurrence of EBV-positive classic Hodgkin lymphoma and B-cell lymphomas of different clonal origins: A case report and literature review. <i>Pathology International</i> , 2020, 70, 893-898.	1.3	5
86	Dermatopathic reaction of lymph nodes in HTLV-1 carriers: a spectrum of reactive and neoplastic lesions. <i>Histopathology</i> , 2020, 77, 133-143.	2.9	5
87	Evaluation of two prognostic indices for adult T-cell leukemia/lymphoma in the subtropical endemic area, Okinawa, Japan. <i>Cancer Science</i> , 2018, 109, 2286-2293.	3.9	4
88	Recurrent Mutations Of NOTCH Genes In Follicular Lymphoma. <i>Blood</i> , 2013, 122, 4253-4253.	1.4	4
89	Primary Hepatic Lymphoma 1 Year After Resection of Hepatocellular Carcinoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 5784-5786.	1.6	3
90	Non-traumatic rupture of the superior thyroid artery with concomitant parathyroid adenoma and multinodular goiter. <i>Acta Radiologica Open</i> , 2017, 6, 205846011772281.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Aberrant TTF-1 Expression in Peripheral T-Cell Lymphomas: A Diagnostic Pitfall. <i>International Journal of Surgical Pathology</i> , 2021, 29, 165-168.	0.8	3
92	Molecular understanding of peripheral T-cell lymphomas, not otherwise specified (PTCL, NOS): A complex disease category. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2021, 61, 61-70.	0.8	3
93	Downregulation of RCAS1 and upregulation of cytotoxic T cells affects synovial proliferation and apoptosis in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008, 35, 1716-22.	2.0	3
94	Genetic Alterations in Adult T-Cell Leukemia/Lymphoma: Novel Discoveries with Clinical and Biological Significance. <i>Cancers</i> , 2022, 14, 2394.	3.7	3
95	Hepatocellular apoptosis associated with cytotoxic T/natural killer cell infiltration in chronic active EBV infection. <i>Pathology International</i> , 2009, 59, 438-442.	1.3	2
96	Hodgkin and Reed-Sternberg-like cells infected with human T-cell leukemia virus type 1. <i>Blood</i> , 2020, 136, 257-257.	1.4	2
97	Somatic Mutations and Loss of Heterozygosity of HLA Genes Are Frequently Occurred and Tightly Associated with Poor Prognosis in Adult T Cell Leukemia-Lymphoma. <i>Blood</i> , 2019, 134, 2785-2785.	1.4	2
98	Clinical Impact of the Presence of a Diffuse Large B-Cell Lymphoma (DLBCL) Component in the Outcome of Untreated Patients with Follicular Lymphoma (FL). <i>Blood</i> , 2016, 128, 3043-3043.	1.4	2
99	Clinicopathological features of adult T-cell leukemia/lymphoma with HTLV-1-infected Hodgkin and Reed-Sternberg-like cells. <i>Blood Advances</i> , 2021, 5, 198-206.	5.2	2
100	Elevation of the Plasma Levels of TNF Receptor 2 in Association with Those of CD25, OX40, and IL-10 and HTLV-1 Proviral Load in Acute Adult T-Cell Leukemia. <i>Viruses</i> , 2022, 14, 751.	3.3	2
101	B-cell lymphoma-2 (BCL2) downregulation is a useful feature -supporting a neoplastic phenotype in mature T-cell lymphomas. <i>Human Pathology</i> , 2022, , .	2.0	2
102	An atypical case of late-onset systemic lupus erythematosus with systemic lymphadenopathy and severe autoimmune thrombocytopenia/neutropenia mimicking malignant lymphoma. <i>International Journal of Hematology</i> , 2017, 105, 526-531.	1.6	1
103	Transplant-related complications are impediments to the success of allogeneic hematopoietic stem cell transplantation for adult T cell leukemia patients in non-complete remission. <i>Bone Marrow Transplantation</i> , 2020, 55, 233-241.	2.4	1
104	Indocyanine green fluorescence angiography for detection of cutaneous angiosarcoma of the scalp: A case report. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 32, 102087.	2.6	1
105	FoxP3, a Key Molecule in CD4+CD25+ Regulatory T Cells, Express in Adult T Cell Leukemia/Lymphoma Cells and Relates to Clinicopathological Features.. <i>Blood</i> , 2004, 104, 3255-3255.	1.4	1
106	Current progress of the tumor microenvironment in lymphoid malignancies. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2021, 61, 180-181.	0.8	1
107	Small-cell pattern of DUSP22 rearranged ALK-negative anaplastic large-cell lymphoma with leukemic phase. <i>Blood</i> , 2022, 139, 465-465.	1.4	1
108	Peripheral T-cell lymphoma with EBV-infected anaplastic B-cell proliferation confined to sinuses. <i>Blood</i> , 2017, 129, 1885-1885.	1.4	0

#	ARTICLE	IF	CITATIONS
109	Triple primary malignancies of surface osteosarcoma of jaw, myelodysplastic syndrome and colorectal cancer as a second primary cancer detected by PET2[18F]fluoro-deoxyglucose positron emission tomography: A case report. <i>Oncology Letters</i> , 2018, 15, 9901-9907.		0
110	Sinus-confined involvement pattern of mantle cell lymphoma. <i>International Journal of Hematology</i> , 2019, 110, 263-264.	1.6	0
111	Thymoma appearing 9½years after the resection of squamous cell carcinoma of the lip: A case report of triple primary tumors and literature review. <i>Oncology Letters</i> , 2019, 18, 2777-2788.	1.8	0
112	Primary bone anaplastic large cell lymphoma of lymphohistiocytic variant, ALK-negative: A challenging diagnosis. <i>Pathology International</i> , 2020, 70, 376-378.	1.3	0
113	Lymphomatous adult T cell leukaemia/lymphoma with anaplastic morphology in a country non-endemic for HTLV: a mimicker of anaplastic large cell lymphoma. <i>Histopathology</i> , 2020, 77, 678-680.	2.9	0
114	Deletion of the lysyl oxidase-like 1 gene induces impaired elastin fiber synthesis and inefficient urethral closure in rats. <i>Biomedical Research</i> , 2021, 42, 23-31.	0.9	0
115	The Positivity of Phosphorylated STAT3 Is a Novel Marker for Favorable Prognosis in Germinal Center B-Cell Type of Diffuse Large B-Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2021, 45, 832-840.	3.7	0
116	Gene Expression in Adult T Cell Leukemia/Lymphoma: Up-Regulation of Matrix Metalloproteinase 2 in Skin Lesions. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2004, 44, 67-75.	0.8	0
117	Identification of Subtype-Specific Genomic Alterations of Acute and Lymphoma Types of Adult T-Cell Leukemia/Lymphoma.. <i>Blood</i> , 2005, 106, 4667-4667.	1.4	0
118	Expression of V617F JAK2 in Mice Leads to MPD Mimicking Human ET, Idiopathic Myelofibrosis, and PV.. <i>Blood</i> , 2007, 110, 2531-2531.	1.4	0
119	Host Plasmacytoid or Conventional Dendritic Cells Alone Are Sufficient To Initiate Graft-Versus-Host Disease.. <i>Blood</i> , 2007, 110, 2164-2164.	1.4	0
120	Gene Expression Profiling of Age-Related Epstein-Barr Virus (EBV)-Associated B-Cell Lymphoproliferative Disorder Uncovers Alterations in Immune and Inflammatory Genes: Possible Implications for Pathogenesis.. <i>Blood</i> , 2011, 118, 3448-3448.	1.4	0
121	Cell Cycle Deregulation Determines Acute Transformation In Chronic Type Adult T-Cell Leukemia/Lymphoma. <i>Blood</i> , 2013, 122, 845-845.	1.4	0
122	STX11 Acts As a Novel Tumor Suppressor Gene in Peripheral T-Cell Lymphomas. <i>Blood</i> , 2014, 124, 1615-1615.	1.4	0
123	Integrating Genomic Alterations in Diffuse Large B-Cell Lymphoma Identifies New Relevant Pathways and Potential Therapeutic Targets. <i>Blood</i> , 2016, 128, 152-152.	1.4	0
124	External validation of prognostic indices for aggressive adult T-cell leukemia/lymphoma (ATL-PI/JCOG-PI) in Okinawa.. <i>Journal of Clinical Oncology</i> , 2017, 35, e19036-e19036.	1.6	0
125	Proteomic Profiling of HTLV-1 Carriers and ATL Patients Reveal TNFR2 As a Novel Diagnostic and Chemosensitivity Biomarker for ATL. <i>Blood</i> , 2019, 134, 660-660.	1.4	0
126	Intravesical Infusion of Budesonide Foam Improves Symptoms in a Bladder Pain Syndrome/Interstitial Cystitis Rat Model. <i>Open Journal of Urology</i> , 2020, 10, 123-133.	0.1	0

#	ARTICLE	IF	CITATIONS
127	Blastic plasmacytoid dendritic cell neoplasm with prominent intracytoplasmic vacuoles: A challenging diagnosis. <i>Pathology International</i> , 2022, 72, 211-213.	1.3	0
128	Acute type adult T-cell leukemia cells proliferate in the lymph nodes rather than in peripheral blood. <i>Cancer Gene Therapy</i> , 2022, , .	4.6	0
129	Spindle cell tumor with histiocytic and myogenic marker expression in the lymph node of a human T-cell leukemia virus type 1 carrier. <i>Pathology Research and Practice</i> , 2022, 234, 153935.	2.3	0