
Rita Roncone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2972423/publications.pdf Version: 2024-02-01



PITA PONCONE

#	Article	IF	CITATIONS
1	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. World Psychiatry, 2014, 13, 275-287.	4.8	346
2	Selective impairments of theory of mind in people with schizophrenia. Schizophrenia Research, 2001, 47, 299-308.	1.1	220
3	Is Theory of Mind in Schizophrenia More Strongly Associated with Clinical and Social Functioning than with Neurocognitive Deficits?. Psychopathology, 2002, 35, 280-288.	1.1	215
4	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia. JAMA Psychiatry, 2018, 75, 396.	6.0	214
5	Reliability of an Italian standardized and expanded Brief Psychiatric Rating Scale (BPRS 4.0) in raters with high vs. low clinical experience. Acta Psychiatrica Scandinavica, 1999, 100, 229-236.	2.2	118
6	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. European Psychiatry, 2015, 30, 641-647.	0.1	114
7	Could schizophrenic subjects improve their social cognition abilities only with observation and imitation of social situations?. Neuropsychological Rehabilitation, 2010, 20, 675-703.	1.0	102
8	The interplay among psychopathology, personal resources, contextâ€related factors and realâ€life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and nonâ€recovered patients. World Psychiatry, 2020, 19, 81-91.	4.8	96
9	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. JAMA Psychiatry, 2021, 78, 550.	6.0	89
10	Pragmatic Language and Theory of Mind Deficits in People with Schizophrenia and Their Relatives. Psychopathology, 2008, 41, 254-263.	1.1	77
11	Predictors of academic performance during the covid-19 outbreak: impact of distance education on mental health, social cognition and memory abilities in an Italian university student sample. BMC Psychology, 2021, 9, 142.	0.9	69
12	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. Schizophrenia Research, 2016, 175, 154-160.	1.1	66
13	Optimal Treatment Strategies to Enhance Recovery from Schizophrenia. Australian and New Zealand Journal of Psychiatry, 1998, 32, 43-49.	1.3	65
14	Social cognition in people with schizophrenia: a cluster-analytic approach. Psychological Medicine, 2016, 46, 2717-2729.	2.7	65
15	Distance education during COVID 19: an Italian survey on the university teachers' perspectives and their emotional conditions. BMC Medical Education, 2021, 21, 335.	1.0	62
16	Rehabilitation of theory of mind deficit in schizophrenia: a pilot study of metacognitive strategies in group treatment. Neuropsychological Rehabilitation, 2004, 14, 421-435.	1.0	59
17	Italian validation of MOAS and NOSIE: a useful package for psychiatric assessment and monitoring of aggressive behaviours. International Journal of Methods in Psychiatric Research, 2005, 14, 109-118.	1.1	58
18	Social cognition disorders in military police officers affected by posttraumatic stress disorder after the attack of An-Nasiriyah in Iraq 2006. Psychiatry Research, 2012, 198, 248-252.	1.7	58

#	Article	IF	CITATIONS
19	#Everything Will Be Fine. Duration of Home Confinement and "All-or-Nothing―Cognitive Thinking Style as Predictors of Traumatic Distress in Young University Students on a Digital Platform During the COVID-19 Italian Lockdown. Frontiers in Psychiatry, 2020, 11, 574812.	1.3	56
20	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. Schizophrenia Research, 2018, 201, 105-112.	1.1	52
21	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. Psychiatry Research, 2017, 256, 359-364.	1.7	49
22	The complex relationship between self-reported â€~personal recovery' and clinical recovery in schizophrenia. Schizophrenia Research, 2018, 192, 108-112.	1.1	45
23	The interhemispheric transcallosal-transversal approach to the lesions of the anterior and middle third ventricle: Surgical validity and neuropsychological evaluation of the outcome. Brain and Cognition, 2004, 55, 525-534.	0.8	44
24	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. Acta Psychiatrica Scandinavica, 2018, 138, 253-266.	2.2	44
25	Deficit of social cognition in subjects with surgically treated frontal lobe lesions and in subjects affected by schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 12-22.	1.8	43
26	Is Personal Recovery in Schizophrenia Predicted by Low Cognitive Insight?. Community Mental Health Journal, 2015, 51, 30-37.	1.1	40
27	Machiavellianism and Theory of Mind in people affected by schizophrenia. Brain and Cognition, 2003, 51, 262-269.	0.8	39
28	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. Psychological Medicine, 2018, 48, 1359-1366.	2.7	37
29	The Italian version of the Family Assessment Device. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 451-461.	1.6	36
30	Metacognitive training for young subjects (<scp>MCT</scp> young version) in the early stages of psychosis: Is the duration of untreated psychosis a limiting factor?. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 50-65.	1.3	35
31	Family Interventions for Schizophrenia: A Review of Long-term Benefits of International Studies. Psychiatric Rehabilitation Skills, 1999, 3, 268-290.	0.1	34
32	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 285-294.	1.8	33
33	The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. European Psychiatry, 2020, 63, 1-21.	0.1	30
34	Promoting recovery of schizophrenic patients: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. Epidemiology and Psychiatric Sciences, 2008, 17, 331-348.	1.8	29
35	A Comparison of the Effectiveness of Problem Solving Training and of Cognitive-Emotional Rehabilitation on Neurocognition, Social Cognition and Social Functioning in People with Schizophrenia. Clinical Practice and Epidemiology in Mental Health, 2011, 7, 123-132.	0.6	29
36	Neural correlates of automatic perceptual sensitivity to facial affect in posttraumatic stress disorder subjects who survived L'Aquila eartquake of April 6, 2009. Brain Imaging and Behavior, 2012, 6, 374-386.	1.1	28

#	Article	IF	CITATIONS
37	The narrative epidemiology of L'Aquila 2009 earthquake. Epidemiology and Psychiatric Sciences, 2012, 21, 13-21.	1.8	27
38	Marked increase in substance use among young people after L'Aquila earthquake. European Child and Adolescent Psychiatry, 2011, 20, 429-430.	2.8	26
39	The Questionnaire of Family Functioning: A Preliminary Validation of a Standardized Instrument to Evaluate Psychoeducational Family Treatments. Community Mental Health Journal, 2007, 43, 591-607.	1.1	25
40	The attributable burden of panic disorder in the impairment of quality of life in a national survey in Italy. International Journal of Social Psychiatry, 2015, 61, 693-699.	1.6	25
41	Moderate Depression Promotes Posttraumatic Growth (Ptg): A Young Population Survey 2 Years after the 2009 L'Aquila Earthquake. Clinical Practice and Epidemiology in Mental Health, 2017, 13, 10-19.	0.6	25
42	New evidence in theory of mind deficits in subjects with chronic schizophrenia and first episode: correlation with symptoms, neurocognition and social function. Rivista Di Psichiatria, 2012, 47, 327-36.	0.6	25
43	PTSD Growth and Substance Abuse Among a College Student Community: Coping Strategies after 2009 L'aquila Earthquake. Clinical Practice and Epidemiology in Mental Health, 2015, 11, 140-143.	0.6	25
44	Persistent fear of aftershocks, impairment of working memory, and acute stress disorder predict post-traumatic stress disorder: 6-month follow-up of help seekers following the L'Aquila earthquake. SpringerPlus, 2013, 2, 636.	1.2	24
45	Acute Stress Reactions and Associated Factors in the Help-Seekers after the L'Aquila Earthquake. Psychopathology, 2013, 46, 120-130.	1.1	24
46	Prefrontal cortex dysfunction during cognitive tests evidenced by functional near-infrared spectroscopy. Psychiatry Research - Neuroimaging, 2009, 171, 252-257.	0.9	22
47	Theory of mind, social development, and psychosis. Current Psychiatry Reports, 2004, 6, 183-189.	2.1	21
48	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. European Psychiatry, 2020, 63, e98.	0.1	20
49	Dysfunctional neural networks associated with impaired social interactions in early psychosis: an ICA analysis. Brain Imaging and Behavior, 2013, 7, 248-259.	1.1	18
50	Accuracy of self-assessment of real-life functioning in schizophrenia. NPJ Schizophrenia, 2021, 7, 11.	2.0	18
51	Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life― Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 109, 110250.	2.5	18
52	Italian Investigation on Mental Health Workers' Attitudes Regarding Personal Recovery From Mental Illness. Community Mental Health Journal, 2019, 55, 680-685.	1.1	17
53	Relationship between selfâ€reflectivity, Theory of Mind, neurocognition, and global functioning: An investigation of schizophrenic disorder. Clinical Psychologist, 2013, 17, 67-76.	0.5	16
54	Cognitive function and clinical symptoms in firstâ€episode psychosis and chronic schizophrenia before and after the 2009 L'Aquila earthquake. Microbial Biotechnology, 2012, 6, 153-158.	0.9	14

#	Article	IF	CITATIONS
55	Does Mood Disorder Questionnaire identify sub-threshold bipolarity? Evidence studying worsening of quality of life. Journal of Affective Disorders, 2015, 183, 173-178.	2.0	14
56	The Prevalence of Specific Phobia by Age in an Italian Nationwide Survey: How Much Does it Affect the Quality of Life?. Clinical Practice and Epidemiology in Mental Health, 2019, 15, 30-37.	0.6	14
57	Severe Tramadol Addiction in a 61 Year-Old Woman without a History of Substance Abuse. International Journal of Immunopathology and Pharmacology, 2008, 21, 475-476.	1.0	13
58	The lifetime prevalence and impact of generalized anxiety disorders in an epidemiologic Italian National Survey carried out by clinicians by means of semi-structured interviews. BMC Psychiatry, 2021, 21, 48.	1.1	13
59	Italian Families and Family Interventions. Journal of Nervous and Mental Disease, 2014, 202, 487-497.	0.5	12
60	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. World Journal of Biological Psychiatry, 2019, 20, 126-136.	1.3	12
61	Prevalence and factors associated with problematic internet use: an Italian survey among L'Aquila students. Rivista Di Psichiatria, 2017, 52, 90-93.	0.6	12
62	Impairment of Quality of Life Associated With Lifetime Diagnosis of Post-traumatic Stress Disorder in Women - A National Survey in Italy. Clinical Practice and Epidemiology in Mental Health, 2019, 15, 38-43.	0.6	11
63	Cognitive Impairment and Perceived Stress in Schizophrenic Inpatients with Post-Traumatic Stress Disorder. European Journal of Inflammation, 2010, 8, 211-219.	0.2	10
64	Post-Traumatic and Psychiatric Symptoms among Young Earthquake Survivors in Primary Care Camp Hospital. European Journal of Inflammation, 2011, 9, 39-44.	0.2	10
65	Autism spectrum in patients with schizophrenia: correlations with real-life functioning, resilience, and coping styles. CNS Spectrums, 2021, , 1-11.	0.7	10
66	Relapsing versus non relapsing course of schizophrenia: a cohort study in a community based mental health service. Epidemiologia E Psichiatria Sociale, 2007, 16, 50-58.	1.0	9
67	Cognitive behavioral therapy (CBT) anxiety management and reasoning bias modification in young adults with anxiety disorders: A real-world study of a therapist-assisted computerized (TACCBT) program Vs. "person-to-person―group CBT. Internet Interventions, 2020, 19, 100305.	1.4	9
68	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695.	0.7	8
69	The Burden of Comorbidity Between Bipolar Spectrum and Obsessive-Compulsive Disorder in an Italian Community Survey. Frontiers in Psychiatry, 2020, 11, 188.	1.3	8
70	"Hang in There!â€: Mental Health in a Sample of the Italian Civil Protection Volunteers during the COVID-19 Health Emergency. International Journal of Environmental Research and Public Health, 2021, 18, 8587.	1.2	8
71	Brain serotonin and the mechanism of action of selective serotonin re-uptake inhibitors (SSRI). Archives of Gerontology and Geriatrics, 1998, 26, 65-70.	1.4	7
72	Structured assessment of current mental state in clinical practice: an international study of the reliability and validity of the Current Psychiatric State interview, CPS-50. Acta Psychiatrica Scandinavica, 2005, 111, 44-50.	2.2	7

#	Article	IF	CITATIONS
73	A new self-report questionnaire called "ABC" to evaluate in a clinical practice the aid perceived from services by relatives, needs and family burden of severe mental illness. Clinical Practice and Epidemiology in Mental Health, 2007, 3, 15.	0.6	7
74	Psychiatric Rehabilitation in Italy: Cinderella No More—The Contribution of Psychiatric Rehabilitation Technicians. International Journal of Mental Health, 2016, 45, 24-31.	0.5	7
75	Cognitive Behavioral Therapy for Young People after L'Aquila Earthquake. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 238-242.	0.6	7
76	Subjective and psychopathological response in patients under different antipsychotic treatments: are there differences in real clinical practice?. Journal of Biological Regulators and Homeostatic Agents, 2008, 22, 83-91.	0.7	7
77	Heart and Head: Profiles and Predictors of Self-Assessed Cognitive and Affective Empathy in a Sample of Medical and Health Professional Students. Frontiers in Psychology, 2021, 12, 632996.	1.1	6
78	Optimal Treatment Strategies to Enhance Recovery from Schizophrenia. , 0, .		6
79	Schizophreniform Disorder: A 1-Year Follow-Up Study. Psychopathology, 1996, 29, 104-108.	1.1	5
80	Effective and Efficient Treatment Strategies to Enhance Recovery from Schizophrenia: How Much Longer Will People Have to Wait Before we Provide Them?. Psychiatric Rehabilitation Skills, 1998, 2, 107-127.	0.1	5
81	The Development of Cognitive-Behavioral Therapies Within Italian Mental Health Services. International Journal of Mental Health, 1999, 28, 60-67.	0.5	5
82	Preliminary study of effects on paranoia ideation and jumping to conclusions in the context of group treatment of anxiety disorders in young people. Microbial Biotechnology, 2018, 12, 1072-1080.	0.9	5
83	The Burden of Agoraphobia in Worsening Quality of Life in a Community Survey in Italy. Psychiatry Investigation, 2021, 18, 277-283.	0.7	5
84	Exploring Prefrontal Cortex Oxygenation in Schizophrenia by Functional Near-Infrared Spectroscopy. , 2006, 578, 229-235.		5
85	The service for Monitoring and Early Intervention against psychoLogical and mEntal suffering in young people (SMILE) at the University of L'Aquila: first year experience. Microbial Biotechnology, 2007, 1, 271-275.	0.9	4
86	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. World Journal of Biological Psychiatry, 2022, 23, 46-54.	1.3	4
87	Family Interventions in Schizophrenia in Italian Mental Health Services. , 2002, , 284-289.		4
88	Psycho-educational group therapy in acute psychiatric units: creating a psychosocial culture. An update of spread and effectiveness of a psychosocial intervention in Italian psychiatric wards. Annali Dell'Istituto Superiore Di Sanita, 2018, 54, 272-283.	0.2	4
89	Abnormal Emotional Responses to Pleasant and Unpleasant Visual Stimuli in First Episode Schizophrenia: f-MRI Investigation. European Psychiatry, 2009, 24, .	0.1	2
90	Neuronal Basis of Haedonic Appraisal in Early Onset Schizophrenia: fMRI Investigation. Neuroradiology Journal, 2011, 24, 264-270.	0.6	2

#	Article	IF	CITATIONS
91	Epileptic EEG discharges and short non-convulsive crisis: Influence on cognitive and psychobehavioural functions in youths. Clinical and Investigative Medicine, 2008, 31, 20.	0.3	2
92	The Prevalence of PTSD in a Forensic Psychiatric Setting: The Impact of Traumatic Lifetime Experiences. Frontiers in Psychiatry, 2022, 13, 843730.	1.3	2
93	Change in Regional Cerebral Function in L'Aquila Earthquake Survivors with Post-Traumatic Stress Disorder: Preliminary Findings. Neuroradiology Journal, 2011, 24, 71-76.	0.6	1
94	Perinatal mental illness and autoimmune diseases: a qualitative sistematic review. Minerva Obstetrics and Gynecology, 2022, , .	0.5	1
95	Are false beliefs, comprehension and emotion recognition separate domains in schizophrenia thinking: A factor analysis study in 178 persons affected by schizophrenia. Schizophrenia Research, 2008, 98, 24.	1.1	0
96	59 – A compensatory mirror cortical mechanism for social cognition processing in schizophrenia. Schizophrenia Research, 2008, 98, 57-58.	1.1	0
97	Affect Recognition Deficits in First Episode Schizophrenia and in Subjects with Anxiety Disorders: An ERP Study. European Psychiatry, 2009, 24, .	0.1	0
98	Social Cognition and Schizophrenia: New Frontiers in Interpreting other's Mind in Subjects Affected by Schizophrenia. European Psychiatry, 2009, 24, .	0.1	0
99	Social Cognition in Schizophrenia. , 2002, , 48-53.		0
100	Disturbi della cognizione sociale e le loro conseguenze psicosociali. , 2013, , 21-36.		0
101	Easier Said Than Done: The Challenge to Teach "Personal Recovery―to Mental Health Professionals Through a Short, Targeted and Structured Training Programme. Community Mental Health Journal, 2021, , 1.	1.1	0
102	Neurological soft signs as predictors of central nervous system involvement in HIV-1 infection. Functional Neurology, 1991, 6, 43-8.	1.3	0