

Rita Roncone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2972423/publications.pdf>

Version: 2024-02-01

102
papers

3,556
citations

147726

31
h-index

155592

55
g-index

120
all docs

120
docs citations

120
times ranked

3502
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 46-54.	1.3	4
2	Perinatal mental illness and autoimmune diseases: a qualitative systematic review. <i>Minerva Obstetrics and Gynecology</i> , 2022, , .	0.5	1
3	The Prevalence of PTSD in a Forensic Psychiatric Setting: The Impact of Traumatic Lifetime Experiences. <i>Frontiers in Psychiatry</i> , 2022, 13, 843730.	1.3	2
4	The lifetime prevalence and impact of generalized anxiety disorders in an epidemiologic Italian National Survey carried out by clinicians by means of semi-structured interviews. <i>BMC Psychiatry</i> , 2021, 21, 48.	1.1	13
5	Accuracy of self-assessment of real-life functioning in schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 11.	2.0	18
6	The Burden of Agoraphobia in Worsening Quality of Life in a Community Survey in Italy. <i>Psychiatry Investigation</i> , 2021, 18, 277-283.	0.7	5
7	Autism spectrum in patients with schizophrenia: correlations with real-life functioning, resilience, and coping styles. <i>CNS Spectrums</i> , 2021, , 1-11.	0.7	10
8	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021, 78, 550.	6.0	89
9	Distance education during COVID 19: an Italian survey on the university teachers' perspectives and their emotional conditions. <i>BMC Medical Education</i> , 2021, 21, 335.	1.0	62
10	Heart and Head: Profiles and Predictors of Self-Assessed Cognitive and Affective Empathy in a Sample of Medical and Health Professional Students. <i>Frontiers in Psychology</i> , 2021, 12, 632996.	1.1	6
11	Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 109, 110250.	2.5	18
12	"Hang in There!" Mental Health in a Sample of the Italian Civil Protection Volunteers during the COVID-19 Health Emergency. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8587.	1.2	8
13	Predictors of academic performance during the covid-19 outbreak: impact of distance education on mental health, social cognition and memory abilities in an Italian university student sample. <i>BMC Psychology</i> , 2021, 9, 142.	0.9	69
14	Easier Said Than Done: The Challenge to Teach "Personal Recovery" to Mental Health Professionals Through a Short, Targeted and Structured Training Programme. <i>Community Mental Health Journal</i> , 2021, , 1.	1.1	0
15	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020, 19, 81-91.	4.8	96
16	The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. <i>European Psychiatry</i> , 2020, 63, 1-21.	0.1	30
17	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020, 63, e98.	0.1	20
18	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <i>Trials</i> , 2020, 21, 695.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Cognitive behavioral therapy (CBT) anxiety management and reasoning bias modification in young adults with anxiety disorders: A real-world study of a therapist-assisted computerized (TACCBT) program Vs. "person-to-person" group CBT. <i>Internet Interventions</i> , 2020, 19, 100305.	1.4	9
20	The Burden of Comorbidity Between Bipolar Spectrum and Obsessive-Compulsive Disorder in an Italian Community Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 188.	1.3	8
21	#Everything Will Be Fine. Duration of Home Confinement and "All-or-Nothing" Cognitive Thinking Style as Predictors of Traumatic Distress in Young University Students on a Digital Platform During the COVID-19 Italian Lockdown. <i>Frontiers in Psychiatry</i> , 2020, 11, 574812.	1.3	56
22	Italian Investigation on Mental Health Workers' Attitudes Regarding Personal Recovery From Mental Illness. <i>Community Mental Health Journal</i> , 2019, 55, 680-685.	1.1	17
23	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136.	1.3	12
24	The Prevalence of Specific Phobia by Age in an Italian Nationwide Survey: How Much Does it Affect the Quality of Life?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019, 15, 30-37.	0.6	14
25	Impairment of Quality of Life Associated With Lifetime Diagnosis of Post-traumatic Stress Disorder in Women - A National Survey in Italy. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019, 15, 38-43.	0.6	11
26	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 396.	6.0	214
27	The complex relationship between self-reported "personal recovery" and clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 108-112.	1.1	45
28	Preliminary study of effects on paranoia ideation and jumping to conclusions in the context of group treatment of anxiety disorders in young people. <i>Microbial Biotechnology</i> , 2018, 12, 1072-1080.	0.9	5
29	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018, 48, 1359-1366.	2.7	37
30	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 253-266.	2.2	44
31	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018, 201, 105-112.	1.1	52
32	Psycho-educational group therapy in acute psychiatric units: creating a psychosocial culture. An update of spread and effectiveness of a psychosocial intervention in Italian psychiatric wards. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2018, 54, 272-283.	0.2	4
33	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017, 256, 359-364.	1.7	49
34	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 285-294.	1.8	33
35	Moderate Depression Promotes Posttraumatic Growth (Ptg): A Young Population Survey 2 Years after the 2009 L'Aquila Earthquake. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017, 13, 10-19.	0.6	25
36	Prevalence and factors associated with problematic internet use: an Italian survey among L'Aquila students. <i>Rivista Di Psichiatria</i> , 2017, 52, 90-93.	0.6	12

#	ARTICLE	IF	CITATIONS
37	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016, 46, 2717-2729.	2.7	65
38	Metacognitive training for young subjects (<scp>MCT</scp> young version) in the early stages of psychosis: Is the duration of untreated psychosis a limiting factor?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016, 89, 50-65.	1.3	35
39	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016, 175, 154-160.	1.1	66
40	Psychiatric Rehabilitation in Italy: Cinderella No More? The Contribution of Psychiatric Rehabilitation Technicians. <i>International Journal of Mental Health</i> , 2016, 45, 24-31.	0.5	7
41	The attributable burden of panic disorder in the impairment of quality of life in a national survey in Italy. <i>International Journal of Social Psychiatry</i> , 2015, 61, 693-699.	1.6	25
42	Is Personal Recovery in Schizophrenia Predicted by Low Cognitive Insight?. <i>Community Mental Health Journal</i> , 2015, 51, 30-37.	1.1	40
43	Does Mood Disorder Questionnaire identify sub-threshold bipolarity? Evidence studying worsening of quality of life. <i>Journal of Affective Disorders</i> , 2015, 183, 173-178.	2.0	14
44	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 641-647.	0.1	114
45	PTSD Growth and Substance Abuse Among a College Student Community: Coping Strategies after 2009 L'Aquila Earthquake. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015, 11, 140-143.	0.6	25
46	Italian Families and Family Interventions. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 487-497.	0.5	12
47	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014, 13, 275-287.	4.8	346
48	Dysfunctional neural networks associated with impaired social interactions in early psychosis: an ICA analysis. <i>Brain Imaging and Behavior</i> , 2013, 7, 248-259.	1.1	18
49	Persistent fear of aftershocks, impairment of working memory, and acute stress disorder predict post-traumatic stress disorder: 6-month follow-up of help seekers following the L'Aquila earthquake. <i>SpringerPlus</i> , 2013, 2, 636.	1.2	24
50	Relationship between self-reflectivity, Theory of Mind, neurocognition, and global functioning: An investigation of schizophrenic disorder. <i>Clinical Psychologist</i> , 2013, 17, 67-76.	0.5	16
51	Acute Stress Reactions and Associated Factors in the Help-Seekers after the L'Aquila Earthquake. <i>Psychopathology</i> , 2013, 46, 120-130.	1.1	24
52	Cognitive Behavioral Therapy for Young People after L'Aquila Earthquake. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 238-242.	0.6	7
53	Disturbi della cognizione sociale e le loro conseguenze psicosociali. , 2013, , 21-36.		0
54	The narrative epidemiology of L'Aquila 2009 earthquake. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 13-21.	1.8	27

#	ARTICLE	IF	CITATIONS
55	Social cognition disorders in military police officers affected by posttraumatic stress disorder after the attack of An-Nasiriyah in Iraq 2006. <i>Psychiatry Research</i> , 2012, 198, 248-252.	1.7	58
56	Neural correlates of automatic perceptual sensitivity to facial affect in posttraumatic stress disorder subjects who survived L'Aquila earthquake of April 6, 2009. <i>Brain Imaging and Behavior</i> , 2012, 6, 374-386.	1.1	28
57	Cognitive function and clinical symptoms in first episode psychosis and chronic schizophrenia before and after the 2009 L'Aquila earthquake. <i>Microbial Biotechnology</i> , 2012, 6, 153-158.	0.9	14
58	New evidence in theory of mind deficits in subjects with chronic schizophrenia and first episode: correlation with symptoms, neurocognition and social function. <i>Rivista Di Psichiatria</i> , 2012, 47, 327-36.	0.6	25
59	A Comparison of the Effectiveness of Problem Solving Training and of Cognitive-Emotional Rehabilitation on Neurocognition, Social Cognition and Social Functioning in People with Schizophrenia. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 123-132.	0.6	29
60	Neuronal Basis of Hedonic Appraisal in Early Onset Schizophrenia: fMRI Investigation. <i>Neuroradiology Journal</i> , 2011, 24, 264-270.	0.6	2
61	Marked increase in substance use among young people after L'Aquila earthquake. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 429-430.	2.8	26
62	Change in Regional Cerebral Function in L'Aquila Earthquake Survivors with Post-Traumatic Stress Disorder: Preliminary Findings. <i>Neuroradiology Journal</i> , 2011, 24, 71-76.	0.6	1
63	Post-Traumatic and Psychiatric Symptoms among Young Earthquake Survivors in Primary Care Camp Hospital. <i>European Journal of Inflammation</i> , 2011, 9, 39-44.	0.2	10
64	Cognitive Impairment and Perceived Stress in Schizophrenic Inpatients with Post-Traumatic Stress Disorder. <i>European Journal of Inflammation</i> , 2010, 8, 211-219.	0.2	10
65	Could schizophrenic subjects improve their social cognition abilities only with observation and imitation of social situations?. <i>Neuropsychological Rehabilitation</i> , 2010, 20, 675-703.	1.0	102
66	Prefrontal cortex dysfunction during cognitive tests evidenced by functional near-infrared spectroscopy. <i>Psychiatry Research - Neuroimaging</i> , 2009, 171, 252-257.	0.9	22
67	Abnormal Emotional Responses to Pleasant and Unpleasant Visual Stimuli in First Episode Schizophrenia: f-MRI Investigation. <i>European Psychiatry</i> , 2009, 24, .	0.1	2
68	Affect Recognition Deficits in First Episode Schizophrenia and in Subjects with Anxiety Disorders: An ERP Study. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
69	Social Cognition and Schizophrenia: New Frontiers in Interpreting other's Mind in Subjects Affected by Schizophrenia. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
70	Pragmatic Language and Theory of Mind Deficits in People with Schizophrenia and Their Relatives. <i>Psychopathology</i> , 2008, 41, 254-263.	1.1	77
71	Are false beliefs, comprehension and emotion recognition separate domains in schizophrenia thinking: A factor analysis study in 178 persons affected by schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 24.	1.1	0
72	59 "A compensatory mirror cortical mechanism for social cognition processing in schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 57-58.	1.1	0

#	ARTICLE	IF	CITATIONS
73	Promoting recovery of schizophrenic patients: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. <i>Epidemiology and Psychiatric Sciences</i> , 2008, 17, 331-348.	1.8	29
74	Severe Tramadol Addiction in a 61 Year-Old Woman without a History of Substance Abuse. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 475-476.	1.0	13
75	Epileptic EEG discharges and short non-convulsive crisis: Influence on cognitive and psychobehavioural functions in youths. <i>Clinical and Investigative Medicine</i> , 2008, 31, 20.	0.3	2
76	Subjective and psychopathological response in patients under different antipsychotic treatments: are there differences in real clinical practice?. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2008, 22, 83-91.	0.7	7
77	Relapsing versus non relapsing course of schizophrenia: a cohort study in a community based mental health service. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 50-58.	1.0	9
78	A new self-report questionnaire called "ABC" to evaluate in a clinical practice the aid perceived from services by relatives, needs and family burden of severe mental illness. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 15.	0.6	7
79	The service for Monitoring and Early Intervention against psychoLogical and mEntal suffering in young people (SMILE) at the University of L'Aquila: first year experience. <i>Microbial Biotechnology</i> , 2007, 1, 271-275.	0.9	4
80	The Questionnaire of Family Functioning: A Preliminary Validation of a Standardized Instrument to Evaluate Psychoeducational Family Treatments. <i>Community Mental Health Journal</i> , 2007, 43, 591-607.	1.1	25
81	Deficit of social cognition in subjects with surgically treated frontal lobe lesions and in subjects affected by schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 12-22.	1.8	43
82	Exploring Prefrontal Cortex Oxygenation in Schizophrenia by Functional Near-Infrared Spectroscopy. , 2006, 578, 229-235.		5
83	Structured assessment of current mental state in clinical practice: an international study of the reliability and validity of the Current Psychiatric State interview, CPS-50. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 44-50.	2.2	7
84	Italian validation of MOAS and NOSIE: a useful package for psychiatric assessment and monitoring of aggressive behaviours. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 109-118.	1.1	58
85	Rehabilitation of theory of mind deficit in schizophrenia: a pilot study of metacognitive strategies in group treatment. <i>Neuropsychological Rehabilitation</i> , 2004, 14, 421-435.	1.0	59
86	Theory of mind, social development, and psychosis. <i>Current Psychiatry Reports</i> , 2004, 6, 183-189.	2.1	21
87	The interhemispheric transcallosal-transversal approach to the lesions of the anterior and middle third ventricle: Surgical validity and neuropsychological evaluation of the outcome. <i>Brain and Cognition</i> , 2004, 55, 525-534.	0.8	44
88	Machiavellianism and Theory of Mind in people affected by schizophrenia. <i>Brain and Cognition</i> , 2003, 51, 262-269.	0.8	39
89	Is Theory of Mind in Schizophrenia More Strongly Associated with Clinical and Social Functioning than with Neurocognitive Deficits?. <i>Psychopathology</i> , 2002, 35, 280-288.	1.1	215
90	Family Interventions in Schizophrenia in Italian Mental Health Services. , 2002, , 284-289.		4

#	ARTICLE	IF	CITATIONS
91	Social Cognition in Schizophrenia. , 2002, , 48-53.		0
92	Selective impairments of theory of mind in people with schizophrenia. Schizophrenia Research, 2001, 47, 299-308.	1.1	220
93	Reliability of an Italian standardized and expanded Brief Psychiatric Rating Scale (BPRS 4.0) in raters with high vs. low clinical experience. Acta Psychiatrica Scandinavica, 1999, 100, 229-236.	2.2	118
94	Family Interventions for Schizophrenia: A Review of Long-term Benefits of International Studies. Psychiatric Rehabilitation Skills, 1999, 3, 268-290.	0.1	34
95	The Development of Cognitive-Behavioral Therapies Within Italian Mental Health Services. International Journal of Mental Health, 1999, 28, 60-67.	0.5	5
96	The Italian version of the Family Assessment Device. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 451-461.	1.6	36
97	Brain serotonin and the mechanism of action of selective serotonin re-uptake inhibitors (SSRI). Archives of Gerontology and Geriatrics, 1998, 26, 65-70.	1.4	7
98	Effective and Efficient Treatment Strategies to Enhance Recovery from Schizophrenia: How Much Longer Will People Have to Wait Before we Provide Them?. Psychiatric Rehabilitation Skills, 1998, 2, 107-127.	0.1	5
99	Optimal Treatment Strategies to Enhance Recovery from Schizophrenia. Australian and New Zealand Journal of Psychiatry, 1998, 32, 43-49.	1.3	65
100	Schizophreniform Disorder: A 1-Year Follow-Up Study. Psychopathology, 1996, 29, 104-108.	1.1	5
101	Neurological soft signs as predictors of central nervous system involvement in HIV-1 infection. Functional Neurology, 1991, 6, 43-8.	1.3	0
102	Optimal Treatment Strategies to Enhance Recovery from Schizophrenia. , 0, .		6