

Enno Schmidt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2972813/enno-schmidt-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

332
papers

10,494
citations

55
h-index

85
g-index

407
ext. papers

13,480
ext. citations

4.1
avg, IF

6.45
L-index

#	Paper	IF	Citations
332	Pemphigoid diseases. <i>Lancet, The</i> , 2013 , 381, 320-32	4.0	629
331	Serum levels of autoantibodies to BP180 correlate with disease activity in patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 2000 , 136, 174-8		237
330	Mechanisms of Autoantibody-Induced Pathology. <i>Frontiers in Immunology</i> , 2017 , 8, 603	8.4	218
329	Definitions and outcome measures for bullous pemphigoid: recommendations by an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 479-85	4.5	203
328	The registry of the German Network for Systemic Scleroderma: frequency of disease subsets and patterns of organ involvement. <i>Rheumatology</i> , 2008 , 47, 1185-92	3.9	184
327	Autoantibodies to bullous pemphigoid antigen 180 induce dermal-epidermal separation in cryosections of human skin. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 664-71	4.3	147
326	Pemphigus. <i>Lancet, The</i> , 2019 , 394, 882-894	4.0	139
325	Prospektive Untersuchung der Inzidenz blasenbildender Autoimmundermatosen in Unterfranken. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 434-440	1.2	139
324	Rituximab in autoimmune bullous diseases: mixed responses and adverse effects. <i>British Journal of Dermatology</i> , 2007 , 156, 352-6	4	139
323	Modern diagnosis of autoimmune blistering skin diseases. <i>Autoimmunity Reviews</i> , 2010 , 10, 84-9	13.6	138
322	Safety and clinical outcomes of rituximab therapy in patients with different autoimmune diseases: experience from a national registry (GRAID). <i>Arthritis Research and Therapy</i> , 2011 , 13, R75	5.7	136
321	Diagnosis and management of pemphigus: Recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 575-585.e1	4.5	127
320	Enzyme-linked immunosorbent assay using multimers of the 16th non-collagenous domain of the BP180 antigen for sensitive and specific detection of pemphigoid autoantibodies. <i>Experimental Dermatology</i> , 2007 , 16, 770-7	4	119
319	Recommendations for the use of rituximab (anti-CD20 antibody) in the treatment of autoimmune bullous skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008 , 6, 366-73	1.2	114
318	Doxycycline versus prednisolone as an initial treatment strategy for bullous pemphigoid: a pragmatic, non-inferiority, randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 1630-1638	4.0	109
317	Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients. <i>Experimental Dermatology</i> , 2010 , 19, 458-63 ⁴		104
316	IgG4 and IgE are the major immunoglobulins targeting the NC 16A domain of BP 180 in bullous pemphigoid: Serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-583	4.5	104

315	Rituximab in refractory autoimmune bullous diseases. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 503-8	1.8	102
314	Cicatrical pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180. <i>British Journal of Dermatology</i> , 2001 , 145, 778-83	4	98
313	IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in Bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-83	4.5	98
312	Prospective analysis of the incidence of autoimmune bullous disorders in Lower Franconia, Germany. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 434-40	1.2	96
311	Rituximab for treatment-refractory pemphigus and pemphigoid: a case series of 17 patients. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 552-558	4.5	95
310	Autoimmune Subepidermal Bullous Diseases of the Skin and Mucosae: Clinical Features, Diagnosis, and Management. <i>Clinical Reviews in Allergy and Immunology</i> , 2018 , 54, 26-51	12.3	94
309	Prevalence and Age Distribution of Pemphigus and Pemphigoid Diseases in Germany. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2495-2498	4.3	92
308	Autoantibodies in lichen planus pemphigoides react with a novel epitope within the C-terminal NC16A domain of BP180. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 117-21	4.3	91
307	Development of ELISA for the specific determination of autoantibodies against envoplakin and periplakin in paraneoplastic pemphigus. <i>Clinica Chimica Acta</i> , 2009 , 410, 13-8	6.2	85
306	Protein A immunoabsorption: a novel and effective adjuvant treatment of severe pemphigus. <i>British Journal of Dermatology</i> , 2003 , 148, 1222-9	4	84
305	Desmocollin 3-mediated binding is crucial for keratinocyte cohesion and is impaired in pemphigus. <i>Journal of Biological Chemistry</i> , 2009 , 284, 30556-64	5.4	83
304	Autoantibodies to BP180 associated with bullous pemphigoid release interleukin-6 and interleukin-8 from cultured human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 842-8	4.3	82
303	Development of NC1 and NC2 domains of type VII collagen ELISA for the diagnosis and analysis of the time course of epidermolysis bullosa acquisita patients. <i>Journal of Dermatological Science</i> , 2011 , 62, 169-75	4.3	81
302	Rituximab in severe pemphigus. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 683-91	6.5	81
301	Autoantibodies in a subgroup of patients with linear IgA disease react with the NC16A domain of BP180. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 947-53	4.3	79
300	Correlation of Serum Levels of IgE Autoantibodies Against BP180 With Bullous Pemphigoid Disease Activity. <i>JAMA Dermatology</i> , 2017 , 153, 30-38	5.1	77
299	Serological diagnosis of autoimmune bullous skin diseases: prospective comparison of the BIOCHIP mosaic-based indirect immunofluorescence technique with the conventional multi-step single test strategy. <i>Orphanet Journal of Rare Diseases</i> , 2012 , 7, 49	4.2	77
298	Anti-p200 pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 185-91	4.5	75

297	Pemphigoid diseases: pathogenesis, diagnosis, and treatment. <i>Autoimmunity</i> , 2012 , 45, 55-70	3	74
296	Clinical features and practical diagnosis of bullous pemphigoid. <i>Dermatologic Clinics</i> , 2011 , 29, 427-38, viii-ix	4.2	73
295	Immunogenicity of rituximab in patients with severe pemphigus. <i>Clinical Immunology</i> , 2009 , 132, 334-41	9	72
294	Population-specific association between a polymorphic variant in ST18, encoding a pro-apoptotic molecule, and pemphigus vulgaris. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1798-805	4.3	71
293	Mechanisms Causing Loss of Keratinocyte Cohesion in Pemphigus. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 32-37	4.3	70
292	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, e89-95	4.5	70
291	Current therapy of the pemphigus group. <i>Clinics in Dermatology</i> , 2012 , 30, 84-94	3	69
290	Detection of elevated levels of IL-4, IL-6, and IL-10 in blister fluid of bullous pemphigoid. <i>Archives of Dermatological Research</i> , 1996 , 288, 353-7	3.3	69
289	Genetic identification and functional validation of Fc γ RIV as key molecule in autoantibody-induced tissue injury. <i>Journal of Pathology</i> , 2012 , 228, 8-19	9.4	68
288	Successful adjuvant treatment of recalcitrant epidermolysis bullosa acquisita with anti-CD20 antibody rituximab. <i>Archives of Dermatology</i> , 2006 , 142, 147-50		68
287	Long-standing remission of recalcitrant juvenile pemphigus vulgaris after adjuvant therapy with rituximab. <i>British Journal of Dermatology</i> , 2005 , 153, 449-51	4	63
286	Klinisches und immunpathologisches Spektrum des paraneoplastischen Pemphigus. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 598-606	1.2	62
285	Epidermolysis Bullosa Acquisita: From Pathophysiology to Novel Therapeutic Options. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 24-33	4.3	61
284	Epitope mapping of BP230 leading to a novel enzyme-linked immunosorbent assay for autoantibodies in bullous pemphigoid. <i>British Journal of Dermatology</i> , 2012 , 166, 964-70	4	60
283	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1900-1913	4.6	60
282	Rituximab in treatment-resistant autoimmune blistering skin disorders. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 34, 56-64	12.3	59
281	Immunoabsorption in dermatology. <i>Archives of Dermatological Research</i> , 2010 , 302, 241-53	3.3	58
280	Peptide-mediated desmoglein 3 crosslinking prevents pemphigus vulgaris autoantibody-induced skin blistering. <i>Journal of Clinical Investigation</i> , 2013 , 123, 800-11	15.9	57

279	Generation of antibodies of distinct subclasses and specificity is linked to H2s in an active mouse model of epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 167-76	4.3	56
278	Malignancies in pemphigus and pemphigoid diseases. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1445-1447	4.3	55
277	Development of a simple enzyme-linked immunosorbent assay for the detection of autoantibodies in anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2011 , 164, 76-82	4	55
276	The diagnosis and treatment of autoimmune blistering skin diseases. <i>Deutsches A&#x0308;rztblatt International</i> , 2011 , 108, 399-405, I-III	2.5	55
275	Heat-shock protein 90 inhibition in autoimmunity to type VII collagen: evidence that nonmalignant plasma cells are not therapeutic targets. <i>Blood</i> , 2011 , 117, 6135-42	2.2	54
274	Diagnosis of Autoimmune Blistering Diseases. <i>Frontiers in Medicine</i> , 2018 , 5, 296	4.9	54
273	Repetitive immunization breaks tolerance to type XVII collagen and leads to bullous pemphigoid in mice. <i>Journal of Immunology</i> , 2011 , 187, 1176-83	5.3	52
272	IgG1 and IgG3 are the major immunoglobulin subclasses targeting epitopes within the NC16A domain of BP180 in pemphigoid gestationis. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 140-2	4.3	52
271	Calculation of cut-off values based on the Autoimmune Bullous Skin Disorder Intensity Score (ABSIS) and Pemphigus Disease Area Index (PDAI) pemphigus scoring systems for defining moderate, significant and extensive types of pemphigus. <i>British Journal of Dermatology</i> , 2016 , 175, 142-9	4	52
270	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 833-44	1.2	50
269	Recommendations for the use of immunoapheresis in the treatment of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 881-7	1.2	50
268	Antiepiligrin cicatricial pemphigoid: an underdiagnosed entity within the spectrum of scarring autoimmune subepidermal bullous diseases?. <i>Archives of Dermatology</i> , 1999 , 135, 1091-8		49
267	Monopathogenic vs multipathogenic explanations of pemphigus pathophysiology. <i>Experimental Dermatology</i> , 2016 , 25, 839-846	4	48
266	Fcγ receptors III and IV mediate tissue destruction in a novel adult mouse model of bullous pemphigoid. <i>American Journal of Pathology</i> , 2014 , 184, 2185-96	5.8	48
265	Treatment of severe pemphigus with a combination of immunoabsorption, rituximab, pulsed dexamethasone and azathioprine/mycophenolate mofetil: a pilot study of 23 patients. <i>British Journal of Dermatology</i> , 2012 , 166, 154-60	4	48
264	SARS-CoV-2 Transmission from Presymptomatic Meeting Attendee, Germany. <i>Emerging Infectious Diseases</i> , 2020 , 26, 1935-1937	10.2	47
263	Clinical features and diagnosis of epidermolysis bullosa acquisita. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 157-169	5.1	46
262	Enzymatic autoantibody glycan hydrolysis alleviates autoimmunity against type VII collagen. <i>Journal of Autoimmunity</i> , 2012 , 39, 304-14	15.5	46

261	Structural proteins of the dermal-epidermal junction targeted by autoantibodies in pemphigoid diseases. <i>Experimental Dermatology</i> , 2017 , 26, 1154-1162	4	45
260	IgE-mediated mechanisms in bullous pemphigoid and other autoimmune bullous diseases. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 267-77	5.1	44
259	Immunoadsorption in dermatology. <i>Therapeutic Apheresis and Dialysis</i> , 2012 , 16, 311-20	1.9	44
258	Bullous pemphigoid in infants: characteristics, diagnosis and treatment. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 185	4.2	44
257	The IL-8 release from cultured human keratinocytes, mediated by antibodies to bullous pemphigoid autoantigen 180, is inhibited by dapsone. <i>Clinical and Experimental Immunology</i> , 2001 , 124, 157-62	6.2	43
256	Recombinant IL-6 treatment protects mice from organ specific autoimmune disease by IL-6 classical signalling-dependent IL-1ra induction. <i>Journal of Autoimmunity</i> , 2013 , 40, 74-85	15.5	42
255	Current treatment of autoimmune blistering diseases. <i>Current Drug Discovery Technologies</i> , 2009 , 6, 270-89		42
254	Improvement of treatment-refractory atopic dermatitis by immunoadsorption: a pilot study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 267-70, 270.e1-6	11.5	41
253	Apoptosis in pemphigus. <i>Autoimmunity Reviews</i> , 2009 , 8, 533-7	13.6	41
252	Regulatory T-cell deficiency leads to pathogenic bullous pemphigoid antigen 230 autoantibody and autoimmune bullous disease. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1831-1842.e7	11.5	41
251	The Leukotriene B and its Receptor BLT1 Act As Critical Drivers of Neutrophil Recruitment in Murine Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1104-1113	4.3	40
250	An open, multicentre, randomized clinical study in patients with bullous pemphigoid comparing methylprednisolone and azathioprine with methylprednisolone and dapsone. <i>British Journal of Dermatology</i> , 2017 , 177, 1299-1305	4	40
249	Emerging treatments for pemphigoid diseases. <i>Trends in Molecular Medicine</i> , 2013 , 19, 501-12	11.5	40
248	Improved protocol for treatment of pemphigus vulgaris with protein A immunoadsorption. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 768-74	1.8	40
247	Expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e302-e303	4.6	39
246	IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , 2019 , 96, 104-112	15.5	39
245	Genome-wide association study identifies new susceptibility loci for cutaneous lupus erythematosus. <i>Experimental Dermatology</i> , 2015 , 24, 510-5	4	37
244	S2k-Leitlinie zur Diagnostik des Pemphigus vulgaris/foliaceus und des bullösen Pemphigoids. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 713-727	1.2	37

243	Sun-induced life-threatening lupus nephritis. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1108, 35-40	6.5	37
242	Laboratory Diagnosis and Clinical Profile of Anti-p200 Pemphigoid. <i>JAMA Dermatology</i> , 2016 , 152, 897-904	6.4	37
241	Serration pattern analysis for differentiating epidermolysis bullosa acquisita from other pemphigoid diseases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 754-759.e6	4.5	36
240	The extent of desmoglein 3 depletion in pemphigus vulgaris is dependent on Ca(2+)-induced differentiation: a role in suprabasal epidermal skin splitting?. <i>American Journal of Pathology</i> , 2011 , 179, 1905-16	5.8	36
239	Apoptosis is not required for acantholysis in pemphigus vulgaris. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 296, C162-72	5.4	36
238	Autoimmune and inherited subepidermal blistering diseases: advances in the clinic and the laboratory. <i>Advances in Dermatology</i> , 2000 , 16, 113-57; discussion 158		36
237	Different signaling patterns contribute to loss of keratinocyte cohesion dependent on autoantibody profile in pemphigus. <i>Scientific Reports</i> , 2017 , 7, 3579	4.9	35
236	Serum levels of anti-type VII collagen antibodies detected by enzyme-linked immunosorbent assay in patients with epidermolysis bullosa acquisita are correlated with the severity of skin lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, e224-30	4.6	35
235	International Bullous Diseases Group: consensus on diagnostic criteria for epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2018 , 179, 30-41	4	35
234	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , 2015 , 194, 3656-63	5.3	34
233	Methylprednisolone blocks autoantibody-induced tissue damage in experimental models of bullous pemphigoid and epidermolysis bullosa acquisita through inhibition of neutrophil activation. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2390-2399	4.3	34
232	Elevated levels of interleukin-8 in blister fluid of bullous pemphigoid compared with suction blisters of healthy control subjects. <i>Journal of the American Academy of Dermatology</i> , 1996 , 34, 310-2	4.5	34
231	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 63	4.2	33
230	Childhood epidermolysis bullosa acquisita: a novel variant with reactivity to all three structural domains of type VII collagen. <i>British Journal of Dermatology</i> , 2002 , 147, 592-7	4	33
229	Large International Validation of ABSIS and PDAI Pemphigus Severity Scores. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 31-37	4.3	33
228	Prospective studies on the routine use of a novel multivariant enzyme-linked immunosorbent assay for the diagnosis of autoimmune bullous diseases. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 889-894.e5	4.5	32
227	GM-CSF modulates autoantibody production and skin blistering in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , 2014 , 192, 559-71	5.3	32
226	Profibrotic phenotype of conjunctival fibroblasts from mucous membrane pemphigoid. <i>American Journal of Pathology</i> , 2011 , 178, 187-97	5.8	32

225	Clinical and immunopathological spectrum of paraneoplastic pemphigus. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 598-606	1.2	32
224	Autoimmune subepidermal blistering diseases in Uganda: correlation of autoantibody class with age of patients. <i>International Journal of Dermatology</i> , 2006 , 45, 1047-52	1.7	32
223	Successful pregnancy outcome under prolonged ustekinumab treatment in a patient with Crohn's disease and paradoxical psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, e191-e192	4.6	32
222	Diagnosis of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1077-1091	1.2	32
221	Protective endogenous cyclic adenosine 5' monophosphate signaling triggered by pemphigus autoantibodies. <i>Journal of Immunology</i> , 2010 , 185, 6831-8	5.3	31
220	Efficacy and safety of rituximab in pemphigus: experience of the German Registry of Autoimmune Diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 727-32	1.2	30
219	Neurological and psychiatric associations in bullous pemphigoid-more than skin deep?. <i>Experimental Dermatology</i> , 2017 , 26, 1228-1234	4	30
218	Regulatory T Cells Suppress Inflammation and Blistering in Pemphigoid Diseases. <i>Frontiers in Immunology</i> , 2017 , 8, 1628	8.4	30
217	Clinical features and practical diagnosis of bullous pemphigoid. <i>Immunology and Allergy Clinics of North America</i> , 2012 , 32, 217-32, v	3.3	30
216	Rituximab as first-line treatment of pemphigus. <i>Lancet, The</i> , 2017 , 389, 1956-1958	4.0	29
215	Aberrant expression and secretion of heat shock protein 90 in patients with bullous pemphigoid. <i>PLoS ONE</i> , 2013 , 8, e70496	3.7	29
214	Successful treatment of mucous membrane pemphigoid with the anti-CD-20 antibody rituximab. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 101-2	2.2	29
213	Histopathology of anti-laminin 5 mucous membrane pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 433-40	4.5	29
212	Pemphigus vulgaris IgG cause loss of desmoglein-mediated adhesion and keratinocyte dissociation independent of epidermal growth factor receptor. <i>American Journal of Pathology</i> , 2009 , 174, 475-85	5.8	29
211	Pathogenicity of autoantibodies in anti-p200 pemphigoid. <i>PLoS ONE</i> , 2012 , 7, e41769	3.7	29
210	BP180-specific IgG is associated with skin adverse events, therapy response, and overall survival in non-small cell lung cancer patients treated with checkpoint inhibitors. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 854-861	4.5	29
209	Animal models for autoimmune bullous dermatoses. <i>Experimental Dermatology</i> , 2010 , 19, 2-11	4	28
208	Peptides Targeting the Desmoglein 3 Adhesive Interface Prevent Autoantibody-induced Acantholysis in Pemphigus. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8589-95	5.4	28

207	Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2002 , 47, 133-6	4.5	28
206	A sensitive and specific assay for the serological diagnosis of antilaminin 332 mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , 2019 , 180, 149-156	4	28
205	Antibodies to desmogleins 1 and 3, but not to BP180, induce blisters in human skin grafted onto SCID mice. <i>Journal of Pathology</i> , 2001 , 193, 117-24	9.4	27
204	Experimental Laminin 332 Mucous Membrane Pemphigoid Critically Involves C5aR1 and Reflects Clinical and Immunopathological Characteristics of the Human Disease. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1709-1718	4.3	26
203	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1199-1203	4.3	26
202	Routine detection of serum antidesmocollin autoantibodies is only useful in patients with atypical pemphigus. <i>Experimental Dermatology</i> , 2017 , 26, 1267-1270	4	26
201	S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 713-27	1.2	26
200	Identification of quantitative trait loci in experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1409-15	4.3	25
199	Cytokines in autoimmune bullous skin diseases. Epiphenomena or contribution to pathogenesis?. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2009 , 144, 339-49	0.8	25
198	Clinical and immunological features and outcome of anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2016 , 175, 776-81	4	24
197	Safety and Clinical Outcomes of Rituximab Treatment in Patients with Multiple Sclerosis and Neuromyelitis Optica: Experience from a National Online Registry (GRAID). <i>Journal of NeuroImmune Pharmacology</i> , 2016 , 11, 1-8	6.9	24
196	The Anti-C1s Antibody TNT003 Prevents Complement Activation in the Skin Induced by Bullous Pemphigoid Autoantibodies. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 458-461	4.3	23
195	Tissue Destruction in Bullous Pemphigoid Can Be Complement Independent and May Be Mitigated by C5aR2. <i>Frontiers in Immunology</i> , 2018 , 9, 488	8.4	23
194	Linear IgA disease: successful application of immunoadsorption and review of the literature. <i>Dermatology</i> , 2010 , 220, 259-63	4.4	23
193	EGFR inhibitors erlotinib and lapatinib ameliorate epidermal blistering in pemphigus vulgaris in a non-linear, V-shaped relationship. <i>Experimental Dermatology</i> , 2014 , 23, 33-8	4	22
192	IgE-specific immunoadsorption for treatment of recalcitrant atopic dermatitis. <i>JAMA Dermatology</i> , 2014 , 150, 1350-1	5.1	22
191	Detection of IL-1 alpha, IL-1 beta and IL-1 receptor antagonist in blister fluid of bullous pemphigoid. <i>Journal of Dermatological Science</i> , 1996 , 11, 142-7	4.3	22
190	Specific immunoadsorption of pathogenic autoantibodies in pemphigus requires the entire ectodomains of desmogleins. <i>Experimental Dermatology</i> , 2014 , 23, 253-9	4	21

189	Clearance rates of circulating and tissue-bound autoantibodies to type VII collagen in experimental epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2010 , 162, 1064-70	4	21
188	Analysis of serum markers of cellular immune activation in patients with bullous pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1248-1252	4	20
187	Polymorphisms in the mitochondrially encoded ATP synthase 8 gene are associated with susceptibility to bullous pemphigoid in the German population. <i>Experimental Dermatology</i> , 2015 , 24, 715-7	4	20
186	Prospective study in bullous pemphigoid: association of high serum anti-BP180 IgG levels with increased mortality and reduced Karnofsky score. <i>British Journal of Dermatology</i> , 2018 , 179, 918-924	4	20
185	Diagnosis and treatment of patients with autoimmune bullous disorders in Germany. <i>Dermatologic Clinics</i> , 2011 , 29, 663-71	4.2	20
184	Treatment of bullous pemphigoid with dapsone, methylprednisolone, and topical clobetasol propionate: a retrospective study of 62 cases. <i>Cutis</i> , 2005 , 76, 205-9	0.4	20
183	Co-occurrence of autoantibodies in healthy blood donors. <i>Experimental Dermatology</i> , 2014 , 23, 519-21	4	19
182	Generalized cowpox infection in a patient with Darier disease. <i>British Journal of Dermatology</i> , 2011 , 164, 1116-8	4	19
181	Reduced skin blistering in experimental epidermolysis bullosa acquisita after anti-TNF treatment. <i>Molecular Medicine</i> , 2017 , 22, 918-926	6.2	19
180	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018 , 9, 249	8.4	18
179	Treatment of bullous pemphigoid with adjuvant immunoadsorption: a case series. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1018-20	4.5	18
178	A successful treatment with ustekinumab in a case of antilaminin- γ pemphigoid associated with psoriasis. <i>British Journal of Dermatology</i> , 2013 , 168, 1367-9	4	18
177	Forschen ffdie Praxis: Diagnostik subepidermal blasenbildender Autoimmundermatosen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 296-300	1.2	18
176	Transition from pemphigus foliaceus to bullous pemphigoid: intermolecular B-cell epitope spreading without IgG subclass shifting. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 333-6	4.5	18
175	Atypical Clinical and Serological Manifestation of Pemphigus Vegetans: A Case Report and Review of the Literature. <i>Case Reports in Dermatology</i> , 2017 , 9, 121-130	1.1	17
174	Targeting IgE Antibodies by Immunoadsorption in Atopic Dermatitis. <i>Frontiers in Immunology</i> , 2018 , 9, 254	8.4	17
173	The retinoid-related orphan receptor alpha is essential for the end-stage effector phase of experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2015 , 237, 111-22	9.4	17
172	Scarring autoimmune bullous disease in a Ugandan patient with autoantibodies to BP180, BP230, and laminin 5. <i>Journal of the American Academy of Dermatology</i> , 2006 , 54, S43-6	4.5	17

171	Elevated expression and release of tissue-type, but not urokinase-type, plasminogen activator after binding of autoantibodies to bullous pemphigoid antigen 180 in cultured human keratinocytes. <i>Clinical and Experimental Immunology</i> , 2004 , 135, 497-504	6.2	17
170	CD19+ B lymphocytes are the major source of human antibody-secreting hybridomas generated by electrofusion. <i>Journal of Immunological Methods</i> , 2001 , 255, 93-102	2.5	17
169	Cicatrical pemphigoid differs from bullous pemphigoid and pemphigoid gestationis regarding the fine specificity of autoantibodies to the BP180 NC16A domain. <i>Journal of Dermatological Science</i> , 2002 , 28, 68-75	4.3	17
168	Anti-p200 pemphigoid is the most common pemphigoid disease with serum antibodies against the dermal side by indirect immunofluorescence microscopy on human salt-split skin. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1195-1197	4.5	16
167	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1565-1573	4.3	16
166	Allelic and copy-number variations of Fc γ R2 affect granulocyte function and susceptibility for autoimmune blistering diseases. <i>Journal of Autoimmunity</i> , 2015 , 61, 36-44	15.5	16
165	Premonitory epidermolysis bullosa acquisita mimicking eyelid dermatitis: successful treatment with rituximab and protein A immunoapheresis. <i>American Journal of Clinical Dermatology</i> , 2010 , 11, 289-93	7.1	16
164	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1926-1948	4.6	16
163	Diagnostic performance of the "MESACUP anti-Skin profile TEST". <i>European Journal of Dermatology</i> , 2016 , 26, 56-63	0.8	16
162	A distinct cutaneous microbiota profile in autoimmune bullous disease patients. <i>Experimental Dermatology</i> , 2017 , 26, 1221-1227	4	15
161	Resolution in bullous pemphigoid. <i>Seminars in Immunopathology</i> , 2019 , 41, 645-654	12	15
160	Glucocorticosteroid-resistant pemphigoid gestationis: successful treatment with adjuvant immunoadsorption. <i>Journal of Dermatology</i> , 2012 , 39, 168-71	1.6	15
159	CD20-directed therapy in autoimmune diseases involving the skin: role of rituximab. <i>Expert Review of Dermatology</i> , 2008 , 3, 259-278		15
158	High Levels of Soluble CD23 in Blister Fluid of Patients With Bullous Pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966		15
157	Dual inhibition of complement factor 5 and leukotriene B4 synergistically suppresses murine pemphigoid disease. <i>JCI Insight</i> , 2019 , 4,	9.9	15
156	Updated international expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e412-e414	4.6	15
155	A new ex vivo human oral mucosa model reveals that p38MAPK inhibition is not effective in preventing autoantibody-induced mucosal blistering in pemphigus. <i>British Journal of Dermatology</i> , 2020 , 182, 987-994	4	15
154	Biological and Clinical Response to Omalizumab in a Patient with Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 284-286	2.2	14

153	Relapse-associated autoantibodies to BP180 in a patient with anti-p200 pemphigoid. <i>Clinical and Experimental Dermatology</i> , 2010 , 35, 614-7	1.8	14
152	A highly sensitive and simple assay for the detection of circulating autoantibodies against full-length bullous pemphigoid antigen 180. <i>Journal of Autoimmunity</i> , 2002 , 18, 299-309	15.5	14
151	A randomised controlled trial to compare the safety, effectiveness and cost-effectiveness of doxycycline (200 mg/day) with that of oral prednisolone (0.5 mg/kg/day) for initial treatment of bullous pemphigoid: the Bullous Pemphigoid Steroids and Tetracyclines (BLISTER) trial. <i>Health Technology Assessment</i> , 2017 , 21, 1-90	4.4	14
150	Multicenter prospective study on multivariant diagnostics of autoimmune bullous dermatoses using the BIOCHIP technology. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1315-1322	4.5	13
149	Calcitriol Treatment Ameliorates Inflammation and Blistering in Mouse Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 301-309	4.3	13
148	Immunoabsorption of Desmoglein-3-Specific IgG Abolishes the Blister-Inducing Capacity of Pemphigus Vulgaris IgG in Neonatal Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 1935	8.4	13
147	Parkinson disease and multiple sclerosis are not associated with autoantibodies against structural proteins of the dermal-epidermal junction. <i>British Journal of Dermatology</i> , 2016 , 175, 407-9	4	12
146	Serum autoantibodies against the dermal-epidermal junction in patients with chronic pruritic disorders, elderly individuals and blood donors prospectively recruited. <i>British Journal of Dermatology</i> , 2014 , 170, 943-7	4	12
145	Bullous pemphigoid with localized umbilical involvement. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 419-20	2.2	12
144	Antibodies to the C-terminus of laminin 1 are present in a distinct subgroup of patients with systemic and cutaneous lupus erythematosus. <i>Lupus</i> , 2012 , 21, 1482-3	2.6	12
143	IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: Serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-583	4.5	12
142	Linear IgA disease with circulating IgA antibodies against the NC16A domain of BP180. <i>British Journal of Dermatology</i> , 1999 , 140, 964-6	4	12
141	Covid-19 pandemic and the skin. <i>International Journal of Dermatology</i> , 2020 , 59, 1312-1319	1.7	12
140	S2k guidelines (consensus statement) for diagnosis and therapy of dermatitis herpetiformis initiated by the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1251-1277	4.6	12
139	Immunoabsorber for specific apheresis of autoantibodies in the treatment of bullous pemphigoid. <i>Archives of Dermatological Research</i> , 2016 , 308, 31-8	3.3	12
138	Long-term outcomes of rituximab therapy in pemphigus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2884-2889	4.6	11
137	A long-term study of a patient with anti-p200 pemphigoid: correlation of autoantibody levels with disease activity and an example of epitope spreading. <i>British Journal of Dermatology</i> , 2012 , 167, 1179-83	4	11
136	Epidemiology of Autoimmune Bullous Diseases 2015 , 251-263		11

135	Detection of elevated levels of IL-4, IL-6, and IL-10 in blister fluid of bullous pemphigoid 1996 , 288, 353		11
134	Prevalence and age distribution of pemphigus and pemphigoid diseases among paediatric patients in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2600-2605	4.6	11
133	Treatment with anti-neonatal Fc receptor (FcRn) antibody ameliorates experimental epidermolysis bullosa acquisita in mice. <i>British Journal of Pharmacology</i> , 2020 , 177, 2381-2392	8.6	10
132	Eczematous reaction to intravenous immunoglobulin: an alternative cause of eczema. <i>JAMA Dermatology</i> , 2014 , 150, 1120-2	5.1	10
131	Vitamin D status in patients with bullous pemphigoid. <i>British Journal of Dermatology</i> , 2013 , 168, 873-4	4	10
130	Genomewide association study identifies GALC as susceptibility gene for mucous membrane pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1214-1220	4	10
129	Orf followed by erythema multiforme. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 612-3	4.6	10
128	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1750-1764	4.6	10
127	Milestones in Personalized Medicine in Pemphigus and Pemphigoid. <i>Frontiers in Immunology</i> , 2020 , 11, 591971	8.4	10
126	The p.Arg435His Variation of IgG3 With High Affinity to FcRn Is Associated With Susceptibility for Pemphigus Vulgaris-Analysis of Four Different Ethnic Cohorts. <i>Frontiers in Immunology</i> , 2018 , 9, 1788	8.4	10
125	Association with HLA-DRB1 in Egyptian and German pemphigus vulgaris patients. <i>Tissue Antigens</i> , 2015 , 85, 283-6		9
124	Value of BIOCHIP Technology in the Serological Diagnosis of Pemphigoid Gestationis. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 128-130	2.2	9
123	Doxycycline compared with prednisolone therapy for patients with bullous pemphigoid: cost-effectiveness analysis of the BLISTER trial. <i>British Journal of Dermatology</i> , 2018 , 178, 415-423	4	9
122	Assessment of healthcare costs for patients with pemphigus and bullous pemphigoid in an academic centre in Germany. <i>British Journal of Dermatology</i> , 2020 , 182, 1296-1297	4	9
121	COVID-19 and implications for dermatological and allergological diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 815-824	1.2	9
120	Adjuvant treatment of severe/refractory bullous pemphigoid with protein A immunoadsorption. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1109-1118	1.2	9
119	Recent progresses and perspectives in autoimmune bullous diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1145-1147	11.5	8
118	Increased sensitivity and high specificity of indirect immunofluorescence in detecting IgG subclasses for diagnosis of bullous pemphigoid. <i>Clinical and Experimental Dermatology</i> , 2018 , 43, 248-253	1.8	8

117	Diagnostik blasenbildender Autoimmundermatosen an deutschen Hautkliniken. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-500	1.2	8
116	Mapping of B cell epitopes on desmoglein 3 in pemphigus vulgaris patients by the use of overlapping peptides. <i>Journal of Dermatological Science</i> , 2012 , 65, 102-9	4.3	8
115	Identification of novel therapeutic targets for blocking acantholysis in pemphigus. <i>British Journal of Pharmacology</i> , 2020 , 177, 5114-5130	8.6	8
114	Epidemiology of Pemphigus.. <i>JID Innovations</i> , 2021 , 1, 100004		8
113	Incidence of pemphigoid diseases in Northern Germany in 2016 - first data from the Schleswig-Holstein Registry of Autoimmune Bullous Diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1197-1202	4.6	8
112	IgE-Selective Immunoabsorption for Severe Atopic Dermatitis. <i>Frontiers in Medicine</i> , 2018 , 5, 27	4.9	7
111	Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9	1.2	7
110	Lupus erythematosus profundus in an 8-year-old child. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 132-3	4.6	7
109	Serum levels of autoantibodies to desmoglein 3 in patients with therapy-resistant pemphigus vulgaris successfully treated with adjuvant intravenous immunoglobulins. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 48-52	2.2	7
108	A family with atypical Hailey Hailey disease--is there more to the underlying genetics than ATP2C1?. <i>PLoS ONE</i> , 2015 , 10, e0121253	3.7	7
107	Evaluation of Site- and Autoantigen-Specific Characteristics of Mucous Membrane Pemphigoid. <i>JAMA Dermatology</i> , 2021 ,	5.1	7
106	Epidermolysis bullosa acquisita and anti-p200 pemphigoid as major subepidermal autoimmune bullous diseases diagnosed by floor binding on indirect immunofluorescence microscopy using human salt-split skin. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2017 , 83, 550-555	0.8	7
105	Ca signalling is critical for autoantibody-induced blistering of human epidermis in pemphigus. <i>British Journal of Dermatology</i> , 2021 , 185, 595-604	4	7
104	Automated direct immunofluorescence analyses of skin biopsies. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 227-35	1.7	7
103	Complement Receptor 1 (CR1, CD35) Polymorphisms and Soluble CR1: A Proposed Anti-inflammatory Role to Quench the Fire of "Fogo Selvagem" Pemphigus Foliaceus. <i>Frontiers in Immunology</i> , 2019 , 10, 2585	8.4	7
102	Therapeutic effect of etanercept in anti-laminin 5 (laminin 332) mucous membrane pemphigoid. <i>International Journal of Dermatology</i> , 2011 , 50, 1129-31	1.7	6
101	Research in practice: diagnosis of subepidermal autoimmune bullous disorders. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 296-300	1.2	6
100	High levels of soluble CD23 in blister fluid of patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966-7		6

99	EndoS reduces the pathogenicity of anti-mCOL7 IgG through reduced binding of immune complexes to neutrophils. <i>PLoS ONE</i> , 2014 , 9, e85317	3.7	6
98	Treatment of pemphigus vulgaris and foliaceus with efgartigimod, a neonatal Fc receptor inhibitor: a phase II multicentre, open-label feasibility trial. <i>British Journal of Dermatology</i> , 2021 ,	4	6
97	Normal human skin is superior to monkey oesophagus substrate for detection of circulating BP180-NC16A-specific IgG antibodies in bullous pemphigoid. <i>British Journal of Dermatology</i> , 2019 , 180, 1099-1106	4	6
96	Serologic characterization of anti-p200 pemphigoid: Epitope spreading as a common phenomenon. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 1155-1157	4.5	6
95	HLA alleles in British Caucasians with mucous membrane pemphigoid. <i>Eye</i> , 2018 , 32, 1540-1541	4.4	6
94	Bullous pemphigoid autoantibody-mediated complement fixation is abolished by the low-molecular-weight heparin tinzaparin sodium. <i>British Journal of Dermatology</i> , 2019 , 181, 593-594	4	5
93	Paraneoplastic pemphigus with anti-BP180 autoantibodies and Castleman disease. <i>British Journal of Dermatology</i> , 2017 , 176, 824-826	4	5
92	A refractory, cutaneous, subepidermal bullous disease. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 573-5	1.8	5
91	Diagnostik blasenbildender Autoimmundermatosen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1077-1092	1.2	5
90	The risk of COVID-19 in patients with bullous pemphigoid and pemphigus: A population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 79-87	4.5	5
89	Chronic bullous disease of childhood with IgG reactivity to p200 antigen. <i>International Journal of Dermatology</i> , 2017 , 56, 773-775	1.7	4
88	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid: 2019 update. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 516-526	1.2	4
87	Diagnostic Value of Linear Fluorescence Along the Basement Membrane of Sweat Gland Ducts in Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 622-626	2.2	4
86	Concomitant bullous pemphigoid and dermatitis herpetiformis. <i>Dermatology</i> , 2013 , 226, 217-21	4.4	4
85	Acquired hyperplasia of the tunica dartos mimicking smooth muscle hamartoma. <i>Clinical and Experimental Dermatology</i> , 2007 , 32, 588-9	1.8	4
84	Omalizumab: an underutilized treatment option in bullous pemphigoid patients with co-morbidities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e469-e472	4.6	4
83	Dapsone Suppresses Disease in Preclinical Murine Models of Pemphigoid Diseases. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2587-2595.e2	4.3	4
82	Grover disease and bullous pemphigoid: a clinicopathological study of six cases. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 524-527	1.8	4

81	Expression of PD-1 and Tim-3 is increased in skin of patients with bullous pemphigoid and pemphigus vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 486-492	4.6	4
80	More Severe Erosive Phenotype Despite Lower Circulating Autoantibody Levels in Dipeptidyl Peptidase-4 Inhibitor (DPP4i)-Associated Bullous Pemphigoid: A Retrospective Cohort Study. <i>American Journal of Clinical Dermatology</i> , 2021 , 22, 117-127	7.1	4
79	Genetic variability of immune-related lncRNAs: polymorphisms in LINC-PINT and LY86-AS1 are associated with pemphigus foliaceus susceptibility. <i>Experimental Dermatology</i> , 2021 , 30, 831-840	4	4
78	Diagnostic Value and Practicability of Serration Pattern Analysis by Direct Immunofluorescence Microscopy in Pemphigoid Diseases. <i>Acta Dermato-Venereologica</i> , 2021 , 101, adv00410	2.2	4
77	Overlap of Bullous, Anti-Laminin-332, and Anti-p200 Pemphigoid With Concomitant Anti-Contactin-1-Positive Inflammatory Polyneuropathy Treated With Intravenous Immunoglobulins as a Manifestation of Epitope Spreading. <i>JAMA Dermatology</i> , 2019 , 155, 631-633	5.1	3
76	Anti-laminin 332 mucous membrane pemphigoid with laryngeal involvement - adjuvant treatment with immunoadsorption and rituximab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 897-900	1.2	3
75	A childhood subepidermal autoimmune bullous disease resembling mechanobullous epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2015 , 173, 871-4	4	3
74	Treatment of severe pemphigus vulgaris of the scalp with adjuvant rituximab and immunoadsorption. <i>European Journal of Dermatology</i> , 2012 , 22, 786-7	0.8	3
73	Contemporary management of pemphigus. <i>Expert Opinion on Orphan Drugs</i> , 2013 , 1, 295-314	1.1	3
72	Late-onset inversa recessive dystrophic epidermolysis bullosa caused by glycine substitutions in collagen type VII. <i>British Journal of Dermatology</i> , 2011 , 164, 1104-6	4	3
71	Mucous membrane pemphigoid.. <i>Autoimmunity Reviews</i> , 2022 , 21, 103036	13.6	3
70	Comparison of Two Diagnostic Assays for Anti-Laminin 332 Mucous Membrane Pemphigoid.. <i>Frontiers in Immunology</i> , 2021 , 12, 773720	8.4	3
69	Diagnosis and clinical severity markers of bullous pemphigoid. <i>F1000 Medicine Reports</i> , 2009 , 1,		3
68	Childhood Epidermolysis Bullosa Acquisita: Confirmation of Diagnosis by Skin Deficient in Type VII Collagen, Enzyme-linked Immunosorbent Assay, and Immunoblotting. <i>Indian Journal of Dermatology</i> , 2016 , 61, 329-32	0.9	3
67	High levels of soluble CD23 in blister fluid of patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966-967		3
66	Identification of two novel bullous pemphigoid- associated alleles, HLA-DQA1*05:05 and -DRB1*07:01, in Germans. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 228	4.2	3
65	Coexistence of bullous pemphigoid with neuropsychiatric comorbidities is associated with anti-BP230 seropositivity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2067-2073	4.6	3
64	Autoimmune Bullous Diseases 2019 , 868-897		3

63	Adjuvante Behandlung des schweren/refraktären bullösen Pemphigoids mit Protein-A-Immunsorption. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1109-1119	1.2	3
62	Evaluation and Comparison of Clinical and Laboratory Characteristics of Patients With IgA Epidermolysis Bullosa Acquisita, Linear IgA Bullous Dermatitis, and IgG Epidermolysis Bullosa Acquisita. <i>JAMA Dermatology</i> , 2021 , 157, 917-923	5.1	3
61	The Association of Bullous Pemphigoid With Atopic Dermatitis and Allergic Rhinitis-A Population-Based Study. <i>Dermatitis</i> , 2021 ,	2.6	3
60	Low prevalence of late-onset neutropenia after rituximab treatment in patients with pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1824-1825	4.5	2
59	Myeloid-related proteins-8 and -14 are expressed but dispensable in the pathogenesis of experimental epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2016 , 81, 165-72	4.3	2
58	Longstanding painful hemorrhagic vesicles and erosions on the lower leg. <i>Archives of Dermatology</i> , 2011 , 147, 235-40		2
57	Localisation of bullous pemphigoid antigen 180 (BP180) in cultured human keratinocytes: functionally relevant modification by calcium. <i>Archives of Dermatological Research</i> , 2006 , 298, 283-90	3.3	2
56	Trehalose conserves expression of bullous pemphigoid antigen 180 during desiccation and freezing. <i>Journal of Immunological Methods</i> , 2003 , 275, 179-90	2.5	2
55	A Case of Anti-laminin γ 1 Pemphigoid with Cutaneous Polyarteritis Nodosa. <i>Nishinohon Journal of Dermatology</i> , 2013 , 75, 7-10	0	2
54	Immunfluoreszenztechniken 2016 , 37-49		2
53	Heavy Exposure of Children Aged 9-12 Years With Severe Acute Respiratory Syndrome Coronavirus 2 Did Not Lead to Infection. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020 , 9, 620-621	4.8	2
52	Unsuspected Associations of Variants within the Genes NOTCH4 and STEAP2-AS1 Uncovered by a GWAS in Endemic Pemphigus Foliaceus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2741-2744	4.3	2
51	Polymorphisms in the Mitochondrial Genome Are Associated With Bullous Pemphigoid in Germans. <i>Frontiers in Immunology</i> , 2019 , 10, 2200	8.4	2
50	Pathogenic Activation and Therapeutic Blockage of Fc γ -Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2820-2828	4.3	2
49	The burden of neurological comorbidities in six autoimmune bullous diseases: a population-based study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2074-2078	4.6	2
48	Genetic association and differential expression of HLA Complex Group lncRNAs in pemphigus. <i>Journal of Autoimmunity</i> , 2021 , 123, 102705	15.5	2
47	Penile mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 727-729	1.2	1
46	Anti-Laminin-332-Schleimhautpemphigoid mit laryngealer Beteiligung - adjuvante Behandlung mit Immunsorption und Rituximab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 897-900	1.2	1

45	Bullous pemphigoid with linear lesions and antibodies exclusively against the soluble ectodomain of BP180 (LAD-1). <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 933-935	1.2	1
44	S2k-Leitlinie zur Therapie des Pemphigus vulgaris/foliaceus und des bullösen Pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 833-845	1.2	1
43	Immunization with desmoglein 3 induces non-pathogenic autoantibodies in mice. <i>PLoS ONE</i> , 2021 , 16, e0259586	3.7	1
42	Genetic and Environmental Risk Factors of Autoimmune Bullous Diseases 2015 , 131-139		1
41	Alterations of Total Serum Immunoglobulin Concentrations in Pemphigus and Pemphigoid: Selected IgG2 Deficiency in Bullous Pemphigoid. <i>Frontiers in Medicine</i> , 2020 , 7, 472	4.9	1
40	Prevalence and presumptive triggers of localized bullous pemphigoid. <i>Journal of Dermatology</i> , 2021 , 48, 1257-1261	1.6	1
39	Immunological features and factors associated with mucocutaneous bullous pemphigoid - a retrospective cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1289-1295	1.2	1
38	Bullous Autoimmune Dermatoses. <i>Deutsches A&#x0308;rztblatt International</i> , 2021 , 118, 413-420	2.5	1
37	Patients with bullous pemphigoid and comorbid psoriasis present with less blisters and lower serum levels of anti-BP180 autoantibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 981-987	4.6	1
36	Immunoglobulin M pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1486-1492	4.5	1
35	Genetic Associations and Differential mRNA Expression Levels of Host Genes Suggest a Viral Trigger for Endemic Pemphigus Foliaceus. <i>Viruses</i> , 2022 , 14, 879	6.2	1
34	Tibial bone keratoprosthesis: reversing blindness in mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1024-1026	1.2	0
33	Travel-associated infectious skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 730-733	1.2	0
32	Increasing the diagnostic sensitivity for mucous membrane pemphigoid by detection of salivary autoantibodies. <i>British Journal of Dermatology</i> , 2016 , 174, 956-7	4	0
31	Adjuvant treatment with secukinumab induced long term remission in a patient with severe bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 1478-1480	1.2	0
30	The impact of lesional inflammatory cellular infiltrate on the phenotype of bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1702-1711	4.6	0
29	Detection of u-serrated patterns in direct immunofluorescence images of autoimmune bullous diseases by inhibition-augmented COSFIRE filters. <i>International Journal of Medical Informatics</i> , 2019 , 122, 27-36	5.3	0
28	Post-orf epidermolysis bullosa acquisita. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e118-e119	4.6	0

27	Wiederherstellung der Sehfähigkeit beim Schleimhautpemphigoid durch Keratoprothese aus dem Tibiaknochen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1024-1026	1.2
26	Anti-desmoglein 1 IgG/IgA pemphigus associated with thymoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1147-1148	1.2
25	Pemphigus Vegetans 2015 , 701-705	
24	The BLISTER study: possible overestimation of tetracycline efficacy - AuthorsPreply. <i>Lancet, The</i> , 2017 , 390, 735-736	40
23	Anti-Desmoglein 1 IgG/IgA-Pemphigus in Verbindung mit einem Thymom. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1147-1149	1.2
22	Effektivität und Sicherheit von Rituximab beim Pemphigus: Ergebnisse aus dem Deutschen Register für Autoimmunerkrankungen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 727-732	1.2
21	Case of subepidermal blistering disease with autoantibodies to both laminin-1 and laminin-3. <i>Journal of Dermatology</i> , 2013 , 40, 491-2	1.6
20	AB0734 Prevalence and co-occurrence of autoantibodies in blood donors. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 680.11-680	2.4
19	Quiz case of the month. Lymphatic cyst of the mediastinum. <i>European Radiology</i> , 1999 , 9, 573-4	8
18	Anti-p200 Pemphigoid 2021 , 235-239	
17	Multidisziplinär behandeln. <i>Der Deutsche Dermatologe</i> , 2022 , 70, 40-51	0
16	Increased Fibrosis in a Mouse Model of Anti-Laminin 332 Mucous Membrane Pemphigoid Remains Unaltered by Inhibition of Aldehyde Dehydrogenase.. <i>Frontiers in Immunology</i> , 2021 , 12, 812627	8.4
15	Pemphigus Vulgaris 2021 , 193-202	
14	Mucous Membrane Pemphigoid 2021 , 211-221	
13	Autoimmune Blistering Diseases: An Introduction 2021 , 181-191	
12	Meilensteine der personalisierten Medizin bei Pemphigus und Pemphigoid. <i>Karger Kompass Autoimmun</i> , 1-8	0
11	Life-Threatening Pemphigus Vulgaris 2015 , 35-43	
10	Single Step Multivariant Analysis of Serum Autoantibodies in Autoimmune Blistering Diseases Using BIOCHIP Mosaic Technology 2015 , 153-160	

- 9 Pemphigus Foliaceus and Pemphigus Erythematosus **2015**, 691-700
- 8 Immunfluoreszenztechniken **2015**, 1-20
- 7 Neue diagnostische und therapeutische Methoden. *Fortschritte Der Praktischen Dermatologie Und Venerologie*, **2013**, 473-482
- 6 Klinik für Dermatologie, Allergologie und Venerologie der Universität zu Lübeck: Interaktion von Forschung und klinischer Versorgung. *Aktuelle Dermatologie*, **2020**, 46, 11-40 0.1
- 5 Epidermolysis bullosa acquisita: the most frequent pemphigoid disease in patients with dermal binding autoantibodies by indirect immunofluorescence microscopy on human salt-split skin in Tehran, Iran. *Journal of the European Academy of Dermatology and Venereology*, **2021**, 35, e370-e372 4.6
- 4 Koexistenz eines mukokutanen Pemphigus vulgaris mit einem später hinzugetretenen bullösen Pemphigoid. *JDDG - Journal of the German Society of Dermatology*, **2021**, 19 Suppl 1, 40-43 1.2
- 3 A rare bullous variant of dermatitis herpetiformis. *British Journal of Dermatology*, **2016**, 174, 231-3 4
- 2 Immunologische Merkmale und Faktoren im Zusammenhang mit dem mukokutanen bullösen Pemphigoid - eine retrospektive Kohortenstudie. *JDDG - Journal of the German Society of Dermatology*, **2021**, 19, 1289-1296 1.2
- 1 How do experts treat patients with bullous pemphigoid around the world? An international survey.. *JID Innovations*, **2022**, 100129