Enno Schmidt

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2972813/enno-schmidt-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 10,494 55 332 h-index g-index citations papers 6.45 13,480 407 4.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
332	Multidisziplinfibehandeln. <i>Der Deutsche Dermatologe</i> , 2022 , 70, 40-51	О	
331	Mucous membrane pemphigoid <i>Autoimmunity Reviews</i> , 2022 , 21, 103036	13.6	3
330	How do experts treat patients with bullous pemphigoid around the world? An international survey JID Innovations, 2022 , 100129		
329	Genetic Associations and Differential mRNA Expression Levels of Host Genes Suggest a Viral Trigger for Endemic Pemphigus Foliaceus. <i>Viruses</i> , 2022 , 14, 879	6.2	1
328	Anti-p200 Pemphigoid 2021 , 235-239		
327	Increased Fibrosis in a Mouse Model of Anti-Laminin 332 Mucous Membrane Pemphigoid Remains Unaltered by Inhibition of Aldehyde Dehydrogenase <i>Frontiers in Immunology</i> , 2021 , 12, 812627	8.4	
326	Immunization with desmoglein 3 induces non-pathogenic autoantibodies in mice. <i>PLoS ONE</i> , 2021 , 16, e0259586	3.7	1
325	Comparison of Two Diagnostic Assays for Anti-Laminin 332 Mucous Membrane Pemphigoid <i>Frontiers in Immunology</i> , 2021 , 12, 773720	8.4	3
324	Evaluation of Site- and Autoantigen-Specific Characteristics of Mucous Membrane Pemphigoid. JAMA Dermatology, 2021 ,	5.1	7
323	Pemphigus Vulgaris 2021 , 193-202		
322	Mucous Membrane Pemphigoid 2021 , 211-221		
321	Autoimmune Blistering Diseases: An Introduction 2021 , 181-191		
320	Treatment of pemphigus vulgaris and foliaceus with efgartigimod, a neonatal Fc receptor inhibitor: a phase II multicentre, open-label feasibility trial. <i>British Journal of Dermatology</i> , 2021 ,	4	6
319	Epidermolysis bullosa acquisita: the most frequent pemphigoid disease in patients with dermal binding autoantibodies by indirect immunofluorescence microscopy on human salt-split skin in Tehran, Iran. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e370-e372	4.6	
318	Epidemiology of Pemphigus <i>JID Innovations</i> , 2021 , 1, 100004		8
317	Omalizumab: an underutilized treatment option in bullous pemphigoid patients with co-morbidities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e469-e472	4.6	4
316	Updated international expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e412-e414	4.6	15

315	Koexistenz eines mukokutanen Pemphigus vulgaris mit einem spller hinzugetretenen bulllen Pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19 Suppl 1, 40-43	1.2	
314	S2k guidelines (consensus statement) for diagnosis and therapy of dermatitis herpetiformis initiated by the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1251-1277	4.6	12
313	Identification of two novel bullous pemphigoid- associated alleles, HLA-DQA1*05:05 and -DRB1*07:01, in Germans. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 228	4.2	3
312	Coexistence of bullous pemphigoid with neuropsychiatric comorbidities is associated with anti-BP230 seropositivity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2067-2073	4.6	3
311	Dapsone Suppresses Disease in Preclinical Murine Models of Pemphigoid Diseases. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2587-2595.e2	4.3	4
310	Prevalence and presumptive triggers of localized bullous pemphigoid. <i>Journal of Dermatology</i> , 2021 , 48, 1257-1261	1.6	1
309	Ca signalling is critical for autoantibody-induced blistering of human epidermis in pemphigus. <i>British Journal of Dermatology</i> , 2021 , 185, 595-604	4	7
308	Unsuspected Associations of Variants within the Genes NOTCH4 and STEAP2-AS1 Uncovered by a GWAS in Endemic Pemphigus Foliaceus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2741-2744	4.3	2
307	The impact of lesional inflammatory cellular infiltrate on the phenotype of bullous pemphigoid. Journal of the European Academy of Dermatology and Venereology, 2021 , 35, 1702-1711	4.6	0
306	Immunological features and factors associated with mucocutaneous bullous pemphigoid - a retrospective cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1289-1295	1.2	1
305	Bullous Autoimmune Dermatoses. <i>Deutsches A&#x0308;rzteblatt International</i> , 2021 , 118, 413-420	2.5	1
304	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1750-1764	4.6	10
303	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1926-1948	4.6	16
302	Expression of PD-1 and Tim-3 is increased in skin of patients with bullous pemphigoid and pemphigus vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 486-49	9 2 .6	4
301	Serologic characterization of anti-p200 pemphigoid: Epitope spreading as a common phenomenon. Journal of the American Academy of Dermatology, 2021 , 84, 1155-1157	4.5	6
300	More Severe Erosive Phenotype Despite Lower Circulating Autoantibody Levels in Dipeptidyl Peptidase-4 Inhibitor (DPP4i)-Associated Bullous Pemphigoid: A Retrospective Cohort Study. <i>American Journal of Clinical Dermatology</i> , 2021 , 22, 117-127	7.1	4
299	Patients with bullous pemphigoid and comorbid psoriasis present with less blisters and lower serum levels of anti-BP180 autoantibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 981-987	4.6	1
298	Genetic variability of immune-related lncRNAs: polymorphisms in LINC-PINT and LY86-AS1 are associated with pemphigus foliaceus susceptibility. <i>Experimental Dermatology</i> , 2021 , 30, 831-840	4	4

297	Diagnostic Value and Practicability of Serration Pattern Analysis by Direct Immunofluorescence Microscopy in Pemphigoid Diseases. <i>Acta Dermato-Venereologica</i> , 2021 , 101, adv00410	2.2	4
296	Immunoglobulin M pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1486-1492	4.5	1
295	Incidence of pemphigoid diseases in Northern Germany in 2016 - first data from the Schleswig-Holstein Registry of Autoimmune Bullous Diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1197-1202	4.6	8
294	The risk of COVID-19 in patients with bullous pemphigoid and pemphigus: Alpopulation-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 79-87	4.5	5
293	Pathogenic Activation and Therapeutic Blockage of FcR-Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2820-2828	4.3	2
292	Evaluation and Comparison of Clinical and iLaboratory Characteristics of Patients With IgA Epidermolysis Bullosa Acquisita, Linear IgA Bullous Dermatosis, and IgG Epidermolysis Bullosa Acquisita. <i>JAMA Dermatology</i> , 2021 , 157, 917-923	5.1	3
291	The burden of neurological comorbidities in six autoimmune bullous diseases: a population-based study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2074-2078	4.6	2
290	Immunologische Merkmale und Faktoren im Zusammenhang mit dem mukokutanen bullßen Pemphigoid - eine retrospektive Kohortenstudie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1289-1296	1.2	
289	Genetic association and differential expression of HLAComplexGroup lncRNAs in pemphigus. Journal of Autoimmunity, 2021 , 123, 102705	15.5	2
288	The Association of Bullous Pemphigoid With Atopic Dermatitis and Allergic Rhinitis-A Population-Based Study. <i>Dermatitis</i> , 2021 ,	2.6	3
287	Long-term outcomes of rituximab therapy in pemphigus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2884-2889	4.6	11
286	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid: 2019 update. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 516-526	1.2	4
285	Penile mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 727-729	1.2	1
284	Low prevalence of late-onset neutropenia after rituximab treatment in patients with pemphigus. Journal of the American Academy of Dermatology, 2020 , 83, 1824-1825	4.5	2
283	Treatment with anti-neonatal Fc receptor (FcRn) antibody ameliorates experimental epidermolysis bullosa acquisita in mice. <i>British Journal of Pharmacology</i> , 2020 , 177, 2381-2392	8.6	10
282	Multicenter prospective study on multivariant diagnostics of autoimmune bullous dermatoses using the BIOCHIP technology. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1315-1322	4.5	13
281	Travel-associated infectious skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 730-733	1.2	О
280	Recent progresses and perspectives in autoimmune bullous diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1145-1147	11.5	8

279	Expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e302	- e3 63	39
278	Assessment of healthcare costs for patients with pemphigus and bullous pemphigoid in an academic centre in Germany. <i>British Journal of Dermatology</i> , 2020 , 182, 1296-1297	4	9
277	SARS-CoV-2 Transmission from Presymptomatic Meeting Attendee, Germany. <i>Emerging Infectious Diseases</i> , 2020 , 26, 1935-1937	10.2	47
276	COVID-19 and implications for dermatological and allergological diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 815-824	1.2	9
275	Alterations of Total Serum Immunoglobulin Concentrations in Pemphigus and Pemphigoid: Selected IgG2 Deficiency in Bullous Pemphigoid. <i>Frontiers in Medicine</i> , 2020 , 7, 472	4.9	1
274	Klinik f Dermatologie, Allergologie und Venerologie der Universit zu LBeck: Interaktion von Forschung und klinischer Versorgung. <i>Aktuelle Dermatologie</i> , 2020 , 46, 11-40	0.1	
273	Heavy Exposure of Children Aged 9-12 Years With Severe Acute Respiratory Syndrome Coronavirus 2 Did Not Lead to Infection. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020 , 9, 620-621	4.8	2
272	Covid-19 pandemic and the skin. <i>International Journal of Dermatology</i> , 2020 , 59, 1312-1319	1.7	12
271	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1900-1913	4.6	60
270	Identification of novel therapeutic targets for blocking acantholysis in pemphigus. <i>British Journal of Pharmacology</i> , 2020 , 177, 5114-5130	8.6	8
269	Adjuvant treatment with secukinumab induced long term remission in a patient with severe bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 1478-1480	1.2	0
268	Diagnosis and management of pemphigus: Recommendations of an international panel of experts. Journal of the American Academy of Dermatology, 2020 , 82, 575-585.e1	4.5	127
267	A new ex vivo human oral mucosa model reveals that p38MAPK inhibition is not effective in preventing autoantibody-induced mucosal blistering in pemphigus. <i>British Journal of Dermatology</i> , 2020 , 182, 987-994	4	15
266	BP180-specific IgG is associated with skin adverse events, therapy response, and overall survival in non-small cell lung cancer patients treated with checkpoint inhibitors. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 854-861	4.5	29
265	Prevalence and age distribution of pemphigus and pemphigoid diseases among paediatric patients in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2600-2605	4.6	11
264	Milestones in Personalized Medicine in Pemphigus and Pemphigoid. <i>Frontiers in Immunology</i> , 2020 , 11, 591971	8.4	10
263	Pemphigus. <i>Lancet, The</i> , 2019 , 394, 882-894	40	139
262	Anti-p200 pemphigoid is the most common pemphigoid disease with serum antibodies against the dermal side by indirect immunofluorescence microscopy on human salt-split skin. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1195-1197	4.5	16

261	Bullous pemphigoid autoantibody-mediated complement fixation is abolished by the low-molecular-weight heparin tinzaparin sodium. <i>British Journal of Dermatology</i> , 2019 , 181, 593-594	4	5
260	Overlap of Bullous, Anti-Laminin-332, and Anti-p200 Pemphigoid With Concomitant Anti-Contactin-1-Positive Inflammatory Polyneuropathy Treated With Intravenous Immunoglobulins as a Manifestation of Epitope Spreading. <i>JAMA Dermatology</i> , 2019 , 155, 631-633	5.1	3
259	Bullous pemphigoid with linear lesions and antibodies exclusively against the soluble ectodomain of BP180 (LAD-1). <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 933-935	1.2	1
258	Resolution in bullous pemphigoid. Seminars in Immunopathology, 2019, 41, 645-654	12	15
257	Dual inhibition of complement factor 5 and leukotriene B4 synergistically suppresses murine pemphigoid disease. <i>JCI Insight</i> , 2019 , 4,	9.9	15
256	Autoimmune Bullous Diseases 2019 , 868-897		3
255	Complement Receptor 1 (CR1, CD35) Polymorphisms and Soluble CR1: A Proposed Anti-inflammatory Role to Quench the Fire of "Fogo Selvagem" Pemphigus Foliaceus. <i>Frontiers in Immunology</i> , 2019 , 10, 2585	8.4	7
254	Polymorphisms in the Mitochondrial Genome Are Associated With Bullous Pemphigoid in Germans. <i>Frontiers in Immunology</i> , 2019 , 10, 2200	8.4	2
253	IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , 2019 , 96, 104-112	15.5	39
252	A sensitive and specific assay for the serological diagnosis of antilaminin 332 mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , 2019 , 180, 149-156	4	28
251	Detection of u-serrated patterns in direct immunofluorescence images of autoimmune bullous diseases by inhibition-augmented COSFIRE filters. <i>International Journal of Medical Informatics</i> , 2019 , 122, 27-36	5.3	O
250	Post-orf epidermolysis bullosa acquisita. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e118-e119	4.6	0
249	Normal human skin is superior to monkey oesophagus substrate for detection of circulating BP180-NC16A-specific IgG antibodies in bullous pemphigoid. <i>British Journal of Dermatology</i> , 2019 , 180, 1099-1106	4	6
248	Grover disease and bullous pemphigoid: a clinicopathological study of six cases. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 524-527	1.8	4
247	Large International Validation of ABSIS and PDAI Pemphigus Severity Scores. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 31-37	4.3	33
246	Prospective study in bullous pemphigoid: association of high serum anti-BP180 IgG levels with increased mortality and reduced Karnofsky score. <i>British Journal of Dermatology</i> , 2018 , 179, 918-924	4	20
245	Increased sensitivity and high specificity of indirect immunofluorescence in detecting IgG subclasses for diagnosis of bullous pemphigoid. <i>Clinical and Experimental Dermatology</i> , 2018 , 43, 248-25	5 3 .8	8
244	Serration pattern analysis for differentiating epidermolysis bullosa acquisita from other pemphigoid diseases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 754-759.e6	4.5	36

243	Mechanisms Causing Loss of Keratinocyte Cohesion in Pemphigus. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 32-37	4.3	70
242	The Anti-C1s Antibody TNT003 Prevents Complement Activation in the Skin Induced by Bullous Pemphigoid Autoantibodies. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 458-461	4.3	23
241	Calcitriol Treatment Ameliorates Inflammation and Blistering in Mouse Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 301-309	4.3	13
240	Doxycycline compared with prednisolone therapy for patients with bullous pemphigoid: cost-effectiveness analysis of the BLISTER trial. <i>British Journal of Dermatology</i> , 2018 , 178, 415-423	4	9
239	Anti-laminin 332 mucous membrane pemphigoid with laryngeal involvement - adjuvant treatment with immunoadsorption and rituximab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 897-900	1.2	3
238	Biological and Clinical Response to Omalizumab in a Patient with Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 284-286	2.2	14
237	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018 , 9, 249	8.4	18
236	Targeting IgE Antibodies by Immunoadsorption in Atopic Dermatitis. <i>Frontiers in Immunology</i> , 2018 , 9, 254	8.4	17
235	Tissue Destruction in Bullous Pemphigoid Can Be Complement Independent and May Be Mitigated by C5aR2. <i>Frontiers in Immunology</i> , 2018 , 9, 488	8.4	23
234	IgE-Selective Immunoadsorption for Severe Atopic Dermatitis. <i>Frontiers in Medicine</i> , 2018 , 5, 27	4.9	7
233	Anti-Laminin-332-Schleimhautpemphigoid mit laryngealer Beteiligung - adjuvante Behandlung mit Immunadsorption und Rituximab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 897-90	0 0 2	1
232	International Bullous Diseases Group: consensus on diagnostic criteria for epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2018 , 179, 30-41	4	35
231	Autoimmune Subepidermal Bullous Diseases of the Skin and Mucosae: Clinical Features, Diagnosis, and Management. <i>Clinical Reviews in Allergy and Immunology</i> , 2018 , 54, 26-51	12.3	94
230	Diagnostik blasenbildender Autoimmundermatosen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1077-1092	1.2	5
229	Diagnosis of Autoimmune Blistering Diseases. Frontiers in Medicine, 2018, 5, 296	4.9	54
228	Immunoadsorption of Desmoglein-3-Specific IgG Abolishes the Blister-Inducing Capacity of Pemphigus Vulgaris IgG in Neonatal Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 1935	8.4	13
227	Adjuvante Behandlung des schweren/refraktEen bullEen Pemphigoids mit Protein-A-Immunadsorption. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1109-1119	1.2	3
226	Diagnosis of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1077-1091	1.2	32

225	Adjuvant treatment of severe/refractory bullous pemphigoid with protein A immunoadsorption. JDDG - Journal of the German Society of Dermatology, 2018 , 16, 1109-1118	1.2	9
224	The p.Arg435His Variation of IgG3 With High Affinity to FcRn Is Associated With Susceptibility for Pemphigus Vulgaris-Analysis of Four Different Ethnic Cohorts. <i>Frontiers in Immunology</i> , 2018 , 9, 1788	8.4	10
223	HLA alleles in British Caucasians with mucous membrane pemphigoid. <i>Eye</i> , 2018 , 32, 1540-1541	4.4	6
222	Regulatory T-cell deficiency leads to pathogenic bullous pemphigoid antigen 230 autoantibody and autoimmune bullous disease. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1831-1842.e7	11.5	41
221	The Leukotriene B and its Receptor BLT1 Act as Critical Drivers of Neutrophil Recruitment in Murine Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1104-1113	4.3	40
220	Doxycycline versus prednisolone as an initial treatment strategy for bullous pemphigoid: a pragmatic, non-inferiority, randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 1630-1638	40	109
219	A distinct cutaneous microbiota profile in autoimmune bullous disease patients. <i>Experimental Dermatology</i> , 2017 , 26, 1221-1227	4	15
218	Analysis of serum markers of cellular immune activation in patients with bullous pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1248-1252	4	20
217	Experimental Laminin 332 Mucous Membrane Pemphigoid Critically Involves C5aR1 and Reflects Clinical and Immunopathological Characteristics of The Human Disease. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1709-1718	4.3	26
216	Chronic bullous disease of childhood with IgG reactivity to p200 antigen. <i>International Journal of Dermatology</i> , 2017 , 56, 773-775	1.7	4
215	An open, multicentre, randomized clinical study in patients with bullous pemphigoid comparing methylprednisolone and azathioprine with methylprednisolone and dapsone. <i>British Journal of Dermatology</i> , 2017 , 177, 1299-1305	4	40
214	Different signaling patterns contribute to loss of keratinocyte cohesion dependent on autoantibody profile in pemphigus. <i>Scientific Reports</i> , 2017 , 7, 3579	4.9	35
213	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1199-1203	4.3	26
212	Rituximab as first-line treatment of pemphigus. <i>Lancet, The</i> , 2017 , 389, 1956-1958	40	29
211	Prospective studies on the routine use of a novel multivariant enzyme-linked immunosorbent assay for the diagnosis of autoimmune bullous diseases. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 889-894.e5	4.5	32
210	Atypical Clinical and Serological Manifestation of Pemphigus Vegetans: A Case Report and Review of the Literature. <i>Case Reports in Dermatology</i> , 2017 , 9, 121-130	1.1	17
209	Wiederherstellung der Sehffligkeit beim Schleimhautpemphigoid durch Keratoprothese aus dem Tibiaknochen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1024-1026	1.2	
208	Tibial bone keratoprosthesis: reversing blindness in mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1024-1026	1.2	О

(2016-2017)

207	Anti-desmoglein 1 IgG/IgA pemphigus associated with thymoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1147-1148	1.2	
206	Diagnostic Value of Linear Fluorescence Along the Basement Membrane of Sweat Gland Ducts in Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 622-626	2.2	4
205	Value of BIOCHIP Technology in the Serological Diagnosis of Pemphigoid Gestationis. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 128-130	2.2	9
204	The BLISTER study: possible overestimation of tetracycline efficacy - AuthorsPreply. <i>Lancet, The</i> , 2017 , 390, 735-736	40	
203	Routine detection of serum antidesmocollin autoantibodies is only useful in patients with atypical pemphigus. <i>Experimental Dermatology</i> , 2017 , 26, 1267-1270	4	26
202	Structural proteins of the dermal-epidermal junction targeted by autoantibodies in pemphigoid diseases. <i>Experimental Dermatology</i> , 2017 , 26, 1154-1162	4	45
201	Neurological and psychiatric associations in bullous pemphigoid-more than skin deep?. <i>Experimental Dermatology</i> , 2017 , 26, 1228-1234	4	30
200	Genomewide association study identifies GALC as susceptibility gene for mucous membrane pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1214-1220	4	10
199	Anti-Desmoglein 1 IgG/IgA-Pemphigus in Verbindung mit einem Thymom. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1147-1149	1.2	
198	Correlation of Serum Levels of IgE Autoantibodies Against BP180 With Bullous Pemphigoid Disease Activity. <i>JAMA Dermatology</i> , 2017 , 153, 30-38	5.1	77
197	Clinical features and diagnosis of epidermolysis bullosa acquisita. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 157-169	5.1	46
196	Paraneoplastic pemphigus with anti-BP180 autoantibodies and Castleman disease. <i>British Journal of Dermatology</i> , 2017 , 176, 824-826	4	5
195	Mechanisms of Autoantibody-Induced Pathology. Frontiers in Immunology, 2017, 8, 603	8.4	218
194	Regulatory T Cells Suppress Inflammation and Blistering in Pemphigoid Diseases. <i>Frontiers in Immunology</i> , 2017 , 8, 1628	8.4	30
193	A randomised controlled trial to compare the safety, effectiveness and cost-effectiveness of doxycycline (200 mg/day) with that of oral prednisolone (0.5 mg/kg/day) for initial treatment of bullous pemphigoid: the Bullous Pemphigoid Steroids and Tetracyclines (BLISTER) trial. <i>Health</i>	4.4	14
192	Epidermolysis bullosa acquisita and anti-p200 pemphigoid as major subepidermal autoimmune bullous diseases diagnosed by floor binding on indirect immunofluorescence microscopy using human salt-split skin. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2017 , 83, 550-555	0.8	7
191	Reduced skin blistering in experimental epidermolysis bullosa acquisita after anti-TNF treatment. <i>Molecular Medicine</i> , 2017 , 22, 918-926	6.2	19
190	Monopathogenic vs multipathogenic explanations of pemphigus pathophysiology. <i>Experimental Dermatology</i> , 2016 , 25, 839-846	4	48

189	Clinical and immunological features and outcome of anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2016 , 175, 776-81	4	24
188	Increasing the diagnostic sensitivity for mucous membrane pemphigoid by detection of salivary autoantibodies. <i>British Journal of Dermatology</i> , 2016 , 174, 956-7	4	О
187	Parkinson disease and multiple sclerosis are not associated with autoantibodies against structural proteins of the dermal-epidermal junction. <i>British Journal of Dermatology</i> , 2016 , 175, 407-9	4	12
186	IgE-mediated mechanisms in bullous pemphigoid and other autoimmune bullous diseases. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 267-77	5.1	44
185	Myeloid-related proteins-8 and -14 are expressed but dispensable in the pathogenesis of experimental epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2016 , 81, 165-72	4.3	2
184	Safety and Clinical Outcomes of Rituximab Treatment in Patients with Multiple Sclerosis and Neuromyelitis Optica: Experience from a National Online Registry (GRAID). <i>Journal of NeuroImmune Pharmacology</i> , 2016 , 11, 1-8	6.9	24
183	Childhood Epidermolysis Bullosa Acquisita: Confirmation of Diagnosis by Skin Deficient in Type VII Collagen, Enzyme-linked Immunosorbent Assay, and Immunoblotting. <i>Indian Journal of Dermatology</i> , 2016 , 61, 329-32	0.9	3
182	Immunfluoreszenztechniken 2016 , 37-49		2
181	Successful pregnancy outcome under prolonged ustekinumab treatment in a patient with Crohnß disease and paradoxical psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, e191-e192	4.6	32
180	Calculation of cut-off values based on the Autoimmune Bullous Skin Disorder Intensity Score (ABSIS) and Pemphigus Disease Area Index (PDAI) pemphigus scoring systems for defining moderate, significant and extensive types of pemphigus. <i>British Journal of Dermatology</i> , 2016 , 175, 142	4 -9	52
179	A refractory, cutaneous, subepidermal bullous disease. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 573-5	1.8	5
178	Automated direct immunofluorescence analyses of skin biopsies. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 227-35	1.7	7
177	Epidermolysis Bullosa Acquisita: From Pathophysiology to Novel Therapeutic Options. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 24-33	4.3	61
176	Immunoadsorber for specific apheresis of autoantibodies in the treatment of bullous pemphigoid. <i>Archives of Dermatological Research</i> , 2016 , 308, 31-8	3.3	12
175	Laboratory Diagnosis and Clinical Profile of Anti-p200 Pemphigoid. <i>JAMA Dermatology</i> , 2016 , 152, 897-	994	37
174	Prevalence and Age Distribution of Pemphigus and Pemphigoid Diseases in Germany. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2495-2498	4.3	92
173	Diagnostic performance of the "MESACUP anti-Skin profile TEST". <i>European Journal of Dermatology</i> , 2016 , 26, 56-63	0.8	16
172	A rare bullous variant of dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 2016 , 174, 231-3	4	

171	Association with HLA-DRB1 in Egyptian and German pemphigus vulgaris patients. <i>Tissue Antigens</i> , 2015 , 85, 283-6		9	
170	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1565-1573	4.3	16	
169	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , 2015 , 194, 3656-6	5 3 ·3	34	
168	Polymorphisms in the mitochondrially encoded ATP synthase 8 gene are associated with susceptibility to bullous pemphigoid in the German population. <i>Experimental Dermatology</i> , 2015 , 24, 715-7	4	20	
167	Pemphigus Vegetans 2015 , 701-705			
166	Allelic and copy-number variations of FcRs affect granulocyte function and susceptibility for autoimmune blistering diseases. <i>Journal of Autoimmunity</i> , 2015 , 61, 36-44	15.5	16	
165	S2k-Leitlinie zur Therapie des Pemphigus vulgaris/foliaceus und des bull\(\mathbb{g}\)en Pemphigoid. JDDG - Journal of the German Society of Dermatology, 2015 , 13, 833-845	1.2	1	
164	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 63	4.2	33	
163	Genome-wide association study identifies new susceptibility loci for cutaneous lupus erythematosus. <i>Experimental Dermatology</i> , 2015 , 24, 510-5	4	37	
162	The retinoid-related orphan receptor alpha is essential for the end-stage effector phase of experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2015 , 237, 111-22	9.4	17	
161	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 833-44	1.2	50	
160	S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 713-27	1.2	26	
159	S2k-Leitlinie zur Diagnostik des Pemphigus vulgaris/foliaceus und des bullBen Pemphigoids. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 713-727	1.2	37	
158	A childhood subepidermal autoimmune bullous disease resembling mechanobullous epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2015 , 173, 871-4	4	3	
157	Malignancies in pemphigus and pemphigoid diseases. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1445-1447	4.3	55	
156	A family with atypical Hailey Hailey diseaseis there more to the underlying genetics than ATP2C1?. <i>PLoS ONE</i> , 2015 , 10, e0121253	3.7	7	
155	Genetic and Environmental Risk Factors of Autoimmune Bullous Diseases 2015 , 131-139		1	
154	Epidemiology of Autoimmune Bullous Diseases 2015 , 251-263		11	

- Life-Threatening Pemphigus Vulgaris **2015**, 35-43
- Single Step Multivariant Analysis of Serum Autoantibodies in Autoimmune Blistering Diseases Using BIOCHIP Mosaic Technology **2015**, 153-160
- Pemphigus Foliaceus and Pemphigus Erythematosus **2015**, 691-700

150	Immunfluoreszenztechniken 2015 , 1-20		
149	Specific immunoadsorption of pathogenic autoantibodies in pemphigus requires the entire ectodomains of desmogleins. <i>Experimental Dermatology</i> , 2014 , 23, 253-9	4	21
148	Co-occurrence of autoantibodies in healthy blood donors. <i>Experimental Dermatology</i> , 2014 , 23, 519-21	4	19
147	Serum autoantibodies against the dermal-epidermal junction in patients with chronic pruritic disorders, elderly individuals and blood donors prospectively recruited. <i>British Journal of Dermatology</i> , 2014 , 170, 943-7	4	12
146	Treatment of bullous pemphigoid with adjuvant immunoadsorption: a case series. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1018-20	4.5	18
145	FcIreceptors III and IV mediate tissue destruction in a novel adult mouse model of bullous pemphigoid. <i>American Journal of Pathology</i> , 2014 , 184, 2185-96	5.8	48
144	GM-CSF modulates autoantibody production and skin blistering in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , 2014 , 192, 559-71	5.3	32
143	Eczematous reaction to intravenous immunoglobulin: an alternative cause of eczema. <i>JAMA Dermatology</i> , 2014 , 150, 1120-2	5.1	10
142	EGFR inhibitors erlotinib and lapatinib ameliorate epidermal blistering in pemphigus vulgaris in a non-linear, V-shaped relationship. <i>Experimental Dermatology</i> , 2014 , 23, 33-8	4	22
141	Bullous pemphigoid in infants: characteristics, diagnosis and treatment. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 185	4.2	44
140	IgE-specific immunoadsorption for treatment of recalcitrant atopic dermatitis. <i>JAMA Dermatology</i> , 2014 , 150, 1350-1	5.1	22
139	Anti-p200 pemphigoid. Journal of the American Academy of Dermatology, 2014, 71, 185-91	4.5	75
138	EndoS reduces the pathogenicity of anti-mCOL7 IgG through reduced binding of immune complexes to neutrophils. <i>PLoS ONE</i> , 2014 , 9, e85317	3.7	6
137	Serum levels of anti-type VII collagen antibodies detected by enzyme-linked immunosorbent assay in patients with epidermolysis bullosa acquisita are correlated with the severity of skin lesions. Journal of the European Academy of Dermatology and Venereology, 2013, 27, e224-30	4.6	35
136	Concomitant bullous pemphigoid and dermatitis herpetiformis. <i>Dermatology</i> , 2013 , 226, 217-21	4.4	4

135	Recombinant IL-6 treatment protects mice from organ specific autoimmune disease by IL-6 classical signalling-dependent IL-1ra induction. <i>Journal of Autoimmunity</i> , 2013 , 40, 74-85	15.5	42
134	Vitamin D status in patients with bullous pemphigoid. British Journal of Dermatology, 2013, 168, 873-4	4	10
133	Pemphigoid diseases. Lancet, The, 2013, 381, 320-32	40	629
132	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, e89-95	4.5	70
131	Emerging treatments for pemphigoid diseases. <i>Trends in Molecular Medicine</i> , 2013 , 19, 501-12	11.5	40
130	Methylprednisolone blocks autoantibody-induced tissue damage in experimental models of bullous pemphigoid and epidermolysis bullosa acquisita through inhibition of neutrophil activation. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2390-2399	4.3	34
129	Case of subepidermal blistering disease with autoantibodies to both laminin-II and laminin-II. <i>Journal of Dermatology</i> , 2013 , 40, 491-2	1.6	
128	A successful treatment with ustekinumab in a case of antilaminin- 1 pemphigoid associated with psoriasis. <i>British Journal of Dermatology</i> , 2013 , 168, 1367-9	4	18
127	AB0734 Prevalence and co-occurrence of autoantibodies in blood donors. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 680.11-680	2.4	
126	Contemporary management of pemphigus. Expert Opinion on Orphan Drugs, 2013, 1, 295-314	1.1	3
125	Peptide-mediated desmoglein 3 crosslinking prevents pemphigus vulgaris autoantibody-induced skin blistering. <i>Journal of Clinical Investigation</i> , 2013 , 123, 800-11	15.9	57
124	Aberrant expression and secretion of heat shock protein 90 in patients with bullous pemphigoid. <i>PLoS ONE</i> , 2013 , 8, e70496	3.7	29
123	A Case of Anti-laminin ^ ^gamma; 1 Pemphigoid with Cutaneous Polyarteritis Nodosa. <i>Nishinihon Journal of Dermatology</i> , 2013 , 75, 7-10	O	2
122	Neue diagnostische und therapeutische Methoden. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , 2013 , 473-482		
121	Diagnostics of autoimmune bullous diseases in German dermatology departments. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-9	1.2	7
120	Diagnostik blasenbildender Autoimmundermatosen an deutschen Hautkliniken. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 492-500	1.2	8
119	Efficacy and safety of rituximab in pemphigus: experience of the German Registry of Autoimmune Diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 727-32	1.2	30
118	Immunoadsorption in dermatology. <i>Therapeutic Apheresis and Dialysis</i> , 2012 , 16, 311-20	1.9	44

117	Epitope mapping of BP230 leading to a novel enzyme-linked immunosorbent assay for autoantibodies in bullous pemphigoid. <i>British Journal of Dermatology</i> , 2012 , 166, 964-70	4	60
116	Effektivitl und Sicherheit von Rituximab beim Pemphigus: Ergebnisse aus dem Deutschen Register fl Autoimmunerkrankungen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 727-732	1.2	
115	Enzymatic autoantibody glycan hydrolysis alleviates autoimmunity against type VII collagen. <i>Journal of Autoimmunity</i> , 2012 , 39, 304-14	15.5	46
114	Pemphigoid diseases: pathogenesis, diagnosis, and treatment. <i>Autoimmunity</i> , 2012 , 45, 55-70	3	74
113	Population-specific association between a polymorphic variant in ST18, encoding a pro-apoptotic molecule, and pemphigus vulgaris. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1798-805	4.3	71
112	Definitions and outcome measures for bullous pemphigoid: recommendations by an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 479-85	4.5	203
111	Current therapy of the pemphigus group. Clinics in Dermatology, 2012, 30, 84-94	3	69
110	Serological diagnosis of autoimmune bullous skin diseases: prospective comparison of the BIOCHIP mosaic-based indirect immunofluorescence technique with the conventional multi-step single test strategy. <i>Orphanet Journal of Rare Diseases</i> , 2012 , 7, 49	4.2	77
109	A long-term study of a patient with anti-p200 pemphigoid: correlation of autoantibody levels with disease activity and an example of epitope spreading. <i>British Journal of Dermatology</i> , 2012 , 167, 1179-8	33 ⁴	11
108	Mapping of B cell epitopes on desmoglein 3 in pemphigus vulgaris patients by the use of overlapping peptides. <i>Journal of Dermatological Science</i> , 2012 , 65, 102-9	4.3	8
107	Clinical features and practical diagnosis of bullous pemphigoid. <i>Immunology and Allergy Clinics of North America</i> , 2012 , 32, 217-32, v	3.3	30
106	Treatment of severe pemphigus vulgaris of the scalp with adjuvant rituximab and immunoadsorption. <i>European Journal of Dermatology</i> , 2012 , 22, 786-7	0.8	3
105	Genetic identification and functional validation of FcRIV as key molecule in autoantibody-induced tissue injury. <i>Journal of Pathology</i> , 2012 , 228, 8-19	9.4	68
104	Treatment of severe pemphigus with a combination of immunoadsorption, rituximab, pulsed dexamethasone and azathioprine/mycophenolate mofetil: a pilot study of 23 patients. <i>British Journal of Dermatology</i> , 2012 , 166, 154-60	4	48
103	Glucocorticosteroid-resistant pemphigoid gestationis: successful treatment with adjuvant immunoadsorption. <i>Journal of Dermatology</i> , 2012 , 39, 168-71	1.6	15
102	Antibodies to the C-terminus of laminin 1 are present in a distinct subgroup of patients with systemic and cutaneous lupus erythematosus. <i>Lupus</i> , 2012 , 21, 1482-3	2.6	12
101	Identification of quantitative trait loci in experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1409-15	4.3	25
100	Pathogenicity of autoantibodies in anti-p200 pemphigoid. <i>PLoS ONE</i> , 2012 , 7, e41769	3.7	29

(2010-2011)

99	Diagnosis and treatment of patients with autoimmune bullous disorders in Germany. <i>Dermatologic Clinics</i> , 2011 , 29, 663-71	4.2	20	
98	Clinical features and practical diagnosis of bullous pemphigoid. <i>Dermatologic Clinics</i> , 2011 , 29, 427-38, viii-ix	4.2	73	
97	Improvement of treatment-refractory atopic dermatitis by immunoadsorption: a pilot study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 267-70, 270.e1-6	11.5	41	
96	Development of NC1 and NC2 domains of type VII collagen ELISA for the diagnosis and analysis of the time course of epidermolysis bullosa acquisita patients. <i>Journal of Dermatological Science</i> , 2011 , 62, 169-75	4.3	81	
95	Safety and clinical outcomes of rituximab therapy in patients with different autoimmune diseases: experience from a national registry (GRAID). <i>Arthritis Research and Therapy</i> , 2011 , 13, R75	5.7	136	
94	Profibrotic phenotype of conjunctival fibroblasts from mucous membrane pemphigoid. <i>American Journal of Pathology</i> , 2011 , 178, 187-97	5.8	32	
93	The extent of desmoglein 3 depletion in pemphigus vulgaris is dependent on Ca(2+)-induced differentiation: a role in suprabasal epidermal skin splitting?. <i>American Journal of Pathology</i> , 2011 , 179, 1905-16	5.8	36	
92	Rituximab for treatment-refractory pemphigus and pemphigoid: a case series of 17 patients. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 552-558	4.5	95	
91	Heat-shock protein 90 inhibition in autoimmunity to type VII collagen: evidence that nonmalignant plasma cells are not therapeutic targets. <i>Blood</i> , 2011 , 117, 6135-42	2.2	54	
90	Therapeutic effect of etanercept in anti-laminin 5 (laminin 332) mucous membrane pemphigoid. <i>International Journal of Dermatology</i> , 2011 , 50, 1129-31	1.7	6	
89	Development of a simple enzyme-linked immunosorbent assay for the detection of autoantibodies in anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2011 , 164, 76-82	4	55	
88	Generalized cowpox infection in a patient with Darier disease. <i>British Journal of Dermatology</i> , 2011 , 164, 1116-8	4	19	
87	Late-onset inversa recessive dystrophic epidermolysis bullosa caused by glycine substitutions in collagen type VII. <i>British Journal of Dermatology</i> , 2011 , 164, 1104-6	4	3	
86	Generation of antibodies of distinct subclasses and specificity is linked to H2s in an active mouse model of epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 167-76	4.3	56	
85	Repetitive immunization breaks tolerance to type XVII collagen and leads to bullous pemphigoid in mice. <i>Journal of Immunology</i> , 2011 , 187, 1176-83	5.3	52	
84	Longstanding painful hemorrhagic vesicles and erosions on the lower leg. <i>Archives of Dermatology</i> , 2011 , 147, 235-40		2	
83	The diagnosis and treatment of autoimmune blistering skin diseases. <i>Deutsches A&#x0308;rzteblatt International</i> , 2011 , 108, 399-405, I-III	2.5	55	
82	Clinical and immunopathological spectrum of paraneoplastic pemphigus. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 598-606	1.2	32	

81	Klinisches und immunpathologisches Spektrum des paraneoplastischen Pemphigus. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 598-606	1.2	62
80	Animal models for autoimmune bullous dermatoses. <i>Experimental Dermatology</i> , 2010 , 19, 2-11	4	28
79	Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients. <i>Experimental Dermatology</i> , 2010 , 19, 458-6	53 ⁴	104
78	Protective endogenous cyclic adenosine 5Pmonophosphate signaling triggered by pemphigus autoantibodies. <i>Journal of Immunology</i> , 2010 , 185, 6831-8	5.3	31
77	Linear IgA disease: successful application of immunoadsorption and review of the literature. <i>Dermatology</i> , 2010 , 220, 259-63	4.4	23
76	Clearance rates of circulating and tissue-bound autoantibodies to type VII collagen in experimental epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2010 , 162, 1064-70	4	21
75	Premonitory epidermolysis bullosa acquisita mimicking eyelid dermatitis: successful treatment with rituximab and protein A immunoapheresis. <i>American Journal of Clinical Dermatology</i> , 2010 , 11, 289-93	7.1	16
74	Relapse-associated autoantibodies to BP180 in a patient with anti-p200 pemphigoid. <i>Clinical and Experimental Dermatology</i> , 2010 , 35, 614-7	1.8	14
73	Immunoadsorption in dermatology. Archives of Dermatological Research, 2010, 302, 241-53	3.3	58
72	Modern diagnosis of autoimmune blistering skin diseases. <i>Autoimmunity Reviews</i> , 2010 , 10, 84-9	13.6	138
71	Peptides Targeting the Desmoglein 3 Adhesive Interface Prevent Autoantibody-induced Acantholysis in Pemphigus. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8589-95	5.4	28
70	Desmocollin 3-mediated binding is crucial for keratinocyte cohesion and is impaired in pemphigus. <i>Journal of Biological Chemistry</i> , 2009 , 284, 30556-64	5.4	83
69	Rituximab in severe pemphigus. Annals of the New York Academy of Sciences, 2009, 1173, 683-91	6.5	81
68	Successful treatment of mucous membrane pemphigoid with the anti-CD-20 antibody rituximab. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 101-2	2.2	29
67	Bullous pemphigoid with localized umbilical involvement. Acta Dermato-Venereologica, 2009, 89, 419-2	02.2	12
66	Apoptosis is not required for acantholysis in pemphigus vulgaris. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 296, C162-72	5.4	36
65	Apoptosis in pemphigus. <i>Autoimmunity Reviews</i> , 2009 , 8, 533-7	13.6	41
64			

63	Research in practice: diagnosis of subepidermal autoimmune bullous disorders. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 296-300	1.2	6
62	Forschen fil die Praxis: Diagnostik subepidermal blasenbildender Autoimmundermatosen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 296-300	1.2	18
61	Prospective analysis of the incidence of autoimmune bullous disorders in Lower Franconia, Germany. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 434-40	1.2	96
60	Prospektive Untersuchung der Inzidenz blasenbildender Autoimmundermatosen in Unterfranken. JDDG - Journal of the German Society of Dermatology, 2009 , 7, 434-440	1.2	139
59	Development of ELISA for the specific determination of autoantibodies against envoplakin and periplakin in paraneoplastic pemphigus. <i>Clinica Chimica Acta</i> , 2009 , 410, 13-8	6.2	85
58	Transition from pemphigus foliaceus to bullous pemphigoid: intermolecular B-cell epitope spreading without IgG subclass shifting. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 333	- 6 ·5	18
57	Histopathology of anti-laminin 5 mucous membrane pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 433-40	4.5	29
56	Pemphigus vulgaris IgG cause loss of desmoglein-mediated adhesion and keratinocyte dissociation independent of epidermal growth factor receptor. <i>American Journal of Pathology</i> , 2009 , 174, 475-85	5.8	29
55	Current treatment of autoimmune blistering diseases. Current Drug Discovery Technologies, 2009, 6, 270) - 89	42
54	Diagnosis and clinical severity markers of bullous pemphigoid. F1000 Medicine Reports, 2009, 1,		3
53	Cytokines in autoimmune bullous skin diseases. Epiphenomena or contribution to pathogenesis?. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2009 , 144, 339-49	0.8	25
52	The registry of the German Network for Systemic Scleroderma: frequency of disease subsets and patterns of organ involvement. <i>Rheumatology</i> , 2008 , 47, 1185-92	3.9	184
51	CD20-directed therapy in autoimmune diseases involving the skin: role of rituximab. <i>Expert Review of Dermatology</i> , 2008 , 3, 259-278		15
50	Rituximab in treatment-resistant autoimmune blistering skin disorders. <i>Clinical Reviews in Allergy and Immunology</i> , 2008 , 34, 56-64	12.3	59
49	Recommendations for the use of rituximab (anti-CD20 antibody) in the treatment of autoimmune bullous skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008 , 6, 366-73	1.2	114
48	Rituximab in autoimmune bullous diseases: mixed responses and adverse effects. <i>British Journal of Dermatology</i> , 2007 , 156, 352-6	4	139
47	Acquired hyperplasia of the tunica dartos mimicking smooth muscle hamartoma. <i>Clinical and Experimental Dermatology</i> , 2007 , 32, 588-9	1.8	4
46	Lupus erythematosus profundus in an 8-year-old child. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 132-3	4.6	7

45	Recommendations for the use of immunoapheresis in the treatment of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 881-7	1.2	50
44	Enzyme-linked immunosorbent assay using multimers of the 16th non-collagenous domain of the BP180 antigen for sensitive and specific detection of pemphigoid autoantibodies. <i>Experimental Dermatology</i> , 2007 , 16, 770-7	4	119
43	Sun-induced life-threatening lupus nephritis. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1108, 35-40	6.5	37
42	Scarring autoimmune bullous disease in a Ugandan patient with autoantibodies to BP180, BP230, and laminin 5. <i>Journal of the American Academy of Dermatology</i> , 2006 , 54, S43-6	4.5	17
41	Successful adjuvant treatment of recalcitrant epidermolysis bullosa acquisita with anti-CD20 antibody rituximab. <i>Archives of Dermatology</i> , 2006 , 142, 147-50		68
40	Orf followed by erythema multiforme. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 612-3	4.6	10
39	Rituximab in refractory autoimmune bullous diseases. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 503-8	1.8	102
38	Improved protocol for treatment of pemphigus vulgaris with protein A immunoadsorption. <i>Clinical and Experimental Dermatology</i> , 2006 , 31, 768-74	1.8	40
37	Autoimmune subepidermal blistering diseases in Uganda: correlation of autoantibody class with age of patients. <i>International Journal of Dermatology</i> , 2006 , 45, 1047-52	1.7	32
36	Localisation of bullous pemphigoid antigen 180 (BP180) in cultured human keratinocytes: functionally relevant modification by calcium. <i>Archives of Dermatological Research</i> , 2006 , 298, 283-90	3.3	2
35	Long-standing remission of recalcitrant juvenile pemphigus vulgaris after adjuvant therapy with rituximab. <i>British Journal of Dermatology</i> , 2005 , 153, 449-51	4	63
34	Treatment of bullous pemphigoid with dapsone, methylprednisolone, and topical clobetasol propionate: a retrospective study of 62 cases. <i>Cutis</i> , 2005 , 76, 205-9	0.4	20
33	Serum levels of autoantibodies to desmoglein 3 in patients with therapy-resistant pemphigus vulgaris successfully treated with adjuvant intravenous immunoglobulins. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 48-52	2.2	7
32	Elevated expression and release of tissue-type, but not urokinase-type, plasminogen activator after binding of autoantibodies to bullous pemphigoid antigen 180 in cultured human keratinocytes. <i>Clinical and Experimental Immunology</i> , 2004 , 135, 497-504	6.2	17
31	Trehalose conserves expression of bullous pemphigoid antigen 180 during desiccation and freezing. <i>Journal of Immunological Methods</i> , 2003 , 275, 179-90	2.5	2
30	Protein A immunoadsorption: a novel and effective adjuvant treatment of severe pemphigus. <i>British Journal of Dermatology</i> , 2003 , 148, 1222-9	4	84
29	Autoantibodies to bullous pemphigoid antigen 180 induce dermal-epidermal separation in cryosections of human skin. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 664-71	4.3	147
28	Childhood epidermolysis bullosa acquisita: a novel variant with reactivity to all three structural domains of type VII collagen. <i>British Journal of Dermatology</i> , 2002 , 147, 592-7	4	33

27	A highly sensitive and simple assay for the detection of circulating autoantibodies against full-length bullous pemphigoid antigen 180. <i>Journal of Autoimmunity</i> , 2002 , 18, 299-309	15.5	14
26	Cicatricial pemphigoid differs from bullous pemphigoid and pemphigoid gestationis regarding the fine specificity of autoantibodies to the BP180 NC16A domain. <i>Journal of Dermatological Science</i> , 2002 , 28, 68-75	4.3	17
25	Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2002 , 47, 133-6	4.5	28
24	Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180. <i>British Journal of Dermatology</i> , 2001 , 145, 778-83	4	98
23	The IL-8 release from cultured human keratinocytes, mediated by antibodies to bullous pemphigoid autoantigen 180, is inhibited by dapsone. <i>Clinical and Experimental Immunology</i> , 2001 , 124, 157-62	6.2	43
22	Antibodies to desmogleins 1 and 3, but not to BP180, induce blisters in human skin grafted onto SCID mice. <i>Journal of Pathology</i> , 2001 , 193, 117-24	9.4	27
21	CD19+ B lymphocytes are the major source of human antibody-secreting hybridomas generated by electrofusion. <i>Journal of Immunological Methods</i> , 2001 , 255, 93-102	2.5	17
20	Autoantibodies to BP180 associated with bullous pemphigoid release interleukin-6 and interleukin-8 from cultured human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 842-8	4.3	82
19	Serum levels of autoantibodies to BP180 correlate with disease activity in patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 2000 , 136, 174-8		237
18	IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in bullous pemphigoid: Serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-583	4.5	12
17	IgG4 and IgE are the major immunoglobulins targeting the NC 16A domain of BP 180 in bullous pemphigoid: Serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-583	4.5	104
16	IgG4 and IgE are the major immunoglobulins targeting the NC16A domain of BP180 in Bullous pemphigoid: serum levels of these immunoglobulins reflect disease activity. <i>Journal of the American Academy of Dermatology</i> , 2000 , 42, 577-83	4.5	98
15	Autoimmune and inherited subepidermal blistering diseases: advances in the clinic and the laboratory. <i>Advances in Dermatology</i> , 2000 , 16, 113-57; discussion 158		36
14	Linear IgA disease with circulating IgA antibodies against the NC16A domain of BP180. <i>British Journal of Dermatology</i> , 1999 , 140, 964-6	4	12
13	Autoantibodies in lichen planus pemphigoides react with a novel epitope within the C-terminal NC16A domain of BP180. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 117-21	4.3	91
12	IgG1 and IgG3 are the major immunoglobulin subclasses targeting epitopes within the NC16A domain of BP180 in pemphigoid gestationis. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 140-2	4.3	52
11	Autoantibodies in a subgroup of patients with linear IgA disease react with the NC16A domain of BP1801. <i>Journal of Investigative Dermatology</i> , 1999 , 113, 947-53	4.3	79
10	Quiz case of the month. Lymphatic cyst of the mediastinum. <i>European Radiology</i> , 1999 , 9, 573-4	8	

9	Antiepiligrin cicatricial pemphigoid: an underdiagnosed entity within the spectrum of scarring autoimmune subepidermal bullous diseases?. <i>Archives of Dermatology</i> , 1999 , 135, 1091-8	49	
8	Detection of IL-1 alpha, IL-1 beta and IL-1 receptor antagonist in blister fluid of bullous pemphigoid. <i>Journal of Dermatological Science</i> , 1996 , 11, 142-7 4-3	22	
7	Elevated levels of interleukin-8 in blister fluid of bullous pemphigoid compared with suction blisters of healthy control subjects. <i>Journal of the American Academy of Dermatology</i> , 1996 , 34, 310-2	34	
6	Detection of elevated levels of IL-4, IL-6, and IL-10 in blister fluid of bullous pemphigoid. <i>Archives of Dermatological Research</i> , 1996 , 288, 353-7	69	
5	Detection of elevated levels of IL-4, IL-6, and IL-10 in blister fluid of bullous pemphigoid 1996 , 288, 353	11	
4	High Levels of Soluble CD23 in Blister Fluid of Patients With Bullous Pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966	15	
3	High levels of soluble CD23 in blister fluid of patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966-7	6	
2	High levels of soluble CD23 in blister fluid of patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 1995 , 131, 966-967	3	
1	Meilensteine der personalisierten Medizin bei Pemphigus und Pemphigoid. <i>Karger Kompass Autoimmun</i> ,1-8		