

Elisa Passaglia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2975/elisa-passaglia-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

2,490
citations

28
h-index

40
g-index

132
ext. papers

2,703
ext. citations

3.6
avg. IF

4.81
L-index

#	Paper	IF	Citations
130	Incorporation of 2D black phosphorus (2D-bP) in P3HT/PMMA mixtures for novel materials with tuned spectroscopic, morphological and electric features. <i>FlatChem</i> , 2021 , 30, 100314	5.1	2
129	Fragility of short-chain poly(lactic acid)s derivatives by combining dielectric spectroscopy and fast scanning calorimetry. <i>Journal of Polymer Science</i> , 2021 , 59, 1571-1577	2.4	3
128	Agri-Food Extracts Effectiveness in Improving Antibacterial and Antiviral Properties of Face Masks: A Proof-of-Concept Study. <i>ChemistrySelect</i> , 2021 , 6, 2288-2297	1.8	3
127	Binary Green Blends of Poly(lactic acid) with Poly(butylene adipate--butylene terephthalate) and Poly(butylene succinate--butylene adipate) and Their Nanocomposites. <i>Polymers</i> , 2021 , 13,	4.5	10
126	Dispersion of Few-Layer Black Phosphorus in Binary Polymer Blend and Block Copolymer Matrices. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
125	Antibacterial LDPE-based nanocomposites with salicylic and rosmarinic acid-modified layered double hydroxides. <i>Applied Clay Science</i> , 2021 , 214, 106276	5.2	2
124	Influence of pyrolytic thermal history on olive pruning biochar and related epoxy composites mechanical properties. <i>Journal of Composite Materials</i> , 2020 , 54, 1863-1873	2.7	22
123	Effects of organo-LDH dispersion on thermal stability, crystallinity and mechanical features of PLA. <i>Polymer</i> , 2020 , 208, 122952	3.9	4
122	Macromolecular Dyes by Chromophore-Initiated Ring Opening Polymerization of L-Lactide. <i>Polymers</i> , 2020 , 12,	4.5	2
121	Catalytic Performances of Platinum Containing PLLA Macrocomplex in the Hydrogenation of μ Unsaturated Carbonyl Compounds. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3243	2.6	1
120	Post-polymerization modification by nitroxide radical coupling. <i>Polymer International</i> , 2019 , 68, 27-63	3.3	19
119	Hybrid Materials and Systems 2019 , 133-159		
118	Polymers from Fossil and Renewable Resources 2019 ,		4
117	Synthesis of Polymers for Plastic Materials 2019 , 73-106		
116	Constrained Amorphous Interphase and Mechanical Properties of Poly(3-Hydroxybutyrate--3-Hydroxyvalerate). <i>Frontiers in Chemistry</i> , 2019 , 7, 790	5	7
115	A Perspective on Recent Advances in Phosphorene Functionalization and Its Applications in Devices. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1476-1494	2.3	26
114	Polymer-Based Black Phosphorus (bP) Hybrid Materials by in Situ Radical Polymerization: An Effective Tool To Exfoliate bP and Stabilize bP Nanoflakes. <i>Chemistry of Materials</i> , 2018 , 30, 2036-2048	9.6	46

113	Hybrid nanocomposites of 2D black phosphorus nanosheets encapsulated in PMMA polymer material: new platforms for advanced device fabrication. <i>Nanotechnology</i> , 2018 , 29, 295601	3.4	20
112	Fluorescent LDPE and PLA nanocomposites containing fluorescein-modified layered double hydroxides and their ON/OFF responsive behavior towards humidity. <i>European Polymer Journal</i> , 2018 , 99, 189-201	5.2	8
111	An insight into the interaction between functionalized thermoplastic elastomer and layered double hydroxides through rheological investigations. <i>Composites Part B: Engineering</i> , 2018 , 139, 47-54	10	13
110	Improving the Energy Efficiency of Direct Formate Fuel Cells with a Pd/C-CeO ₂ Anode Catalyst and Anion Exchange Ionomer in the Catalyst Layer. <i>Energies</i> , 2018 , 11, 369	3.1	30
109	Styrene and substituted styrene grafted functional polyolefins via nitroxide mediated polymerization. <i>Polymer Chemistry</i> , 2018 , 9, 307-314	4.9	8
108	Platinum nanoparticles onto pegylated poly(lactic acid) stereocomplex for highly selective hydrogenation of aromatic nitrocompounds to anilines. <i>Applied Catalysis A: General</i> , 2017 , 537, 50-58	5.1	14
107	Poly(lactic acid) plasticized with low-molecular-weight polyesters: structural, thermal and biodegradability features. <i>Polymer International</i> , 2017 , 66, 761-769	3.3	14
106	Unconventional Pd@Sulfonated Silica Monoliths Catalysts for Selective Partial Hydrogenation Reactions under Continuous Flow. <i>ChemCatChem</i> , 2017 , 9, 3245-3258	5.2	18
105	MMT and LDH organo-modification with surfactants tailored for PLA nanocomposites. <i>EXPRESS Polymer Letters</i> , 2017 , 11, 163-175	3.4	12
104	Pyridine and Bipyridine End-Functionalized Polylactide: Synthesis and Catalytic Applications 2017 , 47-67		
103	Palladium nanoparticles supported onto stereocomplexed poly(lactic acid)-poly(ϵ -caprolactone) copolymers for selective partial hydrogenation of phenylacetylene. <i>Rendiconti Lincei</i> , 2017 , 28, 51-58	1.7	2
102	Grafting of Hindered Phenol Groups onto Ethylene/1-olefin Copolymer by Nitroxide Radical Coupling. <i>Polymers</i> , 2017 , 9,	4.5	9
101	Thermo-oxidative stabilization of poly(lactic acid) with antioxidant intercalated layered double hydroxides. <i>Polymer Degradation and Stability</i> , 2016 , 133, 92-100	4.7	28
100	Novel polystyrene-based nanocomposites by phosphorene dispersion. <i>RSC Advances</i> , 2016 , 6, 53777-53783	3.7	18
99	Structural, thermal and photo-physical data of azo-aromatic TEMPO derivatives before and after their grafting to polyolefins. <i>Data in Brief</i> , 2016 , 6, 562-70	1.2	4
98	Azo-aromatic functionalized polyethylene by nitroxide radical coupling (NRC) reaction: Preparation and photo-physical properties. <i>Polymer</i> , 2016 , 82, 366-377	3.9	10
97	Grafting of polymer chains on the surface of carbon nanotubes via nitroxide radical coupling reaction. <i>Polymer International</i> , 2016 , 65, 48-56	3.3	10
96	Co-agent mediated functionalization of LDPE/iPP mixtures for compatibilization of WEEE-recovered polyvinylchloride. <i>Polymer International</i> , 2016 , 65, 621-630	3.3	2

95	Vapochromic Behaviour of Polycarbonate Films Doped with a Luminescent Molecular Rotor. <i>Polymers for Advanced Technologies</i> , 2016 , 27, 429-435	3.2	9
94	Probing the chain segment mobility at the interface of semi-crystalline polylactide/clay nanocomposites. <i>European Polymer Journal</i> , 2016 , 78, 274-289	5.2	36
93	New polymeric sorbent for the solid-phase extraction of indole-3-acetic acid from plants followed by liquid chromatography [Fluorescence detector]. <i>Microchemical Journal</i> , 2016 , 128, 68-74	4.8	10
92	Palladium-nanoparticles on end-functionalized poly(lactic acid)-based stereocomplexes for the chemoselective cinnamaldehyde hydrogenation: Effect of the end-group. <i>Journal of Catalysis</i> , 2015 , 330, 187-196	7.3	20
91	Time-resolved rheology as a tool to monitor the progress of polymer degradation in the melt state [Part II: Thermal and thermo-oxidative degradation of polyamide 11/organo-clay nanocomposites]. <i>Polymer</i> , 2015 , 73, 102-110	3.9	35
90	Preparation and testing of a solid secondary plasticizer for PVC produced by chemical degradation of post-consumer PET. <i>Waste Management</i> , 2015 , 46, 68-75	8.6	17
89	Towards a better control of the radical functionalization of poly(lactic acid). <i>Polymer International</i> , 2015 , 64, 631-640	3.3	14
88	Nanocomposites Based on Thermoplastic Polymers and Functional Nanofiller for Sensor Applications. <i>Materials</i> , 2015 , 8, 3377-3427	3.5	60
87	Progress in Understanding of the Interactions between Functionalized Polyolefins and Organo-Layered Double Hydroxides. <i>Macromolecular Reaction Engineering</i> , 2014 , 8, 122-133	1.5	5
86	Pd-nanoparticles supported onto functionalized poly(lactic acid)-based stereocomplexes for partial alkyne hydrogenation. <i>Applied Catalysis A: General</i> , 2014 , 469, 132-138	5.1	20
85	Recycling ground tire rubber (GTR) scraps as high-impact filler of in situ produced polyketone matrix. <i>Polymers for Advanced Technologies</i> , 2014 , 25, 1060-1068	3.2	6
84	Functionalization of aliphatic polyesters by nitroxide radical coupling. <i>Polymer Chemistry</i> , 2014 , 5, 5656	4.9	15
83	Novel HDPE/ground tyre rubber composite materials obtained through in-situ polymerization and polymerization filling technique. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	11
82	Comparison of different processing methods to prepare poly(lactid acid)/hydrocalcite composites. <i>Polymer Engineering and Science</i> , 2014 , 54, 1804-1810	2.3	40
81	Some recent advances in polyolefin functionalization. <i>Polymer International</i> , 2014 , 63, 12-21	3.3	40
80	Rheology of long-chain branched polypropylene copolymers. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 1423-1432	2.9	16
79	The effect of layered double hydroxides dispersion on thermal and mechanical properties of poly(vinyl chloride)/poly(methyl methacrylate) blends. <i>Polymer International</i> , 2013 , 62, 554-565	3.3	11
78	Pd-nanoparticles stabilized by pyridine-functionalized poly(ethylene glycol) as catalyst for the aerobic oxidation of α -unsaturated alcohols in water. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 2518-2528	2.5	15

77	Chemistry of Interfacial Interactions in a LDPE-Based Nanocomposite and Their Effect on the Nanoscale Hybrid Assembling. <i>Macromolecules</i> , 2013 , 46, 1563-1572	5.5	12
76	Strong Cation Exchange with Innocence: Synthesis and Characterization of Borate Containing Resins and Macroporous Monoliths. <i>Macromolecules</i> , 2013 , 46, 5423-5433	5.5	8
75	Cooperativity length scale in nanocomposites: interfacial and confinement effects. <i>Physical Review E</i> , 2013 , 88, 042605	2.4	32
74	Fluorescent polyolefins by free radical post-reactor modification with functional nitroxides. <i>Reactive and Functional Polymers</i> , 2012 , 72, 695-702	4.6	23
73	Aerobic alcohol oxidation catalyzed by polyester-based Pd(II) macrocomplexes. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 2725-2731	2.5	7
72	Zinc Coordination Polymers with 2,6-Bis(imidazole-1-yl)pyridine and Benzenecarboxylate: Pseudo-Supramolecular Isomers with and without Interpenetration and Unprecedented Trinodal Topology. <i>Crystal Growth and Design</i> , 2011 , 11, 1230-1237	3.5	69
71	Functionalization of Multiwalled Carbon Nanotubes with Cyclic Nitrones for Materials and Composites: Addressing the Role of CNT Sidewall Defects. <i>Chemistry of Materials</i> , 2011 , 23, 1923-1938	9.6	48
70	Optimization of organo-layered double hydroxide dispersion in LDPE-based nanocomposites. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2285-2294	3.2	24
69	Nonisothermal crystallization kinetics of polypropylene-layered double hydroxide composites: Correlation with morphology. <i>Polymer Composites</i> , 2011 , 32, 986-993	3	5
68	Grafting of functional nitroxyl free radicals to polyolefins as a tool to postreactor modification of polyethylene-based materials with control of macromolecular architecture. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 781-795	2.5	34
67	Pd(II)-pyridine macrocomplexes based on poly(lactide). <i>Journal of Polymer Science Part A</i> , 2011 , 49, 4708-4713	4.7	13
66	Theoretical study of the conformational and optical properties of a fluorescent dye. A step toward modeling sensors grafted on polymer structures. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 21471-8	3.6	7
65	Effect of surfactant alkyl chain length on the dispersion, and thermal and dynamic mechanical properties of LDPE/organo-LDH composites. <i>EXPRESS Polymer Letters</i> , 2011 , 5, 428-448	3.4	29
64	Morphology development and stability of polypropylene/organoclay nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 5814-25	1.3	7
63	Interfacial effects on the dynamics of ethylene-propylene copolymer nanocomposite with inorganic clays. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 568-573	3.9	19
62	Control of degradation of polypropylene during its radical functionalisation with furan and thiophene derivatives. <i>Polymer Degradation and Stability</i> , 2010 , 95, 298-305	4.7	28
61	Highly fluorinated zirconocene(IV) complexes and their catalytic applications in the polymerization of ethylene. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 1794-1800	2.3	6
60	Structure and rheology of polypropylene with various architectures prepared by coagent-assisted radical processing. <i>Polymer International</i> , 2010 , 59, 1499-1505	3.3	12

59	Thiol-Ene Radical Addition of L-Cysteine Derivatives to Low Molecular Weight Polybutadiene. <i>Macromolecular Chemistry and Physics</i> , 2009 , 210, 1471-1483	2.6	41
58	Grafting of polypropylene and its potential use as metal ion adsorption resin. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 290-298	2.9	2
57	The influence of the compatibilizer on the morphology and thermal properties of polypropylene-layered double hydroxide composites. <i>Polymer Composites</i> , 2009 , 31, NA-NA	3	4
56	Control of macromolecular architecture during the reactive functionalization in the melt of olefin polymers. <i>Progress in Polymer Science</i> , 2009 , 34, 911-947	29.6	120
55	New functionalized polypropylenes as controlled architecture compatibilizers for polypropylene layered silicates nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 4858-69	1.3	1
54	Enhanced Thermal Conductivity of Nanofluids Diagnosis by Molecular Dynamics Simulations. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 3710-3718	1.3	18
53	Oxygen and Water Vapor Barrier Properties of MMT Nanocomposites from Low Density Polyethylene or EPM with Grafted Succinic Groups. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 1690-1699	1.3	4
52	LLDPE with Exclusively Ethyl Branches by Tandem Catalysis with Single-Site Zr(IV)/Co(II) Catalysts. <i>Topics in Catalysis</i> , 2008 , 48, 107-113	2.3	12
51	Nanocomposites based on polyolefins and functional thermoplastic materials. <i>Polymer International</i> , 2008 , 57, 805-836	3.3	115
50	Nanostructured polyolefins/clay composites: role of the molecular interaction at the interface. <i>Polymers for Advanced Technologies</i> , 2008 , 19, 560-568	3.2	24
49	Palladium(II) Complexes with Phosphanylferrocenecarboxylate Ligands and Their Use as Catalyst Precursors for Semialternating CO ₂ /Ethylene Copolymerization. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 441-452	2.3	28
48	Effects of reactive melt mixing on the morphology and thermal behavior of linear low-density polyethylene/rubber blends. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 1014-1021	2.9	4
47	Evidences of macromolecular chains confinement of ethylene-propylene copolymer in organophilic montmorillonite nanocomposites. <i>European Polymer Journal</i> , 2008 , 44, 1296-1308	5.2	24
46	Oxygen and Water Vapor Barrier Properties of MMT Nanocomposites from Low Density Polyethylene or EPM with Grafted Succinic Groups. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 1690-1699	1.3	3
45	Modification of isotactic polypropylene by the free-radical grafting of 1,1,1-trimethylolpropane trimethacrylate. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 950-958	2.9	12
44	Functionalization of a styrene/butadiene random copolymer by radical addition of l-cysteine derivatives. <i>Polymer</i> , 2007 , 48, 35-42	3.9	35
43	Ethylene polymerization using metallocenes supported on MgCl ₂ /SiCl ₄ ·(n-C ₆ H ₁₃ O) _n . <i>Designed Monomers and Polymers</i> , 2007 , 10, 507-516	3.1	1
42	Effect of Structure of Functionalizing Molecules on the Inter-Macromolecular Reactions and Blending of Poly(ethylene-co-propylene) (EPM) with Poly(6-aminohexanoic Acid) (PA6). <i>Helvetica Chimica Acta</i> , 2006 , 89, 1596-1609	2	1

41	Gradient Density Grafted Polymers on Ground Tire Rubber Particles by Atom Transfer Radical Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2006 , 207, 2289-2298	2.6	22
40	Polyketone Nanocomposites by Palladium-Catalyzed Ethylene-Carbon Monoxide-(Propene) Co(Ter)polymerization Inside an Unmodified Layered Silicate. <i>E-Polymers</i> , 2006 , 6,	2.7	1
39	Formation of Short and Long Chain Branches during the Free Radical Functionalization of Polyamide 6 in the Melt. <i>Macromolecules</i> , 2006 , 39, 2153-2161	5.5	17
38	Modification of Cross-Linked Rubber Particles by Free Radical Polymerization. <i>Macromolecular Symposia</i> , 2006 , 234, 193-202	0.8	23
37	One-step functionalization and reactive blending of polyolefin/polyamide mixtures (EPM/PA6). <i>Polymer</i> , 2006 , 47, 85-97	3.9	19
36	Coagent assisted polypropylene radical functionalization: monomer grafting modulation and molecular weight conservation. <i>Polymer</i> , 2006 , 47, 5243-5252	3.9	31
35	Ethylene Carbonylation in Methanol and in Aqueous Media by Palladium(II) Catalysts Modified with 1,1-Bis(dialkylphosphino)ferrocenes. <i>Organometallics</i> , 2005 , 24, 1018-1030	3.8	38
34	Amorphous Polyethylene by Tandem Action of Cobalt and Titanium Single-Site Catalysts. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1218-1223	4.8	42
33	Effect of functional groups of modified polyolefins on the structure and properties of their composites with lamellar silicates. <i>Polymer International</i> , 2005 , 54, 1549-1556	3.3	13
32	Controlled degradation by melt processing with oxygen or peroxide of ethylene/propylene copolymers. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 372-381	2.9	4
31	Modulated Crosslinking of Polyolefins through Radical Processes in the Melt. <i>Macromolecular Materials and Engineering</i> , 2004 , 289, 809-817	3.9	10
30	Cationic β -benzyl nickel compounds with diphosphine ligands as catalyst precursors for ethylene oligomerization/polymerization: influence of the diphosphine bite angle. <i>Journal of Organometallic Chemistry</i> , 2004 , 689, 833-839	2.3	43
29	Simultaneous Polymerization and Schulz-Elory Oligomerization of Ethylene Made Possible by Activation with MAO of a C1-Symmetric [2,6-Bis(arylimino)pyridyl]iron Dichloride Precursor. <i>Organometallics</i> , 2004 , 23, 6087-6089	3.8	55
28	Control of Degradation Reactions during Radical Functionalization of Polypropylene in the Melt. <i>Macromolecules</i> , 2004 , 37, 8414-8423	5.5	70
27	Functionalization of polyolefins in the melt 2004 , 47-71		8
26	Functionalization of polyolefins by reactive processing: influence of starting reagents on content and type of grafted groups. <i>Macromolecular Symposia</i> , 2003 , 198, 147-160	0.8	25
25	Reactive Blending of Polyamides with Different Carbonyl Containing Olefin Polymers. <i>Macromolecular Materials and Engineering</i> , 2003 , 288, 475-483	3.9	14
24	One-step functionalization of an ethylene/propylene random copolymer with two different reactive groups. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 14-23	2.9	25

23	Blends of SBS triblock copolymer with poly(2,6-dimethyl-1,4-phenylene oxide)/polystyrene mixture. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 2698-2705	2.9	9
22	eta 6-Arene complexes of Ni(II), efficient catalysts for 1,3-butadiene and styrene polymerization. <i>Chemical Communications</i> , 2003 , 78-9	5.8	24
21	Blends of styrene-butadiene-styrene triblock copolymer with random styrene-maleic anhydride copolymers. <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 1396-1402	2.6	3
20	Blends of syndiotactic polystyrene with SEBS triblock copolymers. <i>Polymer</i> , 2002 , 43, 3323-3329	3.9	21
19	Studies of Ligand and Solvent Effects in the Alternating Copolymerization of Carbon Monoxide and Ethene by Palladium-Diphosphine Catalysis. <i>Organometallics</i> , 2002 , 21, 4965-4977	3.8	33
18	Study of Grafting Reactions of Polar Groups onto Polystyrene (PS) by Reactive Mixing. <i>Macromolecular Symposia</i> , 2001 , 169, 61-70	0.8	
17	Blending of styrene-block-butadiene-block-styrene copolymer with sulfonated vinyl aromatic polymers. <i>Polymer International</i> , 2001 , 50, 714-721	3.3	7
16	Homo- and copolymers of hexafluoroisopropyl methacrylate and fluoroacrylate with alkyl vinyl ethers: Microstructure and thermal properties. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 32-45	2.5	16
15	Homopolymerization of Methyl Methacrylate by Novel Ziegler-Natta-Type Catalysts Based on Bis(chelate)-nickel(II) Complexes and Methylaluminumoxane. <i>Macromolecular Rapid Communications</i> , 2001 , 22, 664-668	4.8	25
14	Blends of Syndiotactic Polystyrene with SBS Triblock Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2001 , 202, 2142-2147	2.6	10
13	Composites from functionalized polyolefins and silica. <i>Macromolecular Symposia</i> , 2001 , 176, 299-315	0.8	9
12	Kinetics of the free radical grafting of diethyl maleate onto linear polyethylene. <i>Polymer International</i> , 2000 , 49, 949-952	3.3	12
11	Controlled functionalization of olefin/styrene copolymers through free radical processes. <i>Polymers for Advanced Technologies</i> , 2000 , 11, 371-376	3.2	26
10	Grafting of diethyl maleate and maleic anhydride onto styrene- b -(ethylene- co -1-butene)- b -styrene triblock copolymer (SEBS). <i>Polymer</i> , 2000 , 41, 4389-4400	3.9	53
9	Functionalization of SBR copolymer by free radical addition of thiols. <i>Macromolecular Chemistry and Physics</i> , 1999 , 200, 524-530	2.6	30
8	Formation and compatibilizing effect of the grafted copolymer in the reactive blending of 2-diethylsuccinate containing polyolefins with poly-?-caprolactam (nylon-6). <i>Polymers for Advanced Technologies</i> , 1998 , 9, 273-281	3.2	17
7	Miscibility of functionalized polyolefins with polyamide-6 as detected by solid-state NMR. <i>Macromolecular Chemistry and Physics</i> , 1998 , 199, 1957-1963	2.6	7
6	Molecular and mechanistic aspects of the functionalization of polyolefins with ester groups. <i>Macromolecular Symposia</i> , 1998 , 129, 79-88	0.8	16

5	Functionalization of polyolefins in the melt through reaction with molecules and macromolecules. <i>Macromolecular Symposia</i> , 1997 , 118, 311-316	0.8	13
4	New fluorinated acrylic polymers for improving weatherability of building stone materials. <i>Progress in Organic Coatings</i> , 1997 , 32, 43-50	4.8	73
3	Synthesis of new polymers containing α (trifluoromethyl)-acrylate units. <i>Macromolecular Chemistry and Physics</i> , 1995 , 196, 2843-2853	2.6	26
2	^{13}C NMR Characterization of Polymers from 2,2,2-Trifluoroethyl Methacrylate. <i>Polymer Journal</i> , 1994 , 26, 1118-1123	2.7	15
1	Nanocomposites Based on Phyllosilicates: From Petrochemicals to Renewable Thermoplastic Matrices 403-458		1