Jingchuan Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2976014/publications.pdf

Version: 2024-02-01

1162889 1372474 9 270 8 10 citations g-index h-index papers 10 10 10 374 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Retrospective investigation of hereditary syndromes in patients with medulloblastoma in a single institution. Child's Nervous System, 2021, 37, 411-417.	0.6	8
2	Downregulation of microRNA-9-5p promotes synaptic remodeling in the chronic phase after traumatic brain injury. Cell Death and Disease, 2021, 12, 9.	2.7	17
3	Activation of the Hedgehog Pathway Promotes Recovery of Neurological Function After Traumatic Brain Injury by Protecting the Neurovascular Unit. Translational Stroke Research, 2020, 11, 720-733.	2.3	34
4	Bexarotene promotes microglia/macrophages - Specific brain - Derived Neurotrophic factor expression and axon sprouting after traumatic brain injury. Experimental Neurology, 2020, 334, 113462.	2.0	16
5	Upregulation of miRNA-9-5p Promotes Angiogenesis after Traumatic Brain Injury by Inhibiting Ptch-1. Neuroscience, 2020, 440, 160-174.	1.1	16
6	microRNAâ€9â€5p alleviates blood–brain barrier damage and neuroinflammation after traumatic brain injury. Journal of Neurochemistry, 2020, 153, 710-726.	2.1	41
7	Bexarotene protects against neurotoxicity partially through a PPAR \hat{I}^3 -dependent mechanism in mice following traumatic brain injury. Neurobiology of Disease, 2018, 117, 114-124.	2.1	38
8	The long non-coding RNA Neat1 is an important mediator of the therapeutic effect of bexarotene on traumatic brain injury in mice. Brain, Behavior, and Immunity, 2017, 65, 183-194.	2.0	86
9	PPARÎ 2 / $^{\circ}$ / $^{\circ}$, a Novel Regulator for Vascular Smooth Muscle Cells Phenotypic Modulation and Vascular Remodeling after Subarachnoid Hemorrhage in Rats. Scientific Reports, 2017, 7, 45234.	1.6	11