

John G Bartzis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2976180/publications.pdf>

Version: 2024-02-01

61
papers

1,886
citations

318942

23
h-index

299063

42
g-index

62
all docs

62
docs citations

62
times ranked

2325
citing authors

#	ARTICLE	IF	CITATIONS
1	Advances in air quality research – current and emerging challenges. Atmospheric Chemistry and Physics, 2022, 22, 4615-4703.	1.9	63
2	On exposure uncertainty quantification from accidental airborne point releases. Journal of Hazardous Materials Advances, 2022, 6, 100080.	1.2	1
3	Association of subjective health symptoms with indoor air quality in European office buildings: The OFFICAIR project. Indoor Air, 2021, 31, 426-439.	2.0	38
4	Modelling Exposure from Airborne Hazardous Short-Duration Releases in Urban Environments. Atmosphere, 2021, 12, 130.	1.0	6
5	Air quality in cabin environment of different passenger cars: effect of car usage, fuel type and ventilation/infiltration conditions. Environmental Science and Pollution Research, 2021, 28, 51232-51241.	2.7	9
6	Indoor gaseous air pollutants determinants in office buildings – The OFFICAIR project. Indoor Air, 2020, 30, 76-87.	2.0	39
7	Environmental data treatment to support exposure studies: The statistical behavior for NO ₂ , O ₃ , PM ₁₀ and PM _{2.5} air concentrations in Europe. Environmental Research, 2020, 181, 108864.	3.7	13
8	Indoor air pollution, physical and comfort parameters related to schoolchildren's health: Data from the European SINFONIE study. Science of the Total Environment, 2020, 739, 139870.	3.9	94
9	Challenges on detection, identification and monitoring of indoor airborne chemical-biological agents. Safety Science, 2020, 129, 104789.	2.6	6
10	Personal Control of the Indoor Environment in Offices: Relations with Building Characteristics, Influence on Occupant Perception and Reported Symptoms Related to the Building – The Officair Project. Applied Sciences (Switzerland), 2019, 9, 3227.	1.3	23
11	CFD studies of pollutant spatial distribution in a large office. International Journal of Environment and Pollution, 2019, 65, 125.	0.2	1
12	Investigation of the PM _{2.5} , NO ₂ and O ₃ I/O ratios for office and school microenvironments.. Environmental Research, 2019, 179, 108791.	3.7	26
13	Assessment of Puff-Dispersion Variability Through Lagrangian and Eulerian Modelling Based on the JU2003 Campaign. Boundary-Layer Meteorology, 2019, 171, 395-422.	1.2	3
14	Comparison of methods for converting Dylos particle number concentrations to PM _{2.5} mass concentrations. Indoor Air, 2019, 29, 450-459.	2.0	20
15	PM _{2.5} source apportionment for the port city of Thessaloniki, Greece. Science of the Total Environment, 2019, 650, 2337-2354.	3.9	69
16	A comprehensive air quality investigation at an aquatic centre: Indoor/outdoor comparisons. Environmental Science and Pollution Research, 2018, 25, 16710-16719.	2.7	11
17	Statistical Projection of Material Intensity: Evidence from the Global Economy and 107 Countries. Journal of Industrial Ecology, 2018, 22, 1465-1472.	2.8	7
18	VOCs and aldehydes source identification in European office buildings – The OFFICAIR study. Building and Environment, 2017, 115, 18-24.	3.0	80

#	ARTICLE	IF	CITATIONS
19	Spatial and temporal variation of particulate matter characteristics within office buildings â€” The OFFICAIR study. <i>Science of the Total Environment</i> , 2017, 587-588, 59-67.	3.9	22
20	Assessment of indoor air quality in office buildings across Europe â€” The OFFICAIR study. <i>Science of the Total Environment</i> , 2017, 579, 169-178.	3.9	133
21	Commutersâ€™ Personal Exposure to Ambient and Indoor Ozone in Athens, Greece. <i>Environments - MDPI</i> , 2017, 4, 53.	1.5	9
22	Perceived Indoor Environment and Occupantsâ€™ Comfort in European â€œModernâ€ Office Buildings: The OFFICAIR Study. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 444.	1.2	124
23	Oxidative potential and chemical composition of PM2.5 in office buildings across Europe â€” The OFFICAIR study. <i>Environment International</i> , 2016, 92-93, 324-333.	4.8	56
24	Indoor air quality investigation of the school environment and estimated health risks: Two-season measurements in primary schools in Kozani, Greece. <i>Atmospheric Pollution Research</i> , 2016, 7, 1128-1142.	1.8	84
25	Office characteristics and dry eye complaints in European workersâ€”The OFFICAIR study. <i>Building and Environment</i> , 2016, 102, 54-63.	3.0	33
26	Modeling Short-Term Maximum Individual Exposure from Airborne Hazardous Releases in Urban Environments. Part I: Validation of a Deterministic Model with Field Experimental Data. <i>Toxics</i> , 2015, 3, 249-258.	1.6	0
27	Modelling Short-Term Maximum Individual Exposure from Airborne Hazardous Releases in Urban Environments. Part II: Validation of a Deterministic Model with Wind Tunnel Experimental Data. <i>Toxics</i> , 2015, 3, 259-267.	1.6	6
28	Concentration and chemical composition of PM2.5 for a one-year period at Thessaloniki, Greece: A comparison between city and port area. <i>Atmospheric Environment</i> , 2015, 113, 197-207.	1.9	50
29	One-year intensive characterization on PM2.5 nearby port area of Thessaloniki, Greece. <i>Environmental Science and Pollution Research</i> , 2015, 22, 6812-6826.	2.7	33
30	PM2.5 chemical composition in five European Mediterranean cities: A 1-year study. <i>Atmospheric Research</i> , 2015, 155, 102-117.	1.8	128
31	An integrated approach for the chemical characterization and oxidative potential assessment of indoor PM2.5. <i>Microchemical Journal</i> , 2015, 119, 22-29.	2.3	17
32	Prediction of high concentrations and concentration distribution of a continuous point source release in a semi-idealized urban canopy using CFD-RANS modeling. <i>Atmospheric Environment</i> , 2015, 100, 48-56.	1.9	23
33	Atmospheric dispersion and individual exposure of hazardous materials. Validation and intercomparison studies. <i>International Journal of Environment and Pollution</i> , 2014, 55, 76.	0.2	5
34	Chemical characterization of particulate matter (PM) and source apportionment study during winter and summer period for the city of Kozani, Greece. <i>Open Chemistry</i> , 2014, 12, 643-651.	1.0	19
35	Microstructural analysis and determination of PM10 emission sources in an industrial Mediterranean city. <i>Open Chemistry</i> , 2014, 12, 1081-1090.	1.0	3
36	Radiation source rate estimation through data assimilation of gamma dose rate measurements for operational nuclear emergency response systems. <i>International Journal of Environment and Pollution</i> , 2012, 50, 386.	0.2	10

#	ARTICLE	IF	CITATIONS
37	Numerical experiments on the efficiency of local grid refinement based on truncation error estimates. <i>Journal of Computational Physics</i> , 2012, 231, 6725-6753.	1.9	17
38	CFD-RANS model validation of turbulent flow in a semi-idealized urban canopy. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012, 111, 61-72.	1.7	70
39	Evaluation of Reynolds stress, $k\text{-}\mu$ and RNG $k\text{-}\mu$ turbulence models in street canyon flows using various experimental datasets. <i>Environmental Fluid Mechanics</i> , 2012, 12, 379-403.	0.7	108
40	COST 732 in practice: the MUST model evaluation exercise. <i>International Journal of Environment and Pollution</i> , 2011, 44, 403.	0.2	67
41	Identification of strength and location of stationary point source of atmospheric pollutant in urban conditions using computational fluid dynamics model. <i>Mathematics and Computers in Simulation</i> , 2011, 82, 244-257.	2.4	25
42	Modelling concentration fluctuations and individual exposure in complex urban environments. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2011, 99, 349-356.	1.7	17
43	PAHs sources contribution to the air quality of an office environment: experimental results and receptor model (PMF) application. <i>Air Quality, Atmosphere and Health</i> , 2010, 3, 225-234.	1.5	24
44	PM1 and PM2.5 ionic composition and VOCs measurements in two typical apartments in Athens, Greece: investigation of smoking contribution to indoor air concentrations. <i>Environmental Monitoring and Assessment</i> , 2010, 167, 321-331.	1.3	14
45	Experimental investigation and optimization of carbohydrazide application using different alkalization agents on boilers All-Volatile treatment. <i>Applied Thermal Engineering</i> , 2010, 30, 1269-1275.	3.0	4
46	Improvement of source and wind field input of atmospheric dispersion model by assimilation of concentration measurements: Method and applications in idealized settings. <i>Applied Mathematical Modelling</i> , 2009, 33, 3511-3521.	2.2	18
47	An investigation of the parameters influencing the determination of the number of particulate matter sources and their contribution to the air quality of an indoor residential environment. <i>Environmental Science and Engineering</i> , 2009, , 453-464.	0.1	1
48	Development of a decision support system for the operation of thermal power plants in Western Macedonia. <i>Environmental Science and Engineering</i> , 2009, , 149-161.	0.1	0
49	An integrated multi-model approach for air quality assessment: Development and evaluation of the OSCAR Air Quality Assessment System. <i>Environmental Modelling and Software</i> , 2008, 23, 268-281.	1.9	39
50	Optimization of the numerical algorithms of the ADREA-I mesoscale prognostic meteorological model for real-time applications. <i>Environmental Modelling and Software</i> , 2008, 23, 96-108.	1.9	17
51	New Approaches on Prediction of Maximum Individual Exposure from Airborne Hazardous Releases. <i>NATO Security Through Science Series C: Environmental Security</i> , 2008, , 725-726.	0.1	0
52	Evaluation of the Lagrangian particle dispersion model DIPCOT against data from wind tunnel simulations of quasi two-dimensional turbulent flow. <i>International Journal of Environment and Pollution</i> , 2005, 24, 114.	0.2	2
53	Dispersion modelling of radioactive pollutants: application of the 'Demokritos' Transport code system for Complex Terrain (DETRACT) to the Hanford Purex scenario. <i>International Journal of Environment and Pollution</i> , 2005, 25, 33.	0.2	5
54	Parametric study of the dispersion aspects in a street-canyon area. <i>International Journal of Environment and Pollution</i> , 2005, 25, 155.	0.2	10

#	ARTICLE	IF	CITATIONS
55	Methods for comparing gridded inventories of atmospheric emissionsâ€™ application for Milan province, Italy and the Greater Athens Area, Greece. Science of the Total Environment, 2003, 303, 231-243.	3.9	24
56	Evolution and Transport of Pollutants over a Mediterranean Coastal Area: The Influence of Biogenic Volatile Organic Compound Emissions on Ozone Concentrations. Journal of Applied Meteorology and Climatology, 2000, 39, 526-545.	1.7	11
57	Mediterranean rural ozone characteristics around the urban area of Athens. Atmospheric Environment, 2000, 34, 5199-5208.	1.9	92
58	Title is missing!. Environmental Monitoring and Assessment, 2000, 65, 41-48.	1.3	6
59	A Three-Dimensional Model Study of the Impact of AVOC and BVOC Emissions on Ozone in an Urban Area of the Eastern Spain. , 2000, , 41-48.		2
60	Simulation of Nocturnal Drainage Flows Enhanced by Deep Canyons: The Rocky Flats Case. Journal of Applied Meteorology and Climatology, 1997, 36, 775-791.	1.7	5
61	ADREA-I: A Three-Dimensional Transient Transport Code for Complex Terrain and Other Applications. Nuclear Technology, 1991, 94, 135-148.	0.7	44