

Hsuan-Ying Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2977564/publications.pdf>

Version: 2024-02-01

141
papers

5,133
citations

87843

38
h-index

110317

64
g-index

143
all docs

143
docs citations

143
times ranked

6751
citing authors

#	ARTICLE	IF	CITATIONS
1	Pulmonary "Inflammatory Leiomyosarcomas" Are Indolent Tumors With Diploid Genomes and No Convincing Rhabdomyoblastic Differentiation. American Journal of Surgical Pathology, 2022, 46, 424-433.	2.1	3
2	The emerging PRRX1-NCOA fibroblastic neoplasm: a combined reappraisal of published tumors and two new cases. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 481, 111-116.	1.4	5
3	Molecular Characterization of Dermatofibrosarcoma Protuberans. American Journal of Surgical Pathology, 2022, 46, 942-955.	2.1	8
4	Adult NTRK-rearranged spindle cell neoplasms of the viscera: with an emphasis on rare locations and heterologous elements. Modern Pathology, 2022, 35, 911-921.	2.9	13
5	Characterization of Aberrations in DNA Damage Repair Pathways in Gastrointestinal Stromal Tumors: The Clinicopathologic Relevance of γ -H2AX and 53BP1 in Correlation with Heterozygous Deletions of CHEK2, BRCA2, and RB1. Cancers, 2022, 14, 1787.	1.7	1
6	Superficial ALK-rearranged myxoid spindle cell neoplasm with a novel FMR1-ALK fusion gene. Modern Pathology, 2022, 35, 438-441.	2.9	3
7	Fine-needle aspiration cytology of melanotic schwannoma in the submandibular gland. Diagnostic Cytopathology, 2021, 49, 142-145.	0.5	1
8	Clinicopathological and molecular characterisation of <i>USP6</i> -rearranged soft tissue neoplasms: the evidence of genetic relatedness indicates an expanding family with variable bone-forming capacity. Histopathology, 2021, 78, 676-689.	1.6	17
9	RSF1 requires CEBP β and hSNF2H to promote IL-1 β -mediated angiogenesis: the clinical and therapeutic relevance of RSF1 overexpression and amplification in myxofibrosarcomas. Angiogenesis, 2021, 24, 533-548.	3.7	4
10	Toward a unifying entity that encompasses most, but perhaps not all, inflammatory leiomyosarcomas and histiocyte-rich rhabdomyoblastic tumors. Modern Pathology, 2021, 34, 1434-1438.	2.9	8
11	Infant malignant ectomesenchymoma masquerading as inguinal hernia in two patients. Pediatrics and Neonatology, 2021, 62, 324-326.	0.3	1
12	S100P as a marker for poor survival and advanced stage in gallbladder carcinoma. Annals of Diagnostic Pathology, 2021, 52, 151736.	0.6	1
13	Ossifying low grade endometrial stromal sarcoma with PHF1-BRD8 fusion. Cancer Genetics, 2021, 256-257, 81-85.	0.2	1
14	Myoepithelial and oral intracranial myxoid mesenchymal tumor-like neoplasms as diagnostic considerations of the ever-expanding extracranial myxocollagenous tumors harboring FET-CREB fusions. Pathology Research and Practice, 2021, 229, 153700.	1.0	4
15	Deep Convolutional Neural Networks Detect Tumor Genotype from Pathological Tissue Images in Gastrointestinal Stromal Tumors. Cancers, 2021, 13, 5787.	1.7	10
16	Sinonasal Angioleiomyoma. Ear, Nose and Throat Journal, 2020, 99, NP109-NP110.	0.4	3
17	GNA11 joins GNAQ and GNA14 as a recurrently mutated gene in anastomosing hemangioma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 475-481.	1.4	21
18	What is new about the molecular genetics in matrix-producing soft tissue tumors? -The contributions to pathogenetic understanding and diagnostic classification. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 121-134.	1.4	8

#	ARTICLE	IF	CITATIONS
19	Recurrent YAP1 and KMT2A Gene Rearrangements in a Subset of MUC4-negative Sclerosing Epithelioid Fibrosarcoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 368-377.	2.1	61
20	Dynamic contrast-enhanced magnetic resonance imaging in correlation with tongue cancer stages. <i>Acta Radiologica</i> , 2020, 62, 028418512097518.	0.5	1
21	Soft Tissue Special Issue: Giant Cell-Rich Lesions of the Head and Neck Region. <i>Head and Neck Pathology</i> , 2020, 14, 97-108.	1.3	25
22	First Glance of Molecular Profile of Atypical Cellular Angiofibroma/Cellular Angiofibroma with Sarcomatous Transformation by Next Generation Sequencing. <i>Diagnostics</i> , 2020, 10, 35.	1.3	5
23	Head and Neck Mesenchymal Neoplasms With GLI1 Gene Alterations. <i>American Journal of Surgical Pathology</i> , 2020, 44, 729-737.	2.1	46
24	Primary intradural extramedullary spinal mesenchymal chondrosarcoma: case report and literature review. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 408.	0.8	9
25	The histologic spectrum of soft tissue spindle cell tumors with <i>NTRK3</i> gene rearrangements. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 739-746.	1.5	86
26	Clinicopathologic Characterization of GREB1-rearranged Uterine Sarcomas With Variable Sex-Cord Differentiation. <i>American Journal of Surgical Pathology</i> , 2019, 43, 928-942.	2.1	43
27	The expanding morphological and genetic spectrum of MYOD1-mutant spindle cell/sclerosing rhabdomyosarcomas: a clinicopathological and molecular comparison of mutated and non-mutated cases. <i>Histopathology</i> , 2019, 74, 933-943.	1.6	18
28	Histiocyte-rich rhabdomyoblastic tumor: rhabdomyosarcoma, rhabdomyoma, or rhabdomyoblastic tumor of uncertain malignant potential? A histologically distinctive rhabdomyoblastic tumor in search of a place in the classification of skeletal muscle neoplasms. <i>Modern Pathology</i> , 2019, 32, 446-457.	2.9	29
29	Solitary fibrous tumor: An evolving and unifying entity with unsettled issues. <i>Histology and Histopathology</i> , 2019, 34, 313-334.	0.5	35
30	USP6 gene rearrangement differentiates primary paranasal sinus solid aneurysmal bone cyst from other giant cell-rich lesions: report of a rare case. <i>Human Pathology</i> , 2018, 76, 117-121.	1.1	13
31	Re: Increased expression of interleukin-23 associated with progression of colorectal cancer. <i>Journal of Surgical Oncology</i> 2017;115(2):208-212.. <i>Journal of Surgical Oncology</i> , 2018, 118, 723-723.	0.8	0
32	Multiple epithelioid hemangiomas in an unusual location. <i>Dermatologica Sinica</i> , 2018, 36, 258-259.	0.2	0
33	Hydroxysteroid 11-Beta Dehydrogenase 1 Overexpression with Copy-Number Gain and Missense Mutations in Primary Gastrointestinal Stromal Tumors. <i>Journal of Clinical Medicine</i> , 2018, 7, 408.	1.0	9
34	Overexpressed Fatty Acid Synthase in Gastrointestinal Stromal Tumors: Targeting a Progression-Associated Metabolic Driver Enhances the Antitumor Effect of Imatinib. <i>Clinical Cancer Research</i> , 2017, 23, 4908-4918.	3.2	27
35	Primary paranasal sinus clear cell carcinoma with EWSR1-ATF1 fusion: report of 2 molecularly confirmed cases exhibiting unique histopathology. <i>Human Pathology</i> , 2017, 63, 139-143.	1.1	14
36	Comprehensive screening for MED12 mutations in gynaecological mesenchymal tumours identified morphologically distinctive mixed epithelial and stromal tumours. <i>Histopathology</i> , 2017, 70, 954-965.	1.6	7

#	ARTICLE	IF	CITATIONS
37	<i>TFE3</i> rearranged hepatic epithelioid hemangioendothelioma—a case report with immunohistochemical and molecular study. <i>Apmis</i> , 2017, 125, 849-853.	0.9	12
38	Increased expression of interleukin-23 associated with progression of colorectal cancer. <i>Journal of Surgical Oncology</i> , 2017, 115, 208-212.	0.8	19
39	ALK oncoproteins in atypical inflammatory myofibroblastic tumours: novel RRBP1-ALK fusions in epithelioid inflammatory myofibroblastic sarcoma. <i>Journal of Pathology</i> , 2017, 241, 316-323.	2.1	87
40	Myxoid Plexiform Fibrohistiocytic Tumor Masquerading as Ganglion Cyst: A Case Report and Literature Review. <i>Case Reports in Pathology</i> , 2017, 2017, 1-4.	0.2	1
41	PLCB4 copy gain and PLC-4 overexpression in primary gastrointestinal stromal tumors: Integrative characterization of a lipid-catabolizing enzyme associated with worse disease-free survival. <i>Oncotarget</i> , 2017, 8, 19997-20010.	0.8	20
42	Increased expression of SKP2 is an independent predictor of locoregional recurrence in cervical cancer <i>via</i> promoting DNA-damage response after irradiation. <i>Oncotarget</i> , 2016, 7, 44047-44061.	0.8	21
43	Novel PAX3-NCOA1 Fusions in Biphenotypic Sinonasal Sarcoma With Focal Rhabdomyoblastic Differentiation. <i>American Journal of Surgical Pathology</i> , 2016, 40, 51-59.	2.1	102
44	Clinicopathological and genetic heterogeneity of the head and neck solitary fibrous tumours: a comparative histological, immunohistochemical and molecular study of 36 cases. <i>Histopathology</i> , 2016, 68, 492-501.	1.6	49
45	<i>BCOR</i> positive soft tissue sarcoma with round cell and spindle cell histology: a series of four cases highlighting the pitfall of mimicking poorly differentiated synovial sarcoma. <i>Histopathology</i> , 2016, 69, 792-801.	1.6	41
46	<i>NAB2</i> - <i>STAT6</i> gene fusion and <i>STAT6</i> immunoexpression in extrathoracic solitary fibrous tumors: the association between fusion variants and locations. <i>Pathology International</i> , 2016, 66, 288-296.	0.6	42
47	The clinicopathological significance of <i>NAB2</i> - <i>STAT6</i> gene fusions in 52 cases of intrathoracic solitary fibrous tumors. <i>Cancer Medicine</i> , 2016, 5, 159-168.	1.3	61
48	Characterization of <i>FN1</i> - <i>FGFR1</i> and novel <i>FN1</i> - <i>FGF1</i> fusion genes in a large series of phosphaturic mesenchymal tumors. <i>Modern Pathology</i> , 2016, 29, 1335-1346.	2.9	139
49	Genomewide copy number analysis of Müllerian adenosarcoma identified chromosomal instability in the aggressive subgroup. <i>Modern Pathology</i> , 2016, 29, 1070-1082.	2.9	28
50	Angiosarcoma arising in a chronically lymphedematous leg: An unusual presentation of Stewart-Treves syndrome. <i>Dermatologica Sinica</i> , 2016, 34, 62-63.	0.2	0
51	Transcriptomic reappraisal identifies <i>MGLL</i> overexpression as an unfavorable prognosticator in primary gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016, 7, 49986-49997.	0.8	12
52	Cutaneous syncytial myoepithelioma: A case report with emphasis on the differential diagnosis of problematic dermal tumors. <i>Oncology Letters</i> , 2015, 9, 2275-2277.	0.8	15
53	Expression of retinoic acid-binding proteins and retinoic acid receptors in sebaceous cell carcinoma of the eyelids. <i>BMC Ophthalmology</i> , 2015, 15, 142.	0.6	5
54	Cytopathologic features of epithelioid inflammatory myofibroblastic sarcoma with correlation of histopathology, immunohistochemistry, and molecular cytogenetic analysis. <i>Cancer Cytopathology</i> , 2015, 123, 495-504.	1.4	21

#	ARTICLE	IF	CITATIONS
55	Galectin-1 Dysregulation Independently Predicts Disease Specific Survival in Bladder Urothelial Carcinoma. <i>Journal of Urology</i> , 2015, 193, 1002-1008.	0.2	23
56	Skp2-Dependent Ubiquitination and Activation of LKB1 Is Essential for Cancer Cell Survival under Energy Stress. <i>Molecular Cell</i> , 2015, 57, 1022-1033.	4.5	97
57	NAB2-STAT6 fusion types account for clinicopathological variations in solitary fibrous tumors. <i>Modern Pathology</i> , 2015, 28, 1324-1335.	2.9	133
58	Phosphorylated p70S6K expression is an independent prognosticator for patients with esophageal squamous cell carcinoma. <i>Surgery</i> , 2015, 157, 570-580.	1.0	39
59	The cAMP responsive element binding protein 1 transactivates epithelial membrane protein 2, a potential tumor suppressor in the urinary bladder urothelial carcinoma. <i>Oncotarget</i> , 2015, 6, 9220-9239.	0.8	30
60	<i>CEBPD</i> amplification and overexpression in urothelial carcinoma: a driver of tumor metastasis indicating adverse prognosis. <i>Oncotarget</i> , 2015, 6, 31069-31084.	0.8	35
61	Impact of late toxicities on quality of life for survivors of nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2014, 14, 856.	1.1	34
62	Overexpression of REG4 confers an independent negative prognosticator in rectal cancers receiving concurrent chemoradiotherapy. <i>Journal of Surgical Oncology</i> , 2014, 110, 1002-1010.	0.8	13
63	Angiomatoid fibrous histiocytoma: clinicopathological and molecular characterisation with emphasis on variant histomorphology. <i>Journal of Clinical Pathology</i> , 2014, 67, 210-215.	1.0	53
64	Effect of Age-Related Cartilage Turnover on Serum C-Telopeptide of Collagen Type II and Osteocalcin Levels in Growing Rabbits with and without Surgically Induced Osteoarthritis. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	7
65	<i>AMACR</i> Amplification in Myxofibrosarcomas: A Mechanism of Overexpression That Promotes Cell Proliferation with Therapeutic Relevance. <i>Clinical Cancer Research</i> , 2014, 20, 6141-6152.	3.2	32
66	Overexpression of CDC28 protein kinase regulatory subunit 1B confers an independent prognostic factor in nasopharyngeal carcinoma. <i>Apmis</i> , 2014, 122, 206-214.	0.9	10
67	Fibroblast growth factor receptor 2 overexpression is predictive of poor prognosis in rectal cancer patients receiving neoadjuvant chemoradiotherapy. <i>Journal of Clinical Pathology</i> , 2014, 67, 1056-1061.	1.0	23
68	TOP2A overexpression as a poor prognostic factor in patients with nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2014, 35, 179-187.	0.8	72
69	Deficiency in expression and epigenetic DNA Methylation of ASS1 gene in nasopharyngeal carcinoma: negative prognostic impact and therapeutic relevance. <i>Tumor Biology</i> , 2014, 35, 161-169.	0.8	54
70	Fibronectin overexpression is associated with latent membrane protein 1 expression and has independent prognostic value for nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2014, 35, 1703-1712.	0.8	40
71	Clinical Aggressiveness of Myxofibrosarcomas Associates with Down-Regulation of p12CDK2AP1: Prognostic Implication of a Putative Tumor Suppressor that Induces Cell Cycle Arrest and Apoptosis Via Mitochondrial Pathway. <i>Annals of Surgical Oncology</i> , 2014, 21, 711-720.	0.7	2
72	Downregulated <i>MTAP</i> expression in myxofibrosarcoma: A characterization of inactivating mechanisms, tumor suppressive function, and therapeutic relevance. <i>Oncotarget</i> , 2014, 5, 11428-11441.	0.8	21

#	ARTICLE	IF	CITATIONS
73	<i>AMACR</i> amplification and overexpression in primary imatinib-naïve gastrointestinal stromal tumors: a driver of cell proliferation indicating adverse prognosis. <i>Oncotarget</i> , 2014, 5, 11588-11603.	0.8	22
74	Nicotinamide N-methyltransferase overexpression is associated with Akt phosphorylation and indicates worse prognosis in patients with nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2013, 34, 3923-3931.	0.8	35
75	Clinicopathological significance of HuR expression in gallbladder carcinoma: with special emphasis on the implications of its nuclear and cytoplasmic expression. <i>Tumor Biology</i> , 2013, 34, 3059-3069.	0.8	18
76	Fatty acid synthase overexpression confers an independent prognosticator and associates with radiation resistance in nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2013, 34, 759-768.	0.8	34
77	SKP2 overexpression is associated with a poor prognosis of rectal cancer treated with chemoradiotherapy and represents a therapeutic target with high potential. <i>Tumor Biology</i> , 2013, 34, 1107-1117.	0.8	34
78	Prognostic value of quality of life measured after treatment on subsequent survival in patients with nasopharyngeal carcinoma. <i>Quality of Life Research</i> , 2013, 22, 715-723.	1.5	21
79	E2F transcription factor 1 overexpression as a poor prognostic factor in patients with nasopharyngeal carcinomas. <i>Biomarkers and Genomic Medicine</i> , 2013, 5, 23-30.	0.2	0
80	<i>ASS1</i> as a Novel Tumor Suppressor Gene in Myxofibrosarcomas: Aberrant Loss via Epigenetic DNA Methylation Confers Aggressive Phenotypes, Negative Prognostic Impact, and Therapeutic Relevance. <i>Clinical Cancer Research</i> , 2013, 19, 2861-2872.	3.2	118
81	Dedifferentiated liposarcoma with homologous lipoblastic differentiation: expanding the spectrum to include low-grade tumours. <i>Histopathology</i> , 2013, 62, 702-710.	1.6	23
82	Overexpression of Rap-1A Indicates a Poor Prognosis for Oral Cavity Squamous Cell Carcinoma and Promotes Tumor Cell Invasion via Aurora-A Modulation. <i>American Journal of Pathology</i> , 2013, 182, 516-528.	1.9	37
83	EBV-encoded small RNA1 and nonresolving inflammation in rheumatoid arthritis. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 606-610.	0.8	6
84	Loss of epithelial membrane protein-2 expression confers an independent prognosticator in gallbladder carcinoma. <i>Biomarkers and Genomic Medicine</i> , 2013, 5, 31-38.	0.2	1
85	Overexpression of thymidylate synthetase confers an independent prognostic indicator in nasopharyngeal carcinoma. <i>Experimental and Molecular Pathology</i> , 2013, 95, 83-90.	0.9	34
86	The E2F Transcription Factor 1 Transactivates Stathmin 1 in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 4041-4054.	0.7	53
87	IGFBP-5 overexpression as a poor prognostic factor in patients with urothelial carcinomas of upper urinary tracts and urinary bladder. <i>Journal of Clinical Pathology</i> , 2013, 66, 573-582.	1.0	43
88	The Expression of Activin Receptor-Like Kinase 1 among Patients with Head and Neck Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 148, 965-973.	1.1	10
89	HuR cytoplasmic expression is associated with increased cyclin A expression and inferior disease-free survival in patients with gastrointestinal stromal tumours (<sc>GIST</sc>s). <i>Histopathology</i> , 2013, 63, 445-454.	1.6	7
90	Dedifferentiation in Gastrointestinal Stromal Tumor to an Anaplastic KIT-negative Phenotype. <i>American Journal of Surgical Pathology</i> , 2013, 37, 385-392.	2.1	90

#	ARTICLE	IF	CITATIONS
91	High Chromosomal Copy Number Alterations in Xp11 Translocation Renal Cell Carcinomas Detected by Array Comparative Genomic Hybridization Are Associated With Aggressive Behavior. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1116-1119.	2.1	18
92	Rsf-1 expression in rectal cancer: with special emphasis on the independent prognostic value after neoadjuvant chemoradiation. <i>Journal of Clinical Pathology</i> , 2012, 65, 687-692.	1.0	24
93	Alpha-methylacyl coenzyme A racemase overexpression in gallbladder carcinoma confers an independent prognostic indicator. <i>Journal of Clinical Pathology</i> , 2012, 65, 309-314.	1.0	15
94	Expression of cyclin-dependent kinase 2-associated protein 1 confers an independent prognosticator in nasopharyngeal carcinoma: a cohort study. <i>Journal of Clinical Pathology</i> , 2012, 65, 795-801.	1.0	8
95	Characterization of Gene Amplificationâ€“Driven SKP2 Overexpression in Myxofibrosarcoma: Potential Implications in Tumor Progression and Therapeutics. <i>Clinical Cancer Research</i> , 2012, 18, 1598-1610.	3.2	40
96	Associations of Rsf-1 overexpression with poor therapeutic response and worse survival in patients with nasopharyngeal carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 248-253.	1.0	32
97	Loss of epithelial membrane protein-2 expression confers an independent prognosticator in nasopharyngeal carcinoma: a cohort study. <i>BMJ Open</i> , 2012, 2, e000900.	0.8	11
98	Enhancer of Zeste Homolog 2 Overexpression in Nasopharyngeal Carcinoma: An Independent Poor Prognosticator That Enhances Cell Growth. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 597-604.	0.4	27
99	Rsf-1/HBXAP overexpression is independent of gene amplification and is associated with poor outcome in patients with urinary bladder urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 802-807.	1.0	15
100	Recurrent Amplification at 7q21.2 Targets CDK6 Gene in Primary Myxofibrosarcomas and Identifies CDK6 Overexpression as an Independent Adverse Prognosticator. <i>Annals of Surgical Oncology</i> , 2012, 19, 2716-2725.	0.7	23
101	The Skp2-SCF E3 Ligase Regulates Akt Ubiquitination, Glycolysis, Herceptin Sensitivity, and Tumorigenesis. <i>Cell</i> , 2012, 149, 1098-1111.	13.5	332
102	Peroxisome proliferator-activated receptors β /mitochondrial uncoupling protein 2 signaling protects against seizure-induced neuronal cell death in the hippocampus following experimental status epilepticus. <i>Journal of Neuroinflammation</i> , 2012, 9, 184.	3.1	54
103	HuR cytoplasmic expression is associated with increased cyclin A expression and poor outcome with upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2012, 12, 611.	1.1	37
104	EGFR Nuclear Import in Gallbladder Carcinoma: Nuclear Phosphorylated EGFR Upregulates iNOS Expression and Confers Independent Prognostic Impact. <i>Annals of Surgical Oncology</i> , 2012, 19, 443-454.	0.7	28
105	The expression and prognostic significance of hepatoma-derived growth factor in oral cancer. <i>Oral Oncology</i> , 2012, 48, 629-635.	0.8	31
106	Overexpression of a Chromatin Remodeling Factor, RSF-1/HBXAP, Correlates with Aggressive Oral Squamous Cell Carcinoma. <i>American Journal of Pathology</i> , 2011, 178, 2407-2415.	1.9	44
107	Rsf-1/HBXAP overexpression is associated with disease-specific survival of patients with gallbladder carcinoma. <i>Amjms</i> , 2011, 119, 808-814.	0.9	22
108	CKS1B Overexpression Implicates Clinical Aggressiveness of Hepatocellular Carcinomas but Not p27Kip1 Protein Turnover: an Independent Prognosticator with Potential p27Kip1-Independent Oncogenic Attributes?. <i>Annals of Surgical Oncology</i> , 2010, 17, 907-922.	0.7	26

#	ARTICLE	IF	CITATIONS
109	Prognostic Implication of Ezrin Overexpression in Myxofibrosarcomas. <i>Annals of Surgical Oncology</i> , 2010, 17, 3212-3219.	0.7	39
110	Deciphering the transcriptional complex critical for RhoA gene expression and cancer metastasis. <i>Nature Cell Biology</i> , 2010, 12, 457-467.	4.6	190
111	Prognostic implication of MET overexpression in myxofibrosarcomas: an integrative array comparative genomic hybridization, real-time quantitative PCR, immunoblotting, and immunohistochemical analysis. <i>Modern Pathology</i> , 2010, 23, 1379-1392.	2.9	31
112	Ezrin overexpression in gastrointestinal stromal tumors: an independent adverse prognosticator associated with the non-gastric location. <i>Modern Pathology</i> , 2009, 22, 1351-1360.	2.9	25
113	Effect of S-Phase Kinase-Associated Protein 2 Expression on Distant Metastasis and Survival in Nasopharyngeal Carcinoma Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 202-207.	0.4	36
114	Homozygous Deletion of <i>MTAP</i> Gene as a Poor Prognosticator in Gastrointestinal Stromal Tumors. <i>Clinical Cancer Research</i> , 2009, 15, 6963-6972.	3.2	41
115	Quality of Life and Survival Outcome for Patients With Nasopharyngeal Carcinoma Receiving Three-Dimensional Conformal Radiotherapy vs. Intensity-Modulated Radiotherapy—A Longitudinal Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 356-364.	0.4	176
116	Flow Cytometric Analysis of DNA Ploidy and S-Phase Fraction in Primary Localized Myxofibrosarcoma: Correlations with Clinicopathological Factors, Skp2 Expression, and Patient Survival. <i>Annals of Surgical Oncology</i> , 2008, 15, 2239-2249.	0.7	10
117	Heat Shock Protein 90 Overexpression Independently Predicts Inferior Disease-Free Survival with Differential Expression of the α and β Isoforms in Gastrointestinal Stromal Tumors. <i>Clinical Cancer Research</i> , 2008, 14, 7822-7831.	3.2	40
118	Malignant Diffuse-type Tenosynovial Giant Cell Tumors. <i>American Journal of Surgical Pathology</i> , 2008, 32, 587-599.	2.1	57
119	Hamartoma of the Breast: An Underrecognized Disease?. <i>Tumori</i> , 2008, 94, 114-115.	0.6	5
120	Immunohistochemical expression of epidermal growth factor receptor and cyclooxygenase-2 in pediatric nasopharyngeal carcinomas: No significant correlations with clinicopathological variables and treatment outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2007, 71, 447-455.	0.4	15
121	Skp2 is an independent prognosticator of gallbladder carcinoma among p27Kip1-interacting cell cycle regulators: an immunohistochemical study of 62 cases by tissue microarray. <i>Modern Pathology</i> , 2007, 20, 497-507.	2.9	43
122	Immunohistochemical Expression of p16INK4A, Ki-67, and Mcm2 Proteins in Gastrointestinal Stromal Tumors: Prognostic Implications and Correlations with Risk Stratification of NIH Consensus Criteria. <i>Annals of Surgical Oncology</i> , 2006, 13, 1633-1644.	0.7	46
123	Primary myxoid solitary fibrous tumor involving the seminal vesicle. <i>Pathology International</i> , 2006, 56, 642-644.	0.6	14
124	Primary lymphoepithelioma-like carcinoma of minor salivary gland: A case report with immunohistochemical and in situ hybridization studies. <i>Head and Neck</i> , 2006, 28, 182-186.	0.9	17
125	Prognostic factors of myxofibrosarcomas: Implications of margin status, tumor necrosis, and mitotic rate on survival. <i>Journal of Surgical Oncology</i> , 2006, 93, 294-303.	0.8	72
126	Skp2 Overexpression Is Highly Representative of Intrinsic Biological Aggressiveness and Independently Associated with Poor Prognosis in Primary Localized Myxofibrosarcomas. <i>Clinical Cancer Research</i> , 2006, 12, 487-498.	3.2	50

#	ARTICLE	IF	CITATIONS
127	Distant metastasis in retroperitoneal dedifferentiated liposarcoma is rare and rapidly fatal: a clinicopathological study with emphasis on the low-grade myxofibrosarcoma-like pattern as an early sign of dedifferentiation. <i>Modern Pathology</i> , 2005, 18, 976-984.	2.9	73
128	Nonrandom cell-cycle timing of a somatic chromosomal translocation: The t(X;17) of alveolar soft-part sarcoma occurs in G2. <i>Genes Chromosomes and Cancer</i> , 2005, 44, 170-176.	1.5	20
129	Ewing Sarcomas With p53 Mutation or p16/p14ARF Homozygous Deletion: A Highly Lethal Subset Associated With Poor Chemoresponse. <i>Journal of Clinical Oncology</i> , 2005, 23, 548-558.	0.8	235
130	Low-grade myxofibrosarcoma: a clinicopathologic analysis of 49 cases treated at a single institution with simultaneous assessment of the efficacy of 3-tier and 4-tier grading systems. <i>Human Pathology</i> , 2004, 35, 612-621.	1.1	201
131	Immunohistochemical and Ultrastructural Comparative Study of External Lamina Structure in 31 Cases of Cellular, Classical, and Melanotic Schwannomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2004, 12, 50-58.	0.6	23
132	Molecular Detection of JAZF1-JJAZ1 Gene Fusion in Endometrial Stromal Neoplasms with Classic and Variant Histology. <i>American Journal of Surgical Pathology</i> , 2004, 28, 224-232.	2.1	117
133	Molecular Variability of TLS - CHOP Structure Shows No Significant Impact on the Level of Adipogenesis: A Comparative Ultrastructural and RT-PCR Analysis of 14 Cases of Myxoid/Round Cell Liposarcomas. <i>Ultrastructural Pathology</i> , 2003, 27, 217-226.	0.4	17
134	Sinonasal Smooth Muscle Cell Tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 297-304.	1.2	38
135	Epithelioid Variant of Pleomorphic Liposarcoma: A Comparative Immunohistochemical and Ultrastructural Analysis of Six Cases with Emphasis on Overlapping Features with Epithelial Malignancies. <i>Ultrastructural Pathology</i> , 2002, 26, 299-308.	0.4	37
136	Primary mesenchymal chondrosarcoma of the lung. <i>Annals of Thoracic Surgery</i> , 2002, 73, 1960-1962.	0.7	24
137	Solitary fibrous tumor of the abdominal wall: a report of two cases with immunohistochemical, flow cytometric, and ultrastructural studies and literature review. <i>Apmis</i> , 2002, 110, 253-262.	0.9	28
138	Superficial collagenous fibroma: Immunohistochemical, ultrastructural, and flow cytometric study of three cases, including one pemphigus vulgaris patient with a dermal mass. <i>Apmis</i> , 2002, 110, 283-289.	0.9	13
139	Primary Yolk Sac Tumor of the Urachus. <i>Archives of Pathology and Laboratory Medicine</i> , 2002, 126, 1106-1109.	1.2	24
140	Isolated intracranial Rosai-Joffe disease: Case report and literature review. <i>Pathology International</i> , 1998, 48, 396-402.	0.6	35
141	Clinical significance of recombinant RANBP2-ALK oncogene to radiotherapy in a case of locally advanced rectal epithelioid inflammatory myofibroblastic sarcoma: case report and review of literature. <i>Therapeutic Radiology and Oncology</i> , 0, 4, 9-9.	0.2	0