Régia Caroline Lira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2977866/publications.pdf

Version: 2024-02-01

840776 888059 21 297 11 17 g-index citations h-index papers 22 22 22 597 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Low Expression of Human Histocompatibility Soluble Leukocyte Antigen-G (HLA-G5) in Invasive Cervical Cancer With and Without Metastasis, Associated With Papilloma Virus (HPV). Journal of Histochemistry and Cytochemistry, 2010, 58, 405-411.	2.5	35
2	Low expression of <i>HLAâ€DRA, HLAâ€DPA1</i> , and <i>HLAâ€DPB1</i> is associated with poor prognosis in pediatric adrenocortical tumors (ACT). Pediatric Blood and Cancer, 2014, 61, 1940-1948.	1.5	28
3	IGF2 and IGF1R in pediatric adrenocortical tumors: roles in metastasis and steroidogenesis. Endocrine-Related Cancer, 2016, 23, 481-493.	3.1	25
4	Galectin-3 Overexpression in Invasive Laryngeal Carcinoma, Assessed by Computer-assisted Analysis. Journal of Histochemistry and Cytochemistry, 2009, 57, 665-673.	2.5	23
5	BUBR1 expression in benign oral lesions and squamous cell carcinomas: Correlation with human papillomavirus. Oncology Reports, 2010, 23, 1027-36.	2.6	23
6	Inhibition of nuclear factor-κB by dehydroxymethylepoxyquinomicin induces schedule-dependent chemosensitivity to anticancer drugs and enhances chemoinduced apoptosis in osteosarcoma cells. Anti-Cancer Drugs, 2012, 23, 638-650.	1.4	18
7	TNF alpha signaling is associated with therapeutic responsiveness to vascular disrupting agents in endocrine tumors. Molecular and Cellular Endocrinology, 2016, 423, 87-95.	3.2	18
8	A simplified approach using Taqman low-density array for medulloblastoma subgrouping. Acta Neuropathologica Communications, 2019, 7, 33.	5.2	18
9	HIF1A is Overexpressed in Medulloblastoma and its Inhibition Reduces Proliferation and Increases EPAS1 and ATG16L1 Methylation. Current Cancer Drug Targets, 2018, 18, 287-294.	1.6	17
10	Mucoepidermoid carcinoma of the lung arising at the primary site of a bronchogenic cyst: Clinical, cytogenetic, and molecular findings. Pediatric Blood and Cancer, 2011, 56, 311-313.	1.5	15
11	microRNA-138-5p as a Worse Prognosis Biomarker in Pediatric, Adolescent, and Young Adult Osteosarcoma. Pathology and Oncology Research, 2020, 26, 877-883.	1.9	13
12	A coordinated approach for the assessment of molecular subgroups in pediatric ependymomas using low-cost methods. Journal of Molecular Medicine, 2021, 99, 1101-1113.	3.9	12
13	Notch pathway in ependymoma RELA-fused subgroup: upregulation and association with cancer stem cells markers expression. Cancer Gene Therapy, 2020, 27, 509-512.	4.6	11
14	Arsenic Trioxide exerts cytotoxic and radiosensitizing effects in pediatric Medulloblastoma cell lines of SHH Subgroup. Scientific Reports, 2020, 10, 6836.	3.3	10
15	Chromosomal heterogeneity and instability characterize pediatric medulloblastoma cell lines and affect neoplastic phenotype. Cytotechnology, 2013, 65, 871-885.	1.6	9
16	MicroRNA profile of pediatric pilocytic astrocytomas identifies two tumor-specific signatures when compared to non-neoplastic white matter. Journal of Neuro-Oncology, 2019, 141, 373-382.	2.9	9
17	CTGF expression is indicative of better survival rates in patients with medulloblastoma. Cancer Gene Therapy, 2020, 27, 378-382.	4.6	4
18	High-throughput microRNA profile in adult and pediatric primary glioblastomas: the role of miR-10b-5p and miR-630 in the tumor aggressiveness. Molecular Biology Reports, 2020, 47, 6949-6959.	2.3	4

#	Article	IF	CITATIONS
19	MicroRNA expression profile predicts prognosis of pediatric adrenocortical tumors. Pediatric Blood and Cancer, 2022, 69, e29553.	1.5	3
20	Perioperative Conjunctival Inflammation and Trabeculectomy Outcome. Ocular Immunology and Inflammation, $2014, 22, 183-188$.	1.8	1
21	Prognostic value and functional role of ROCK2 in pediatric Ewing sarcoma. Oncology Letters, 2017, 15, 2296-2304.	1.8	1