Régia Caroline Lira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2977866/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	MicroRNA expression profile predicts prognosis of pediatric adrenocortical tumors. Pediatric Blood and Cancer, 2022, 69, e29553.	1.5	3
2	A coordinated approach for the assessment of molecular subgroups in pediatric ependymomas using low-cost methods. Journal of Molecular Medicine, 2021, 99, 1101-1113.	3.9	12
3	CTGF expression is indicative of better survival rates in patients with medulloblastoma. Cancer Gene Therapy, 2020, 27, 378-382.	4.6	4
4	microRNA-138-5p as a Worse Prognosis Biomarker in Pediatric, Adolescent, and Young Adult Osteosarcoma. Pathology and Oncology Research, 2020, 26, 877-883.	1.9	13
5	Notch pathway in ependymoma RELA-fused subgroup: upregulation and association with cancer stem cells markers expression. Cancer Gene Therapy, 2020, 27, 509-512.	4.6	11
6	High-throughput microRNA profile in adult and pediatric primary glioblastomas: the role of miR-10b-5p and miR-630 in the tumor aggressiveness. Molecular Biology Reports, 2020, 47, 6949-6959.	2.3	4
7	Arsenic Trioxide exerts cytotoxic and radiosensitizing effects in pediatric Medulloblastoma cell lines of SHH Subgroup. Scientific Reports, 2020, 10, 6836.	3.3	10
8	A simplified approach using Taqman low-density array for medulloblastoma subgrouping. Acta Neuropathologica Communications, 2019, 7, 33.	5.2	18
9	MicroRNA profile of pediatric pilocytic astrocytomas identifies two tumor-specific signatures when compared to non-neoplastic white matter. Journal of Neuro-Oncology, 2019, 141, 373-382.	2.9	9
10	HIF1A is Overexpressed in Medulloblastoma and its Inhibition Reduces Proliferation and Increases EPAS1 and ATG16L1 Methylation. Current Cancer Drug Targets, 2018, 18, 287-294.	1.6	17
11	Prognostic value and functional role of ROCK2 in pediatric Ewing sarcoma. Oncology Letters, 2017, 15, 2296-2304.	1.8	1
12	IGF2 and IGF1R in pediatric adrenocortical tumors: roles in metastasis and steroidogenesis. Endocrine-Related Cancer, 2016, 23, 481-493.	3.1	25
13	TNF alpha signaling is associated with therapeutic responsiveness to vascular disrupting agents in endocrine tumors. Molecular and Cellular Endocrinology, 2016, 423, 87-95.	3.2	18
14	Low expression of <i>HLAâ€DRA, HLAâ€DPA1</i> , and <i>HLAâ€DPB1</i> is associated with poor prognosis in pediatric adrenocortical tumors (ACT). Pediatric Blood and Cancer, 2014, 61, 1940-1948.	1.5	28
15	Perioperative Conjunctival Inflammation and Trabeculectomy Outcome. Ocular Immunology and Inflammation, 2014, 22, 183-188.	1.8	1
16	Chromosomal heterogeneity and instability characterize pediatric medulloblastoma cell lines and affect neoplastic phenotype. Cytotechnology, 2013, 65, 871-885.	1.6	9
17	Inhibition of nuclear factor-l̂ºB by dehydroxymethylepoxyquinomicin induces schedule-dependent chemosensitivity to anticancer drugs and enhances chemoinduced apoptosis in osteosarcoma cells. Anti-Cancer Drugs, 2012, 23, 638-650.	1.4	18
18	Mucoepidermoid carcinoma of the lung arising at the primary site of a bronchogenic cyst: Clinical, cytogenetic, and molecular findings. Pediatric Blood and Cancer, 2011, 56, 311-313.	1.5	15

#	Article	IF	CITATIONS
19	BUBR1 expression in benign oral lesions and squamous cell carcinomas: Correlation with human papillomavirus. Oncology Reports, 2010, 23, 1027-36.	2.6	23
20	Low Expression of Human Histocompatibility Soluble Leukocyte Antigen-G (HLA-G5) in Invasive Cervical Cancer With and Without Metastasis, Associated With Papilloma Virus (HPV). Journal of Histochemistry and Cytochemistry, 2010, 58, 405-411.	2.5	35
21	Galectin-3 Overexpression in Invasive Laryngeal Carcinoma, Assessed by Computer-assisted Analysis. Journal of Histochemistry and Cytochemistry, 2009, 57, 665-673.	2.5	23