

Richard Emsley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2978501/richard-emsley-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

205
papers

6,122
citations

40
h-index

72
g-index

227
ext. papers

8,046
ext. citations

5.7
avg, IF

5.94
L-index

#	Paper	IF	Citations
205	Watch-and-wait approach versus surgical resection after chemoradiotherapy for patients with rectal cancer (the OnCoRe project): a propensity-score matched cohort analysis. <i>Lancet Oncology, The</i> , 2016 , 17, 174-183	21.7	428
204	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry, the</i> , 2017 , 4, 749-758	23.3	286
203	Mediation and moderation of treatment effects in randomised controlled trials of complex interventions. <i>Statistical Methods in Medical Research</i> , 2010 , 19, 237-70	2.3	254
202	Hearing loss and cognition: the role of hearing AIDS, social isolation and depression. <i>PLoS ONE</i> , 2015 , 10, e0119616	3.7	231
201	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits. <i>Nature Genetics</i> , 2017 , 49, 274-281	36.3	182
200	Genome-wide association analysis identifies novel loci for chronotype in 100,420 individuals from the UK Biobank. <i>Nature Communications</i> , 2016 , 7, 10889	17.4	180
199	AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2018 , 5, 31-40	23.3	148
198	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 21-30	14.5	142
197	Acceptability of Interventions Delivered Online and Through Mobile Phones for People Who Experience Severe Mental Health Problems: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2016 , 18, e121	7.6	134
196	Neurofibromatosis type 1 and autism spectrum disorder. <i>Pediatrics</i> , 2013 , 132, e1642-8	7.4	116
195	Autism and other psychiatric comorbidity in neurofibromatosis type 1: evidence from a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2013 , 55, 139-45	3.3	111
194	Hearing in middle age: a population snapshot of 40- to 69-year olds in the United Kingdom. <i>Ear and Hearing</i> , 2014 , 35, e44-51	3.4	99
193	Effectiveness of the parent-mediated intervention for children with autism spectrum disorder in south Asia in India and Pakistan (PASS): a randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2016 , 3, 128-36 ^{2,3}	23.3	91
192	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013 , 150, 570-4	3.6	89
191	Current paranoid thinking in patients with delusions: the presence of cognitive-affective biases. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1281-7	1.3	89
190	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S34-43	1.3	88
189	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014 , 44, 1605-14	6.9	87

188	Examining trends in type 2 diabetes incidence, prevalence and mortality in the UK between 2004 and 2014. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1537-1545	6.7	85
187	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1070-1080	1.3	85
186	Cognitive mechanisms of change in delusions: an experimental investigation targeting reasoning to effect change in paranoia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 400-10	1.3	83
185	O9.6. SIX MONTH LONGITUDINAL FEASIBILITY STUDY USING A SMARTPHONE APP (EXPRESS) TO ASSESS EARLY SIGNS AND BASIC SYMPTOMS AS PUTATIVE PREDICTORS OF PSYCHOSIS RELAPSE. <i>Schizophrenia Bulletin</i> , 2019 , 45, S188-S189	1.3	78
184	Combining multiple predictive markers in stratified medicine. <i>Trials</i> , 2015 , 16,	2.8	78
183	#WhyWeTweetMH: Understanding Why People Use Twitter to Discuss Mental Health Problems. <i>Journal of Medical Internet Research</i> , 2017 , 19, e107	7.6	78
182	Restricted and repetitive behaviors in autism spectrum disorders and typical development: cross-sectional and longitudinal comparisons. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 1207-19	4.6	75
181	Life Expectancy and Cause-Specific Mortality in Type 2 Diabetes: A Population-Based Cohort Study Quantifying Relationships in Ethnic Subgroups. <i>Diabetes Care</i> , 2017 , 40, 338-345	14.6	71
180	Predicting therapeutic alliance in clients with psychosis and substance misuse. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 373-7	1.8	67
179	Disrupting Sleep: The Effects of Sleep Loss on Psychotic Experiences Tested in an Experimental Study With Mediation Analysis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 662-671	1.3	64
178	HLA-C*06:02 genotype is a predictive biomarker of biologic treatment response in psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 2120-2130	11.5	63
177	Implementing Double-robust Estimators of Causal Effects. <i>The Stata Journal</i> , 2008 , 8, 334-353	3.5	61
176	DELTA guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ, The</i> , 2018 , 363, k3750	5.9	61
175	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 788-797	7	59
174	Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. <i>Health Technology Assessment</i> , 2015 , 19, 1-115, v-vi	4.4	57
173	Client Perceptions of Helpfulness in Therapy: a Novel Video-Rating Methodology for Examining Process Variables at Brief Intervals During a Single Session. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 647-660	2.1	55
172	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015 , 41, 971-9	1.3	50
171	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 82-9	2.6	49

170	Genome-wide association analysis of self-reported daytime sleepiness identifies 42 loci that suggest biological subtypes. <i>Nature Communications</i> , 2019 , 10, 3503	17.4	47
169	EMOTICOM: A Neuropsychological Test Battery to Evaluate Emotion, Motivation, Impulsivity, and Social Cognition. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 25	3.5	47
168	Cardiovascular Risk and Risk Factor Management in Type 2 Diabetes Mellitus. <i>Circulation</i> , 2019 , 139, 2742-2753	4.2	42
167	Brief report: mediation of treatment effect in a communication intervention for pre-school children with autism. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 447-54	4.6	42
166	A randomised controlled trial of cognitive behaviour therapy versus non-directive reflective listening for young people at ultra high risk of developing psychosis: The detection and evaluation of psychological therapy (DEPTH) trial. <i>Schizophrenia Research</i> , 2016 , 176, 212-219	3.6	41
165	Childhood adversity and social functioning in psychosis: Exploring clinical and cognitive mediators. <i>Psychiatry Research</i> , 2016 , 238, 25-32	9.9	39
164	Low intensity cognitive behavioural therapy for psychosis: a pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 98-104	2.6	39
163	Psoriasis treat to target: defining outcomes in psoriasis using data from a real-world, population-based cohort study (the British Association of Dermatologists Biologics and Immunomodulators Register, BADBIR). <i>British Journal of Dermatology</i> , 2020 , 182, 1158-1166	4	39
162	Identifying demographic, social and clinical predictors of biologic therapy effectiveness in psoriasis: a multicentre longitudinal cohort study. <i>British Journal of Dermatology</i> , 2019 , 180, 1069-1076	4	38
161	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013 , 203, 73-4	5.4	37
160	Mediators of the effects on fatigue of pragmatic rehabilitation for chronic fatigue syndrome. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 831-8	6.5	36
159	Modafinil combined with cognitive training: pharmacological augmentation of cognitive training in schizophrenia. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1178-89	1.2	35
158	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2018 , 5, 411-423	23.3	35
157	Randomised controlled trial of simvastatin treatment for autism in young children with neurofibromatosis type 1 (SANTA). <i>Molecular Autism</i> , 2018 , 9, 12	6.5	33
156	The Feasibility and Effectiveness of PASS Plus, A Lay Health Worker Delivered Comprehensive Intervention for Autism Spectrum Disorders: Pilot RCT in a Rural Low and Middle Income Country Setting. <i>Autism Research</i> , 2019 , 12, 328-339	5.1	32
155	Intentional and Unintentional Medication Non-Adherence in Psoriasis: The Role of Patients' Medication Beliefs and Habit Strength. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 785-794	4.3	32
154	Autism spectrum disorder and other neurobehavioural comorbidities in rare disorders of the Ras/MAPK pathway. <i>Developmental Medicine and Child Neurology</i> , 2017 , 59, 544-549	3.3	31
153	Multivariate and repeated measures (MRM): A new toolbox for dependent and multimodal group-level neuroimaging data. <i>NeuroImage</i> , 2016 , 132, 373-389	7.9	31

152	Predicting compliance with command hallucinations: anger, impulsivity and appraisals of voices' power and intent. <i>Schizophrenia Research</i> , 2013 , 147, 163-168	3.6	31
151	DELTA guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 606	2.8	30
150	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances: The CONSERVE 2021 Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 257-265	27.4	30
149	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 510	2.8	29
148	Subjective but Not Actigraphy-Defined Sleep Predicts Next-Day Fatigue in Chronic Fatigue Syndrome: A Prospective Daily Diary Study. <i>Sleep</i> , 2016 , 39, 937-44	1.1	29
147	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 236	2.8	29
146	Does pain-catastrophising mediate the effect of tai chi on treatment outcomes for people with low back pain?. <i>Complementary Therapies in Medicine</i> , 2016 , 25, 61-6	3.5	28
145	An Intracerebral Hemorrhage Care Bundle Is Associated with Lower Case Fatality. <i>Annals of Neurology</i> , 2019 , 86, 495-503	9.4	28
144	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 404	2.8	28
143	The impact of cannabis use on clinical outcomes in recent onset psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 382-90	1.3	28
142	Calibration and cross-validation of MCCB and CogState in schizophrenia. <i>Psychopharmacology</i> , 2015 , 232, 3873-82	4.7	27
141	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 257	2.8	27
140	Does change in cannabis use in established psychosis affect clinical outcome?. <i>Schizophrenia Bulletin</i> , 2013 , 39, 339-48	1.3	26
139	The Autism Family Experience Questionnaire (AFEQ): An Ecologically-Valid, Parent-Nominated Measure of Family Experience, Quality of Life and Prioritised Outcomes for Early Intervention. <i>Journal of Autism and Developmental Disorders</i> , 2018 , 48, 1052-1062	4.6	24
138	Modafinil and cognitive enhancement in schizophrenia and healthy volunteers: the effects of test battery in a randomised controlled trial. <i>Psychological Medicine</i> , 2017 , 47, 2358-2368	6.9	23
137	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020 , 7, 788-800	23.3	23
136	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. <i>Psychological Medicine</i> , 2018 , 48, 315-326	6.9	22
135	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR therapy): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 349	2.8	22

134	The dynamics of mood and coping in bipolar disorder: longitudinal investigations of the inter-relationship between affect, self-esteem and response styles. <i>PLoS ONE</i> , 2013 , 8, e62514	3.7	22
133	Development and Long-Term Acceptability of ExPRESS, a Mobile Phone App to Monitor Basic Symptoms and Early Signs of Psychosis Relapse. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11568	5.5	22
132	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e032081	3	22
131	Social media and its relationship with mood, self-esteem and paranoia in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 558-570	6.5	22
130	Anger as a predictor of psychological distress and self-harm ideation in inmates: a structured self-assessment diary study. <i>Psychiatry Research</i> , 2013 , 210, 166-73	9.9	21
129	Predictors of Nightly Subjective-Objective Sleep Discrepancy in Poor Sleepers over a Seven-Day Period. <i>Brain Sciences</i> , 2017 , 7,	3.4	21
128	Integrating biomarker information within trials to evaluate treatment mechanisms and efficacy for personalised medicine. <i>Clinical Trials</i> , 2013 , 10, 709-19	2.2	21
127	Paediatric Autism Communication Therapy-Generalised (PACT-G) against treatment as usual for reducing symptom severity in young children with autism spectrum disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 514	2.8	21
126	Applying Best-Worst scaling methodology to establish delivery preferences of a symptom supportive care intervention in patients with lung cancer. <i>Lung Cancer</i> , 2012 , 77, 199-204	5.9	20
125	Feasibility of using a smartphone app to assess early signs, basic symptoms and psychotic symptoms over six months: A preliminary report. <i>Schizophrenia Research</i> , 2019 , 208, 105-113	3.6	19
124	Gestational age at birth and academic performance: population-based cohort study. <i>International Journal of Epidemiology</i> , 2017 , 46, 324-335	7.8	19
123	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016 , 17, 134	2.8	19
122	Does empowerment mediate the effects of psychological factors on mental health, well-being, and recovery in young people?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017 , 90, 314-335	3.5	18
121	Exploring the relationship between the anticipation and experience of pleasure in people with schizophrenia: An experience sampling study. <i>Schizophrenia Research</i> , 2018 , 202, 72-79	3.6	18
120	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018 , 5, e11222	6	18
119	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the 'INSITE' trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 79	2.8	17
118	Vision impairment and dual sensory problems in middle age. <i>Ophthalmic and Physiological Optics</i> , 2014 , 34, 479-88	4.1	17
117	Age-, sex- and ethnicity-related differences in body weight, blood pressure, HbA and lipid levels at the diagnosis of type 2 diabetes relative to people without diabetes. <i>Diabetologia</i> , 2020 , 63, 1542-1553	10.3	17

116	An investigation of attributional style, theory of mind and executive functioning in acute paranoia and remission. <i>Psychiatry Research</i> , 2015 , 226, 84-90	9.9	16
115	Psychological interventions for adolescent psychosis: a pilot controlled trial in routine care. <i>European Psychiatry</i> , 2013 , 28, 423-6	6	16
114	Risk Factor Control and Cardiovascular Event Risk in People With Type 2 Diabetes in Primary and Secondary Prevention Settings. <i>Circulation</i> , 2020 , 142, 1925-1936	16.7	16
113	Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. <i>Clinical Trials</i> , 2018 , 15, 247-256	2.2	15
112	The uncertainty with using risk prediction models for individual decision-making: an exemplar cohort study examining the prediction of cardiovascular disease in English primary care. <i>BMC Medicine</i> , 2019 , 17, 134	11.4	14
111	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1051-61	4.5	14
110	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). <i>Schizophrenia Bulletin</i> , 2021 , 47, 505-516	1.3	14
109	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 459-66 ⁶	2.6	13
108	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 714-725	14.5	13
107	Does insecure attachment mediate the relationship between trauma and voice-hearing in psychosis?. <i>Psychiatry Research</i> , 2016 , 246, 776-782	9.9	13
106	Attachment in psychosis: A latent profile analysis of attachment styles and association with symptoms in a large psychosis cohort. <i>Psychiatry Research</i> , 2017 , 247, 243-249	9.9	12
105	Autologous stem cell transplantation in refractory Crohn's disease - low intensity therapy evaluation (ASTIClite): study protocols for a multicentre, randomised controlled trial and observational follow up study. <i>BMC Gastroenterology</i> , 2019 , 19, 82	3	12
104	The effects of digital cognitive behavioral therapy for insomnia on cognitive function: a randomized controlled trial. <i>Sleep</i> , 2020 , 43,	1.1	12
103	Appraisals to affect: Testing the integrative cognitive model of bipolar disorder. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 225-35	3.6	12
102	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018 , 17, 230-231	14.4	12
101	Isolating the role of time in bed restriction in the treatment of insomnia: a randomized, controlled, dismantling trial comparing sleep restriction therapy with time in bed regularization. <i>Sleep</i> , 2020 , 43,	1.1	11
100	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). <i>Health Technology Assessment</i> , 2017 , 21, 1-164	4.4	11
99	Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020 , 37, 1168-1178	8.4	11

98	Urbanicity, persecutory delusions, and clinical intervention: the development of a brief CBT module for helping patients with persecutory delusions enter social urban environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 42-51	2.1	10
97	Comparing early signs and basic symptoms as methods for predicting psychotic relapse in clinical practice. <i>Schizophrenia Research</i> , 2018 , 192, 124-130	3.6	10
96	TechCare: mobile assessment and therapy for psychosis - an intervention for clients in the Early Intervention Service: A feasibility study protocol. <i>SAGE Open Medicine</i> , 2016 , 4, 2050312116669613	2.4	10
95	Perceived empowerment in people with a dual diagnosis of schizophrenia spectrum disorder and substance misuse. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 377-84	4.5	10
94	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 247-56	3.4	10
93	Perceptual control models of pursuit manual tracking demonstrate individual specificity and parameter consistency. <i>Attention, Perception, and Psychophysics</i> , 2017 , 79, 2523-2537	2	10
92	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019 , 5, e14	5	10
91	Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. <i>Journal of Sleep Research</i> , 2021 , 30, e13140	5.8	10
90	Causal beliefs in people experiencing psychosis: The relationship to treatment accessed and the perceived helpfulness of treatment. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 332-344	3.5	10
89	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 586	2.8	9
88	Method of levels therapy for first-episode psychosis: rationale, design and baseline data for the feasibility randomised controlled Next Level study. <i>BJPsych Open</i> , 2018 , 4, 339-345	5	9
87	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015 , 65, 1-4	5.2	9
86	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019 , 23, 1-88	4.4	9
85	Prospective cohort feasibility study of a transdiagnostic group intervention for common mental health problems: The Take Control Course. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016 , 89, 163-80	3.5	9
84	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , 2018 , 13, e0204670	3.7	9
83	The impact of alcohol on clinical outcomes in established psychosis: a longitudinal study. <i>Addiction</i> , 2014 , 109, 1297-305	4.6	8
82	Effects of digital Cognitive Behavioural Therapy for Insomnia on cognitive function: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 281	2.8	8
81	Expressed Emotion and behaviourally controlling interactions in the daily life of dyads experiencing psychosis. <i>Psychiatry Research</i> , 2016 , 245, 406-413	9.9	8

80	Significant other behavioural responses and patient chronic fatigue syndrome symptom fluctuations in the context of daily life: An experience sampling study. <i>British Journal of Health Psychology</i> , 2016 , 21, 499-514	8.3	8
79	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2021 , 8, 696-707	23.3	8
78	Predictors and mediators of trait anger across the psychosis continuum: The role of attachment style, paranoia and social cognition. <i>Psychiatry Research</i> , 2017 , 249, 132-138	9.9	7
77	Dose-response modeling in mental health using stein-like estimators with instrumental variables. <i>Statistics in Medicine</i> , 2017 , 36, 1696-1714	2.3	7
76	iMAgery focused psychological therapy for persecutory delusions in PSychosis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 530-545	2.1	7
75	Choosing the target difference ('effect size') for a randomised controlled trial - DELTA guidance protocol. <i>Trials</i> , 2017 , 18, 271	2.8	7
74	Activity patterns in response to symptoms in patients being treated for chronic fatigue syndrome: An experience sampling methodology study. <i>Health Psychology</i> , 2017 , 36, 264-269	5	7
73	Comparative risk of major cardiovascular events associated with second-line antidiabetic treatments: a retrospective cohort study using UK primary care data linked to hospitalization and mortality records. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 916-24	6.7	7
72	Does adjunctive digital CBT for insomnia improve clinical outcomes in an improving access to psychological therapies service?. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103922	5.2	7
71	Method of levels therapy for first-episode psychosis: The feasibility randomized controlled Next Level trial. <i>Journal of Clinical Psychology</i> , 2019 , 75, 1756-1769	2.8	6
70	The CATFISH study protocol: an evaluation of a water fluoridation scheme. <i>BMC Oral Health</i> , 2016 , 16, 8	3.7	6
69	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a Feasibility study (MAPS). <i>Trials</i> , 2019 , 20, 395	2.8	6
68	Is treatment "intensity" associated with healthier lifestyle choices? An application of the dose response function. <i>Economics and Human Biology</i> , 2016 , 23, 149-163	2.6	6
67	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial - the development of the DELTA guidance. <i>Trials</i> , 2018 , 19, 542	2.8	6
66	Using Real-World Data to Guide Ustekinumab Dosing Strategies for Psoriasis: A Prospective Pharmacokinetic-Pharmacodynamic Study. <i>Clinical and Translational Science</i> , 2020 , 13, 400-409	4.9	5
65	The role of cognitive and metacognitive factors in non-clinical paranoia and negative affect. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 169-185	3.5	5
64	Cognitive Behavioral Therapy for antipsychotic-free schizophrenia spectrum disorders: Does therapy dose influence outcome?. <i>Schizophrenia Research</i> , 2018 , 202, 385-386	3.6	5
63	Impact of sample size on the stability of risk scores from clinical prediction models: a case study in cardiovascular disease. <i>Diagnostic and Prognostic Research</i> , 2020 , 4, 14	5.5	5

62	Watch-and-wait versus surgical resection for patients with rectal cancer - Authors' reply. <i>Lancet Oncology, The</i> , 2016 , 17, e134-e135	21.7	5
61	Instrumental variable methods for a binary outcome were used to informatively address noncompliance in a randomized trial in surgery. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 126-132	5.7	5
60	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive AppRoaches to coMbatting Suicidality) randomised controlled trial protocol. <i>BMC Psychiatry</i> , 2020 , 20, 306	4.2	4
59	Long-term benefits of digital cognitive behavioural therapy for insomnia: Follow-up report from a randomized clinical trial. <i>Journal of Sleep Research</i> , 2020 , 29, e13018	5.8	4
58	Clinical Impact of Antibodies against Ustekinumab in Psoriasis: An Observational, Cross-Sectional, Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2129-2137	4.3	4
57	Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018 , 263, 82-87	9.9	4
56	Does Subjective Health Affect the Association between Biodiversity and Quality of Life? Insights from International Data. <i>Applied Research in Quality of Life</i> , 2019 , 14, 1315-1331	2.3	4
55	Evaluation of Potential Mediators in Randomised Trials of Complex Interventions (Psychotherapies). <i>Wiley Series in Probability and Statistics</i> , 2012 , 290-309	1.3	4
54	Intelligence in offspring born to women exposed to intimate partner violence: a population-based cohort study. <i>Wellcome Open Research</i> , 2019 , 4, 107	4.8	4
53	Combined social communication therapy at home and in education for young autistic children in England (PACT-G): a parallel, single-blind, randomised controlled trial.. <i>Lancet Psychiatry,the</i> , 2022 , 9, 307-320	23.3	4
52	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. <i>Psychosis</i> , 2017 , 9, 193-204	1.2	3
51	Visual assessment of breast density using Visual Analogue Scales: observer variability, reader attributes and reading time 2017 ,		3
50	Efficacy of digital cognitive behavioural therapy for symptoms of generalised anxiety disorder: a study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 357	2.8	3
49	Protecting Adolescents in Low- And Middle-Income Countries from Interpersonal Violence (PRO YOUTH TRIAL): Study Protocol for a Cluster Randomized Controlled Trial of the Strengthening Families Programme 10-14 ("Familias Fuertes") in Panama. <i>Trials</i> , 2018 , 19, 320	2.8	3
48	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. <i>Public Health</i> , 2018 , 162, 1-8	4	3
47	Beyond total treatment effects in RCTs: why we need to measure outcomes at baseline when investigating mediation. <i>Trials</i> , 2015 , 16,	2.8	3
46	A systematic review with meta-analysis of comprehensive interventions for preschool children with autism spectrum disorder (ASD): study protocol. <i>BMJ Open</i> , 2012 , 2, e000679	3	3
45	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 526-530	0.5	3

44	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-116	1.5	3
43	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). <i>BMJ Open</i> , 2019 , 9, e026793	3	3
42	The effect of glucocorticoid therapy on mortality in patients with rheumatoid arthritis and concomitant type II diabetes: a retrospective cohort study. <i>BMC Rheumatology</i> , 2020 , 4, 4	2.9	2
41	China's 2009 health reform: What implications could be drawn for the NHS Foundation Trusts reform?. <i>Health Policy and Technology</i> , 2013 , 2, 61-68	4.8	2
40	Watch-and-wait approach for rectal cancer: concepts of a subject-specific method. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 627	18.8	2
39	An intervention to improve the quality of life in children of parents with serious mental illness: the Young SMILES Feasibility RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-136	4.4	2
38	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	2
37	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
36	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021 , 22, 366	2.8	2
35	Stein-like estimators for causal mediation analysis in randomized trials. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 1129-1148	2.3	2
34	Enhancing maternal and infant wellbeing: study protocol for a feasibility trial of the Baby Triple P Positive Parenting programme for mothers with severe mental health difficulties (the IMAGINE study). <i>Trials</i> , 2018 , 19, 479	2.8	2
33	Evaluation of a manualised speech and language therapy programme for children with social communication disorder: the SCIP feasibility study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 137	1.9	1
32	Increasing questionnaire response: evidence from a nested RCT within a longitudinal birth cohort study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 163	4.7	1
31	Peaks in substance use prior to treatment presentation ▯ re-evaluation. <i>Addiction Research and Theory</i> , 2019 , 27, 285-293	2.6	1
30	OC-006 Oncological outcome following ▯ watch and wait ▯ for clinical complete response after pre-operative chemo-radiotherapy in patients with rectal cancer. <i>Gut</i> , 2015 , 64, A3.2-A3	19.2	1
29	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients.. <i>BMC Psychiatry</i> , 2022 , 22, 82	4.2	1
28	Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. <i>Psychosis</i> , 1-11	1.2	1
27	Causal Inference: Efficacy and Mechanism Evaluation 2020 , 1-22		1

26	Examining the Factor Structure and Psychometric Properties of a Guilt Management Scale (GMS). <i>Behavioural and Cognitive Psychotherapy</i> , 2019 , 47, 181-199	2.1	1
25	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits		1
24	Estimating dose-response for time to remission with instrumental variable adjustment: the obscuring effects of drug titration in Genome Based Therapeutic Drugs for Depression Trial (GENDEP): clinical trial data. <i>Trials</i> , 2020 , 21, 10	2.8	1
23	Engaging dialogically with auditory hallucinations: design, rationale and baseline sample characteristics of the Talking With Voices pilot trial. <i>Psychosis</i> , 1-12	1.2	1
22	Mediation analysis of recovery-focused therapy for recent-onset bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100175	1.4	1
21	TechCare: Mobile-assessment and therapy for psychosis: An intervention for clients within the early intervention service. <i>European Psychiatry</i> , 2016 , 33, S608-S608	6	1
20	Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021 , 94, 798-821	3.5	1
19	The effect of sleep restriction therapy for insomnia on sleep pressure and arousal: a randomised controlled mechanistic trial. <i>Sleep</i> , 2021 ,	1.1	1
18	Enhanced NF- κ B signaling in type-2 dendritic cells at baseline predicts non-response to adalimumab in psoriasis. <i>Nature Communications</i> , 2021 , 12, 4741	17.4	1
17	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2021 ,	3.7	1
16	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 1-8	3.6	1
15	A comparison of approaches for combining predictive markers for personalised treatment recommendations. <i>Trials</i> , 2021 , 22, 20	2.8	1
14	An assessment of the potential miscalibration of cardiovascular disease risk predictions caused by a secular trend in cardiovascular disease in England. <i>BMC Medical Research Methodology</i> , 2020 , 20, 289	4.7	0
13	Impact of lowering the risk threshold for statin treatment on statin prescribing: a descriptive study in English primary care. <i>British Journal of General Practice</i> , 2020 , 70, e765-e771	1.6	0
12	Estimating and evaluating personalized treatment recommendations from randomized trials with ptr. <i>The Stata Journal</i> , 2021 , 21, 348-359	3.5	0
11	Meeting Report: Psoriasis Stratification to Optimize Relevant Therapy Showcase. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1872-1878	4.3	0
10	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-90	1.7	0
9	Metacognition, rumination and suicidal ideation: An experience sampling test of the self-regulatory executive function model. <i>Psychiatry Research</i> , 2021 , 303, 114083	9.9	0

8	The impact of moderator by confounder interactions in the assessment of treatment effect modification: a simulation study.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 88	4.7	o
7	Secondary re-analysis of the FEAST trial. <i>Lancet Respiratory Medicine</i> , 2019 , 7, e30	35.1	
6	Author's reply: To PMID 24888710. <i>Ophthalmic and Physiological Optics</i> , 2015 , 35, 107-8	4.1	
5	The impact of statin discontinuation and restarting rates on the optimal time to initiate statins and on the number of cardiovascular events prevented. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 644-652	2.6	
4	Protocol for individual participant data meta-analysis of randomised controlled trials of patients with psychosis to investigate treatment effect modifiers for CBT versus treatment as usual or other psychosocial interventions. <i>BMJ Open</i> , 2021 , 11, e035062	3	
3	Recruitment and Consent in an observational study. <i>Community Dental Health</i> , 2020 , 37, 287-292	0.9	
2	Youth Culturally adapted Manual Assisted Problem Solving Training (YCMAP) in Pakistani adolescent with a history of self-harm: protocol for multicentre clinical and cost-effectiveness randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e056301	3	
1	An adapted social communication intervention at home and education to promote social communication change in children with severe autism: the PACT-G RCT. <i>Efficacy and Mechanism Evaluation</i> , 2022 , 9, 1-110	1.7	