

Richard Emsley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2978501/richard-emsley-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

205
papers

6,122
citations

40
h-index

72
g-index

227
ext. papers

8,046
ext. citations

5.7
avg. IF

5.94
L-index

#	Paper	IF	Citations
205	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients.. <i>BMC Psychiatry</i> , 2022 , 22, 82	4.2	1
204	The impact of moderator by confounder interactions in the assessment of treatment effect modification: a simulation study.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 88	4.7	0
203	Combined social communication therapy at home and in education for young autistic children in England (PACT-G): a parallel, single-blind, randomised controlled trial.. <i>Lancet Psychiatry</i> , 2022 , 9, 307-320	23.3	4
202	Youth Culturally adapted Manual Assisted Problem Solving Training (YCMAP) in Pakistani adolescent with a history of self-harm: protocol for multicentre clinical and cost-effectiveness randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e056301	3	
201	An adapted social communication intervention at home and education to promote social communication change in children with severe autism: the PACT-G RCT. <i>Efficacy and Mechanism Evaluation</i> , 2022 , 9, 1-110	1.7	
200	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
199	Protocol for individual participant data meta-analysis of randomised controlled trials of patients with psychosis to investigate treatment effect modifiers for CBT versus treatment as usual or other psychosocial interventions. <i>BMJ Open</i> , 2021 , 11, e035062	3	
198	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021 , 22, 366	2.8	2
197	Estimating and evaluating personalized treatment recommendations from randomized trials with ptr. <i>The Stata Journal</i> , 2021 , 21, 348-359	3.5	0
196	Mediation analysis of recovery-focused therapy for recent-onset bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100175	1.4	1
195	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 714-725	14.5	13
194	Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. <i>Journal of Sleep Research</i> , 2021 , 30, e13140	5.8	10
193	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). <i>Schizophrenia Bulletin</i> , 2021 , 47, 505-516	1.3	14
192	Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021 , 94, 798-821	3.5	1
191	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances: The CONSERVE 2021 Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 257-265	27.4	30
190	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2021 , 8, 696-707	23.3	8
189	Meeting Report: Psoriasis Stratification to Optimize Relevant Therapy Showcase. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1872-1878	4.3	0

188	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-90	1.7	0
187	The effect of sleep restriction therapy for insomnia on sleep pressure and arousal: a randomised controlled mechanistic trial. <i>Sleep</i> , 2021 ,	1.1	1
186	Enhanced NF- κ B signaling in type-2 dendritic cells at baseline predicts non-response to adalimumab in psoriasis. <i>Nature Communications</i> , 2021 , 12, 4741	17.4	1
185	Metacognition, rumination and suicidal ideation: An experience sampling test of the self-regulatory executive function model. <i>Psychiatry Research</i> , 2021 , 303, 114083	9.9	0
184	Does adjunctive digital CBT for insomnia improve clinical outcomes in an improving access to psychological therapies service?. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103922	5.2	7
183	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2021 ,	3.7	1
182	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 1-8	3.6	1
181	A comparison of approaches for combining predictive markers for personalised treatment recommendations. <i>Trials</i> , 2021 , 22, 20	2.8	1
180	Evaluation of a manualised speech and language therapy programme for children with social communication disorder: the SCIP feasibility study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 137	1.9	1
179	Isolating the role of time in bed restriction in the treatment of insomnia: a randomized, controlled, dismantling trial comparing sleep restriction therapy with time in bed regularization. <i>Sleep</i> , 2020 , 43,	1.1	11
178	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive AppRoaches to coMBatting Suicidality) randomised controlled trial protocol. <i>BMC Psychiatry</i> , 2020 , 20, 306	4.2	4
177	Long-term benefits of digital cognitive behavioural therapy for insomnia: Follow-up report from a randomized clinical trial. <i>Journal of Sleep Research</i> , 2020 , 29, e13018	5.8	4
176	The effects of digital cognitive behavioral therapy for insomnia on cognitive function: a randomized controlled trial. <i>Sleep</i> , 2020 , 43,	1.1	12
175	Increasing questionnaire response: evidence from a nested RCT within a longitudinal birth cohort study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 163	4.7	1
174	The effect of glucocorticoid therapy on mortality in patients with rheumatoid arthritis and concomitant type II diabetes: a retrospective cohort study. <i>BMC Rheumatology</i> , 2020 , 4, 4	2.9	2
173	Using Real-World Data to Guide Ustekinumab Dosing Strategies for Psoriasis: A Prospective Pharmacokinetic-Pharmacodynamic Study. <i>Clinical and Translational Science</i> , 2020 , 13, 400-409	4.9	5
172	iMAgery focused psychological therapy for persecutory delusions in PSychoSis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 530-545	2.1	7
171	Efficacy of digital cognitive behavioural therapy for symptoms of generalised anxiety disorder: a study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 357	2.8	3

170	Clinical Impact of Antibodies against Ustekinumab in Psoriasis: An Observational, Cross-Sectional, Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2129-2137	4.3	4
169	An intervention to improve the quality of life in children of parents with serious mental illness: the Young SMILES feasibility RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-136	4.4	2
168	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-116	1.5	3
167	Causal Inference: Efficacy and Mechanism Evaluation 2020 , 1-22		1
166	Age-, sex- and ethnicity-related differences in body weight, blood pressure, HbA and lipid levels at the diagnosis of type 2 diabetes relative to people without diabetes. <i>Diabetologia</i> , 2020 , 63, 1542-1553	10.3	17
165	Estimating dose-response for time to remission with instrumental variable adjustment: the obscuring effects of drug titration in Genome Based Therapeutic Drugs for Depression Trial (GENDEP): clinical trial data. <i>Trials</i> , 2020 , 21, 10	2.8	1
164	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	2
163	The impact of statin discontinuation and restarting rates on the optimal time to initiate statins and on the number of cardiovascular events prevented. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 644-652	2.6	
162	Risk Factor Control and Cardiovascular Event Risk in People With Type 2 Diabetes in Primary and Secondary Prevention Settings. <i>Circulation</i> , 2020 , 142, 1925-1936	16.7	16
161	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020 , 7, 788-800	23.3	23
160	Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020 , 37, 1168-1178	8.4	11
159	Impact of sample size on the stability of risk scores from clinical prediction models: a case study in cardiovascular disease. <i>Diagnostic and Prognostic Research</i> , 2020 , 4, 14	5.5	5
158	An assessment of the potential miscalibration of cardiovascular disease risk predictions caused by a secular trend in cardiovascular disease in England. <i>BMC Medical Research Methodology</i> , 2020 , 20, 289	4.7	0
157	Impact of lowering the risk threshold for statin treatment on statin prescribing: a descriptive study in English primary care. <i>British Journal of General Practice</i> , 2020 , 70, e765-e771	1.6	0
156	Stein-like estimators for causal mediation analysis in randomized trials. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 1129-1148	2.3	2
155	Psoriasis treat to target: defining outcomes in psoriasis using data from a real-world, population-based cohort study (the British Association of Dermatologists Biologics and Immunomodulators Register, BADBIR). <i>British Journal of Dermatology</i> , 2020 , 182, 1158-1166	4	39
154	Recruitment and Consent in an observational study. <i>Community Dental Health</i> , 2020 , 37, 287-292	0.9	
153	O9.6. SIX MONTH LONGITUDINAL FEASIBILITY STUDY USING A SMARTPHONE APP (EXPRESS) TO ASSESS EARLY SIGNS AND BASIC SYMPTOMS AS PUTATIVE PREDICTORS OF PSYCHOSIS RELAPSE. <i>Schizophrenia Bulletin</i> , 2019 , 45, S188-S189	1.3	78

152	Secondary re-analysis of the FEAST trial. <i>Lancet Respiratory Medicine</i> , 2019 , 7, e30	35.1	
151	Method of levels therapy for first-episode psychosis: The feasibility randomized controlled Next Level trial. <i>Journal of Clinical Psychology</i> , 2019 , 75, 1756-1769	2.8	6
150	Autologous stem cell transplantation in refractory Crohn's disease - low intensity therapy evaluation (ASTIClite): study protocols for a multicentre, randomised controlled trial and observational follow up study. <i>BMC Gastroenterology</i> , 2019 , 19, 82	3	12
149	Cardiovascular Risk and Risk Factor Management in Type 2 Diabetes Mellitus. <i>Circulation</i> , 2019 , 139, 2742-2753	26.7	42
148	Feasibility of using a smartphone app to assess early signs, basic symptoms and psychotic symptoms over six months: A preliminary report. <i>Schizophrenia Research</i> , 2019 , 208, 105-113	3.6	19
147	Does Subjective Health Affect the Association between Biodiversity and Quality of Life? Insights from International Data. <i>Applied Research in Quality of Life</i> , 2019 , 14, 1315-1331	2.3	4
146	Peaks in substance use prior to treatment presentation & re-evaluation. <i>Addiction Research and Theory</i> , 2019 , 27, 285-293	2.6	1
145	Genome-wide association analysis of self-reported daytime sleepiness identifies 42 loci that suggest biological subtypes. <i>Nature Communications</i> , 2019 , 10, 3503	17.4	47
144	The uncertainty with using risk prediction models for individual decision-making: an exemplar cohort study examining the prediction of cardiovascular disease in English primary care. <i>BMC Medicine</i> , 2019 , 17, 134	11.4	14
143	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , 2019 , 20, 395	2.8	6
142	An Intracerebral Hemorrhage Care Bundle Is Associated with Lower Case Fatality. <i>Annals of Neurology</i> , 2019 , 86, 495-503	9.4	28
141	Intelligence in offspring born to women exposed to intimate partner violence: a population-based cohort study. <i>Wellcome Open Research</i> , 2019 , 4, 107	4.8	4
140	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 526-530	0.5	3
139	Development and Long-Term Acceptability of ExPRESS, a Mobile Phone App to Monitor Basic Symptoms and Early Signs of Psychosis Relapse. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11568	5.5	22
138	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019 , 23, 1-88	4.4	9
137	Examining the Factor Structure and Psychometric Properties of a Guilt Management Scale (GMS). <i>Behavioural and Cognitive Psychotherapy</i> , 2019 , 47, 181-199	2.1	1
136	HLA-C*06:02 genotype is a predictive biomarker of biologic treatment response in psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 2120-2130	11.5	63
135	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019 , 5, e14	5	10

134	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). <i>BMJ Open</i> , 2019 , 9, e026793	3	3
133	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e032081	3	22
132	Identifying demographic, social and clinical predictors of biologic therapy effectiveness in psoriasis: a multicentre longitudinal cohort study. <i>British Journal of Dermatology</i> , 2019 , 180, 1069-1076	4	38
131	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 21-30	14.5	142
130	The Feasibility and Effectiveness of PASS Plus, A Lay Health Worker Delivered Comprehensive Intervention for Autism Spectrum Disorders: Pilot RCT in a Rural Low and Middle Income Country Setting. <i>Autism Research</i> , 2019 , 12, 328-339	5.1	32
129	Disrupting Sleep: The Effects of Sleep Loss on Psychotic Experiences Tested in an Experimental Study With Mediation Analysis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 662-671	1.3	64
128	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2018 , 5, 411-423	23.3	35
127	Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018 , 263, 82-87	9.9	4
126	Randomised controlled trial of simvastatin treatment for autism in young children with neurofibromatosis type 1 (SANTA). <i>Molecular Autism</i> , 2018 , 9, 12	6.5	33
125	Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. <i>Clinical Trials</i> , 2018 , 15, 247-256	2.2	15
124	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1070-1080	1.3	85
123	Comparing early signs and basic symptoms as methods for predicting psychotic relapse in clinical practice. <i>Schizophrenia Research</i> , 2018 , 192, 124-130	3.6	10
122	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. <i>Psychological Medicine</i> , 2018 , 48, 315-326	6.9	22
121	The role of cognitive and metacognitive factors in non-clinical paranoia and negative affect. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 169-185	3.5	5
120	Protecting Adolescents in Low- And Middle-Income Countries from Interpersonal Violence (PRO YOUTH TRIAL): Study Protocol for a Cluster Randomized Controlled Trial of the Strengthening Families Programme 10-14 ("Familias Fuertes") in Panama. <i>Trials</i> , 2018 , 19, 320	2.8	3
119	Exploring the relationship between the anticipation and experience of pleasure in people with schizophrenia: An experience sampling study. <i>Schizophrenia Research</i> , 2018 , 202, 72-79	3.6	18
118	Cognitive Behavioral Therapy for antipsychotic-free schizophrenia spectrum disorders: Does therapy dose influence outcome?. <i>Schizophrenia Research</i> , 2018 , 202, 385-386	3.6	5
117	Method of levels therapy for first-episode psychosis: rationale, design and baseline data for the feasibility randomised controlled Next Level study. <i>BJPsych Open</i> , 2018 , 4, 339-345	5	9

116	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018 , 17, 230-231	14.4	12
115	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. <i>Public Health</i> , 2018 , 162, 1-8	4	3
114	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018 , 5, e11222	6	18
113	AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 31-40	23.3	148
112	Causal beliefs in people experiencing psychosis: The relationship to treatment accessed and the perceived helpfulness of treatment. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 332-344	3.5	10
111	Instrumental variable methods for a binary outcome were used to informatively address noncompliance in a randomized trial in surgery. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 126-132	5.7	5
110	Intentional and Unintentional Medication Non-Adherence in Psoriasis: The Role of Patients' Medication Beliefs and Habit Strength. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 785-794	4.3	32
109	The Autism Family Experience Questionnaire (AFEQ): An Ecologically-Valid, Parent-Nominated Measure of Family Experience, Quality of Life and Prioritised Outcomes for Early Intervention. <i>Journal of Autism and Developmental Disorders</i> , 2018 , 48, 1052-1062	4.6	24
108	DELTA guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ, The</i> , 2018 , 363, k3750	5.9	61
107	DELTA guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 606	2.8	30
106	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , 2018 , 13, e0204670	3.7	9
105	Paediatric Autism Communication Therapy-Generalised (PACT-G) against treatment as usual for reducing symptom severity in young children with autism spectrum disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 514	2.8	21
104	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial - the development of the DELTA guidance. <i>Trials</i> , 2018 , 19, 542	2.8	6
103	Social media and its relationship with mood, self-esteem and paranoia in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 558-570	6.5	22
102	Enhancing maternal and infant wellbeing: study protocol for a feasibility trial of the Baby Triple P Positive Parenting programme for mothers with severe mental health difficulties (the IMAGINE study). <i>Trials</i> , 2018 , 19, 479	2.8	2
101	Predictors and mediators of trait anger across the psychosis continuum: The role of attachment style, paranoia and social cognition. <i>Psychiatry Research</i> , 2017 , 249, 132-138	9.9	7
100	Autism spectrum disorder and other neurobehavioural comorbidities in rare disorders of the Ras/MAPK pathway. <i>Developmental Medicine and Child Neurology</i> , 2017 , 59, 544-549	3.3	31
99	Dose-response modeling in mental health using stein-like estimators with instrumental variables. <i>Statistics in Medicine</i> , 2017 , 36, 1696-1714	2.3	7

98	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. <i>Psychosis</i> , 2017 , 9, 193-204	1.2	3
97	Visual assessment of breast density using Visual Analogue Scales: observer variability, reader attributes and reading time 2017 ,		3
96	Modafinil and cognitive enhancement in schizophrenia and healthy volunteers: the effects of test battery in a randomised controlled trial. <i>Psychological Medicine</i> , 2017 , 47, 2358-2368	6.9	23
95	Examining trends in type 2 diabetes incidence, prevalence and mortality in the UK between 2004 and 2014. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1537-1545	6.7	85
94	Attachment in psychosis: A latent profile analysis of attachment styles and association with symptoms in a large psychosis cohort. <i>Psychiatry Research</i> , 2017 , 247, 243-249	9.9	12
93	Life Expectancy and Cause-Specific Mortality in Type 2 Diabetes: A Population-Based Cohort Study Quantifying Relationships in Ethnic Subgroups. <i>Diabetes Care</i> , 2017 , 40, 338-345	14.6	71
92	Does empowerment mediate the effects of psychological factors on mental health, well-being, and recovery in young people?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017 , 90, 314-335	3.5	18
91	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits. <i>Nature Genetics</i> , 2017 , 49, 274-281	36.3	182
90	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 510	2.8	29
89	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 586	2.8	9
88	Gestational age at birth and academic performance: population-based cohort study. <i>International Journal of Epidemiology</i> , 2017 , 46, 324-335	7.8	19
87	Perceptual control models of pursuit manual tracking demonstrate individual specificity and parameter consistency. <i>Attention, Perception, and Psychophysics</i> , 2017 , 79, 2523-2537	2	10
86	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 749-758	23.3	286
85	Client Perceptions of Helpfulness in Therapy: a Novel Video-Rating Methodology for Examining Process Variables at Brief Intervals During a Single Session. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 647-660	2.1	55
84	Watch-and-wait approach for rectal cancer: concepts of a subject-specific method. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 627	18.8	2
83	Choosing the target difference ('effect size') for a randomised controlled trial - DELTA guidance protocol. <i>Trials</i> , 2017 , 18, 271	2.8	7
82	Effects of digital Cognitive Behavioural Therapy for Insomnia on cognitive function: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 281	2.8	8
81	Predictors of Nightly Subjective-Objective Sleep Discrepancy in Poor Sleepers over a Seven-Day Period. <i>Brain Sciences</i> , 2017 , 7,	3.4	21

80	#WhyWeTweetMH: Understanding Why People Use Twitter to Discuss Mental Health Problems. <i>Journal of Medical Internet Research</i> , 2017 , 19, e107	7.6	78
79	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). <i>Health Technology Assessment</i> , 2017 , 21, 1-164	4.4	11
78	Activity patterns in response to symptoms in patients being treated for chronic fatigue syndrome: An experience sampling methodology study. <i>Health Psychology</i> , 2017 , 36, 264-269	5	7
77	A randomised controlled trial of cognitive behaviour therapy versus non-directive reflective listening for young people at ultra high risk of developing psychosis: The detection and evaluation of psychological therapy (DEPTH) trial. <i>Schizophrenia Research</i> , 2016 , 176, 212-219	3.6	41
76	Genome-wide association analysis identifies novel loci for chronotype in 100,420 individuals from the UK Biobank. <i>Nature Communications</i> , 2016 , 7, 10889	17.4	180
75	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 257	2.8	27
74	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 788-797	7	59
73	Subjective but Not Actigraphy-Defined Sleep Predicts Next-Day Fatigue in Chronic Fatigue Syndrome: A Prospective Daily Diary Study. <i>Sleep</i> , 2016 , 39, 937-44	1.1	29
72	TechCare: mobile assessment and therapy for psychosis - an intervention for clients in the Early Intervention Service: A feasibility study protocol. <i>SAGE Open Medicine</i> , 2016 , 4, 2050312116669613	2.4	10
71	Appraisals to affect: Testing the integrative cognitive model of bipolar disorder. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 225-35	3.6	12
70	The CATFISH study protocol: an evaluation of a water fluoridation scheme. <i>BMC Oral Health</i> , 2016 , 16, 8	3.7	6
69	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the 'INSITE' trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 79	2.8	17
68	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016 , 17, 134	2.8	19
67	Effectiveness of the parent-mediated intervention for children with autism spectrum disorder in south Asia in India and Pakistan (PASS): a randomised controlled trial. <i>Lancet Psychiatry</i> , 2016 , 3, 128-36	23.3	91
66	Watch-and-wait approach versus surgical resection after chemoradiotherapy for patients with rectal cancer (the OnCoRe project): a propensity-score matched cohort analysis. <i>Lancet Oncology</i> , 2016 , 17, 174-183	21.7	428
65	Does pain-catastrophising mediate the effect of tai chi on treatment outcomes for people with low back pain?. <i>Complementary Therapies in Medicine</i> , 2016 , 25, 61-6	3.5	28
64	Childhood adversity and social functioning in psychosis: Exploring clinical and cognitive mediators. <i>Psychiatry Research</i> , 2016 , 238, 25-32	9.9	39
63	Multivariate and repeated measures (MRM): A new toolbox for dependent and multimodal group-level neuroimaging data. <i>NeuroImage</i> , 2016 , 132, 373-389	7.9	31

62	Acceptability of Interventions Delivered Online and Through Mobile Phones for People Who Experience Severe Mental Health Problems: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2016 , 18, e121	7.6	134
61	EMOTICOM: A Neuropsychological Test Battery to Evaluate Emotion, Motivation, Impulsivity, and Social Cognition. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 25	3.5	47
60	Prospective cohort feasibility study of a transdiagnostic group intervention for common mental health problems: The Take Control Course. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016 , 89, 163-80	3.5	9
59	Comparative risk of major cardiovascular events associated with second-line antidiabetic treatments: a retrospective cohort study using UK primary care data linked to hospitalization and mortality records. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 916-24	6.7	7
58	Does insecure attachment mediate the relationship between trauma and voice-hearing in psychosis?. <i>Psychiatry Research</i> , 2016 , 246, 776-782	9.9	13
57	TechCare: Mobile-assessment and therapy for psychosis: An intervention for clients within the early intervention service. <i>European Psychiatry</i> , 2016 , 33, S608-S608	6	1
56	Watch-and-wait versus surgical resection for patients with rectal cancer - Authors' reply. <i>Lancet Oncology</i> , 2016 , 17, e134-e135	21.7	5
55	Expressed Emotion and behaviourally controlling interactions in the daily life of dyads experiencing psychosis. <i>Psychiatry Research</i> , 2016 , 245, 406-413	9.9	8
54	Is treatment "intensity" associated with healthier lifestyle choices? An application of the dose response function. <i>Economics and Human Biology</i> , 2016 , 23, 149-163	2.6	6
53	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S34-43	1.3	88
52	Significant other behavioural responses and patient chronic fatigue syndrome symptom fluctuations in the context of daily life: An experience sampling study. <i>British Journal of Health Psychology</i> , 2016 , 21, 499-514	8.3	8
51	Modafinil combined with cognitive training: pharmacological augmentation of cognitive training in schizophrenia. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1178-89	1.2	35
50	An investigation of attributional style, theory of mind and executive functioning in acute paranoia and remission. <i>Psychiatry Research</i> , 2015 , 226, 84-90	9.9	16
49	Urbanicity, persecutory delusions, and clinical intervention: the development of a brief CBT module for helping patients with persecutory delusions enter social urban environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 42-51	2.1	10
48	Calibration and cross-validation of MCCB and CogState in schizophrenia. <i>Psychopharmacology</i> , 2015 , 232, 3873-82	4.7	27
47	Author's reply: To PMID 24888710. <i>Ophthalmic and Physiological Optics</i> , 2015 , 35, 107-8	4.1	
46	OC-006 Oncological outcome following watch and wait for clinical complete response after pre-operative chemo-radiotherapy in patients with rectal cancer. <i>Gut</i> , 2015 , 64, A3.2-A3	19.2	1
45	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 236	2.8	29

44	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 404	2.8	28
43	Beyond total treatment effects in RCTs: why we need to measure outcomes at baseline when investigating mediation. <i>Trials</i> , 2015 , 16,	2.8	3
42	Combining multiple predictive markers in stratified medicine. <i>Trials</i> , 2015 , 16,	2.8	78
41	Hearing loss and cognition: the role of hearing AIDS, social isolation and depression. <i>PLoS ONE</i> , 2015 , 10, e0119616	3.7	231
40	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 82-9	2.6	49
39	The impact of cannabis use on clinical outcomes in recent onset psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 382-90	1.3	28
38	Cognitive mechanisms of change in delusions: an experimental investigation targeting reasoning to effect change in paranoia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 400-10	1.3	83
37	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015 , 41, 971-9	1.3	50
36	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR therapy): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 349	2.8	22
35	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015 , 65, 1-4	5.2	9
34	Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. <i>Health Technology Assessment</i> , 2015 , 19, 1-115, v-vi	4.4	57
33	Perceived empowerment in people with a dual diagnosis of schizophrenia spectrum disorder and substance misuse. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 377-84	4.5	10
32	The impact of alcohol on clinical outcomes in established psychosis: a longitudinal study. <i>Addiction</i> , 2014 , 109, 1297-305	4.6	8
31	Vision impairment and dual sensory problems in middle age. <i>Ophthalmic and Physiological Optics</i> , 2014 , 34, 479-88	4.1	17
30	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 459-66	2.6	13
29	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1051-61	4.5	14
28	Restricted and repetitive behaviors in autism spectrum disorders and typical development: cross-sectional and longitudinal comparisons. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 1207-19	4.6	75
27	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 247-56	3.4	10

26	Hearing in middle age: a population snapshot of 40- to 69-year olds in the United Kingdom. <i>Ear and Hearing</i> , 2014 , 35, e44-51	3.4	99
25	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014 , 44, 1605-14	6.9	87
24	Predicting compliance with command hallucinations: anger, impulsivity and appraisals of voices' power and intent. <i>Schizophrenia Research</i> , 2013 , 147, 163-168	3.6	31
23	Psychological interventions for adolescent psychosis: a pilot controlled trial in routine care. <i>European Psychiatry</i> , 2013 , 28, 423-6	6	16
22	Low intensity cognitive behavioural therapy for psychosis: a pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 98-104	2.6	39
21	Neurofibromatosis type 1 and autism spectrum disorder. <i>Pediatrics</i> , 2013 , 132, e1642-8	7.4	116
20	Anger as a predictor of psychological distress and self-harm ideation in inmates: a structured self-assessment diary study. <i>Psychiatry Research</i> , 2013 , 210, 166-73	9.9	21
19	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013 , 150, 570-4	3.6	89
18	China's 2009 health reform: What implications could be drawn for the NHS Foundation Trusts reform?. <i>Health Policy and Technology</i> , 2013 , 2, 61-68	4.8	2
17	Autism and other psychiatric comorbidity in neurofibromatosis type 1: evidence from a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2013 , 55, 139-45	3.3	111
16	Does change in cannabis use in established psychosis affect clinical outcome?. <i>Schizophrenia Bulletin</i> , 2013 , 39, 339-48	1.3	26
15	Current paranoid thinking in patients with delusions: the presence of cognitive-affective biases. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1281-7	1.3	89
14	Integrating biomarker information within trials to evaluate treatment mechanisms and efficacy for personalised medicine. <i>Clinical Trials</i> , 2013 , 10, 709-19	2.2	21
13	Mediators of the effects on fatigue of pragmatic rehabilitation for chronic fatigue syndrome. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 831-8	6.5	36
12	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013 , 203, 73-4	5.4	37
11	The dynamics of mood and coping in bipolar disorder: longitudinal investigations of the inter-relationship between affect, self-esteem and response styles. <i>PLoS ONE</i> , 2013 , 8, e62514	3.7	22
10	Brief report: mediation of treatment effect in a communication intervention for pre-school children with autism. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 447-54	4.6	42
9	Applying Best-Worst scaling methodology to establish delivery preferences of a symptom supportive care intervention in patients with lung cancer. <i>Lung Cancer</i> , 2012 , 77, 199-204	5.9	20

8	A systematic review with meta-analysis of comprehensive interventions for preschool children with autism spectrum disorder (ASD): study protocol. <i>BMJ Open</i> , 2012 , 2, e000679	3	3
7	Evaluation of Potential Mediators in Randomised Trials of Complex Interventions (Psychotherapies). <i>Wiley Series in Probability and Statistics</i> , 2012 , 290-309	1.3	4
6	Mediation and moderation of treatment effects in randomised controlled trials of complex interventions. <i>Statistical Methods in Medical Research</i> , 2010 , 19, 237-70	2.3	254
5	Predicting therapeutic alliance in clients with psychosis and substance misuse. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 373-7	1.8	67
4	Implementing Double-robust Estimators of Causal Effects. <i>The Stata Journal</i> , 2008 , 8, 334-353	3.5	61
3	Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. <i>Psychosis</i> , 1-11	1.2	1
2	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits		1
1	Engaging dialogically with auditory hallucinations: design, rationale and baseline sample characteristics of the Talking With Voices pilot trial. <i>Psychosis</i> , 1-12	1.2	1