

# Richard Emsley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2978501/publications.pdf>

Version: 2024-02-01

213  
papers

9,403  
citations

44069

48  
h-index

53230

85  
g-index

227  
all docs

227  
docs citations

227  
times ranked

14027  
citing authors

#	ARTICLE	IF	CITATIONS
1	Watch-and-wait approach versus surgical resection after chemoradiotherapy for patients with rectal cancer (the OnCoRe project): a propensity-score matched cohort analysis. <i>Lancet Oncology</i> , The, 2016, 17, 174-183.	10.7	592
2	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , the, 2017, 4, 749-758.	7.4	459
3	Hearing Loss and Cognition: The Role of Hearing Aids, Social Isolation and Depression. <i>PLoS ONE</i> , 2015, 10, e0119616.	2.5	356
4	Mediation and moderation of treatment effects in randomised controlled trials of complex interventions. <i>Statistical Methods in Medical Research</i> , 2010, 19, 237-270.	1.5	293
5	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits. <i>Nature Genetics</i> , 2017, 49, 274-281.	21.4	280
6	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019, 76, 21.	11.0	269
7	AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , the, 2018, 5, 31-40.	7.4	249
8	Genome-wide association analysis identifies novel loci for chronotype in 100,420 individuals from the UK Biobank. <i>Nature Communications</i> , 2016, 7, 10889.	12.8	237
9	Acceptability of Interventions Delivered Online and Through Mobile Phones for People Who Experience Severe Mental Health Problems: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2016, 18, e121.	4.3	204
10	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 257.	7.4	168
11	#WhyWeTweetMH: Understanding Why People Use Twitter to Discuss Mental Health Problems. <i>Journal of Medical Internet Research</i> , 2017, 19, e107.	4.3	163
12	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1070-1080.	4.3	160
13	Autism and other psychiatric comorbidity in neurofibromatosis type 1: evidence from a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 139-145.	2.1	149
14	Effectiveness of the parent-mediated intervention for children with autism spectrum disorder in south Asia in India and Pakistan (PASS): a randomised controlled trial. <i>Lancet Psychiatry</i> , the, 2016, 3, 128-136.	7.4	147
15	Neurofibromatosis Type 1 and Autism Spectrum Disorder. <i>Pediatrics</i> , 2013, 132, e1642-e1648.	2.1	145
16	Hearing in Middle Age. <i>Ear and Hearing</i> , 2014, 35, e44-e51.	2.1	135
17	HLA-C*06:02 genotype is a predictive biomarker of biologic treatment response in psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2120-2130.	2.9	128
18	Life Expectancy and Cause-Specific Mortality in Type 2 Diabetes: A Population-Based Cohort Study Quantifying Relationships in Ethnic Subgroups. <i>Diabetes Care</i> , 2017, 40, 338-345.	8.6	121

#	ARTICLE	IF	CITATIONS
19	Genome-wide association analysis of self-reported daytime sleepiness identifies 42 loci that suggest biological subtypes. <i>Nature Communications</i> , 2019, 10, 3503.	12.8	117
20	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, S34-S43.	4.3	111
21	Examining trends in type 2 diabetes incidence, prevalence and mortality in the <scp>UK</scp> between 2004 and 2014. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1537-1545.	4.4	111
22	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013, 150, 570-574.	2.0	106
23	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. <i>Schizophrenia Bulletin</i> , 2013, 39, 1281-1287.	4.3	105
24	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014, 44, 1605-1614.	4.5	105
25	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	4.3	102
26	Restricted and Repetitive Behaviors in Autism Spectrum Disorders and Typical Development: Cross-Sectional and Longitudinal Comparisons. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 1207-1219.	2.7	93
27	DELTA <sup>2</sup> guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3750.	2.3	90
28	Psoriasis treat to target: defining outcomes in psoriasis using data from a real-world, population-based cohort study (the British Association of Dermatologists Biologics and) Tj ETQq0 0 0 rgBT /Overlap 10 Tf 50 377 Td		
29	Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. <i>Health Technology Assessment</i> , 2015, 19, 1-116.	2.8	84
30	Cardiovascular Risk and Risk Factor Management in Type 2 Diabetes Mellitus. <i>Circulation</i> , 2019, 139, 2742-2753.	1.6	81
31	Implementing Double-robust Estimators of Causal Effects. <i>The Stata Journal</i> , 2008, 8, 334-353.	2.2	79
32	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 788-797.	1.9	77
33	Identifying demographic, social and clinical predictors of biologic therapy effectiveness in psoriasis: a multicentre longitudinal cohort study. <i>British Journal of Dermatology</i> , 2019, 180, 1069-1076.	1.5	74
34	Disrupting Sleep: The Effects of Sleep Loss on Psychotic Experiences Tested in an Experimental Study With Mediation Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 662-671.	4.3	73
35	Predicting Therapeutic Alliance in Clients With Psychosis and Substance Misuse. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 373-377.	1.0	72
36	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	4.3	67

#	ARTICLE	IF	CITATIONS
37	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	1.2	64
38	EMOTICOM: A Neuropsychological Test Battery to Evaluate Emotion, Motivation, Impulsivity, and Social Cognition. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 25.	2.0	64
39	Multivariate and repeated measures (MRM): A new toolbox for dependent and multimodal group-level neuroimaging data. <i>NeuroImage</i> , 2016, 132, 373-389.	4.2	61
40	The Feasibility and Effectiveness of PASS Plus, A Lay Health Worker Delivered Comprehensive Intervention for Autism Spectrum Disorders: Pilot RCT in a Rural Low and Middle Income Country Setting. <i>Autism Research</i> , 2019, 12, 328-339.	3.8	61
41	Client Perceptions of Helpfulness in Therapy: a Novel Video-Rating Methodology for Examining Process Variables at Brief Intervals During a Single Session. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 647-660.	1.2	58
42	An Intracerebral Hemorrhage Care Bundle Is Associated with Lower Case Fatality. <i>Annals of Neurology</i> , 2019, 86, 495-503.	5.3	56
43	Primary Prevention of Cardiovascular and Heart Failure Events With SGLT2 Inhibitors, GLP-1 Receptor Agonists, and Their Combination in Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 909-918.	8.6	56
44	Brief Report: Mediation of Treatment Effect in a Communication Intervention for Pre-School Children with Autism. <i>Journal of Autism and Developmental Disorders</i> , 2012, 42, 447-454.	2.7	54
45	Risk Factor Control and Cardiovascular Event Risk in People With Type 2 Diabetes in Primary and Secondary Prevention Settings. <i>Circulation</i> , 2020, 142, 1925-1936.	1.6	54
46	Low intensity cognitive behavioural therapy for psychosis: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 98-104.	1.2	52
47	A randomised controlled trial of cognitive behaviour therapy versus non-directive reflective listening for young people at ultra high risk of developing psychosis: The detection and evaluation of psychological therapy (DEPTH) trial. <i>Schizophrenia Research</i> , 2016, 176, 212-219.	2.0	52
48	Randomised controlled trial of simvastatin treatment for autism in young children with neurofibromatosis type 1 (SANTA). <i>Molecular Autism</i> , 2018, 9, 12.	4.9	52
49	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020, 7, 788-800.	7.4	51
50	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). <i>Schizophrenia Bulletin</i> , 2021, 47, 505-516.	4.3	51
51	Age-, sex- and ethnicity-related differences in body weight, blood pressure, HbA1c and lipid levels at the diagnosis of type 2 diabetes relative to people without diabetes. <i>Diabetologia</i> , 2020, 63, 1542-1553.	6.3	51
52	Modafinil combined with cognitive training: Pharmacological augmentation of cognitive training in schizophrenia. <i>European Neuropsychopharmacology</i> , 2015, 25, 1178-1189.	0.7	50
53	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2018, 5, 411-423.	7.4	50
54	DELTA2 guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>Trials</i> , 2018, 19, 606.	1.6	50

#	ARTICLE	IF	CITATIONS
55	Development and Long-Term Acceptability of ExPRESS, a Mobile Phone App to Monitor Basic Symptoms and Early Signs of Psychosis Relapse. JMIR MHealth and UHealth, 2019, 7, e11568.	3.7	50
56	Childhood adversity and social functioning in psychosis: Exploring clinical and cognitive mediators. Psychiatry Research, 2016, 238, 25-32.	3.3	48
57	Intentional and Unintentional Medication Non-Adherence in Psoriasis: The Role of Patients'™ Medication Beliefs and Habit Strength. Journal of Investigative Dermatology, 2018, 138, 785-794.	0.7	48
58	The Autism Family Experience Questionnaire (AFEQ): An Ecologically-Valid, Parent-Nominated Measure of Family Experience, Quality of Life and Prioritised Outcomes for Early Intervention. Journal of Autism and Developmental Disorders, 2018, 48, 1052-1062.	2.7	48
59	Social media and its relationship with mood, self-esteem and paranoia in psychosis. Acta Psychiatrica Scandinavica, 2018, 138, 558-570.	4.5	46
60	Mediators of the effects on fatigue of pragmatic rehabilitation for chronic fatigue syndrome.. Journal of Consulting and Clinical Psychology, 2013, 81, 831-838.	2.0	45
61	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. Trials, 2017, 18, 510.	1.6	44
62	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. JMIR Mental Health, 2018, 5, e11222.	3.3	44
63	Subjective but Not Actigraphy-Defined Sleep Predicts Next-Day Fatigue in Chronic Fatigue Syndrome: A Prospective Daily Diary Study. Sleep, 2016, 39, 937-944.	1.1	43
64	Feasibility of using a smartphone app to assess early signs, basic symptoms and psychotic symptoms over six months: A preliminary report. Schizophrenia Research, 2019, 208, 105-113.	2.0	42
65	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. BMJ Open, 2019, 9, e032081.	1.9	42
66	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. JAMA Psychiatry, 2021, 78, 714.	11.0	41
67	Messages from Manchester: pilot randomised controlled trial following self-harm. British Journal of Psychiatry, 2013, 203, 73-74.	2.8	40
68	Does pain-catastrophising mediate the effect of tai chi on treatment outcomes for people with low back pain?. Complementary Therapies in Medicine, 2016, 25, 61-66.	2.7	40
69	Autism spectrum disorder and other neurobehavioural comorbidities in rare disorders of the Ras/⟨sc⟩MAPK/⟨sc⟩ pathway. Developmental Medicine and Child Neurology, 2017, 59, 544-549.	2.1	40
70	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. Lancet Psychiatry, 2021, 8, 696-707.	7.4	40
71	Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. Journal of Sleep Research, 2021, 30, e13140.	3.2	39
72	Predicting compliance with command hallucinations: Anger, impulsivity and appraisals of voices' power and intent. Schizophrenia Research, 2013, 147, 163-168.	2.0	38

#	ARTICLE	IF	CITATIONS
73	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 404.	1.6	38
74	The effects of digital cognitive behavioral therapy for insomnia on cognitive function: a randomized controlled trial. <i>Sleep</i> , 2020, 43, .	1.1	36
75	Vision impairment and dual sensory problems in middle age. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 479-488.	2.0	35
76	The Impact of Cannabis Use on Clinical Outcomes in Recent Onset Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 382-390.	4.3	35
77	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 236.	1.6	33
78	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. <i>Psychological Medicine</i> , 2018, 48, 315-326.	4.5	33
79	Exploring the relationship between the anticipation and experience of pleasure in people with schizophrenia: An experience sampling study. <i>Schizophrenia Research</i> , 2018, 202, 72-79.	2.0	33
80	Isolating the role of time in bed restriction in the treatment of insomnia: a randomized, controlled, dismantling trial comparing sleep restriction therapy with time in bed regularization. <i>Sleep</i> , 2020, 43, .	1.1	33
81	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 257.	1.6	32
82	Calibration and cross-validation of MCCB and CogState in schizophrenia. <i>Psychopharmacology</i> , 2015, 232, 3873-3882.	3.1	31
83	Predictors of Nightly Subjective-Objective Sleep Discrepancy in Poor Sleepers over a Seven-Day Period. <i>Brain Sciences</i> , 2017, 7, 29.	2.3	31
84	Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020, 37, 1168-1178.	4.1	31
85	The Dynamics of Mood and Coping in Bipolar Disorder: Longitudinal Investigations of the Inter-Relationship between Affect, Self-Esteem and Response Styles. <i>PLoS ONE</i> , 2013, 8, e62514.	2.5	31
86	Anger as a predictor of psychological distress and self-harm ideation in inmates: A structured self-assessment diary study. <i>Psychiatry Research</i> , 2013, 210, 166-173.	3.3	30
87	Does Change in Cannabis Use in Established Psychosis Affect Clinical Outcome?. <i>Schizophrenia Bulletin</i> , 2013, 39, 339-348.	4.3	30
88	Modafinil and cognitive enhancement in schizophrenia and healthy volunteers: the effects of test battery in a randomised controlled trial. <i>Psychological Medicine</i> , 2017, 47, 2358-2368.	4.5	30
89	Does empowerment mediate the effects of psychological factors on mental health, well-being, and recovery in young people?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 314-335.	2.5	30
90	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	1.6	29

#	ARTICLE	IF	CITATIONS
91	Attachment in psychosis: A latent profile analysis of attachment styles and association with symptoms in a large psychosis cohort. <i>Psychiatry Research</i> , 2017, 247, 243-249.	3.3	28
92	Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. <i>Clinical Trials</i> , 2018, 15, 247-256.	1.6	28
93	Paediatric Autism Communication Therapy-Generalised (PACT-G) against treatment as usual for reducing symptom severity in young children with autism spectrum disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 514.	1.6	28
94	The uncertainty with using risk prediction models for individual decision-making: an exemplar cohort study examining the prediction of cardiovascular disease in English primary care. <i>BMC Medicine</i> , 2019, 17, 134.	5.5	28
95	Applying Best-Worst scaling methodology to establish delivery preferences of a symptom supportive care intervention in patients with lung cancer. <i>Lung Cancer</i> , 2012, 77, 199-204.	2.0	25
96	Gestational age at birth and academic performance: population-based cohort study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw284.	1.9	25
97	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016, 17, 134.	1.6	24
98	Integrating biomarker information within trials to evaluate treatment mechanisms and efficacy for personalised medicine. <i>Clinical Trials</i> , 2013, 10, 709-719.	1.6	23
99	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019, 5, e14.	0.7	23
100	Enhanced NF- $\kappa$ B signaling in type-2 dendritic cells at baseline predicts non-response to adalimumab in psoriasis. <i>Nature Communications</i> , 2021, 12, 4741.	12.8	23
101	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the "INSITE" trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 79.	1.6	22
102	Does insecure attachment mediate the relationship between trauma and voice-hearing in psychosis?. <i>Psychiatry Research</i> , 2016, 246, 776-782.	3.3	21
103	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018, 17, 230-231.	10.4	21
104	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.	1.6	21
105	An investigation of attributional style, theory of mind and executive functioning in acute paranoia and remission. <i>Psychiatry Research</i> , 2015, 226, 84-90.	3.3	19
106	Psychological interventions for adolescent psychosis: A pilot controlled trial in routine care. <i>European Psychiatry</i> , 2013, 28, 423-426.	0.2	18
107	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	3.1	18
108	The effect of sleep restriction therapy for insomnia on sleep pressure and arousal: a randomized controlled mechanistic trial. <i>Sleep</i> , 2022, 45, .	1.1	18

#	ARTICLE	IF	CITATIONS
109	Does adjunctive digital CBT for insomnia improve clinical outcomes in an improving access to psychological therapies service?. Behaviour Research and Therapy, 2021, 144, 103922.	3.1	18
110	Autologous stem cell transplantation in refractory Crohn's disease " low intensity therapy evaluation (ASTIClite): study protocols for a multicentre, randomised controlled trial and observational follow up study. BMC Gastroenterology, 2019, 19, 82.	2.0	17
111	Long-term benefits of digital cognitive behavioural therapy for insomnia: Follow-up report from a randomized clinical trial. Journal of Sleep Research, 2020, 29, e13018.	3.2	17
112	TechCare: mobile assessment and therapy for psychosis " an intervention for clients in the Early Intervention Service: A feasibility study protocol. SAGE Open Medicine, 2016, 4, 205031211666961.	1.8	16
113	Combined social communication therapy at home and in education for young autistic children in England (PACT-G): a parallel, single-blind, randomised controlled trial. Lancet Psychiatry, 2022, 9, 307-320.	7.4	16
114	Comparing early signs and basic symptoms as methods for predicting psychotic relapse in clinical practice. Schizophrenia Research, 2018, 192, 124-130.	2.0	15
115	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. PLoS ONE, 2018, 13, e0204670.	2.5	15
116	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). Health Technology Assessment, 2017, 21, 1-164.	2.8	15
117	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. Health Technology Assessment, 2019, 23, 1-88.	2.8	15
118	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 459-466.	1.2	14
119	Expressed Emotion and behaviourally controlling interactions in the daily life of dyads experiencing psychosis. Psychiatry Research, 2016, 245, 406-413.	3.3	14
120	Impact of sample size on the stability of risk scores from clinical prediction models: a case study in cardiovascular disease. Diagnostic and Prognostic Research, 2020, 4, 14.	1.8	14
121	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq1 1 0.784314 rgBT /Overlook 20, 306.	2.6	14
122	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-116.	1.4	14
123	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample.. Psychology of Addictive Behaviors, 2014, 28, 247-256.	2.1	13
124	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. Behavioural and Cognitive Psychotherapy, 2015, 43, 42-51.	1.2	13
125	Perceptual control models of pursuit manual tracking demonstrate individual specificity and parameter consistency. Attention, Perception, and Psychophysics, 2017, 79, 2523-2537.	1.3	13
126	Perceived empowerment in people with a dual diagnosis of schizophrenia spectrum disorder and substance misuse. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 377-384.	3.1	12

#	ARTICLE	IF	CITATIONS
127	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. Behaviour Research and Therapy, 2015, 65, 1-4.	3.1	12
128	Comparative risk of major cardiovascular events associated with second-line antidiabetic treatments: a retrospective cohort study using <scp>UK</scp> primary care data linked to hospitalization and mortality records. Diabetes, Obesity and Metabolism, 2016, 18, 916-924.	4.4	12
129	Appraisals to affect: Testing the integrative cognitive model of bipolar disorder. British Journal of Clinical Psychology, 2016, 55, 225-235.	3.5	12
130	Effects of digital Cognitive Behavioural Therapy for Insomnia on cognitive function: study protocol for a randomised controlled trial. Trials, 2017, 18, 281.	1.6	12
131	Coping with Unusual ExperienceS for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. Trials, 2017, 18, 586.	1.6	12
132	Causal beliefs in people experiencing psychosis: The relationship to treatment accessed and the perceived helpfulness of treatment. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 332-344.	2.5	12
133	iMAgery focused psychological therapy for persecutory delusions in PSychosis (iMAPS): a multiple baseline experimental case series. Behavioural and Cognitive Psychotherapy, 2020, 48, 530-545.	1.2	12
134	Metacognition, rumination and suicidal ideation: An experience sampling test of the self-regulatory executive function model. Psychiatry Research, 2021, 303, 114083.	3.3	12
135	Method of levels therapy for first-episode psychosis: rationale, design and baseline data for the feasibility randomised controlled Next Level study. BJPsych Open, 2018, 4, 339-345.	0.7	11
136	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). Trials, 2019, 20, 395.	1.6	11
137	Activity patterns in response to symptoms in patients being treated for chronic fatigue syndrome: An experience sampling methodology study.. Health Psychology, 2017, 36, 264-269.	1.6	11
138	The impact of alcohol on clinical outcomes in established psychosis: a longitudinal study. Addiction, 2014, 109, 1297-1305.	3.3	10
139	Prospective cohort feasibility study of a transdiagnostic group intervention for common mental health problems: The <scp>Take Control</scp> course. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 163-180.	2.5	10
140	Choosing the target difference (â€ˆeffect sizeâ€ˆ™) for a randomised controlled trial - DELTA2 guidance protocol. Trials, 2017, 18, 271.	1.6	10
141	Significant other behavioural responses and patient chronic fatigue syndrome symptom fluctuations in the context of daily life: An experience sampling study. British Journal of Health Psychology, 2016, 21, 499-514.	3.5	9
142	The CATFISH study protocol: an evaluation of a water fluoridation scheme. BMC Oral Health, 2016, 16, 8.	2.3	9
143	Cognitive Behavioral Therapy for antipsychotic-free schizophrenia spectrum disorders: Does therapy dose influence outcome?. Schizophrenia Research, 2018, 202, 385-386.	2.0	9
144	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). BMJ Open, 2019, 9, e026793.	1.9	9

#	ARTICLE	IF	CITATIONS
145	Using Real-World Data to Guide Ustekinumab Dosing Strategies for Psoriasis: A Prospective Pharmacokinetic-Pharmacodynamic Study. <i>Clinical and Translational Science</i> , 2020, 13, 400-409.	3.1	9
146	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients. <i>BMC Psychiatry</i> , 2022, 22, 82.	2.6	9
147	Is treatment ‘intensity’ associated with healthier lifestyle choices? An application of the dose response function. <i>Economics and Human Biology</i> , 2016, 23, 149-163.	1.7	8
148	Predictors and mediators of trait anger across the psychosis continuum: The role of attachment style, paranoia and social cognition. <i>Psychiatry Research</i> , 2017, 249, 132-138.	3.3	8
149	Dose-response modeling in mental health using stein-like estimators with instrumental variables. <i>Statistics in Medicine</i> , 2017, 36, 1696-1714.	1.6	8
150	The role of cognitive and metacognitive factors in non-clinical paranoia and negative affect. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 169-185.	2.5	8
151	Method of levels therapy for first-episode psychosis: The feasibility randomized controlled Next Level trial. <i>Journal of Clinical Psychology</i> , 2019, 75, 1756-1769.	1.9	8
152	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	2.6	8
153	Intelligence in offspring born to women exposed to intimate partner violence: a population-based cohort study. <i>Wellcome Open Research</i> , 2019, 4, 107.	1.8	8
154	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 526-530.	0.3	8
155	Watch-and-wait versus surgical resection for patients with rectal cancer ‘Authors' reply. <i>Lancet Oncology</i> , The, 2016, 17, e134-e135.	10.7	7
156	Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018, 263, 82-87.	3.3	7
157	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial ‘the development of the DELTA2 guidance. <i>Trials</i> , 2018, 19, 542.	1.6	7
158	Does Subjective Health Affect the Association between Biodiversity and Quality of Life? Insights from International Data. <i>Applied Research in Quality of Life</i> , 2019, 14, 1315-1331.	2.4	7
159	Efficacy of digital cognitive behavioural therapy for symptoms of generalised anxiety disorder: a study protocol for a randomised controlled trial. <i>Trials</i> , 2020, 21, 357.	1.6	7
160	Engaging dialogically with auditory hallucinations: design, rationale and baseline sample characteristics of the Talking With Voices pilot trial. <i>Psychosis</i> , 2021, 13, 315-326.	0.8	7
161	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021, 237, 1-8.	2.0	7
162	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. <i>Research Methods in Medicine &amp; Health Sciences</i> , 2022, 3, 100-106.	1.2	7

#	ARTICLE	IF	CITATIONS
163	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. <i>Psychosis</i> , 2017, 9, 193-204.	0.8	6
164	Instrumental variable methods for a binary outcome were used to informatively address noncompliance in a randomized trial in surgery. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 126-132.	5.0	6
165	Enhancing maternal and infant wellbeing: study protocol for a feasibility trial of the Baby Triple P Positive Parenting programme for mothers with severe mental health difficulties (the IMAGINE study). <i>Trials</i> , 2018, 19, 479.	1.6	6
166	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	6
167	The effect of glucocorticoid therapy on mortality in patients with rheumatoid arthritis and concomitant type II diabetes: a retrospective cohort study. <i>BMC Rheumatology</i> , 2020, 4, 4.	1.6	6
168	Clinical Impact of Antibodies against Ustekinumab in Psoriasis: An Observational, Cross-Sectional, Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2129-2137.	0.7	6
169	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021, , .	2.7	6
170	An intervention to improve the quality of life in children of parents with serious mental illness: the Young SMILES feasibility RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-136.	2.8	6
171	Beyond total treatment effects in RCTs: why we need to measure outcomes at baseline when investigating mediation. <i>Trials</i> , 2015, 16, .	1.6	5
172	Protecting Adolescents in Low- And Middle-Income Countries from Interpersonal Violence (PRO) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 Families Programme 10-14 (â€œFamilias Fuertesâ€) in Panama. <i>Trials</i> , 2018, 19, 320.	1.6	5
173	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. <i>Public Health</i> , 2018, 162, 1-8.	2.9	5
174	Estimating dose-response for time to remission with instrumental variable adjustment: the obscuring effects of drug titration in Genome Based Therapeutic Drugs for Depression Trial (GENDEP): clinical trial data. <i>Trials</i> , 2020, 21, 10.	1.6	5
175	Watch-and-wait approach for rectal cancer: concepts of a subject-specific method. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 627.	8.1	4
176	Meeting Report: Psoriasis Stratification to Optimize Relevant Therapy Showcase. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1872-1878.	0.7	4
177	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	4
178	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	2.0	4
179	A systematic review with meta-analysis of comprehensive interventions for preschool children with autism spectrum disorder (ASD): study protocol: Figure 1. <i>BMJ Open</i> , 2012, 2, e000679.	1.9	3
180	China's 2009 health reform: What implications could be drawn for the NHS Foundation Trusts reform?. <i>Health Policy and Technology</i> , 2013, 2, 61-68.	2.5	3

#	ARTICLE	IF	CITATIONS
181	Visual assessment of breast density using Visual Analogue Scales: observer variability, reader attributes and reading time. , 2017, , .		3
182	An assessment of the potential miscalibration of cardiovascular disease risk predictions caused by a secular trend in cardiovascular disease in England. BMC Medical Research Methodology, 2020, 20, 289.	3.1	3
183	Increasing questionnaire response: evidence from a nested RCT within a longitudinal birth cohort study. BMC Medical Research Methodology, 2020, 20, 163.	3.1	3
184	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 423-446.	2.5	3
185	Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. Psychosis, 2023, 15, 66-76.	0.8	3
186	The impact of moderator by confounder interactions in the assessment of treatment effect modification: a simulation study. BMC Medical Research Methodology, 2022, 22, 88.	3.1	3
187	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 680-700.	2.5	3
188	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	3
189	Stein-like estimators for causal mediation analysis in randomized trials. Statistical Methods in Medical Research, 2020, 29, 1129-1148.	1.5	2
190	Evaluation of a manualised speech and language therapy programme for children with social communication disorder: the SCIP feasibility study. Pilot and Feasibility Studies, 2020, 6, 137.	1.2	2
191	Is there an association between caregiver antipathy and psychosis? A systematic review. Psychology and Psychotherapy: Theory, Research and Practice, 2021, 94, 798-821.	2.5	2
192	Estimating and evaluating personalized treatment recommendations from randomized trials with ptr. The Stata Journal, 2021, 21, 348-359.	2.2	2
193	Mediation analysis of recovery-focused therapy for recent-onset bipolar disorder. Journal of Affective Disorders Reports, 2021, 5, 100175.	1.7	2
194	A comparison of approaches for combining predictive markers for personalised treatment recommendations. Trials, 2021, 22, 20.	1.6	2
195	Examining the Factor Structure and Psychometric Properties of a Guilt Management Scale (GMS). Behavioural and Cognitive Psychotherapy, 2019, 47, 181-199.	1.2	2
196	OC-006ÂOncological outcome following 'watch and wait' for clinical complete response after pre-operative chemo-radiotherapy in patients with rectal cancer. Gut, 2015, 64, A3.2-A3.	12.1	1
197	TechCare: Mobile-assessment and therapy for psychosis: An intervention for clients within the early intervention service. European Psychiatry, 2016, 33, S608-S608.	0.2	1
198	024 Psoriasis Stratification to Optimise Relevant Therapy (PSORT): Clinical and demographic predictors of biologic response for psoriasis. Journal of Investigative Dermatology, 2016, 136, S164.	0.7	1

#	ARTICLE	IF	CITATIONS
199	Peaks in substance use prior to treatment presentation – a re-evaluation. <i>Addiction Research and Theory</i> , 2019, 27, 285-293.	1.9	1
200	The impact of statin discontinuation and restarting rates on the optimal time to initiate statins and on the number of cardiovascular events prevented. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 644-652.	1.9	1
201	Impact of lowering the risk threshold for statin treatment on statin prescribing: a descriptive study in English primary care. <i>British Journal of General Practice</i> , 2020, 70, e765-e771.	1.4	1
202	Protocol for individual participant data meta-analysis of randomised controlled trials of patients with psychosis to investigate treatment effect modifiers for CBT versus treatment as usual or other psychosocial interventions. <i>BMJ Open</i> , 2021, 11, e035062.	1.9	1
203	Causal Inference: Efficacy and Mechanism Evaluation. , 2020, , 1-22.		1
204	A Feasibility Randomized Controlled Trial of a Parenting Intervention Offered to Women With Severe Mental Health Problems and Delivered in a Mother and Baby Unit Setting: The IMAGINE Study Outcomes. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	1
205	Youth Culturally adapted Manual Assisted Problem Solving Training (YCMAP) in Pakistani adolescent with a history of self-harm: protocol for multicentre clinical and cost-effectiveness randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e056301.	1.9	1
206	An adapted social communication intervention at home and education to promote social communication change in children with severe autism: the PACT-G RCT. <i>Efficacy and Mechanism Evaluation</i> , 2022, 9, 1-110.	0.7	1
207	Combining multiple predictive markers in stratified medicine. <i>Trials</i> , 2015, 16, .	1.6	0
208	Author's Reply. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 107-108.	2.0	0
209	O9.6. SIX MONTH LONGITUDINAL FEASIBILITY STUDY USING A SMARTPHONE APP (EXPRESS) TO ASSESS EARLY SIGNS AND BASIC SYMPTOMS AS PUTATIVE PREDICTORS OF PSYCHOSIS RELAPSE. <i>Schizophrenia Bulletin</i> , 2019, 45, S188-S189.	4.3	0
210	Secondary re-analysis of the FEAST trial. <i>Lancet Respiratory Medicine</i> , the, 2019, 7, e30.	10.7	0
211	OP0031 – The importance of assessing multiplicative and additive interaction: examining the effect of glucocorticoid therapy on mortality in patients with rheumatoid arthritis and concomitant type ii diabetes. , 2018, , .		0
212	Recruitment and Consent in an observational study. <i>Community Dental Health</i> , 2020, 37, 287-292.	0.2	0
213	Remotely delivered cognitive-behavioural and personalized exercise interventions to lessen the impact of fatigue: a qualitative evaluation. <i>Rheumatology Advances in Practice</i> , 2022, 6, .	0.7	0