

Ulla Knorr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2980167/publications.pdf>

Version: 2024-02-01

38
papers

1,492
citations

471509

17
h-index

330143

37
g-index

39
all docs

39
docs citations

39
times ranked

2365
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Alzheimer's disease related biomarkers in bipolar disorder – A longitudinal one-year case-control study. <i>Journal of Affective Disorders</i> , 2022, 297, 623-633. | 4.1 | 13 |
| 2 | Norms for the Screen for Cognitive Impairment in Psychiatry and cognitive trajectories in bipolar disorder. <i>Journal of Affective Disorders</i> , 2021, 281, 33-40. | 4.1 | 18 |
| 3 | The impact of the trajectory of bipolar disorder on global cognitive function: A one-year clinical prospective case-control study. <i>Journal of Affective Disorders</i> , 2021, 278, 189-198. | 4.1 | 10 |
| 4 | Associations between oxidative stress and perceived stress in patients with bipolar disorder and healthy control individuals. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 532-537. | 1.3 | 3 |
| 5 | Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. <i>BMJ Open</i> , 2020, 10, e032233. | 1.9 | 1 |
| 6 | Etomidate enabled electroconvulsive therapy without suppressing adrenocortical function in a case with difficulties in inducing seizures by conventional methods. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 624-626. | 1.8 | 0 |
| 7 | The impact of a new affective episode on psychosocial functioning, quality of life and perceived stress in newly diagnosed patients with bipolar disorder: A prospective one-year case-control study. <i>Journal of Affective Disorders</i> , 2020, 277, 486-494. | 4.1 | 3 |
| 8 | A randomized placebo-controlled trial examining the effects of escitalopram on neuroticism and state anxiety in a nonclinical sample. <i>Human Psychopharmacology</i> , 2019, 34, e2711. | 1.5 | 1 |
| 9 | Low level of evidence for reduced homovanillic acid (HVA) in the cerebrospinal fluid of patients with depression compared to healthy non-psychiatric control individuals. <i>Journal of Affective Disorders</i> , 2019, 257, 585-588. | 4.1 | 0 |
| 10 | Cerebrospinal fluid oxidative stress metabolites in patients with bipolar disorder and healthy controls: a longitudinal case-control study. <i>Translational Psychiatry</i> , 2019, 9, 325. | 4.8 | 31 |
| 11 | The effect of selective serotonin reuptake inhibitors in healthy subjects revisited: A systematic review of the literature.. <i>Experimental and Clinical Psychopharmacology</i> , 2019, 27, 413-432. | 1.8 | 18 |
| 12 | Biomarkers in cerebrospinal fluid of patients with bipolar disorder versus healthy individuals: A systematic review. <i>European Neuropsychopharmacology</i> , 2018, 28, 783-794. | 0.7 | 18 |
| 13 | Poor evidence for putative abnormalities in cerebrospinal fluid neurotransmitters in patients with depression versus healthy non-psychiatric individuals: A systematic review and meta-analyses of 23 studies. <i>Journal of Affective Disorders</i> , 2018, 240, 6-16. | 4.1 | 21 |
| 14 | Influences of patient informed cognitive complaints on activities of daily living in patients with bipolar disorder. An exploratory cross-sectional study. <i>Psychiatry Research</i> , 2017, 249, 268-274. | 3.3 | 19 |
| 15 | Increased blood BDNF in healthy individuals with a family history of depression. <i>Psychiatry Research</i> , 2017, 256, 176-179. | 3.3 | 16 |
| 16 | The relationship between self-reported childhood adversities, adulthood psychopathology and psychological stress markers in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 72, 48-55. | 3.1 | 16 |
| 17 | No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. <i>Acta Neuropsychiatrica</i> , 2016, 28, 101-109. | 2.1 | 6 |
| 18 | Discrete neurocognitive subgroups in fully or partially remitted bipolar disorder: Associations with functional abilities. <i>Journal of Affective Disorders</i> , 2016, 205, 378-386. | 4.1 | 110 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Effect of escitalopram versus placebo on GR α messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression – a secondary outcome analysis from the randomized AGENDA trial. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 297-302. | 1.3 | 4 |
| 20 | Impaired down-regulation of negative emotion in self-referent social situations in bipolar disorder: A pilot study of a novel experimental paradigm. <i>Psychiatry Research</i> , 2016, 238, 318-325. | 3.3 | 23 |
| 21 | Asymmetric dimethylarginine in somatically healthy schizophrenia patients treated with atypical antipsychotics: a case–control study. <i>BMC Psychiatry</i> , 2015, 15, 67. | 2.6 | 9 |
| 22 | Electronic monitoring of psychomotor activity as a supplementary objective measure of depression severity. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 118-125. | 1.3 | 16 |
| 23 | Familial Risk for Major Depression is Associated with Lower Striatal 5-HT ₄ Receptor Binding. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu034-pyu034. | 2.1 | 35 |
| 24 | Optimising screening for cognitive dysfunction in bipolar disorder: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2015, 187, 10-19. | 4.1 | 97 |
| 25 | Increased systemic oxidatively generated DNA and RNA damage in schizophrenia. <i>Psychiatry Research</i> , 2013, 209, 417-423. | 3.3 | 75 |
| 26 | Cognitive deficits in the remitted state of unipolar depressive disorder. <i>Neuropsychology</i> , 2012, 26, 642-651. | 1.3 | 83 |
| 27 | The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression – A randomised trial. <i>Psychiatry Research</i> , 2012, 200, 354-360. | 3.3 | 19 |
| 28 | Differences in psychomotor activity in patients suffering from unipolar and bipolar affective disorder in the remitted or mild/moderate depressive state. <i>Journal of Affective Disorders</i> , 2012, 141, 457-463. | 4.1 | 71 |
| 29 | Effect of Chronic Escitalopram versus Placebo on Personality Traits in Healthy First-Degree Relatives of Patients with Depression: A Randomized Trial. <i>PLoS ONE</i> , 2012, 7, e31980. | 2.5 | 13 |
| 30 | No evidence for an anti-inflammatory effect of escitalopram intervention in healthy individuals with a family history of depression. <i>Journal of Neuroimmunology</i> , 2012, 243, 69-72. | 2.3 | 16 |
| 31 | Escitalopram and Neuroendocrine Response in Healthy First-Degree Relatives to Depressed Patients – A Randomized Placebo-Controlled Trial. <i>PLoS ONE</i> , 2011, 6, e21224. | 2.5 | 12 |
| 32 | Volume of the adrenal and pituitary glands in depression. <i>Psychoneuroendocrinology</i> , 2011, 36, 19-27. | 2.7 | 40 |
| 33 | Cognitive impairment in the remitted state of unipolar depressive disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2011, 134, 20-31. | 4.1 | 335 |
| 34 | A randomized trial of the effect of escitalopram versus placebo on cognitive function in healthy first-degree relatives of patients with depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 133-144. | 2.7 | 8 |
| 35 | Salivary cortisol in depressed patients versus control persons: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2010, 35, 1275-1286. | 2.7 | 247 |
| 36 | The effect of selective serotonin reuptake inhibitors in healthy subjects. A systematic review. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 153-163. | 1.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The BDNF Val66Met polymorphism: Relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. <i>Psychoneuroendocrinology</i> , 2009, 34, 1380-1389. | 2.7 | 46 |
| 38 | Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. <i>Trials</i> , 2009, 10, 66. | 1.6 | 13 |