

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2980384/amy-q-shen-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165 papers	3,435 citations	31 h-index	49 g-index
193 ext. papers	4,196 ext. citations	5.5 avg, IF	6.03 L-index

#	Paper	IF	Citations
165	Surface Morphology of Drying Latex Films: Multiple Ring Formation. <i>Langmuir</i> , <b>2002</b> , 18, 3441-3445	4	196
164	Parking the power: Strategies and physical limitations for bulk energy storage in supply-demand matching on a grid whose input power is provided by intermittent sources. <i>Renewable and Sustainable Energy Reviews</i> , <b>2009</b> , 13, 1934-1945	16.2	144
163	Detection of antibodies against SARS-CoV-2 spike protein by gold nanospikes in an opto-microfluidic chip. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 169, 112578	11.8	118
162	Tumour-on-a-chip: microfluidic models of tumour morphology, growth and microenvironment. <i>Journal of the Royal Society Interface</i> , <b>2017</b> , 14,	4.1	115
161	Granular jets. <i>Physics of Fluids</i> , <b>2001</b> , 13, 4-6	4.4	102
160	Fiber coating with surfactant solutions. <i>Physics of Fluids</i> , <b>2002</b> , 14, 4055-4068	4.4	102
159	Irreversible nanogel formation in surfactant solutions by microporous flow. <i>Nature Materials</i> , <b>2010</b> , 9, 436-41	27	80
158	Visco-plastic models of isothermal lava domes. <i>Journal of Fluid Mechanics</i> , <b>2000</b> , 403, 37-65	3.7	78
157	Dynamics of viscoelastic fluid filaments in microfluidic devices. <i>Physics of Fluids</i> , <b>2007</b> , 19, 073103	4.4	75
156	A portable anaerobic microbioreactor reveals optimum growth conditions for the methanogen <i>Methanosaeta concilii</i> . <i>Applied and Environmental Microbiology</i> , <b>2007</b> , 73, 1653-8	4.8	72
155	Microstructure and rheology of a flow-induced structured phase in wormlike micellar solutions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, E1653-60	11.5	57
154	Elastic instabilities in planar elongational flow of monodisperse polymer solutions. <i>Scientific Reports</i> , <b>2016</b> , 6, 33029	4.9	55
153	Droplet synthesis of silver nanoparticles by a microfluidic device. <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2016</b> , 102, 186-193	3.7	48
152	Usiigaci: Instance-aware cell tracking in stain-free phase contrast microscopy enabled by machine learning. <i>SoftwareX</i> , <b>2019</b> , 9, 230-237	2.7	47
151	Can large-scale advanced-adiabatic compressed air energy storage be justified economically in an age of sustainable energy?. <i>Journal of Renewable and Sustainable Energy</i> , <b>2009</b> , 1, 033102	2.5	47
150	Relaxation time of dilute polymer solutions: A microfluidic approach. <i>Journal of Rheology</i> , <b>2017</b> , 61, 327-337	4.1	46
149	Liquid crystal droplet production in a microfluidic device. <i>Liquid Crystals</i> , <b>2007</b> , 34, 861-870	2.3	45

148	Self-similar shear thickening behavior in CTAB/NaSal surfactant solutions. <i>Journal of Rheology</i> , <b>2008</b> , 52, 527-550	4.1	44
147	Confinement effects on the self-assembly of 1,3:2,4-Di-p-methylbenzylidene sorbitol based organogel. <i>Langmuir</i> , <b>2008</b> , 24, 10432-6	4	43
146	"From the Edge to the Center": Viscoelastic Migration of Particles and Cells in a Strongly Shear-Thinning Liquid Flowing in a Microchannel. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 13146-13159	7.8	42
145	Microfluidic Assisted Nanoprecipitation of PLGA Nanoparticles for Curcumin Delivery to Leukemia Jurkat Cells. <i>Langmuir</i> , <b>2018</b> , 34, 3961-3970	4	41
144	Elastic instabilities in a microfluidic cross-slot flow of wormlike micellar solutions. <i>Soft Matter</i> , <b>2012</b> , 8, 5847	3.6	41
143	In situ pressure measurement within deformable rectangular polydimethylsiloxane microfluidic devices. <i>Biomicrofluidics</i> , <b>2012</b> , 6, 26501-2650112	3.2	41
142	Thermoresponsive self-assembled NiPAm-zwitterion copolymers. <i>Polymer Chemistry</i> , <b>2015</b> , 6, 1066-1077	4.9	38
141	Flow of wormlike micellar solutions around confined microfluidic cylinders. <i>Soft Matter</i> , <b>2016</b> , 12, 8666-8681	5.1	38
140	When Microrheology, Bulk Rheology, and Microfluidics Meet: Broadband Rheology of Hydroxyethyl Cellulose Water Solutions. <i>Macromolecules</i> , <b>2017</b> , 50, 2951-2963	5.5	37
139	Real-time monitoring of DNA immobilization and detection of DNA polymerase activity by a microfluidic nanoplasmonic platform. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 142, 111528	11.8	37
138	Microfluidic flows of wormlike micellar solutions. <i>Advances in Colloid and Interface Science</i> , <b>2014</b> , 211, 34-46	14.3	37
137	X-ray visible and uniform alginate microspheres loaded with in situ synthesized BaSO <sub>4</sub> nanoparticles for in vivo transcatheter arterial embolization. <i>Biomacromolecules</i> , <b>2015</b> , 16, 1240-6	6.9	35
136	Tricritical spiral vortex instability in cross-slot flow. <i>Physical Review E</i> , <b>2016</b> , 93, 031101	2.4	35
135	Task specific ionic liquid for direct electrochemistry of metal oxides. <i>Electrochemistry Communications</i> , <b>2010</b> , 12, 1214-1217	5.1	33
134	Flow of wormlike micellar solutions around microfluidic cylinders with high aspect ratio and low blockage ratio. <i>Soft Matter</i> , <b>2019</b> , 15, 1927-1941	3.6	29
133	Steady viscoelastic flow around high-aspect-ratio, low-blockage-ratio microfluidic cylinders. <i>Journal of Non-Newtonian Fluid Mechanics</i> , <b>2018</b> , 254, 23-35	2.7	29
132	Formation of supramolecular hydrogel microspheres via microfluidics. <i>Lab on A Chip</i> , <b>2009</b> , 9, 2947-51	7.2	29
131	Tailed forisomes of <i>Canavalia gladiata</i> : a new model to study Ca <sup>2+</sup> -driven protein contractility. <i>Annals of Botany</i> , <b>2007</b> , 100, 101-9	4.1	29

130	Microfluidic one-step fabrication of radiopaque alginate microgels with in situ synthesized barium sulfate nanoparticles. <i>Lab on A Chip</i> , <b>2012</b> , 12, 4781-6	7.2	28
129	Coating flows of non-Newtonian fluids: weakly and strongly elastic limits. <i>Journal of Engineering Mathematics</i> , <b>2008</b> , 60, 17-41	1.2	28
128	Shear rheology of graphene oxide dispersions. <i>Current Opinion in Chemical Engineering</i> , <b>2017</b> , 16, 23-30	5.4	27
127	Plasma-Assisted Large-Scale Nanoassembly of Metal-Insulator Bioplasmonic Mushrooms. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 219-226	9.5	27
126	Microfluidic one-step synthesis of alginate microspheres immobilized with antibodies. <i>Journal of the Royal Society Interface</i> , <b>2013</b> , 10, 20130566	4.1	27
125	3D-printed glass microfluidics for fluid dynamics and rheology. <i>Current Opinion in Colloid and Interface Science</i> , <b>2019</b> , 43, 1-14	7.6	27
124	Fluid Viscoelasticity Drives Self-Assembly of Particle Trains in a Straight Microfluidic Channel. <i>Physical Review Applied</i> , <b>2018</b> , 10,	4.3	26
123	Microcontact printing with aminosilanes: creating biomolecule micro- and nanoarrays for multiplexed microfluidic bioassays. <i>Analyst, The</i> , <b>2017</b> , 142, 1772-1781	5	25
122	Evaporation induced self assembly and rheology change during sol-gel coating. <i>Physics of Fluids</i> , <b>2006</b> , 18, 052105	4.4	25
121	Asymmetric flows of complex fluids past confined cylinders: A comprehensive numerical study with experimental validation. <i>Physics of Fluids</i> , <b>2020</b> , 32, 053103	4.4	24
120	Temperature controlled tensiometry using droplet microfluidics. <i>Lab on A Chip</i> , <b>2017</b> , 17, 717-726	7.2	23
119	Proof-of-concept modular fluid handling prototype integrated with microfluidic biochemical assay modules for point-of-care testing. <i>View</i> , <b>2020</b> , 1, e1	7.8	22
118	Intracellular Nanomaterial Delivery Spiral Hydroporation. <i>ACS Nano</i> , <b>2020</b> , 14, 3048-3058	16.7	22
117	Rheological characterizations of wormlike micellar solutions containing cationic surfactant and anionic hydrotropic salt. <i>Journal of Rheology</i> , <b>2015</b> , 59, 1229-1259	4.1	21
116	Droplet size effects on film drainage between droplet and substrate. <i>Langmuir</i> , <b>2006</b> , 22, 5308-13	4	21
115	Prospective energy densities in the forisome, a new smart material. <i>Materials Science and Engineering C</i> , <b>2006</b> , 26, 104-112	8.3	21
114	Asymmetric flow of polymer solutions around microfluidic cylinders: Interaction between shear-thinning and viscoelasticity. <i>Journal of Non-Newtonian Fluid Mechanics</i> , <b>2020</b> , 278, 104250	2.7	20
113	Synthesis of copper nanoparticles by a T-shaped microfluidic device. <i>RSC Advances</i> , <b>2014</b> , 4, 25155-25159	3.7	20

112	A stable flow-induced structured phase in wormlike micellar solutions. <i>Soft Matter</i> , <b>2011</b> , 7, 876-879	3.6	20
111	Nanoporous scaffold with immobilized enzymes during flow-induced gelation for sensitive H <sub>2</sub> O(2) biosensing. <i>Advanced Materials</i> , <b>2010</b> , 22, 2809-13	24	20
110	Nanoplasmonics for Real-Time and Label-Free Monitoring of Microbial Biofilm Formation. <i>ACS Sensors</i> , <b>2018</b> , 3, 1499-1509	9.2	19
109	Inertioelastic Flow Instability at a Stagnation Point. <i>Physical Review X</i> , <b>2017</b> , 7,	9.1	19
108	Sensing and Sensibility: Single-Islet-based Quality Control Assay of Cryopreserved Pancreatic Islets with Functionalized Hydrogel Microcapsules. <i>Advanced Healthcare Materials</i> , <b>2016</b> , 5, 223-31	10.1	18
107	Microencapsulated 3-dimensional sensor for the measurement of oxygen in single isolated pancreatic islets. <i>PLoS ONE</i> , <b>2012</b> , 7, e33070	3.7	18
106	Engineering lipid tubules using nano-sized building blocks: the combinatorial self-assembly of vesicles. <i>Lab on A Chip</i> , <b>2008</b> , 8, 339-45	7.2	18
105	Anisotropic contraction in forisomes: simple models won't fit. <i>Cytoskeleton</i> , <b>2008</b> , 65, 368-78		18
104	Purely Elastic Fluid-Structure Interactions in Microfluidics: Implications for Mucociliary Flows. <i>Small</i> , <b>2020</b> , 16, e1903872	11	18
103	Atom-economical in situ synthesis of BaSO <sub>4</sub> as imaging contrast agents within poly(N-isopropylacrylamide) microgels using one-step droplet microfluidics. <i>Green Chemistry</i> , <b>2013</b> , 15, 2222	10	17
102	Transition between solid and liquid state of yield-stress fluids under purely extensional deformations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 12611-12617	11.5	17
101	Secondary flows of viscoelastic fluids in serpentine microchannels. <i>Microfluidics and Nanofluidics</i> , <b>2019</b> , 23, 1	2.8	16
100	A low cost, disposable cable-shaped Al <sub>2</sub> O <sub>3</sub> battery for portable biosensors. <i>Journal of Micromechanics and Microengineering</i> , <b>2016</b> , 26, 055011	2	16
99	Local micelle concentration fluctuations in microfluidic flows and its relation to a flow-induced structured phase (FISP). <i>Soft Matter</i> , <b>2012</b> , 8, 2304	3.6	16
98	Isotropic-to-nematic phase transition in a liquid-crystal droplet. <i>Langmuir</i> , <b>2008</b> , 24, 541-6	4	16
97	Kinetics of colloidal templating using emulsion drop consolidation. <i>Langmuir</i> , <b>2007</b> , 23, 12821-6	4	16
96	Microscopic investigation of vortex breakdown in a dividing T-junction flow. <i>Physical Review Fluids</i> , <b>2018</b> , 3,	2.8	16
95	Dual-mode refractive index and charge sensing to investigate complex surface chemistry on nanostructures. <i>Nanoscale</i> , <b>2017</b> , 9, 547-554	7.7	15

94	Granular fingering patterns in horizontal rotating cylinders. <i>Physics of Fluids</i> , <b>2002</b> , 14, 462-470	4.4	15
93	Wave patterns in a thin layer of sand within a rotating horizontal cylinder. <i>Physics of Fluids</i> , <b>1998</b> , 10, 10-12	4.4	15
92	Forisome based biomimetic smart materials. <i>Smart Structures and Systems</i> , <b>2006</b> , 2, 225-235		15
91	Metal-Enhanced Fluorescence Immunosensor Based on Plasmonic Arrays of Gold Nanoislands on an Etched Glass Substrate. <i>ACS Applied Nano Materials</i> , <b>2020</b> , 3, 10470-10478	5.6	15
90	Filling the gap between transient and steady shear rheology of aqueous graphene oxide dispersions. <i>Rheologica Acta</i> , <b>2018</b> , 57, 293-306	2.3	14
89	Air Plasma-Enhanced Covalent Functionalization of Poly(methyl methacrylate): High-Throughput Protein Immobilization for Miniaturized Bioassays. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 46330-46360	9.5	14
88	Dewetting Metal Nanofilms-Effect of Substrate on Refractive Index Sensitivity of Nanoplasmonic Gold. <i>Nanomaterials</i> , <b>2019</b> , 9,	5.4	14
87	Dynamics of a Water Droplet over a Sessile Oil Droplet: Compound Droplets Satisfying a Neumann Condition. <i>Langmuir</i> , <b>2017</b> , 33, 5713-5723	4	13
86	Synthesis of copper nanocolloids using a continuous flow based microreactor. <i>Applied Surface Science</i> , <b>2015</b> , 355, 1-6	6.7	13
85	Fabrication of conducting polyaniline microspheres using droplet microfluidics. <i>RSC Advances</i> , <b>2013</b> , 3, 24423	3.7	13
84	Rheological Scaling of Ionic-Liquid-Based Polyelectrolytes in Ionic Liquid Solutions. <i>Macromolecules</i> , <b>2019</b> , 52, 2759-2771	5.5	12
83	Getting in shape: molten wax drop deformation and solidification at an immiscible liquid interface. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 445, 231-242	9.3	12
82	Integrated microfluidic platform for instantaneous flow and localized temperature control. <i>RSC Advances</i> , <b>2015</b> , 5, 85620-85629	3.7	12
81	Understanding of the role of dilution on evaporative deposition patterns of blood droplets over hydrophilic and hydrophobic substrates. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 579, 541-550	9.3	12
80	Size-selective immunofluorescence of Mycobacterium tuberculosis cells by capillary- and viscous forces. <i>Lab on A Chip</i> , <b>2010</b> , 10, 3178-81	7.2	12
79	Material characterization of porcine lenticular soluble proteins. <i>Biomacromolecules</i> , <b>2008</b> , 9, 1519-26	6.9	12
78	Evaporation and morphological patterns of bi-dispersed colloidal droplets on hydrophilic and hydrophobic surfaces. <i>Soft Matter</i> , <b>2018</b> , 14, 9901-9909	3.6	12
77	Substrate stiffness affects particle distribution pattern in a drying suspension droplet. <i>Applied Physics Letters</i> , <b>2019</b> , 114, 253701	3.4	11

76	Detecting Gold Biomineralization by Biofilms on a Quartz Crystal Microbalance. <i>ACS Sensors</i> , <b>2019</b> , 4, 3023-3033	9.2	11
75	Optimized Immobilization of Biomolecules on Nonspherical Gold Nanostructures for Efficient Localized Surface Plasmon Resonance Biosensing. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 15090-15098	7.8	11
74	Tristability in Viscoelastic Flow Past Side-by-Side Microcylinders. <i>Physical Review Letters</i> , <b>2021</b> , 126, 054504	10.4	11
73	Controlled symmetry breaking and vortex dynamics in intersecting flows. <i>Physics of Fluids</i> , <b>2019</b> , 31, 034104	10.4	10
72	Detecting Biofilm Development Stages on Gold and Titanium by Quartz Crystal Microbalance. <i>ACS Omega</i> , <b>2020</b> , 5, 2295-2302	3.9	10
71	Elastic modifications of an inertial instability in a 3D cross-slot. <i>Journal of Non-Newtonian Fluid Mechanics</i> , <b>2018</b> , 262, 12-24	2.7	10
70	Flow-induced immobilization of glucose oxidase in nonionic micellar nanogels for glucose sensing. <i>Lab on A Chip</i> , <b>2014</b> , 14, 3912-6	7.2	10
69	Turning up the heat on wormlike micelles with a hydrotopic salt in microfluidics. <i>Soft Matter</i> , <b>2014</b> , 10, 9300-12	3.6	10
68	Uniform electric field generation in circular multi-well culture plates using polymeric inserts. <i>Scientific Reports</i> , <b>2016</b> , 6, 26222	4.9	10
67	Large-Scale Nanophotonic Structures for Long-Term Monitoring of Cell Proliferation. <i>Advanced Biology</i> , <b>2018</b> , 2, 1700258	3.5	9
66	Electro-conductive porous scaffold with single-walled carbon nanotubes in wormlike micellar networks. <i>Carbon</i> , <b>2014</b> , 80, 203-212	10.4	9
65	Coupling of vortex breakdown and stability in a swirling flow. <i>Physical Review Fluids</i> , <b>2019</b> , 4,	2.8	9
64	Phase diagram for viscoelastic Poiseuille flow over a wavy surface. <i>Physics of Fluids</i> , <b>2018</b> , 30, 113101	4.4	9
63	Detection and Characterization of Bacterial Biofilms and Biofilm-Based Sensors.. <i>ACS Sensors</i> , <b>2022</b> ,	9.2	9
62	The freedom of confinement in complex fluid. <i>Physics Today</i> , <b>2010</b> , 63, 30-35	0.9	8
61	Design of a biomimetic-based monitoring and diagnostic system for civil structures. <i>International Journal of Nanotechnology</i> , <b>2007</b> , 4, 309	1.5	8
60	Theory for solvent, momentum, and energy transfer between a surfactant solution and a vapor atmosphere. <i>Physical Review E</i> , <b>2006</b> , 73, 061601	2.4	8
59	Effects of Shearing and Extensional Flows on the Alignment of Colloidal Rods. <i>Macromolecules</i> , <b>2021</b> , 54, 4176-4185	5.5	8



58	Viscous flow through microfabricated axisymmetric contraction/expansion geometries. <i>Experiments in Fluids</i> , <b>2020</b> , 61, 1	2.5	8
57	Electrical Contact of Metals at the Nanoscale Overcomes the Oxidative Susceptibility of Silver-Based Nanobiosensors. <i>ACS Applied Nano Materials</i> , <b>2019</b> , 2, 2064-2075	5.6	8
56	Flow-induced structured phase in nonionic micellar solutions. <i>Langmuir</i> , <b>2013</b> , 29, 15485-95	4	7
55	Shape-tunable wax microparticle synthesis via microfluidics and droplet impact. <i>Biomicrofluidics</i> , <b>2015</b> , 9, 064114	3.2	7
54	Generalization of the Stefan model to allow for both velocity and temperature jumps. <i>Continuum Mechanics and Thermodynamics</i> , <b>1999</b> , 11, 277-296	3.5	7
53	Inertioelastic Poiseuille flow over a wavy surface. <i>Physical Review Fluids</i> , <b>2018</b> , 3,	2.8	7
52	Heterogeneous flow inside threads of low viscosity fluids leads to anomalous long filament lifetimes. <i>Scientific Reports</i> , <b>2019</b> , 9, 7110	4.9	6
51	Rheology of the Electric Double Layer in Electrolyte Solutions. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 8244-8253	7.8	6
50	Lipid tubule growth by osmotic pressure. <i>Journal of the Royal Society Interface</i> , <b>2013</b> , 10, 20130637	4.1	6
49	Inelastic behavior in repeated shearing of bovine white matter. <i>Journal of Biomechanical Engineering</i> , <b>2008</b> , 130, 044504	2.1	6
48	Particle trapping in merging flow junctions by fluid-solute-colloid-boundary interactions. <i>Physical Review Fluids</i> , <b>2020</b> , 5,	2.8	6
47	Rheological Scaling of Ionic Liquid-Based Polyelectrolytes in the Semidilute Unentangled Regime from Low to High Salt Concentrations. <i>Macromolecules</i> , <b>2021</b> , 54, 5648-5661	5.5	6
46	Formation and flow behavior of micellar membranes in a T-shaped microchannel. <i>Soft Matter</i> , <b>2016</b> , 12, 8226-8234	3.6	6
45	Probing specific gravity in real-time with graphene oxide plasmonics. <i>Analytical Methods</i> , <b>2018</b> , 10, 290-297	3.7	6
44	In-situ shear-banding quantification of surfactant solutions in straight microfluidic channels. <i>Journal of Rheology</i> , <b>2017</b> , 61, 769-783	4.1	5
43	Microfluidic device flow field characterization around tumor spheroids with tunable necrosis produced in an optimized off-chip process. <i>Biomedical Microdevices</i> , <b>2017</b> , 19, 59	3.7	5
42	Spreading of miscible liquids. <i>Physical Review Fluids</i> , <b>2016</b> , 1,	2.8	5
41	Stagnation points control chaotic fluctuations in viscoelastic porous media flow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	5



40	Periodic fluctuations of streamwise vortices in inertia-dominated intersecting flows. <i>Physics of Fluids</i> , <b>2021</b> , 33, 014106	4.4	5
39	Crossover transition in flowing granular chains. <i>Physical Review E</i> , <b>2009</b> , 80, 030301	2.4	4
38	Microfluidics enhanced control of the microstructure and flow of complex fluids. <i>Mechanics Research Communications</i> , <b>2009</b> , 36, 121-124	2.2	4
37	Elastic properties of the forisome. <i>Functional Plant Biology</i> , <b>2007</b> , 34, 935-945	2.7	4
36	Poiseuille flow over a wavy surface. <i>Physical Review Fluids</i> , <b>2017</b> , 2,	2.8	4
35	Torsional fracture of viscoelastic liquid bridges. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	4
34	Formation of crystal-like structures and branched networks from nonionic spherical micelles. <i>Scientific Reports</i> , <b>2015</b> , 5, 17941	4.9	4
33	Cell biology at the interface of nanobiosensors and microfluidics. <i>Methods in Cell Biology</i> , <b>2018</b> , 148, 203-227	1.8	4
32	Total Capture, Convection-Limited Nanofluidic Immunoassays Exhibiting Nanoconfinement Effects. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 3211-3219	7.8	3
31	Contact angle changes induced by immunocomplex formation. <i>Analyst, The</i> , <b>2014</b> , 139, 1340-4	5	3
30	Worming their way into shape: toroidal formations in micellar solutions. <i>ACS Nano</i> , <b>2013</b> , 7, 9704-13	16.7	3
29	Voltage-gated ion channels mediate the electrotaxis of glioblastoma cells in a hybrid PMMA/PDMS microdevice. <i>APL Bioengineering</i> , <b>2020</b> , 4, 036102	6.6	3
28	Structure-property relationship of a soft colloidal glass in simple and mixed flows. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 601, 454-466	9.3	3
27	Microfluidic analog of an opposed-jets device. <i>Applied Physics Letters</i> , <b>2019</b> , 114, 223701	3.4	2
26	Evolution equation for a disclination line located between the uniaxial and isotropic phases of a nematic liquid crystal. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 329, 140-52	9.3	2
25	Reversible and Irreversible Flow-Induced Phase Transitions in Micellar Solutions. <i>AIP Conference Proceedings</i> , <b>2008</b> ,	0	2
24	Forisome as biomimetic smart materials <b>2005</b> , 5765, 97		2
23	IS SEGREGATION-BY-PARTICLE-TYPE A GENERIC MECHANISM UNDERLYING FINGER FORMATION AT FRONTS OF FLOWING GRANULAR MEDIA?. <i>Particulate Science and Technology</i> , <b>1999</b> , 17, 141-147	2	2

22	Toward the Development of Rapid, Specific, and Sensitive Microfluidic Sensors: A Comprehensive Device Blueprint. <i>Jacs Au</i> , <b>2021</b> , 1, 1815-1833		2
21	Usiigaci: Instance-aware cell tracking in stain-free phase contrast microscopy enabled by machine learning		2
20	Microtomographic particle image velocimetry measurements of viscoelastic instabilities in a three-dimensional microcontraction. <i>Journal of Fluid Mechanics</i> , <b>2021</b> , 923,	3.7	2
19	Nanoplasmonic multiplex biosensing for COVID-19 vaccines.. <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 208, 114193	11.8	2
18	Evaporation driven smart patterning of microparticles on a rigid-soft composite substrate. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 623, 927-937	9.3	2
17	Glioblastoma adhesion in a quick-fit hybrid microdevice. <i>Biomedical Microdevices</i> , <b>2019</b> , 21, 30	3.7	1
16	Granular finger formation in a rotating cylinder. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , <b>2003</b> , 459, 891-909	2.4	1
15	Point Defects in Nematic Gels: The Case for Hedgehogs. <i>Archive for Rational Mechanics and Analysis</i> , <b>2005</b> , 177, 21-51	2.3	1
14	A fast and efficient tool to study the rheology of dense suspensions. <i>Physics of Fluids</i> , <b>2021</b> , 33, 103314	4.4	1
13	Interfacial Tension Measurements in Microfluidic Quasi-Static Extensional Flows. <i>Micromachines</i> , <b>2021</b> , 12,	3.3	1
12	Shear thickening behavior in dense repulsive and attractive suspensions of hard spheres. <i>Soft Matter</i> , <b>2021</b> , 17, 8047-8058	3.6	1
11	Population genetics in microchannels.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2022</b> , 119, e2120821119	11.5	1
10	Microrheological Approach for Probing the Entanglement Properties of Polyelectrolyte Solutions.. <i>ACS Macro Letters</i> , <b>2022</b> , 11, 84-90	6.6	1
9	Reduced and increased flow resistance in shear-dominated flows of Oldroyd-B fluids. <i>Journal of Non-Newtonian Fluid Mechanics</i> , <b>2021</b> , 104698	2.7	0
8	Bifurcations in flows of complex fluids around microfluidic cylinders. <i>Lab on A Chip</i> , <b>2021</b> , 21, 4041-4059	7.2	0
7	Stability of a sharp uniaxial-isotropic phase interface. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 339, 502-10	9.3	
6	Jestimation for shallow notch SE(B) specimens: 3 and 4 point bending vs. Pure bending. <i>International Journal of Fracture</i> , <b>1996</b> , 77, R11-R17	2.3	
5	High-throughput fabrication of high aspect ratio Ag/Al nanopillars for optical detection of biomarkers. <i>Journal of Materials Chemistry B</i> , <b>2021</b> , 9, 8851-8861	7.3	

- |   |   |     |
|---|---|-----|
| 4 | Corrigendum to: Elastic properties of the forisome. <i>Functional Plant Biology</i> , <b>2007</b> , 34, 1053  | 2.7 |
| 3 | Novel refractive index biosensing of microcontact printed molecules on lithium niobate. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2016</b> , 2016, 2095-2098 | 0.9 |
| 2 | Deterministic particle assembly on nanophotonic chips. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 603, 259-269   | 9.3 |
| 1 | Non-Newtonian flows and instabilities in 3D glass microfluidic devices <b>2022</b> , 2, 100023  |     |