

Mehari E Endale

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2981517/publications.pdf>

Version: 2024-02-01

22
papers

839
citations

567144

15
h-index

713332

21
g-index

22
all docs

22
docs citations

22
times ranked

1601
citing authors

#	ARTICLE	IF	CITATIONS
1	Maladaptive functional changes in alveolar fibroblasts due to perinatal hyperoxia impair epithelial differentiation. JCI Insight, 2022, 7, .	2.3	10
2	NF- κ B modifies the mammalian circadian clock through interaction with the core clock protein BMAL1. PLoS Genetics, 2021, 17, e1009933.	1.5	39
3	Gimap5-dependent inactivation of GSK3 β is required for CD4+ T cell homeostasis and prevention of immune pathology. Nature Communications, 2018, 9, 430.	5.8	32
4	Temporal, spatial, and phenotypical changes of PDGFR α expressing fibroblasts during late lung development. Developmental Biology, 2017, 425, 161-175.	0.9	78
5	Dataset on transcriptional profiles and the developmental characteristics of PDGFR α expressing lung fibroblasts. Data in Brief, 2017, 13, 415-431.	0.5	14
6	Torilin Inhibits Inflammation by Limiting TAK1-Mediated MAP Kinase and NF- κ B Activation. Mediators of Inflammation, 2017, 2017, 1-13.	1.4	25
7	Diversity of Interstitial Lung Fibroblasts Is Regulated by Platelet-Derived Growth Factor Receptor α Kinase Activity. American Journal of Respiratory Cell and Molecular Biology, 2016, 54, 532-545.	1.4	85
8	Slp α 76 is a critical determinant of NK cell mediated recognition of missing self targets. European Journal of Immunology, 2015, 45, 2072-2083.	1.6	13
9	Central Role of Gimap5 in Maintaining Peripheral Tolerance and T Cell Homeostasis in the Gut. Mediators of Inflammation, 2015, 2015, 1-11.	1.4	8
10	Korean Red Ginseng Saponin Fraction Rich in Ginsenoside-Rb1, Rc and Rb2 Attenuates the Severity of Mouse Collagen-Induced Arthritis. Mediators of Inflammation, 2014, 2014, 1-14.	1.4	23
11	Torilin ameliorates type II collagen-induced arthritis in mouse model of rheumatoid arthritis. International Immunopharmacology, 2013, 16, 232-242.	1.7	26
12	Quercetin disrupts tyrosine-phosphorylated phosphatidylinositol 3-kinase and myeloid differentiation factor-88 association, and inhibits MAPK/AP-1 and IKK/NF- κ B-induced inflammatory mediators production in RAW 264.7 cells. Immunobiology, 2013, 218, 1452-1467.	0.8	209
13	Dual Roles of Quercetin in Platelets: Phosphoinositide-3-Kinase and MAP Kinases Inhibition, and cAMP-Dependent Vasodilator-Stimulated Phosphoprotein Stimulation. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-10.	0.5	50
14	RGS2-Mediated Intracellular Ca ²⁺ Level Plays a Key Role in the Intracellular Replication of Brucella abortus Within Phagocytes. Journal of Infectious Diseases, 2012, 205, 445-452.	1.9	17
15	Ginsenoside-Rp1 inhibits platelet activation and thrombus formation via impaired glycoprotein VI signalling pathway, tyrosine phosphorylation and MAPK activation. British Journal of Pharmacology, 2012, 167, 109-127.	2.7	88
16	Inhibitory effect of <i>Suaeda asparagoides</i> (Miq.) extract on the motility of rat gastric antrum is mediated by β -adrenoceptor. Laboratory Animal Research, 2011, 27, 317.	1.1	5
17	A study on testicular characteristics of ram lambs of Arsi breed fed on two maize varieties (QPM and Tj ETQq1 1 0.784314 rgBT /Ove	0.1	0
18	Characterization and Identification of Erysipelothrix rhusiopathiae Isolated from an Unnatural Host, a Cat, with a Clinical Manifestation of Depression. Journal of Veterinary Medical Science, 2011, 73, 149-154.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Antiplatelet Activity of <i>Phellinus baumii</i> Methanol Extract is Mediated by Cyclic AMP Elevation and Inhibition of Collagen-activated Integrin α _{IIb} β ₃ and MAP Kinase. <i>Phytotherapy Research</i> , 2011, 25, 1596-1603.	2.8	21
20	A noble function of BAY 11-7082: Inhibition of platelet aggregation mediated by an elevated cAMP-induced VASP, and decreased ERK2/JNK1 phosphorylations. <i>European Journal of Pharmacology</i> , 2010, 627, 85-91.	1.7	40
21	Ischemia induces regulator of G protein signaling 2 (RGS2) protein upregulation and enhances apoptosis in astrocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C611-C623.	2.1	22
22	Inhibitory effects of <i>Bulnesia sarmienti</i> aqueous extract on agonist-induced platelet activation and thrombus formation involves mitogen-activated protein kinases. <i>Journal of Ethnopharmacology</i> , 2010, 130, 614-620.	2.0	29