Jane Shearer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2981539/jane-shearer-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers3,200
citations32
h-index53
g-index133
ext. papers3,813
ext. citations4.3
avg, IF5.38
L-index

#	Paper	IF	Citations
126	Seizure modulation by the gut microbiota and tryptophan-kynurenine metabolism in an animal model of infantile spasms <i>EBioMedicine</i> , 2022 , 103833	8.8	7
125	Probiotics counteract hepatic steatosis caused by ketogenic diet and upregulate AMPK signaling in a model of infantile epilepsy <i>EBioMedicine</i> , 2022 , 103838	8.8	5
124	Proteomic Analysis Suggests Altered Mitochondrial Metabolic Profile Associated With Diabetic Cardiomyopathy <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 791700	5.4	2
123	A metabolic axis in obesity and type 2 diabetes Gut Microbes, 2022, 14, 2057778	8.8	2
122	Impact of experimental colitis on mitochondrial bioenergetics in intestinal epithelial cells <i>Scientific Reports</i> , 2022 , 12, 7453	4.9	
121	Gut-based manipulations spur hippocampal mitochondrial bioenergetics in a model of pediatric epilepsy <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022 , 166446	6.9	1
120	Addition of Prebiotics to the Ketogenic Diet Improves Metabolic Profile but Does Not Affect Seizures in a Rodent Model of Infantile Spasms Syndrome. <i>Nutrients</i> , 2022 , 14, 2210	6.7	
119	Targeted gut microbiota manipulation attenuates seizures in a model of infantile spasms syndrome. <i>JCI Insight</i> , 2022 , 7,	9.9	1
118	Effect of supplementation with select human milk oligosaccharides on artificially reared newborn rats <i>British Journal of Nutrition</i> , 2021 , 1-26	3.6	
117	Crohn's Disease Pathobiont Adherent-Invasive E coli Disrupts Epithelial Mitochondrial Networks With Implications for Gut Permeability. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 11, 551-571	7.9	5
116	Maternal and Cord Blood Metabolite Associations with Gestational Weight Gain and Pregnancy Health Outcomes. <i>Journal of Proteome Research</i> , 2021 , 20, 1630-1638	5.6	2
115	The link between brain acidosis, breathing and seizures: a novel mechanism of action for the ketogenic diet in a model of infantile spasms. <i>Brain Communications</i> , 2021 , 3, fcab189	4.5	6
114	Prebiotic, Probiotic, and Synbiotic Consumption Alter Behavioral Variables and Intestinal Permeability and Microbiota in BTBR Mice. <i>Microorganisms</i> , 2021 , 9,	4.9	2
113	A ketogenic diet affects brain volume and metabolome in juvenile mice. NeuroImage, 2021 , 244, 118542	7.9	2
112	Maternal low-dose aspartame and stevia consumption with an obesogenic diet alters metabolism, gut microbiota and mesolimbic reward system in rat dams and their offspring. <i>Gut</i> , 2020 , 69, 1807-1817	19.2	20
111	Perturbed mitochondrial dynamics, an emerging aspect of epithelial-microbe interactions. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, G748-G762	5.1	9
110	Increased intestinal permeability exacerbates sepsis through reduced hepatic SCD-1 activity and dysregulated iron recycling. <i>Nature Communications</i> , 2020 , 11, 483	17.4	20

(2018-2020)

109	Metabolic Framework for the Improvement of Autism Spectrum Disorders by a Modified Ketogenic Diet: A Pilot Study. <i>Journal of Proteome Research</i> , 2020 , 19, 382-390	5.6	10
108	Exercise and Dairy Protein have Distinct Effects on Indices of Liver and Systemic Lipid Metabolism. <i>Obesity</i> , 2020 , 28, 97-105	8	3
107	Metabolic and Gut Microbiota Responses to Sourdough Pasta Consumption in Overweight and Obese Adults. <i>Frontiers in Nutrition</i> , 2020 , 7, 615003	6.2	1
106	Perturbed Mitochondrial Dynamics Is a Novel Feature of Colitis That Can Be Targeted to Lessen Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 10, 287-307	7.9	10
105	Distinct Gut Microbiota and Serum Metabolites in Response to Weight Loss Induced by Either Dairy or Exercise in a Rodent Model of Obesity. <i>Journal of Proteome Research</i> , 2019 , 18, 3867-3875	5.6	3
104	Metabolic consequences of discretionary fortified beverage consumption containing excessive vitamin B levels in adolescents. <i>PLoS ONE</i> , 2019 , 14, e0209913	3.7	3
103	Low-Dose Stevia (Rebaudioside A) Consumption Perturbs Gut Microbiota and the Mesolimbic Dopamine Reward System. <i>Nutrients</i> , 2019 , 11,	6.7	32
102	Hybrid gel electrophoresis using skin fibroblasts to aid in diagnosing mitochondrial disease. <i>Neurology: Genetics</i> , 2019 , 5, e336	3.8	2
101	Effects of Caffeine on Exertion, Skill Performance, and Physicality in Ice Hockey. <i>International Journal of Sports Physiology and Performance</i> , 2019 , 14, 1422-1429	3.5	5
100	Dietary and Supplement-Based Complementary and Alternative Medicine Use in Pediatric Autism Spectrum Disorder. <i>Nutrients</i> , 2019 , 11,	6.7	19
99	Impact of dietary fiber supplementation on modulating microbiota-host-metabolic axes in obesity. Journal of Nutritional Biochemistry, 2019 , 64, 228-236	6.3	45
98	Energy Drinks: A Contemporary Issues Paper. Current Sports Medicine Reports, 2018, 17, 65-72	1.9	30
97	The dynamic life of the glycogen granule. Journal of Biological Chemistry, 2018, 293, 7089-7098	5.4	70
96	STIMULANT-CONTAINING ENERGY DRINKS. ACSMps Health and Fitness Journal, 2018, 22, 17-21	0.9	
95	Impact of intradialytic exercise intensity on urea clearance in hemodialysis patients. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 101-104	3	13
94	Artificially Sweetened Vitamin Drink Consumption Reduces Insulin Sensitivity and Alters One-Carbon, B-Vitamin Dependent Metabolism in Adolescents. <i>FASEB Journal</i> , 2018 , 32, 767.8	0.9	
93	Evaluation of Dietary Intakes and Supplement Use in Elite Paralympic Athletes. <i>FASEB Journal</i> , 2018 , 32, 724.4	0.9	
92	Inhibition of Pathological Mitochondrial Fission Restores DSS Associated Respiratory Impairments in an Intestinal Epithelial Cell Line. <i>FASEB Journal</i> , 2018 , 32, 618.4	0.9	

91	Dietary Supplement Based Complementary and Alternative Medicine Use in Pediatric Autism: Physician Based Perception, Knowledge and Involvement. <i>FASEB Journal</i> , 2018 , 32, 682.8	0.9	
90	A Novel Mitochondrial Fission Inhibitor Ameliorates DSS and DNBS Induced Murine Colitis. <i>FASEB Journal</i> , 2018 , 32, 871.4	0.9	1
89	Independent but Synergistic Effects of Dairy and Exercise Training on Gut Microbiota, Serum Metabolomics and Weight Gain Attenuation in Obese Rats. <i>FASEB Journal</i> , 2018 , 32, 855.29	0.9	
88	Mesenchymal Stem Cells Shift Mitochondrial Dynamics and Enhance Oxidative Phosphorylation in Recipient Cells. <i>Frontiers in Physiology</i> , 2018 , 9, 1572	4.6	23
87	Evaluation of Dietary Supplement Use in Wheelchair Rugby Athletes. <i>Nutrients</i> , 2018 , 10,	6.7	6
86	Plasma-derived cell-free mitochondrial DNA: A novel non-invasive methodology to identify mitochondrial DNA haplogroups in humans. <i>Molecular Genetics and Metabolism</i> , 2018 , 125, 332-337	3.7	10
85	Ketogenic diet leads to O-GlcNAc modification in the BTBR mouse model of autism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 2274-2281	6.9	7
84	Genetic characterization of physical activity behaviours in university students enrolled in kinesiology degree programs. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 278-284	3	3
83	Obesity: Sweetener associated with increased adiposity in young adults. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 443-444	15.2	8
82	High Aerobic Capacity Mitigates Changes in the Plasma Metabolomic Profile Associated with Aging. <i>Journal of Proteome Research</i> , 2017 , 16, 798-805	5.6	6
81	Side alternating vibration training in patients with mitochondrial disease: a pilot study. <i>Archives of Physiotherapy</i> , 2017 , 7, 10	2.5	2
80	Dairy Attenuates Weight Gain to a Similar Extent as Exercise in Rats Fed a High-Fat, High-Sugar Diet. <i>Obesity</i> , 2017 , 25, 1707-1715	8	7
79	Evaluation of Dietary Intakes and Supplement Use in Paralympic Athletes. <i>Nutrients</i> , 2017 , 9,	6.7	17
78	Nutra-ergonomics: influence of nutrition on physical employment standards and the health of workers. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, S165-74	3	5
77	Metabolomic Modeling To Monitor Host Responsiveness to Gut Microbiota Manipulation in the BTBR(T+tf/j) Mouse. <i>Journal of Proteome Research</i> , 2016 , 15, 1143-50	5.6	34
76	Metabolomics and Type 2 Diabetes: Translating Basic Research into Clinical Application. <i>Journal of Diabetes Research</i> , 2016 , 2016, 3898502	3.9	83
75	Evidence for Acute Myocardial and Skeletal Muscle Injury after Serial Transthoracic Shocks in Healthy Swine. <i>PLoS ONE</i> , 2016 , 11, e0162245	3.7	8
74	Tissue Specific Impacts of a Ketogenic Diet on Mitochondrial Dynamics in the BTBR Mouse. <i>Frontiers in Physiology</i> , 2016 , 7, 654	4.6	20

73	Artificial sweeteners and metabolic dysregulation: Lessons learned from agriculture and the laboratory. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 179-86	10.5	26
72	Examination of Lifestyle Behaviors and Cardiometabolic Risk Factors in University Students Enrolled in Kinesiology Degree Programs. <i>Journal of Strength and Conditioning Research</i> , 2016 , 30, 1137	-46	5
71	Reshaping the gut microbiota: Impact of low calorie sweeteners and the link to insulin resistance?. <i>Physiology and Behavior</i> , 2016 , 164, 488-493	3.5	70
70	Ketogenic diet modifies the gut microbiota in a murine model of autism spectrum disorder. <i>Molecular Autism</i> , 2016 , 7, 37	6.5	137
69	Exercise training modifies gut microbiota in normal and diabetic mice. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015 , 40, 749-52	3	117
68	The ACTN3 R577X Polymorphism Is Associated with Cardiometabolic Fitness in Healthy Young Adults. <i>PLoS ONE</i> , 2015 , 10, e0130644	3.7	23
67	Chlorogenic Acid in Whole Body and Tissue-Specific Glucose Regulation 2015, 777-785		2
66	Chronic coffee consumption in the diet-induced obese rat: impact on gut microbiota and serum metabolomics. <i>Journal of Nutritional Biochemistry</i> , 2014 , 25, 489-95	6.3	100
65	5-Aminoimidazole-4-carboxamide-1-D-ribofuranoside (AICAR) effect on glucose production, but not energy metabolism, is independent of hepatic AMPK in vivo. <i>Journal of Biological Chemistry</i> , 2014 , 289, 5950-9	5.4	52
64	Methodological and metabolic considerations in the study of caffeine-containing energy drinks. <i>Nutrition Reviews</i> , 2014 , 72 Suppl 1, 137-45	6.4	9
63	Metabolomics reveals the sex-specific effects of the SORT1 low-density lipoprotein cholesterol locus in healthy young adults. <i>Journal of Proteome Research</i> , 2014 , 13, 5063-70	5.6	8
62	Myostatin inhibits proliferation and insulin-stimulated glucose uptake in mouse liver cells. <i>Biochemistry and Cell Biology</i> , 2014 , 92, 226-34	3.6	21
61	Role of O-GlcNAcylation in nutritional sensing, insulin resistance and in mediating the benefits of exercise. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014 , 39, 1205-13	3	19
60	Diminishing impairments in glucose uptake, mitochondrial content, and ADP-stimulated oxygen flux by mesenchymal stem cell therapy in the infarcted heart. <i>American Journal of Physiology - Cell Physiology</i> , 2014 , 306, C19-27	5.4	9
59	Enhanced stem cell engraftment and modulation of hepatic reactive oxygen species production in diet-induced obesity. <i>Obesity</i> , 2014 , 22, 721-9	8	9
58	Performance effects and metabolic consequences of caffeine and caffeinated energy drink consumption on glucose disposal. <i>Nutrition Reviews</i> , 2014 , 72 Suppl 1, 121-36	6.4	29
57	O-GlcNAc modification is associated with insulin sensitivity in the whole blood of healthy young adult males. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 96	5.6	16
56	SORT1 protective allele is associated with attenuated postprandial: lipaemia in young adults. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 576-82		6

55	Low-dose aspartame consumption differentially affects gut microbiota-host metabolic interactions in the diet-induced obese rat. <i>PLoS ONE</i> , 2014 , 9, e109841	3.7	165
54	The SORT1 risk allele is associated with exaggerated postprandial lipaemia in young adults (383.5). <i>FASEB Journal</i> , 2014 , 28, 383.5	0.9	
53	Exploring O-GlcNAc modification of whole blood in healthy young adult males: relation to insulin sensitivity, anthropometric and metabolic markers (767.4). <i>FASEB Journal</i> , 2014 , 28, 767.4	0.9	
52	Exercise training modifies gut bacterial composition in normal and diabetic mice (LB434). <i>FASEB Journal</i> , 2014 , 28, LB434	0.9	1
51	ACTN3 genotype predicts metabolic, anthropometric and cardiovascular phenotypes in a young, healthy population (711.8). <i>FASEB Journal</i> , 2014 , 28, 711.8	0.9	
50	Intravenous mesenchymal stem cell administration spurs endogenous hepatic mitochondrial gene expression in the diet-induced obese mouse (693.10). <i>FASEB Journal</i> , 2014 , 28, 693.10	0.9	
49	Mesenchymal stem cell transplantation for the infarcted heart: therapeutic potential for insulin resistance beyond the heart. <i>Cardiovascular Diabetology</i> , 2013 , 12, 128	8.7	15
48	Exercise training mitigates aberrant cardiac protein O-GlcNAcylation in streptozotocin-induced diabetic mice. <i>Life Sciences</i> , 2013 , 92, 657-63	6.8	47
47	Effect of the SORT1 low-density lipoprotein cholesterol locus is sex-specific in a fit, Canadian young-adult population. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 188-93	3	8
46	Dietary leucine improves whole-body insulin sensitivity independent of body fat in diet-induced obese Sprague-Dawley rats. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 1285-94	6.3	30
45	Myostatin-induced inhibition of the long noncoding RNA Malat1 is associated with decreased myogenesis. <i>American Journal of Physiology - Cell Physiology</i> , 2013 , 304, C995-1001	5.4	81
44	Enhanced cardiac protein glycosylation (O-GlcNAc) of selected mitochondrial proteins in rats artificially selected for low running capacity. <i>Physiological Genomics</i> , 2013 , 45, 17-25	3.6	40
43	Impact of dietary induced fatty liver on mitochondrial oxidative phosphorylation. <i>FASEB Journal</i> , 2013 , 27, 1209.21	0.9	
42	Increased oxygen consumption and OXPHOS potential in superhealer mesenchymal stem cells. <i>Cell Regeneration</i> , 2012 , 1, 3	2.5	2
41	Mesenchymal stem cell transplantation for the infarcted heart: a role in minimizing abnormalities in cardiac-specific energy metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E163-72	6	13
40	Unconventional microarray design reveals the response to obesity is largely tissue specific: analysis of common and divergent responses to diet-induced obesity in insulin-sensitive tissues. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 257-68	3	13
39	Modulatory effects of mesenchymal stem cells on hepatic mitochondrial reactive oxygen species production in dietary-induced insulin resistance. <i>FASEB Journal</i> , 2012 , 26, 405.5	0.9	
38	Elevated oxygen utilization and superior energetic reserve in superhealer mesenchymal stem cells. <i>FASEB Journal</i> , 2012 , 26, 887.7	0.9	

(2008-2012)

37	Paradoxical reduction in cardiac O-GlcNAcylation following short-term high fat feeding. <i>FASEB Journal</i> , 2012 , 26, 565.15	0.9	
36	Targeted protein glycosylation (O-GlcNAc) of mitochondrial proteins in rats selected for low running capacity. <i>FASEB Journal</i> , 2012 , 26, 565.11	0.9	
35	Hyperinsulinemic-euglycemic clamp in the conscious rat. Journal of Visualized Experiments, 2011,	1.6	18
34	Respirometric oxidative phosphorylation assessment in saponin-permeabilized cardiac fibers. <i>Journal of Visualized Experiments</i> , 2011 ,	1.6	19
33	Differentiating short- and long-term effects of diet in the obese mouse using (1) H-nuclear magnetic resonance metabolomics. <i>Diabetes, Obesity and Metabolism</i> , 2011 , 13, 859-62	6.7	33
32	Chlorogenic acid differentially affects postprandial glucose and glucose-dependent insulinotropic polypeptide response in rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011 , 36, 650-9	3	43
31	Metabolomic response to exercise training in lean and diet-induced obese mice. <i>Journal of Applied Physiology</i> , 2011 , 110, 1311-8	3.7	44
30	Exercise training does not correct abnormal cardiac glycogen accumulation in the db/db mouse model of type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E31-9	6	24
29	Myostatin decreases with aerobic exercise and associates with insulin resistance. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 2023-9	1.2	153
28	Reduced mitochondrial respiration and improved coupling in infarcted heart following stem cell therapy. <i>FASEB Journal</i> , 2010 , 24, 660.2	0.9	
27	Partial A1 adenosine receptor agonist regulates cardiac substrate utilization in insulin-resistant rats in vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 306-11	4.7	18
26	Increased secretion and expression of myostatin in skeletal muscle from extremely obese women. <i>Diabetes</i> , 2009 , 58, 30-8	0.9	225
25	Metabolomic profiling of dietary-induced insulin resistance in the high fat-fed C57BL/6J mouse. <i>Diabetes, Obesity and Metabolism</i> , 2008 , 10, 950-8	6.7	102
24	Consumption of dietary caffeine and coffee in physically active populations: physiological interactions. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008 , 33, 1301-10	3	37
23	Metabolic implications of reduced heart-type fatty acid binding protein in insulin resistant cardiac muscle. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008 , 1782, 586-92	6.9	10
22	Coffee, glucose homeostasis, and insulin resistance: physiological mechanisms and mediators. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008 , 33, 1290-300	3	126
21	Long chain fatty acid uptake in vivo: comparison of [125I]-BMIPP and [3H]-bromopalmitate. <i>Lipids</i> , 2008 , 43, 703-11	1.6	11
20	Diferuloylquinide is converted to diferuloylquinic acid and other phenolic compounds during digestion and/or metabolism in rats <i>FASEB Journal</i> , 2008 , 22, 889.13	0.9	

19	Glucose kinetics and exercise tolerance in mice lacking the GLUT4 glucose transporter. <i>Journal of Physiology</i> , 2007 , 582, 801-12	3.9	50	
18	Phosphorylation barriers to skeletal and cardiac muscle glucose uptakes in high-fat fed mice: studies in mice with a 50% reduction of hexokinase II. <i>Diabetes</i> , 2007 , 56, 2476-84	0.9	36	
17	Decreased mitochondrial enzyme content in adipose tissue after the consumption of a high fat diet is associated with oxidative stress. <i>FASEB Journal</i> , 2007 , 21, A456	0.9		
16	Insulin Resistance Induced Elevations in Cardiac Glycogen are not Attenuated by Regular Exercise. <i>FASEB Journal</i> , 2006 , 20, A393	0.9		
15	Rebuttal to Abram Katz Letter To The Editor. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 290, E758-E759	6		
14	Glycogenin activity and mRNA expression in response to volitional exhaustion in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2005 , 99, 957-62	3.7	20	
13	Control of muscle glucose uptake: test of the rate-limiting step paradigm in conscious, unrestrained mice. <i>Journal of Physiology</i> , 2005 , 562, 925-35	3.9	47	
12	Hexokinase II protein content is a determinant of exercise endurance capacity in the mouse. <i>Journal of Physiology</i> , 2005 , 566, 533-41	3.9	45	
11	Increases in glycogenin and glycogenin mRNA accompany glycogen resynthesis in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 289, E508-14	6	24	
10	Partial gene deletion of heart-type fatty acid-binding protein limits the severity of dietary-induced insulin resistance. <i>Diabetes</i> , 2005 , 54, 3133-9	0.9	38	
9	5-Aminoimidazole-4-carboxamide-1-beta-D-ribofuranoside causes acute hepatic insulin resistance in vivo. <i>Diabetes</i> , 2005 , 54, 355-60	0.9	33	
8	Heart-type fatty acid-binding protein reciprocally regulates glucose and fatty acid utilization during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E292-7	6	19	
7	Portal vein caffeine infusion enhances net hepatic glucose uptake during a glucose load in conscious dogs. <i>Journal of Nutrition</i> , 2004 , 134, 3042-6	4.1	14	
6	AMP kinase-induced skeletal muscle glucose but not long-chain fatty acid uptake is dependent on nitric oxide. <i>Diabetes</i> , 2004 , 53, 1429-35	0.9	31	
5	Novel aspects of skeletal muscle glycogen and its regulation during rest and exercise. <i>Exercise and Sport Sciences Reviews</i> , 2004 , 32, 120-6	6.7	39	
4	AMPK stimulation increases LCFA but not glucose clearance in cardiac muscle in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 287, E871-7	6	17	
3	Quinides of roasted coffee enhance insulin action in conscious rats. <i>Journal of Nutrition</i> , 2003 , 133, 352	29432	113	
2	New perspectives on the storage and organization of muscle glycogen. <i>Applied Physiology,</i> Nutrition, and Metabolism, 2002 , 27, 179-203		63	

Gender differences in carbohydrate loading are related to energy intake. *Journal of Applied Physiology*, **2001**, 91, 225-30

3.7 104