## Jacqueline Crawley

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2981546/jacqueline-crawley-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119	19,848	70	122
papers	citations	h-index	g-index
122	22,830 ext. citations	7.9	6.92
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
119	Sexually dimorphic neuroanatomical differences relate to ASD-relevant behavioral outcomes in a maternal autoantibody mouse model. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	2
118	Behavioral Evaluation of Angelman Syndrome Mice at Older Ages. <i>Neuroscience</i> , <b>2020</b> , 445, 163-171	3.9	8
117	Evaluation of a TrkB agonist on spatial and motor learning in the mouse model of Angelman syndrome. <i>Learning and Memory</i> , <b>2020</b> , 27, 346-354	2.8	2
116	Autism-specific maternal autoantibodies produce behavioral abnormalities in an endogenous antigen-driven mouse model of autism. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2994-3009	15.1	26
115	Spaced training improves learning in Ts65Dn and Ube3a mouse models of intellectual disabilities. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 166	8.6	5
114	Transcription Factor 2I Regulates Neuronal Development via TRPC3 in 7q11.23 Disorder Models. <i>Molecular Neurobiology</i> , <b>2019</b> , 56, 3313-3325	6.2	10
113	Hypothesis-driven investigations of diverse pharmacological targets in two mouse models of autism. <i>Autism Research</i> , <b>2019</b> , 12, 401-421	5.1	16
112	Rigor and reproducibility in rodent behavioral research. <i>Neurobiology of Learning and Memory</i> , <b>2019</b> , 165, 106780	3.1	33
111	SynDIG4/Prrt1 Is Required for Excitatory Synapse Development and Plasticity Underlying Cognitive Function. <i>Cell Reports</i> , <b>2018</b> , 22, 2246-2253	10.6	28
110	Touchscreen learning deficits in Ube3a, Ts65Dn and Mecp2 mouse models of neurodevelopmental disorders with intellectual disabilities. <i>Genes, Brain and Behavior</i> , <b>2018</b> , 17, e12452	3.6	12
109	Neuregulin-2 ablation results in dopamine dysregulation and severe behavioral phenotypes relevant to psychiatric disorders. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 1233-1243	15.1	28
108	R-Baclofen Reverses Cognitive Deficits and Improves Social Interactions in Two Lines of 16p11.2 Deletion Mice. <i>Neuropsychopharmacology</i> , <b>2018</b> , 43, 513-524	8.7	44
107	Drug development for neurodevelopmental disorders: lessons learned from fragile X syndrome. <i>Nature Reviews Drug Discovery</i> , <b>2018</b> , 17, 280-299	64.1	160
106	Curiosity as an approach to ethoexperimental analysis: Behavioral neuroscience as seen by students and colleagues of Bob Blanchard. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2017</b> , 76, 415-422	9	5
105	Behavioral Phenotyping Assays for Genetic Mouse Models of Neurodevelopmental, Neurodegenerative, and Psychiatric Disorders. <i>Annual Review of Animal Biosciences</i> , <b>2017</b> , 5, 371-389	13.7	30
104	Early motor phenotype detection in a female mouse model of Rett syndrome is improved by cross-fostering. <i>Human Molecular Genetics</i> , <b>2017</b> , 26, 1839-1854	5.6	23
103	Germline Chd8 haploinsufficiency alters brain development in mouse. <i>Nature Neuroscience</i> , <b>2017</b> , 20, 1062-1073	25.5	136

### (2014-2017)

102	Replicable in vivo physiological and behavioral phenotypes of the null mutant mouse model of autism. <i>Molecular Autism</i> , <b>2017</b> , 8, 26	6.5	70
101	Normal Performance of Fmr1 Mice on a Touchscreen Delayed Nonmatching to Position Working Memory Task. <i>ENeuro</i> , <b>2016</b> , 3,	3.9	13
100	Evaluation of the neuroactive steroid ganaxolone on social and repetitive behaviors in the BTBR mouse model of autism. <i>Psychopharmacology</i> , <b>2016</b> , 233, 309-23	4.7	32
99	Autism and Cancer Share Risk Genes, Pathways, and Drug Targets. <i>Trends in Genetics</i> , <b>2016</b> , 32, 139-146	8.5	68
98	Translational Mouse Models of Autism: Advancing Toward Pharmacological Therapeutics. <i>Current Topics in Behavioral Neurosciences</i> , <b>2016</b> , 28, 1-52	3.4	73
97	Behavioral phenotypes of genetic mouse models of autism. <i>Genes, Brain and Behavior</i> , <b>2016</b> , 15, 7-26	3.6	91
96	GABAB Receptor Agonist R-Baclofen Reverses Social Deficits and Reduces Repetitive Behavior in Two Mouse Models of Autism. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 2228-39	8.7	139
95	In tribute to Bob Blanchard: Divergent behavioral phenotypes of 16p11.2 deletion mice reared in same-genotype versus mixed-genotype cages. <i>Physiology and Behavior</i> , <b>2015</b> , 146, 16-27	3.5	21
94	16p11.2 Deletion Syndrome Mice Display Sensory and Ultrasonic Vocalization Deficits During Social Interactions. <i>Autism Research</i> , <b>2015</b> , 8, 507-21	5.1	57
93	Engrailed-2 (En2) deletion produces multiple neurodevelopmental defects in monoamine systems, forebrain structures and neurogenesis and behavior. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 5805-27	5.6	34
92	Cognitive abilities on transitive inference using a novel touchscreen technology for mice. <i>Cerebral Cortex</i> , <b>2015</b> , 25, 1133-42	5.1	32
91	Behavioral assessment of NIH Swiss mice acutely intoxicated with tetramethylenedisulfotetramine. <i>Neurotoxicology and Teratology</i> , <b>2015</b> , 47, 36-45	3.9	30
90	Clustering autism: using neuroanatomical differences in 26 mouse models to gain insight into the heterogeneity. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 118-25	15.1	185
89	16p11.2 Deletion mice display cognitive deficits in touchscreen learning and novelty recognition tasks. <i>Learning and Memory</i> , <b>2015</b> , 22, 622-32	2.8	38
88	Hippocampal Transcriptomic and Proteomic Alterations in the BTBR Mouse Model of Autism Spectrum Disorder. <i>Frontiers in Physiology</i> , <b>2015</b> , 6, 324	4.6	32
87	Behavioral and Neuroanatomical Phenotypes in Mouse Models of Autism. <i>Neurotherapeutics</i> , <b>2015</b> , 12, 521-33	6.4	66
86	3D visualization of the regional differences. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 1	15.1	12
85	Assessing behavioural and cognitive domains of autism spectrum disorders in rodents: current status and future perspectives. <i>Psychopharmacology</i> , <b>2014</b> , 231, 1125-46	4.7	95

84	The promising trajectory of autism therapeutics discovery. <i>Drug Discovery Today</i> , <b>2014</b> , 19, 838-44	8.8	27
83	Behavioral abnormalities and circuit defects in the basal ganglia of a mouse model of 16p11.2 deletion syndrome. <i>Cell Reports</i> , <b>2014</b> , 7, 1077-1092	10.6	137
82	Long-term exposure to intranasal oxytocin in a mouse autism model. <i>Translational Psychiatry</i> , <b>2014</b> , 4, e480	8.6	90
81	Chronic desipramine treatment rescues depression-related, social and cognitive deficits in Engrailed-2 knockout mice. <i>Genes, Brain and Behavior</i> , <b>2014</b> , 13, 286-298	3.6	22
80	Modeling fragile X syndrome in the Fmr1 knockout mouse. <i>Intractable and Rare Diseases Research</i> , <b>2014</b> , 3, 118-33	1.4	140
79	Genetic background modulates phenotypes of serotonin transporter Ala56 knock-in mice. <i>Molecular Autism</i> , <b>2013</b> , 4, 35	6.5	33
78	Developmental delays and reduced pup ultrasonic vocalizations but normal sociability in mice lacking the postsynaptic cell adhesion protein neuroligin2. <i>Behavioural Brain Research</i> , <b>2013</b> , 251, 50-64	3.4	88
77	AMPAKINE enhancement of social interaction in the BTBR mouse model of autism. <i>Neuropharmacology</i> , <b>2013</b> , 64, 268-82	5.5	85
76	Quantitative trait loci for interhemispheric commissure development and social behaviors in the BTBR T+ tf/J mouse model of autism. <i>PLoS ONE</i> , <b>2013</b> , 8, e61829	3.7	42
75	Male mice emit distinct ultrasonic vocalizations when the female leaves the social interaction arena. <i>Frontiers in Behavioral Neuroscience</i> , <b>2013</b> , 7, 159	3.5	42
74	Autism gene variant causes hyperserotonemia, serotonin receptor hypersensitivity, social impairment and repetitive behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 5469-74	11.5	225
73	Absence of deficits in social behaviors and ultrasonic vocalizations in later generations of mice lacking neuroligin4. <i>Genes, Brain and Behavior</i> , <b>2012</b> , 11, 928-941	3.6	61
72	Low sociability in BTBR T+tf/J mice is independent of partner strain. <i>Physiology and Behavior</i> , <b>2012</b> , 107, 649-62	3.5	75
71	Autism-relevant social abnormalities and cognitive deficits in engrailed-2 knockout mice. <i>PLoS ONE</i> , <b>2012</b> , 7, e40914	3.7	115
70	Autistic-like behaviour and cerebellar dysfunction in Purkinje cell Tsc1 mutant mice. <i>Nature</i> , <b>2012</b> , 488, 647-51	50.4	574
69	Dysbindin-1 modulates prefrontal cortical activity and schizophrenia-like behaviors via dopamine/D2 pathways. <i>Molecular Psychiatry</i> , <b>2012</b> , 17, 85-98	15.1	108
68	Reduced excitatory neurotransmission and mild autism-relevant phenotypes in adolescent Shank3 null mutant mice. <i>Journal of Neuroscience</i> , <b>2012</b> , 32, 6525-41	6.6	274
67	Negative allosteric modulation of the mGluR5 receptor reduces repetitive behaviors and rescues social deficits in mouse models of autism. <i>Science Translational Medicine</i> , <b>2012</b> , 4, 131ra51	17.5	180

### (2009-2012)

66	Preclinical research in Rett syndrome: setting the foundation for translational success. <i>DMM Disease Models and Mechanisms</i> , <b>2012</b> , 5, 733-45	4.1	154
65	Translational animal models of autism and neurodevelopmental disorders. <i>Dialogues in Clinical Neuroscience</i> , <b>2012</b> , 14, 293-305	5.7	145
64	Mouse models of autism: testing hypotheses about molecular mechanisms. <i>Current Topics in Behavioral Neurosciences</i> , <b>2011</b> , 7, 187-212	3.4	46
63	Female urine-induced male mice ultrasonic vocalizations, but not scent-marking, is modulated by social experience. <i>Behavioural Brain Research</i> , <b>2011</b> , 216, 19-28	3.4	69
62	Reduced scent marking and ultrasonic vocalizations in the BTBR T+tf/J mouse model of autism. <i>Genes, Brain and Behavior</i> , <b>2011</b> , 10, 35-43	3.6	125
61	Unusual repertoire of vocalizations in adult BTBR T+tf/J mice during three types of social encounters. <i>Genes, Brain and Behavior</i> , <b>2011</b> , 10, 44-56	3.6	239
60	Sociability and motor functions in Shank1 mutant mice. <i>Brain Research</i> , <b>2011</b> , 1380, 120-37	3.7	166
59	Absence of preference for social novelty and increased grooming in integrin B knockout mice: initial studies and future directions. <i>Autism Research</i> , <b>2011</b> , 4, 57-67	5.1	80
58	Automated three-chambered social approach task for mice. <i>Current Protocols in Neuroscience</i> , <b>2011</b> , Chapter 8, Unit 8.26	2.7	300
57	Communication impairments in mice lacking Shank1: reduced levels of ultrasonic vocalizations and scent marking behavior. <i>PLoS ONE</i> , <b>2011</b> , 6, e20631	3.7	157
56	Behavioural phenotyping assays for mouse models of autism. <i>Nature Reviews Neuroscience</i> , <b>2010</b> , 11, 490-502	13.5	963
55	The female urine sniffing test: a novel approach for assessing reward-seeking behavior in rodents. <i>Biological Psychiatry</i> , <b>2010</b> , 67, 864-71	7.9	130
54	Social deficits, stereotypy and early emergence of repetitive behavior in the C58/J inbred mouse strain. <i>Behavioural Brain Research</i> , <b>2010</b> , 208, 178-88	3.4	85
53	Low stress reactivity and neuroendocrine factors in the BTBR T+tf/J mouse model of autism. <i>Neuroscience</i> , <b>2010</b> , 171, 1197-208	3.9	109
52	Repetitive self-grooming behavior in the BTBR mouse model of autism is blocked by the mGluR5 antagonist MPEP. <i>Neuropsychopharmacology</i> , <b>2010</b> , 35, 976-89	8.7	304
51	Haploinsufficiency of the autism-associated Shank3 gene leads to deficits in synaptic function, social interaction, and social communication. <i>Molecular Autism</i> , <b>2010</b> , 1, 15	6.5	399
50	Galanin impairs cognitive abilities in rodents: relevance to Alzheimer disease. Exs, 2010, 102, 133-41		8
49	Social approach in genetically engineered mouse lines relevant to autism. <i>Genes, Brain and Behavior</i> , <b>2009</b> , 8, 129-42	3.6	191

31	2007,		214
32	Social deficits in BTBR T+tf/J mice are unchanged by cross-fostering with C57BL/6J mothers. <i>International Journal of Developmental Neuroscience</i> , <b>2007</b> , 25, 515-21	2.7	108
33	Mouse behavioral tasks relevant to autism: phenotypes of 10 inbred strains. <i>Behavioural Brain Research</i> , <b>2007</b> , 176, 4-20	3.4	603
34	Social approach behaviors in oxytocin knockout mice: comparison of two independent lines tested in different laboratory environments. <i>Neuropeptides</i> , <b>2007</b> , 41, 145-63	3.3	170
35	Galanin receptor subtype 2 (GalR2) null mutant mice display an anxiogenic-like phenotype specific to the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , <b>2007</b> , 86, 8-20	3.9	90
36	Mouse behavioral assays relevant to the symptoms of autism. <i>Brain Pathology</i> , <b>2007</b> , 17, 448-59	6	430
37	Social approach behaviors are similar on conventional versus reverse lighting cycles, and in replications across cohorts, in BTBR T+ tf/J, C57BL/6J, and vasopressin receptor 1B mutant mice. <i>Frontiers in Behavioral Neuroscience</i> , <b>2007</b> , 1, 1	3.5	93
38	Autism-like behavioral phenotypes in BTBR T+tf/J mice. <i>Genes, Brain and Behavior</i> , <b>2008</b> , 7, 152-63	3.6	556
39	Minimal aberrant behavioral phenotypes of neuroligin-3 R451C knockin mice. <i>Autism Research</i> , <b>2008</b> , 1, 147-58	5.1	231
40	Galanin impairs cognitive abilities in rodents: relevance to Alzheimerß disease. <i>Cellular and Molecular Life Sciences</i> , <b>2008</b> , 65, 1836-41	10.3	32
41	Unusual repertoire of vocalizations in the BTBR T+tf/J mouse model of autism. <i>PLoS ONE</i> , <b>2008</b> , 3, e306	53. <sub>7</sub>	381
42	Social approach and repetitive behavior in eleven inbred mouse strains. <i>Behavioural Brain Research</i> , <b>2008</b> , 191, 118-29	3.4	177
43	Development of a mouse test for repetitive, restricted behaviors: relevance to autism. <i>Behavioural Brain Research</i> , <b>2008</b> , 188, 178-94	3.4	152
44	Olfactory cues are sufficient to elicit social approach behaviors but not social transmission of food preference in C57BL/6J mice. <i>Behavioural Brain Research</i> , <b>2008</b> , 193, 235-42	3.4	63
45	Behavioral phenotyping strategies for mutant mice. <i>Neuron</i> , <b>2008</b> , 57, 809-18	13.9	337
46	Simple behavioral assessment of mouse olfaction. <i>Current Protocols in Neuroscience</i> , <b>2009</b> , Chapter 8, Unit 8.24	2.7	294
47	Ultrasonic vocalizations: a tool for behavioural phenotyping of mouse models of neurodevelopmental disorders. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2009</b> , 33, 508-15	9	303
48	Postnatal lesion evidence against a primary role for the corpus callosum in mouse sociability. <i>European Journal of Neuroscience</i> , <b>2009</b> , 29, 1663-77	3.5	90

#### (1996-2006)

30	Mouse models of autism spectrum disorders: the challenge for behavioral genetics. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , <b>2006</b> , 142C, 40-51	3.1	104
29	Automated apparatus for quantitation of social approach behaviors in mice. <i>Genes, Brain and Behavior</i> , <b>2004</b> , 3, 303-14	3.6	561
28	Sociability and preference for social novelty in five inbred strains: an approach to assess autistic-like behavior in mice. <i>Genes, Brain and Behavior</i> , <b>2004</b> , 3, 287-302	3.6	933
27	Designing mouse behavioral tasks relevant to autistic-like behaviors. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , <b>2004</b> , 10, 248-58		366
26	Social transmission of food preference in mice: Methodology and application to galanin-overexpressing transgenic mice <i>Behavioral Neuroscience</i> , <b>2003</b> , 117, 21-31	2.1	94
25	Social transmission of food preference in mice: methodology and application to galanin-overexpressing transgenic mice. <i>Behavioral Neuroscience</i> , <b>2003</b> , 117, 21-31	2.1	50
24	Galanin peptide levels in hippocampus and cortex of galanin-overexpressing transgenic mice evaluated for cognitive performance. <i>Neuropeptides</i> , <b>2002</b> , 36, 413-26	3.3	24
23	Evaluation of antidepressant-related behavioral responses in mice lacking the serotonin transporter. <i>Neuropsychopharmacology</i> , <b>2002</b> , 27, 914-23	8.7	226
22	Galanin: neurobiologic mechanisms and therapeutic potential for Alzheimer disease. CNS Neuroscience & Therapeutics, 2001, 7, 445-70		39
21	Neurogranin null mutant mice display performance deficits on spatial learning tasks with anxiety related components. <i>Hippocampus</i> , <b>2001</b> , 11, 763-75	3.5	141
20	Impaired learning and motor behavior in heterozygous Pafah1b1 (Lis1) mutant mice. <i>Learning and Memory</i> , <b>1999</b> , 6, 521-37	2.8	73
19	The role of galanin in feeding behavior. <i>Neuropeptides</i> , <b>1999</b> , 33, 369-75	3.3	132
18	Mesolimbic dopaminergic mechanisms underlying individual differences in sugar consumption and amphetamine hyperlocomotion in Wistar rats. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 1895-902	3.5	10
17	A proposed test battery and constellations of specific behavioral paradigms to investigate the behavioral phenotypes of transgenic and knockout mice. <i>Hormones and Behavior</i> , <b>1997</b> , 31, 197-211	3.7	479
16	Social interaction and sensorimotor gating abnormalities in mice lacking Dvl1. <i>Cell</i> , <b>1997</b> , 90, 895-905	56.2	391
15	Behavioral phenotypes of inbred mouse strains: implications and recommendations for molecular studies. <i>Psychopharmacology</i> , <b>1997</b> , 132, 107-24	4.7	1149
14	Inbred strain differences in prepulse inhibition of the mouse startle response. <i>Psychopharmacology</i> , <b>1997</b> , 132, 169-80	4.7	337
13	Mice lacking both subunits of lysosomal beta-hexosaminidase display gangliosidosis and mucopolysaccharidosis. <i>Nature Genetics</i> , <b>1996</b> , 14, 348-52	36.3	181

12	Pain responses, anxiety and aggression in mice deficient in pre-proenkephalin. <i>Nature</i> , <b>1996</b> , 383, 535-8	50.4	436
11	The CCK-B antagonist CI-988 increases dopamine levels in microdialysate from the rat nucleus accumbens via a tetrodotoxin- and calcium-independent mechanism. <i>Journal of Neurochemistry</i> , <b>1995</b> , 65, 208-17	6	6
10	Genetic analysis of anxiety-related behaviors and responses to benzodiazepine-related drugs in AXB and BXA recombinant inbred mouse strains. <i>Behavior Genetics</i> , <b>1995</b> , 25, 557-68	3.2	85
9	Lack of effect of chronic morphine treatment and naloxone-precipitated withdrawal on tyrosine hydroxylase, galanin, and neuropeptide Y mRNA levels in the rat locus coeruleus. <i>Synapse</i> , <b>1995</b> , 19, 197	7 <del>-20</del> 5	17
8	Mouse models of Tay-Sachs and Sandhoff diseases differ in neurologic phenotype and ganglioside metabolism. <i>Nature Genetics</i> , <b>1995</b> , 11, 170-6	36.3	370
7	Subtype-selective cholecystokinin receptor antagonists block cholecystokinin modulation of dopamine-mediated behaviors in the rat mesolimbic pathway. <i>Journal of Neuroscience</i> , <b>1992</b> , 12, 3380-9	6.6	88
6	Centrally administered cholecystokinin suppresses feeding through a peripheral-type receptor mechanism. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>1991</b> , 257, 1076-80	4.7	43
5	Coexistence of neuropeptides and "classical" neurotransmitters. Functional interactions between galanin and acetylcholine. <i>Annals of the New York Academy of Sciences</i> , <b>1990</b> , 579, 233-45	6.5	23
4	Modulation of mesolimbic dopaminergic behaviors by cholecystokinin. <i>Annals of the New York Academy of Sciences</i> , <b>1988</b> , 537, 380-96	6.5	18
3	Exploratory behavior models of anxiety in mice. Neuroscience and Biobehavioral Reviews, 1985, 9, 37-44	9	561
2	Preliminary report of a simple animal behavior model for the anxiolytic effects of benzodiazepines. <i>Pharmacology Biochemistry and Behavior</i> , <b>1980</b> , 13, 167-70	3.9	930
1	Autism: Animal Models1-22		1