

# Maria E H Larsson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2982038/publications.pdf>

Version: 2024-02-01

31  
papers

796  
citations

623734

14  
h-index

526287

27  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment of patellar tendinopathy—a systematic review of randomized controlled trials. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1632-1646.	4.2	146
2	Person-centred care after acute coronary syndrome, from hospital to primary care — A randomised controlled trial. <i>International Journal of Cardiology</i> , 2015, 187, 693-699.	1.7	114
3	Determinants of Guideline Use in Primary Care Physical Therapy: A Cross-Sectional Survey of Attitudes, Knowledge, and Behavior. <i>Physical Therapy</i> , 2014, 94, 343-354.	2.4	89
4	Patients with chronic pain may need extra support when prescribed physical activity in primary care: a qualitative study. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 64-74.	1.5	47
5	Clinical practice in line with evidence? A survey among primary care physiotherapists in western Sweden. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 1169-1177.	1.8	41
6	Evaluation of a tailored, multi-component intervention for implementation of evidence-based clinical practice guidelines in primary care physical therapy: a non-randomized controlled trial. <i>BMC Health Services Research</i> , 2014, 14, 105.	2.2	32
7	Measuring Evidence-Based Practice in Physical Therapy: Translation, Adaptation, Further Development, Validation, and Reliability Test of a Questionnaire. <i>Physical Therapy</i> , 2013, 93, 819-832.	2.4	30
8	Perceived quality of physiotherapist-led orthopaedic triage compared with standard practice in primary care: a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 257.	1.9	28
9	More cost-effective management of patients with musculoskeletal disorders in primary care after direct triaging to physiotherapists for initial assessment compared to initial general practitioner assessment. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 186.	1.9	28
10	Physical Activity on Prescription (PAP), in patients with metabolic risk factors. A 6-month follow-up study in primary health care. <i>PLoS ONE</i> , 2017, 12, e0175190.	2.5	26
11	Effects of exercise therapy in patients with acute low back pain: a systematic review of systematic reviews. <i>Systematic Reviews</i> , 2020, 9, 182.	5.3	24
12	Which patients benefit from physical activity on prescription (PAP)? A prospective observational analysis of factors that predict increased physical activity. <i>BMC Public Health</i> , 2019, 19, 482.	2.9	18
13	Comparison Between the Montgomery-Asberg Depression Rating Scale—Self and the Beck Depression Inventory II in Primary Care. <i>primary care companion for CNS disorders, The</i> , 2015, 17, .	0.6	17
14	Use of outcome measures improved after a tailored implementation in primary care physiotherapy: a prospective, controlled study. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 668-676.	1.8	16
15	“Take me seriously and do something!”— a qualitative study exploring patients’ perceptions and expectations of an upcoming orthopaedic consultation. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 367.	1.9	15
16	Patients' views on responsibility for the management of musculoskeletal disorders — A qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 103.	1.9	14
17	Early identification in primary health care of people at risk for sick leave due to work-related stress — A study protocol of a randomized controlled trial (RCT). <i>BMC Public Health</i> , 2016, 16, 1193.	2.9	14
18	Responsibility for managing musculoskeletal disorders — A cross-sectional postal survey of attitudes. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 110.	1.9	13

#	ARTICLE	IF	CITATIONS
19	A preference for dialogue: exploring the influence of patient preferences on clinical decision making and treatment in primary care physiotherapy. <i>European Journal of Physiotherapy</i> , 2019, 21, 107-114.	1.3	13
20	Gothenburg Very Early Supported Discharge study (GOTVED): a randomised controlled trial investigating anxiety and overall disability in the first year after stroke. <i>BMC Neurology</i> , 2019, 19, 277.	1.8	13
21	Is patient responsibility for managing musculoskeletal disorders related to self-reported better outcome of physiotherapy treatment?. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 308-317.	1.3	11
22	Long-term physical activity on prescription intervention for patients with insufficient physical activity level—a randomized controlled trial. <i>Trials</i> , 2020, 21, 793.	1.6	9
23	Tailored physical activity on prescription with follow-ups improved motivation and physical activity levels. A qualitative study of a 5-year Swedish primary care intervention. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 399-410.	1.5	8
24	Does a tailored guideline implementation strategy have an impact on clinical physiotherapy practice? A nonrandomized controlled study. <i>Journal of Evaluation in Clinical Practice</i> , 2019, 25, 575-584.	1.8	7
25	A sense of increased living space after participating in multimodal rehabilitation. <i>Disability and Rehabilitation</i> , 2016, 38, 2445-2454.	1.8	5
26	Shall we use cryotherapy in the treatment in surgical procedures, in acute pain or injury, or in long term pain or dysfunction? - A systematic review. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 27, 368-387.	1.2	5
27	Patients'™ experience of being triaged directly to a psychologist in primary care: a qualitative study. <i>Primary Health Care Research and Development</i> , 2014, 15, 441-451.	1.2	4
28	Implementation of physical activity on prescription for children with obesity in paediatric health care (IMPA): protocol for a feasibility and evaluation study using quantitative and qualitative methods. <i>Pilot and Feasibility Studies</i> , 2022, 8, .	1.2	4
29	Physiotherapist-guided Free Movement Dance for patients with persistent pain is empowering in everyday living. A qualitative study. <i>European Journal of Physiotherapy</i> , 2020, 22, 2-13.	1.3	3
30	Prevention of sickness absence through early identification and rehabilitation of at-risk patients with musculoskeletal pain (PREVSAM): a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 790.	1.9	2
31	Clinical assessment of pelvic floor and abdominal muscles 3 months post partum: an inter-rater reliability study. <i>BMJ Open</i> , 2021, 11, e049082.	1.9	0