Hong-Tao Xu

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/29846/publications.pdf

Version: 2024-02-01

		361388	454934
70	1,260	20	30
papers	citations	h-index	g-index

72	72	72	1756
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Overexpression of KRT17 promotes proliferation and invasion of non-small cell lung cancer and indicates poor prognosis . Cancer Management and Research, 2019, Volume 11, 7485-7497.	1.9	53
2	Ablation of p120â€catenin enhances invasion and metastasis of human lung cancer cells. Cancer Science, 2009, 100, 441-448.	3.9	51
3	Role of MCM2â€“7 protein phosphorylation in human cancer cells. Cell and Bioscience, 2018, 8, 43.	4.8	49
4	Abnormal Î²-Catenin and Reduced Axin Expression Are Associated With Poor Differentiation and Progression in Nonâ€“Small Cell Lung Cancer. American Journal of Clinical Pathology, 2006, 125, 534-541.	0.7	48
5	Abnormal Î²-Catenin and Reduced Axin Expression Are Associated With Poor Differentiation and Progression in Non-Small Cell Lung Cancer. American Journal of Clinical Pathology, 2006, 125, 534-541.	0.7	47
6	FAM83A Promotes Lung Cancer Progression by Regulating the Wnt and Hippo Signaling Pathways and Indicates Poor Prognosis. Frontiers in Oncology, 2020, 10, 180.	2.8	44
7	Overexpression of Axin Downregulates TCF-4 and Inhibits the Development of Lung Cancer. Annals of Surgical Oncology, 2007, 14, 3251-3259.	1.5	41
8	Connexin 43 recruits E-cadherin expression and inhibits the malignant behaviour of lung cancer cells.. Folia Histochemica Et Cytobiologica, 2008, 46, 315-21.	1.5	40
9	Overexpression of NEDD9 is Associated with Altered Expression of E-Cadherin, Î²-Catenin and N-Cadherin and Predictive of Poor Prognosis in non-Small Cell Lung Cancer. Pathology and Oncology Research, 2013, 19, 281-286.	1.9	38
10	Axin downregulates TCF-4 transcription via Î²-catenin, but not p53, and inhibits the proliferation and invasion of lung cancer cells. Molecular Cancer, 2010, 9, 25.	19.2	34
11	Oddâ€skipped related 1 inhibits lung cancer proliferation and invasion by reducing Wnt signaling through the suppression of <scp>SOX</scp>9 and Î²â€catenin. Cancer Science, 2018, 109, 1799-1810.	3.9	32
12	DEC1 is positively associated with the malignant phenotype of invasive breast cancers and negatively correlated with the expression of claudin-1. International Journal of Molecular Medicine, 2013, 31, 855-860.	4.0	30
13	PRDM16 functions as a suppressor of lung adenocarcinoma metastasis. Journal of Experimental and Clinical Cancer Research, 2019, 38, 35.	8.6	30
14	p120ctn isoform 1 expression significantly correlates with abnormal expression of E-cadherin and poor survival of lung cancer patients. Medical Oncology, 2010, 27, 880-886.	2.5	29
15	Aberrant hypermethylation and reduced expression of disabled-2 promote the development of lung cancers. International Journal of Oncology, 2013, 43, 1636-1642.	3.3	29
16	Abnormal expression and clinicopathologic significance of p120-catenin in lung cancer. Histology and Histopathology, 2006, 21, 841-7.	0.7	29
17	Expression of serine threonine kinase 15 is associated with poor differentiation in lung squamous cell carcinoma and adenocarcinoma. Pathology International, 2006, 56, 375-380.	1.3	28
18	Reduction of p120^{ctn} isoforms 1 and 3 is significantly associated with metastatic progression of human lung cancer. Apmis, 2007, 115, 848-856.	2.0	27

#	Article	IF	Citations
19	Expression of metastasis-associated protein 2 (MTA2) might predict proliferation in non-small cell lung cancer. Targeted Oncology, 2012, 7, 135-143.	3.6	27
20	X-Radiation Induces Non-Small-Cell Lung Cancer Apoptosis by Upregulation of Axin Expression. International Journal of Radiation Oncology Biology Physics, 2009, 75, 518-526.	0.8	21
21	Disabled-2 and Axin are concurrently colocalized and underexpressed in lung cancers. Human Pathology, 2011, 42, 1491-1498.	2.0	21
22	Kaiso Interacts with p120-Catenin to Regulate Î²-Catenin Expression at the Transcriptional Level. PLoS ONE, 2014, 9, e87537.	2.5	20
23	CCDC85B promotes nonâ€small cell lung cancer cell proliferation and invasion. Molecular Carcinogenesis, 2019, 58, 126-134.	2.7	20
24	X-radiation inhibits histone deacetylase 1 and 2, upregulates Axin expression and induces apoptosis in non-small cell lung cancer. Radiation Oncology, 2012, 7, 183.	2.7	19
25	Mediastinal epithelioid hemangioendothelioma with abundant spindle cells and osteoclast-like giant cells mimicking malignant fibrous histiocytoma. Diagnostic Pathology, 2013, 8, 103.	2.0	19
26	Coiled-coil domain-containing protein 8 inhibits the invasiveness and migration of nonâ€“small cell lung cancer cells. Human Pathology, 2016, 56, 64-73.	2.0	19
27	Ectopic adrenocortical adenoma in the renal hilum: a case report and literature review. Diagnostic Pathology, 2016, 11, 40.	2.0	19
28	TMEM17 promotes malignant progression of breast cancer via AKT/GSK3β signaling. Cancer Management and Research, 2018, Volume 10, 2419-2428.	1.9	19
29	p53 protein expression and genetic mutation in two primary cell types in pulmonary sclerosing haemangioma. Journal of Clinical Pathology, 2007, 61, 192-196.	2.0	17
30	Abnormal hypermethylation and clinicopathological significance of Axin gene in lung cancer. Tumor Biology, 2013, 34, 749-757.	1.8	17
31	Primary thyroid-like low-grade nasopharyngeal papillary adenocarcinoma. Medicine (United States), 2017, 96, e8851.	1.0	16
32	Axin gene methylation status correlates with radiosensitivity of lung cancer cells. BMC Cancer, 2013, 13, 368.	2.6	14
33	ARMc8 indicates aggressive colon cancers and promotes invasiveness and migration of colon cancer cells. Tumor Biology, 2015, 36, 9005-9013.	1.8	14
34	The high expression of TC1 (C8orf4) was correlated with the expression of Î²-catenin and cyclin D1 and the progression of squamous cell carcinomas of the tongue. Tumor Biology, 2015, 36, 7061-7067.	1.8	14
35	Expression of p130cas, E-cadherin and Î²-catenin and their correlation with clinicopathological parameters in non-small cell lung cancer: p130cas over-expression predicts poor prognosis. Folia Histochemica Et Cytobiologica, 2012, 50, 392-397.	1.5	14
36	The expression patterns and correlations of chibby, Î²-catenin, and DNA methyltransferase-1 and their clinicopathological significance in lung cancers. Apmis, 2011, 119, 750-758.	2.0	13

#	Article	IF	Citations
37	A novel biomarker C6orf106 promotes the malignant progression of breast cancer. Tumor Biology, 2015, 36, 7881-7889.	1.8	13
38	Overexpression of Rsf-1 correlates with poor survival and promotes invasion in non-small cell lung cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 553-560.	2.8	12
39	TRIP13 promotes the proliferation and invasion of lung cancer cells via the Wnt signaling pathway and epithelialâ€“mesenchymal transition. Journal of Molecular Histology, 2021, 52, 11-20.	2.2	12
40	Expression of E-cadherin, Î²-catenin and p120ctn in the pulmonary sclerosing hemangioma. Lung Cancer, 2007, 57, 54-59.	2.0	11
41	The alveolar epithelial differentiation of glandular inner lining cells in a mucoepidermoid carcinoma of the lung: a case report. Diagnostic Pathology, 2012, 7, 137.	2.0	11
42	TC-1 (C8orf4) expression is correlated with differentiation in ovarian carcinomas and might distinguish metastatic ovarian from metastatic colorectal carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2013, 462, 281-287.	2.8	11
43	Primary acinic cell carcinoma of the lung with psammoma bodies: A case report and review of literature. Pathology Research and Practice, 2017, 213, 405-409.	2.3	10
44	Thyroid cancer 1 (C8orf4) shows high expression, no mutation and reduced methylation level in lung cancers, and its expression correlates with Î²-catenin and DNMT1 expression and poor prognosis. Oncotarget, 2017, 8, 62880-62890.	1.8	10
45	Angiomatous pleomorphic xanthoastrocytoma: a case report and literature review. Diagnostic Pathology, 2016, 11, 73.	2.0	9
46	Overexpression of Nemo-like Kinase Promotes the Proliferation and Invasion of Lung Cancer Cells and Indicates Poor Prognosis. Current Cancer Drug Targets, 2019, 19, 674-680.	1.6	9
47	A case of adenocarcinoma of the rete testis accompanied by focal adenomatous hyperplasia. Diagnostic Pathology, 2013, 8, 105.	2.0	8
48	Primary central nervous system histiocytic sarcoma. Medicine (United States), 2018, 97, e11271.	1.0	8
49	X-ray irradiation induced Disabled-2 gene promoter de-methylation enhances radiosensitivity of non-small-cell lung carcinoma cells. Journal of Experimental and Clinical Cancer Research, 2018, 37, 315.	8.6	8
50	Sclerosing pneumocytoma mixed with a typical carcinoid tumor. Medicine (United States), 2019, 98, e14315.	1.0	8
51	DEK is highly expressed in breast cancer and is associated with malignant phenotype and progression. Oncology Letters, 2021, 21, 440.	1.8	8
52	PHLDA3 promotes lung adenocarcinoma cell proliferation and invasion via activation of the Wnt signaling pathway. Laboratory Investigation, 2021, 101, 1130-1141.	3.7	8
53	DEK promotes the proliferation and invasion of lung cancers and indicates poor prognosis in lung adenocarcinomas. Oncology Reports, 2020, 43, 1338-1348.	2.6	8
54	Activation ratio of MMP-2 and expression of MT1-MMP are correlated in thymic epithelial tumours. Pathology, 2007, 39, 486-490.	0.6	7

#	Article	IF	Citations
55	Atonal homolog 1 expression in lung cancer correlates with inhibitors of the <scp>Wnt</scp> pathway as well as the differentiation and primary tumor stage. Apmis, 2013, 121, 111-119.	2.0	7
56	Primary thymic carcinoma with adenoid cystic carcinoma-like features. Medicine (United States), 2020, 99, e21531.	1.0	6
57	FAM83A Promotes the Proliferative and Invasive Abilities of Cervical Cancer Cells via Epithelial-Mesenchymal Transition and the Wnt Signaling Pathway. Journal of Cancer, 2021, 12, 6320-6329.	2.5	6
58	N-Terminal 1â€“54 Amino Acid Sequence and Armadillo Repeat Domain Are Indispensable for P120-Catenin Isoform 1A in Regulating E-Cadherin. PLoS ONE, 2012, 7, e37008.	2.5	6
59	Marginal zone lymphoma of palatine tonsil with prominent plasmacytic differentiation. Medicine (United States), 2018, 97, e9648.	1.0	5
60	Remodeling and spacing factor 1 overexpression is associated with poor prognosis in renal cell carcinoma. Oncology Letters, 2018, 15, 3852-3857.	1.8	5
61	Primary malignant mesothelioma of the diaphragm with liver invasion. Medicine (United States), 2019, 98, e15147.	1.0	5
62	Reduced expression of oddâ€skipped related transcription factorÂ1 promotes proliferation and invasion of breast cancer cells and indicates poor patient prognosis. Oncology Letters, 2020, 20, 2946-2954.	1.8	5
63	Expression of Nemo-like kinase was increased and negatively correlated with the expression of TCF4 in lung cancers. International Journal of Clinical and Experimental Pathology, 2015, 8, 15086-92.	0.5	5
64	Adrenal relapse of primary central nervous system diffuse large B-cell lymphoma. Medicine (United) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	4
65	Human papillomavirus 16 (<scp>HPV 16) E6</scp> but not <scp>E7</scp> inhibits the antitumor activity of <scp>LKB1</scp> in lung cancer cells by downregulating the expression of <scp>KIF7</scp>. Thoracic Cancer, 2020, 11, 3175-3180.	1.9	4
66	Association of C8orf4 expression with its methylation status, aberrant Î²-catenin expression, and the development of cervical squamous cell carcinoma. Medicine (United States), 2019, 98, e16715.	1.0	3
67	Primary testicular natural killer/T-cell lymphoma. Medicine (United States), 2018, 97, e0181.	1.0	1
68	Signet-ring cells in the bone marrow as an indication of cryptic metastasis of breast carcinoma. Medicine (United States), 2019, 98, e14883.	1.0	1
69	Thymic adenocarcinoma accompanied by type A thymoma and pulmonary minimally invasive adenocarcinoma and harboring distinct gene alterations. Medicine (United States), 2021, 100, e25254.	1.0	1
70	Primary salivary gland-type polymorphous adenocarcinoma in the lung. Medicine (United States), 2022, 101, e29224.	1.0	1