

Pu Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2986014/publications.pdf>

Version: 2024-02-01

18
papers

1,512
citations

1163065

8
h-index

1281846

11
g-index

18
all docs

18
docs citations

18
times ranked

1314
citing authors

#	ARTICLE	IF	CITATIONS
1	Real-time automatic detection system increases colonoscopic polyp and adenoma detection rates: a prospective randomised controlled study. <i>Gut</i> , 2019, 68, 1813-1819.	12.1	549
2	Development and validation of a deep-learning algorithm for the detection of polyps during colonoscopy. <i>Nature Biomedical Engineering</i> , 2018, 2, 741-748.	22.5	354
3	Effect of a deep-learning computer-aided detection system on adenoma detection during colonoscopy (CADE-DB trial): a double-blind randomised study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 343-351.	8.1	276
4	Lower Adenoma Miss Rate of Computer-Aided Detection-Assisted Colonoscopy vs Routine White-Light Colonoscopy in a Prospective Tandem Study. <i>Gastroenterology</i> , 2020, 159, 1252-1261.e5.	1.3	132
5	Deep Learning Computer-aided Polyp Detection Reduces Adenoma Miss Rate: A United States Multi-center Randomized Tandem Colonoscopy Study (CADET-CS Trial). <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1499-1507.e4.	4.4	91
6	The single-monitor trial: an embedded CAde system increased adenoma detection during colonoscopy: a prospective randomized study. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482097916.	3.2	46
7	Establishing key research questions for the implementation of artificial intelligence in colonoscopy: a modified Delphi method. <i>Endoscopy</i> , 2021, 53, 893-901.	1.8	35
8	Computer aided detection for laterally spreading tumors and sessile serrated adenomas during colonoscopy. <i>PLoS ONE</i> , 2020, 15, e0231880.	2.5	16
9	Adenoma detection rate is not influenced by the time of day in computer-aided detection colonoscopy. <i>Medicine (United States)</i> , 2020, 99, e23685.	1.0	6
10	Introducing computer-aided detection to the endoscopy suite. <i>VideoGIE</i> , 2020, 5, 135-137.	0.7	6
11	Effectiveness of oolong tea and simethicone solution for lens cleansing during colonoscopy. <i>Medicine (United States)</i> , 2021, 100, e26763.	1.0	1
12	A case report of drug-induced ischemic colitis accompanied by ulcerative colitis. <i>Gastroenterology & Hepatology (English Edition)</i> , 2021, 44, 137-138.	0.1	0
13	A case report of drug-induced ischemic colitis accompanied by ulcerative colitis. <i>Gastroenterology & Hepatology</i> , 2021, 44, 137-138.	0.5	0
14	Reply. <i>Gastroenterology</i> , 2021, 160, 2212-2213.	1.3	0
15	Title is missing!. , 2020, 15, e0231880.		0
16	Title is missing!. , 2020, 15, e0231880.		0
17	Title is missing!. , 2020, 15, e0231880.		0
18	Title is missing!. , 2020, 15, e0231880.		0