

Samuel Coenen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2988237/publications.pdf>

Version: 2024-02-01

216
papers

9,177
citations

50170

46
h-index

48187

88
g-index

233
all docs

233
docs citations

233
times ranked

10335
citing authors

#	ARTICLE	IF	CITATIONS
1	World Health Organization Influenza-Like Illness Underestimates the Burden of Respiratory Syncytial Virus Infection in Community-Dwelling Older Adults. <i>Journal of Infectious Diseases</i> , 2022, 226, S71-S78.	1.9	11
2	Prospective SARS-CoV-2 cohort study among primary health care providers during the second COVID-19 wave in Flanders, Belgium. <i>Family Practice</i> , 2022, 39, 92-98.	0.8	8
3	Predicting mortality in intensive care unit patients infected with <i>Klebsiella pneumoniae</i> : A retrospective cohort study. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 10-18.	0.8	1
4	Impact of Adding Oseltamivir to Usual Care on Quality-Adjusted Life-Years During Influenza-Like Illness. <i>Value in Health</i> , 2022, 25, 178-184.	0.1	3
5	Contact With Young Children Increases the Risk of Respiratory Infection in Older Adults in Europe—the RESCEU Study. <i>Journal of Infectious Diseases</i> , 2022, 226, S79-S86.	1.9	3
6	Antibiotic prescribing rate after optimal near-patient C-reactive protein testing in acutely ill children presenting to ambulatory care (ARON project): protocol for a cluster-randomized pragmatic trial. <i>BMJ Open</i> , 2022, 12, e058912.	0.8	2
7	Prevalence and incidence of antibodies against SARS-CoV-2 among primary healthcare providers in Belgium during 1 year of the COVID-19 epidemic: prospective cohort study protocol. <i>BMJ Open</i> , 2022, 12, e054688.	0.8	8
8	Performance Assessment of a Rapid Molecular Respiratory Syncytial Virus Point-of-Care Test: A Prospective Community Study in Older Adults. <i>Journal of Infectious Diseases</i> , 2022, 226, S63-S70.	1.9	9
9	Economic Burden and Health-Related Quality of Life of Respiratory Syncytial Virus and Influenza Infection in European Community-Dwelling Older Adults. <i>Journal of Infectious Diseases</i> , 2022, 226, S87-S94.	1.9	12
10	Point-of-care testing, antibiotic prescribing, and prescribing confidence for respiratory tract infections in primary care: a prospective audit in 18 European countries. <i>BJGP Open</i> , 2022, 6, BJGPO.2021.0212.	0.9	24
11	Clinical presentation, microbiological aetiology and disease course in patients with flu-like illness: a post hoc analysis of randomised controlled trial data. <i>British Journal of General Practice</i> , 2022, 72, e217-e224.	0.7	3
12	Safety netting advice for respiratory tract infections in out-of-hours primary care: A qualitative analysis of consultation videos. <i>European Journal of General Practice</i> , 2022, 28, 87-94.	0.9	5
13	Transmission of SARS-CoV-2 within households: a remote prospective cohort study in European countries. <i>European Journal of Epidemiology</i> , 2022, 37, 549-561.	2.5	11
14	Nationwide implementation of online communication skills training to reduce overprescribing of antibiotics: a stepped-wedge cluster randomized trial in general practice. <i>JAC-Antimicrobial Resistance</i> , 2022, 4, .	0.9	2
15	Antibiotic use and resistance in Belgium: the impact of two decades of multi-faceted campaigning. <i>Acta Clinica Belgica</i> , 2021, 76, 280-288.	0.5	23
16	Burden of respiratory syncytial virus infection in community-dwelling older adults in Europe (RESCEU): an international prospective cohort study. <i>European Respiratory Journal</i> , 2021, 57, 2002688.	3.1	55
17	OUP accepted manuscript. <i>Family Practice</i> , 2021, , .	0.8	0
18	Community perceptions and attitudes regarding epilepsy and disease cost after implementation of a community-based epilepsy treatment program in onchocerciasis-endemic communities in the Democratic Republic of Congo. <i>Epilepsy and Behavior</i> , 2021, 116, 107773.	0.9	7

#	ARTICLE	IF	CITATIONS
19	<i>Helicobacter pylori</i> resistance to antibiotics in Europe in 2018 and its relationship to antibiotic consumption in the community. <i>Gut</i> , 2021, 70, 1815-1822.	6.1	159
20	An online tool for the calculation and graphical presentation of the NNTnet. <i>Journal of Clinical Epidemiology</i> , 2021, 133, 168-169.	2.4	1
21	Consumption of antibiotics in the community, European Union/European Economic Area, 1997–2017: data collection, management and analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii2-ii6.	1.3	14
22	Direct and Indirect Costs of Influenza-Like Illness Treated with and Without Oseltamivir in 15 European Countries: A Descriptive Analysis Alongside the Randomised Controlled ALIC4E Trial. <i>Clinical Drug Investigation</i> , 2021, 41, 685-699.	1.1	6
23	Consumption of antibiotics in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii7-ii13.	1.3	40
24	Analysing the trend over time of antibiotic consumption in the community: a tutorial on the detection of common change-points. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii79-ii85.	1.3	10
25	Primary care for patients with respiratory tract infection before and early on in the COVID-19 pandemic: an observational study in 16 European countries. <i>BMJ Open</i> , 2021, 11, e049257.	0.8	14
26	Consumption of macrolides, lincosamides and streptogramins in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii30-ii36.	1.3	16
27	Change-points in antibiotic consumption in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii68-ii78.	1.3	12
28	The Effect of Amoxicillin in Adult Patients Presenting to Primary Care with Acute Cough Predicted to Have Pneumonia or a Combined Viral-Bacterial Infection. <i>Antibiotics</i> , 2021, 10, 817.	1.5	0
29	Consumption of tetracyclines, sulphonamides and trimethoprim, and other antibacterials in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii45-ii59.	1.3	17
30	Quality appraisal of antibiotic consumption in the community, European Union/European Economic Area, 2009 and 2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii60-ii67.	1.3	15
31	Consumption of cephalosporins in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii22-ii29.	1.3	14
32	Consumption of quinolones in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii37-ii44.	1.3	34
33	Consumption of penicillins in the community, European Union/European Economic Area, 1997–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, ii14-ii21.	1.3	17
34	A dynamic mucin mRNA signature associates with COVID-19 disease presentation and severity. <i>JCI Insight</i> , 2021, 6, .	2.3	23
35	Impact of changing reimbursement criteria on the use of fluoroquinolones in Belgium. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2725-2732.	1.3	6
36	Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2021, 398, 1417-1426.	6.3	32

#	ARTICLE	IF	CITATIONS
37	Cost-Effectiveness of COVID-19 Policy Measures: A Systematic Review. <i>Value in Health</i> , 2021, 24, 1551-1569.	0.1	21
38	Diagnostic performance of the Idylla [®] respiratory panel for molecular detection of influenza A/B in patients presenting to primary care with influenza-like illness during 3 consecutive influenza seasons. <i>Journal of Clinical Virology</i> , 2021, 144, 104998.	1.6	0
39	Antibiotic Prescribing and Doctor-Patient Communication During Consultations for Respiratory Tract Infections: A Video Observation Study in Out-of-Hours Primary Care. <i>Frontiers in Medicine</i> , 2021, 8, 735276.	1.2	9
40	Antibiotic Prescribing Trends in Belgian Out-of-Hours Primary Care during the COVID-19 Pandemic: Observational Study Using Routinely Collected Health Data. <i>Antibiotics</i> , 2021, 10, 1488.	1.5	12
41	Clinical- and surgery-specific risk factors for post-operative sepsis: a systematic review and meta-analysis of over 30 million patients. <i>Surgery Today</i> , 2020, 50, 427-439.	0.7	15
42	Oseltamivir plus usual care versus usual care for influenza-like illness in primary care: an open-label, pragmatic, randomised controlled trial. <i>Lancet</i> , 2020, 395, 42-52.	6.3	85
43	Oseltamivir for coronavirus illness: post-hoc exploratory analysis of an open-label, pragmatic, randomised controlled trial in European primary care from 2016 to 2018. <i>British Journal of General Practice</i> , 2020, 70, e444-e449.	0.7	14
44	Point-of-Care C-Reactive Protein Testing to Reduce Antibiotic Prescribing for Respiratory Tract Infections in Primary Care: Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Antibiotics</i> , 2020, 9, 610.	1.5	39
45	Fluoroquinolone resistance in <i>Escherichia coli</i> isolates after exposure to non-fluoroquinolone antibiotics: a retrospective case-control study. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 1985-1992.	1.3	3
46	Understanding General Practitioners' Antibiotic Prescribing Decisions in Out-of-Hours Primary Care: A Video-Elicitation Interview Study. <i>Antibiotics</i> , 2020, 9, 115.	1.5	12
47	Respiratory syncytial virus and influenza virus infection in adult primary care patients: Association of age with prevalence, diagnostic features and illness course. <i>International Journal of Infectious Diseases</i> , 2020, 95, 384-390.	1.5	19
48	Prevalence of self-reported and confirmed penicillin allergy in a Belgian outpatient population. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2111-2115.	2.7	11
49	Time trend of prevalence and susceptibility to nitrofurantoin of urinary MDR <i>Escherichia coli</i> from outpatients. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 3264-3267.	1.3	7
50	The Limited Value of Prolonged Drug Challenges in Nonimmediate Amoxicillin (Clavulanic Acid) Hypersensitivity. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2225-2229.e1.	2.0	26
51	Looking Inside the Out-of-Hours Primary Care Consultation: General Practitioners' and Researchers' Experiences of Using Video Observations as a Method. <i>International Journal of Qualitative Methods</i> , 2019, 18, 160940691987934.	1.3	6
52	Antibiotic Prescribing Quality in Out-of-Hours Primary Care and Critical Appraisal of Disease-Specific Quality Indicators. <i>Antibiotics</i> , 2019, 8, 79.	1.5	18
53	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. <i>Annals of Family Medicine</i> , 2019, 17, 125-132.	0.9	38
54	Information campaigns and trained triagists may support patients in making an appropriate choice between GP and emergency department. <i>European Journal of General Practice</i> , 2019, 25, 243-244.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Comment on: The "morning dip" in antimicrobial appropriateness: circumstances determining appropriateness of antimicrobial prescribing. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 277-278.	1.3	1
56	Video-recording consultations for educational purposes in out-of-hours primary care: patients and physicians are willing to participate. <i>Acta Clinica Belgica</i> , 2019, 74, 65-69.	0.5	2
57	Antibiotic consumption in Belgian acute care hospitals: analysis of the surveillance methodology, consumption evolution 2003 to 2016 and future perspectives. <i>Eurosurveillance</i> , 2019, 24, .	3.9	6
58	Development of a prediction tool for patients presenting with acute cough in primary care: a prognostic study spanning six European countries. <i>British Journal of General Practice</i> , 2018, 68, e342-e350.	0.7	8
59	Effect of outpatient antibiotics for urinary tract infections on antimicrobial resistance among commensal Enterobacteriaceae: a multinational prospective cohort study. <i>Clinical Microbiology and Infection</i> , 2018, 24, 972-979.	2.8	49
60	Expansion of the "Antibiotic Guardian" one health behavioural campaign across Europe to tackle antibiotic resistance: pilot phase and analysis of AMR knowledge. <i>European Journal of Public Health</i> , 2018, 28, 437-439.	0.1	13
61	Aetiology of lower respiratory tract infection in adults in primary care: a prospective study in 11 European countries. <i>Clinical Microbiology and Infection</i> , 2018, 24, 1158-1163.	2.8	123
62	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis by bacterial and viral aetiology. <i>Clinical Microbiology and Infection</i> , 2018, 24, 871-876.	2.8	21
63	How do general practitioners and pharmacists experience antibiotic use in out-of-hours primary care? An exploratory qualitative interview study to inform a participatory action research project. <i>BMJ Open</i> , 2018, 8, e023154.	0.8	23
64	The effect of continuity of care on antibiotics prescription for Palestinian refugees in UNRWA health centres: a cross-sectional study. <i>Lancet, The</i> , 2018, 391, S19.	6.3	0
65	Cost-effectiveness of internet-based training for primary care clinicians on antibiotic prescribing for acute respiratory tract infections in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 3189-3198.	1.3	23
66	Herkennen van pneumonie bij een hoestende patiënt: de klinische blik van de huisarts versus X-thorax. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2018, 34, 69-79.	0.0	0
67	A trial like ALIC ⁴ : why design a platform, response-adaptive, open, randomised controlled trial of antivirals for influenza-like illness?. <i>ERJ Open Research</i> , 2018, 4, 00046-2018.	1.1	17
68	Characteristics of the antibiotic regimen that affect antimicrobial resistance in urinary pathogens. <i>Antimicrobial Resistance and Infection Control</i> , 2018, 7, 76.	1.5	7
69	Antivirals for influenza-Like Illness? A randomised Controlled trial of Clinical and Cost effectiveness in primary Care (ALIC ⁴): the ALIC ⁴ protocol. <i>BMJ Open</i> , 2018, 8, e021032.	0.8	20
70	Analytical performance of a platform for point-of-care CRP testing in adults consulting for lower respiratory tract infection in primary care. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 1319-1323.	1.3	8
71	The implementation of academic detailing and its effectiveness on appropriate prescribing of pain relief medication: a real-world cluster randomized trial in Belgian general practices. <i>Implementation Science</i> , 2018, 13, 6.	2.5	10
72	Clinical relevance of bacterial resistance in lower respiratory tract infection in primary care: secondary analysis of a multicentre European trial. <i>British Journal of General Practice</i> , 2018, 68, e627-e632.	0.7	2

#	ARTICLE	IF	CITATIONS
73	The impact of interventions to improve the quality of prescribing and use of antibiotics in primary care patients with respiratory tract infections: a systematic review protocol. <i>BMJ Open</i> , 2017, 7, e016253.	0.8	19
74	Antibiotic prescribing in relation to diagnoses and consultation rates in Belgium, the Netherlands and Sweden: use of European quality indicators. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 10-18.	0.6	60
75	Influenza epidemic surveillance and prediction based on electronic health record data from an out-of-hours general practitioner cooperative: model development and validation on 2003-2015 data. <i>BMC Infectious Diseases</i> , 2017, 17, 84.	1.3	10
76	Predicting the presence of bacterial pathogens in the airways of primary care patients with acute cough. <i>Cmaj</i> , 2017, 189, E50-E55.	0.9	16
77	Implementation of a general practitioner cooperative adjacent to the emergency department of a hospital increases the caseload for the GPC but not for the emergency department. <i>Acta Clinica Belgica</i> , 2017, 72, 49-54.	0.5	14
78	Persistence of antimicrobial resistance in respiratory streptococci. <i>Journal of Global Antimicrobial Resistance</i> , 2017, 8, 6-12.	0.9	3
79	Optimising the quality of antibiotic prescribing in out-of-hours primary care in Belgium: a study protocol for an action research project. <i>BMJ Open</i> , 2017, 7, e017522.	0.8	11
80	Adverse Effects of Amoxicillin for Acute Lower Respiratory Tract Infection in Primary Care: Secondary and Subgroup Analysis of a Randomised Clinical Trial. <i>Antibiotics</i> , 2017, 6, 36.	1.5	5
81	Academic detailers'™ and general practitioners'™ views and experiences of their academic detailing visits to improve the quality of analgesic use: process evaluation alongside a pragmatic cluster randomized controlled trial. <i>BMC Health Services Research</i> , 2017, 17, 841.	0.9	16
82	Determinants of initiation, implementation, and discontinuation of amoxicillin by adults with acute cough in primary care. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 561-569.	0.8	6
83	Impact of amoxicillin therapy on resistance selection in patients with community-acquired lower respiratory tract infections: a randomized, placebo-controlled study. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 3258-3267.	1.3	29
84	Cost effectiveness of amoxicillin for lower respiratory tract infections in primary care: an economic evaluation accounting for the cost of antimicrobial resistance. <i>British Journal of General Practice</i> , 2016, 66, e633-e639.	0.7	51
85	Disease Course of Lower Respiratory Tract Infection With a Bacterial Cause. <i>Annals of Family Medicine</i> , 2016, 14, 534-539.	0.9	7
86	Drug utilization research in the area of antibiotics. , 2016, , 270-283.		1
87	Kosteneffectiviteit van amoxicilline en kost van resistentie. <i>Huisarts Nu</i> , 2016, 45, 192-192.	0.0	0
88	Pertussis bij volwassenen met acute hoest. <i>Huisarts Nu</i> , 2016, 45, 193-194.	0.0	0
89	Improving Care And Research Electronic Data Trust Antwerp (iCAREdata): a research database of linked data on out-of-hours primary care. <i>BMC Research Notes</i> , 2016, 9, 259.	0.6	30
90	Amoxicillin for clinically unsuspected pneumonia in primary care: subgroup analysis. <i>European Respiratory Journal</i> , 2016, 47, 327-330.	3.1	14

#	ARTICLE	IF	CITATIONS
91	FOXP3 can modulate TAL1 transcriptional activity through interaction with LMO2. <i>Oncogene</i> , 2016, 35, 4141-4148.	2.6	9
92	Prevalence, diagnosis, and disease course of pertussis in adults with acute cough: a prospective, observational study in primary care. <i>British Journal of General Practice</i> , 2015, 65, e662-e667.	0.7	28
93	Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: achieving clarity through mixed methods triangulation. <i>Implementation Science</i> , 2015, 11, 66.	2.5	65
94	Staphylococcus aureus, Including Meticillin-Resistant Staphylococcus aureus, among General Practitioners and Their Patients: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140045.	1.1	5
95	Antibiotic Exposure and Other Risk Factors for Antimicrobial Resistance in Nasal Commensal Staphylococcus aureus: An Ecological Study in 8 European Countries. <i>PLoS ONE</i> , 2015, 10, e0135094.	1.1	39
96	The global threat of antimicrobial resistance: science for intervention. <i>New Microbes and New Infections</i> , 2015, 6, 22-29.	0.8	811
97	Agreement on urgency assessment between secretaries and general practitioners: an observational study in out-of-hours general practice service in Belgium. <i>Acta Clinica Belgica</i> , 2015, 70, 309-314.	0.5	15
98	Illness perception and related behaviour in lower respiratory tract infections—a European study. <i>Family Practice</i> , 2015, 32, 152-158.	0.8	10
99	Exploring the association between resistance and outpatient antibiotic use expressed as DDDs or packages. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1241-1244.	1.3	37
100	The influence of a sustained multifaceted approach to improve antibiotic prescribing in Slovenia during the past decade: findings and implications. <i>Expert Review of Anti-Infective Therapy</i> , 2015, 13, 279-289.	2.0	67
101	Metagenomic analysis of the impact of nitrofurantoin treatment on the human faecal microbiota. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1989-1992.	1.3	28
102	Cliniciansâ€™ Views and Experiences of Interventions to Enhance the Quality of Antibiotic Prescribing for Acute Respiratory Tract Infections. <i>Journal of General Internal Medicine</i> , 2015, 30, 408-416.	1.3	78
103	Systemic antimycotic and antifungal use in eastern Europe: a cross-national database study in coordination with the WHO Regional Office for Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2173-2175.	1.3	3
104	Validity of a clinical model to predict influenza in patients presenting with symptoms of lower respiratory tract infection in primary care. <i>Family Practice</i> , 2015, 32, cmv039.	0.8	12
105	Collateral damage from oral ciprofloxacin versus nitrofurantoin in outpatients with urinary tract infections: a culture-free analysis of gut microbiota. <i>Clinical Microbiology and Infection</i> , 2015, 21, 344.e1-344.e11.	2.8	110
106	Herpes zoster is associated with herpes simplex and other infections in under 60 year-olds. <i>Journal of Infection</i> , 2015, 70, 171-177.	1.7	13
107	Influenza-Like-Illness and Clinically Diagnosed Flu: Disease Burden, Costs and Quality of Life for Patients Seeking Ambulatory Care or No Professional Care at All. <i>PLoS ONE</i> , 2014, 9, e102634.	1.1	51
108	Medication use in European primary care patients with lower respiratory tract infection: an observational study. <i>British Journal of General Practice</i> , 2014, 64, e81-e91.	0.7	13

#	ARTICLE	IF	CITATIONS
109	Complete Genome Sequences of Nitrofurantoin-Sensitive and -Resistant Escherichia coli ST540 and ST2747 Strains. <i>Genome Announcements</i> , 2014, 2, .	0.8	10
110	Antibiotic treatment failure in primary care. <i>BMJ, The</i> , 2014, 349, g5970-g5970.	3.0	3
111	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis of potential high-risk groups. <i>British Journal of General Practice</i> , 2014, 64, e75-e80.	0.7	34
112	An <i>In Vitro</i> Deletion in <i>ribE</i> Encoding Lumazine Synthase Contributes to Nitrofurantoin Resistance in Escherichia coli. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 7225-7233.	1.4	32
113	Quality of antibiotic prescription during office hours and out-of-hours in Flemish primary care, using European quality indicators. <i>European Journal of General Practice</i> , 2014, 20, 114-120.	0.9	35
114	Comment on: Measurement units for antibiotic consumption in outpatients. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3445-3446.	1.3	4
115	Measuring trends of outpatient antibiotic use in Europe: jointly modelling longitudinal data in defined daily doses and packages. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1981-1986.	1.3	35
116	Appropriate international measures for outpatient antibiotic prescribing and consumption: recommendations from a national data comparison of different measures. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 529-534.	1.3	47
117	Determinants of between-country differences in ambulatory antibiotic use and antibiotic resistance in Europe: a longitudinal observational study. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 535-547.	1.3	54
118	Reducing inappropriate A&E attendances. <i>British Journal of General Practice</i> , 2014, 64, 70.2-70.	0.7	4
119	Exploring patients' views of primary care consultations with contrasting interventions for acute cough: a six-country European qualitative study. <i>Npj Primary Care Respiratory Medicine</i> , 2014, 24, 14026.	1.1	43
120	Influence of lung function on course of disease and response to antibiotic therapy in adult primary care patients with acute cough: a post hoc analysis of patients enrolled in a prospective multicentre study. <i>Npj Primary Care Respiratory Medicine</i> , 2014, 24, 14067.	1.1	0
121	European Antibiotic Awareness Day: a five-year perspective of Europe-wide actions to promote prudent use of antibiotics. <i>Eurosurveillance</i> , 2014, 19, .	3.9	30
122	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. <i>Lancet, The</i> , 2013, 382, 1175-1182.	6.3	329
123	Patient and prescriber determinants for the choice between amoxicillin and broader-spectrum antibiotics: a nationwide prescription-level analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2383-2392.	1.3	24
124	<i>Helicobacter pylori</i> resistance to antibiotics in Europe and its relationship to antibiotic consumption. <i>Gut</i> , 2013, 62, 34-42.	6.1	743
125	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. <i>Lancet Infectious Diseases, The</i> , 2013, 13, 123-129.	4.6	187
126	Outpatient systemic antimycotic and antifungal use in Europe: New outcome measure provides new insight. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 466-470.	1.1	9

#	ARTICLE	IF	CITATIONS
127	Environmental triggers of acute myocardial infarction: does air pollution matter?. <i>European Heart Journal</i> , 2013, 34, 1769-1769.	1.0	1
128	Variation in family physicians' recording of auscultation abnormalities in patients with acute cough is not explained by case mix. A study from 12 European networks. <i>European Journal of General Practice</i> , 2013, 19, 77-84.	0.9	16
129	Diagnosing pneumonia in patients with acute cough: clinical judgment compared to chest radiography. <i>European Respiratory Journal</i> , 2013, 42, 1076-1082.	3.1	80
130	Primary care clinicians' perceptions of antibiotic resistance: a multi-country qualitative interview study. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 237-243.	1.3	51
131	Adaptive change-point mixed models applied to data on outpatient tetracycline use in Europe. <i>Statistical Modelling</i> , 2013, 13, 253-274.	0.5	5
132	Use of serum C reactive protein and procalcitonin concentrations in addition to symptoms and signs to predict pneumonia in patients presenting to primary care with acute cough: diagnostic study. <i>BMJ</i> , The, 2013, 346, f2450-f2450.	3.0	173
133	Strategies to promote prudent antibiotic use: exploring the views of professionals who develop and implement guidelines and interventions. <i>Family Practice</i> , 2013, 30, 88-95.	0.8	16
134	Are Patient Views about Antibiotics Related to Clinician Perceptions, Management and Outcome? A Multi-Country Study in Outpatients with Acute Cough. <i>PLoS ONE</i> , 2013, 8, e76691.	1.1	97
135	The Value of Neuraminidase Inhibitors for the Prevention and Treatment of Seasonal Influenza: A Systematic Review of Systematic Reviews. <i>PLoS ONE</i> , 2013, 8, e60348.	1.1	96
136	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 518-518.	1.3	2
137	Predicting benign course and prolonged illness in lower respiratory tract infections: a 13 European country study. <i>Family Practice</i> , 2012, 29, 131-138.	0.8	11
138	Incidental Chest Radiographic Findings in Adult Patients With Acute Cough. <i>Annals of Family Medicine</i> , 2012, 10, 510-515.	0.9	13
139	Understanding variation in primary medical care: a nine-country qualitative study of clinicians' accounts of the non-clinical factors that shape antibiotic prescribing decisions for lower respiratory tract infection. <i>BMJ Open</i> , 2012, 2, e000796.	0.8	54
140	Airway Obstruction and Bronchodilator Responsiveness in Adults With Acute Cough. <i>Annals of Family Medicine</i> , 2012, 10, 523-529.	0.9	7
141	Efficacy of daily intake of <i>Lactobacillus casei</i> Shirota on respiratory symptoms and influenza vaccination immune response: a randomized, double-blind, placebo-controlled trial in healthy elderly nursing home residents. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1165-1171.	2.2	95
142	Clinical influences on antibiotic prescribing decisions for lower respiratory tract infection: a nine country qualitative study of variation in care. <i>BMJ Open</i> , 2012, 2, e000795.	0.8	46
143	Antibiotics for acute cough: an international observational study of patient adherence in primary care. <i>British Journal of General Practice</i> , 2012, 62, e429-e437.	0.7	50
144	Infectious diseases in primary care; managing the interface between the person and the community. <i>European Journal of General Practice</i> , 2012, 18, 117-121.	0.9	5

#	ARTICLE	IF	CITATIONS
145	GRACE and the development of an education and training curriculum. <i>Clinical Microbiology and Infection</i> , 2012, 18, E308-E313.	2.8	4
146	Letter in response to the manuscript IJC-D-11-02627 entitled 'The appropriate number of endpoints to keep validity for Cox proportional hazard analysis?'. <i>International Journal of Cardiology</i> , 2012, 156, 214.	0.8	0
147	General practitioners' views on the acceptability and applicability of a web-based intervention to reduce antibiotic prescribing for acute cough in multiple European countries: a qualitative study prior to a randomised trial. <i>BMC Family Practice</i> , 2012, 13, 101.	2.9	64
148	Delayed antibiotic prescribing and associated antibiotic consumption in adults with acute cough. <i>British Journal of General Practice</i> , 2012, 62, e639-e646.	0.7	53
149	Antimicrobial Drug Use and Macrolide-Resistant <i>Streptococcus pyogenes</i> , Belgium. <i>Emerging Infectious Diseases</i> , 2012, 18, 1515-1518.	2.0	31
150	European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi3-vi12.	1.3	173
151	European Surveillance of Antimicrobial Consumption (ESAC): quality appraisal of antibiotic use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi71-vi77.	1.3	95
152	European Surveillance of Antimicrobial Consumption (ESAC): disease-specific quality indicators for outpatient antibiotic prescribing. <i>BMJ Quality and Safety</i> , 2011, 20, 764-772.	1.8	122
153	Beta-blockers modify the prognostic value of adiponectin in chronic heart failure. <i>International Journal of Cardiology</i> , 2011, 150, 296-300.	0.8	23
154	A systematic review of the evidence on the effectiveness and risks of inactivated influenza vaccines in different target groups. <i>Vaccine</i> , 2011, 29, 9159-9170.	1.7	133
155	Towards clinical definitions of lower respiratory tract infection (LRTI) for research and primary care practice in Europe: an international consensus study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011, 20, 299-306.	2.5	25
156	Severity assessment for lower respiratory tract infections: potential use and validity of the CRB-65 in primary care. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011, 21, 65-70.	2.5	16
157	Clinical prediction rules combining signs, symptoms and epidemiological context to distinguish influenza from influenza-like illnesses in primary care: a cross sectional study. <i>BMC Family Practice</i> , 2011, 12, 4.	2.9	48
158	European Surveillance of Antimicrobial Consumption (ESAC): systemic antiviral use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1897-1905.	1.3	94
159	Antibiotic prescribing for adults with acute cough/lower respiratory tract infection: congruence with guidelines. <i>European Respiratory Journal</i> , 2011, 38, 112-118.	3.1	29
160	European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi37-vi45.	1.3	32
161	Antibiotic prescribing for discoloured sputum in acute cough/lower respiratory tract infection. <i>European Respiratory Journal</i> , 2011, 38, 119-125.	3.1	45
162	European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi13-vi23.	1.3	27

#	ARTICLE	IF	CITATIONS
163	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi25-vi35.	1.3	34
164	European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi47-vi56.	1.3	81
165	European Surveillance of Antimicrobial Consumption (ESAC): outpatient use of tetracyclines, sulphonamides and trimethoprim, and other antibacterials in Europe (1997-2009). <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi57-vi70.	1.3	31
166	Application of mixed-effects models to study the country-specific outpatient antibiotic use in Europe: a tutorial on longitudinal data analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi79-vi87.	1.3	24
167	Implementation of e-Bug in Belgium. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, v51-v53.	1.3	7
168	Analysing the composition of outpatient antibiotic use: a tutorial on compositional data analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, vi89-vi94.	1.3	28
169	GPs' views in five European countries of interventions to promote prudent antibiotic use. <i>British Journal of General Practice</i> , 2011, 61, e252-e261.	0.7	42
170	Treatment of acute cough/lower respiratory tract infection by antibiotic class and associated outcomes: a 13 European country observational study in primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2472-2478.	1.3	33
171	European Surveillance of Antimicrobial Consumption (ESAC): outpatient systemic antimycotic and antifungal use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 769-774.	1.3	24
172	Empowering patients or general practitioners? A randomised clinical trial to improve quality in reproductive health care in Belgium. <i>European Journal of Contraception and Reproductive Health Care</i> , 2010, 15, 280-289.	0.6	8
173	Comment on: Developments in outpatient parenteral antimicrobial therapy (OPAT) for Gram-positive infections in Europe, and the potential impact of daptomycin. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 1347-1347.	1.3	0
174	Keeping Infection at Arm's Length. <i>Science</i> , 2009, 325, 944-945.	6.0	1
175	Variation in antibiotic prescribing and its impact on recovery in patients with acute cough in primary care: prospective study in 13 countries. <i>BMJ: British Medical Journal</i> , 2009, 338, b2242-b2242.	2.4	265
176	European Surveillance of Antimicrobial Consumption (ESAC): outpatient parenteral antibiotic treatment in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 200-205.	1.3	55
177	3-monthly azithromycin administration for trachoma. <i>Lancet, The</i> , 2009, 374, 449.	6.3	4
178	Belgian Society of Cardiology, 28th Annual Scientific Meeting, 29th, 30th & 31st January, 2009 - Conrad hotel, Brussels, Belgium. <i>Acta Cardiologica</i> , 2009, 64, 107-148.	0.3	2
179	THE FIRST EUROPEAN ANTIBIOTIC AWARENESS DAY AFTER A DECADE OF IMPROVING OUTPATIENT ANTIBIOTIC USE IN BELGIUM. <i>Acta Clinica Belgica</i> , 2008, 63, 296-300.	0.5	18
180	Achievements of the Belgian Antibiotic Policy Coordination Committee (BAPCOC). <i>Eurosurveillance</i> , 2008, 13, .	3.9	62

#	ARTICLE	IF	CITATIONS
181	Achievements of the Belgian Antibiotic Policy Coordination Committee (BAPCOC). <i>Eurosurveillance</i> , 2008, 13, .	3.9	15
182	Antibiotics for respiratory tract infections in primary care. <i>BMJ: British Medical Journal</i> , 2007, 335, 946-947.	2.4	9
183	Comment on: Can mass media campaigns change antimicrobial prescribing? A regional evaluation study. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 179-180.	1.3	5
184	What is the role of quality circles in strategies to optimise antibiotic prescribing? A pragmatic cluster-randomised controlled trial in primary care. <i>Quality and Safety in Health Care</i> , 2007, 16, 197-202.	2.5	35
185	Comparison of Outpatient Systemic Antibacterial Use in 2004 in the United States and 27 European Countries. <i>Clinical Infectious Diseases</i> , 2007, 44, 1091-1095.	2.9	196
186	Effect of azithromycin and clarithromycin therapy on pharyngeal carriage of macrolide-resistant streptococci in healthy volunteers: a randomised, double-blind, placebo-controlled study. <i>Lancet</i> , The, 2007, 369, 482-490.	6.3	465
187	European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. <i>Quality and Safety in Health Care</i> , 2007, 16, 440-445.	2.5	154
188	European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe, 1998-2005. , 2007, 12, E071011.1.		31
189	IN2 EUROPEAN SURVEILLANCE OF ANTIMICROBIAL CONSUMPTION (ESAC): DEVELOPING VALID ANTIBIOTIC PRESCRIBING QUALITY INDICATORS FOR AMBULATORY CARE. <i>Value in Health</i> , 2006, 9, A205-A206.	0.1	1
190	Serum antibodies against circulating influenza strains among vaccinated and unvaccinated general practitioners during two consecutive years (2002â€“2003). <i>Vaccine</i> , 2006, 24, 3145-3152.	1.7	16
191	Outpatient use of systemic antibiotics in Croatia. <i>International Journal of Clinical Pharmacy</i> , 2006, 28, 39-40.	1.4	3
192	The effect of giving influenza vaccination to general practitioners: a controlled trial [NCT00221676]. <i>BMC Medicine</i> , 2006, 4, 17.	2.3	23
193	Prognostic factors and clinical outcome in acute lower respiratory tract infections: a prospective study in general practice. <i>Family Practice</i> , 2006, 23, 512-519.	0.8	14
194	European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 423-427.	1.3	90
195	European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 418-422.	1.3	51
196	European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 413-417.	1.3	35
197	Hospital consumption of antibiotics in 15 European countries: results of the ESAC Retrospective Data Collection (1997-2002)--author response. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 901-902.	1.3	3
198	European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 408-412.	1.3	56

#	ARTICLE	IF	CITATIONS
199	European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 401-407.	1.3	336
200	Antibiotic prescribing for acute cough: the effect of perceived patient demand. <i>British Journal of General Practice</i> , 2006, 56, 183-90.	0.7	113
201	Treating patients not diagnoses: challenging assumptions underlying the investigation and management of LRTI in general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 941-943.	1.3	17
202	Variation in outpatient antibiotic use in three European countries: exploration of possible determinants. <i>European Journal of General Practice</i> , 2005, 11, 139-140.	0.9	5
203	Implementing a clinical practice guideline on acute cough in general practice: a Belgian experience with academic detailing. <i>MÃ©decine Et Maladies Infectieuses</i> , 2005, 35, S97-S99.	5.1	1
204	Optimizing antibiotic prescribing for acute cough in general practice: a cluster-randomized controlled trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 661-672.	1.3	80
205	Preferred antibiotics, dosages and length of treatments in general practice: A comparison between ten European countries. <i>European Journal of General Practice</i> , 2004, 10, 166-168.	0.9	8
206	Management of acute cough: Comparisons between Belgian and Dutch GPs. <i>European Journal of General Practice</i> , 2004, 10, 152-156.	0.9	6
207	The adherence of type 2 diabetes patients to their therapeutic regimens: a qualitative study from the patient's perspective. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2003, 20, 209-214.	0.2	38
208	Patients' views on respiratory tract symptoms and antibiotics. <i>British Journal of General Practice</i> , 2003, 53, 491-2.	0.7	32
209	The critical appraisal of focus group research articles. <i>European Journal of General Practice</i> , 2002, 8, 104-108.	0.9	22
210	Antibiotics for coughing in general practice: a questionnaire study to quantify and condense the reasons for prescribing. <i>BMC Family Practice</i> , 2002, 3, 16.	2.9	42
211	Who benefits from an influenza vaccination of GPs?. <i>Vaccine</i> , 2001, 20, 1-2.	1.7	4
212	Variation in European antibiotic use. <i>Lancet, The</i> , 2001, 358, 1272.	6.3	12
213	Antibiotics for coughing in general practice: a qualitative decision analysis. <i>Family Practice</i> , 2000, 17, 380-385.	0.8	63
214	Correspondence. <i>Family Practice</i> , 2000, 17, 210-210.	0.8	1
215	Reducing antibiotics for respiratory tract symptoms in primary care: 'why' only sore throat, 'how' about coughing?. <i>British Journal of General Practice</i> , 1999, 49, 400-1.	0.7	3
216	Chronic obstructive pulmonary disease: don't forget the gatekeeper. <i>Lancet, The</i> , 1998, 352, 649.	6.3	7