Lisanne M Jenkins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2989387/publications.pdf

Version: 2024-02-01

167	5,035	36	61
papers	citations	h-index	g-index
169	169	169	6257 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Differences in the functional neuroanatomy of inhibitory control across the adult life span Psychology and Aging, 2002, 17, 56-71.	1.4	313
2	fMRI of healthy older adults during Stroop interference. Neurolmage, 2004, 21, 192-200.	2.1	228
3	Frontal and Limbic Activation During Inhibitory Control Predicts Treatment Response in Major Depressive Disorder. Biological Psychiatry, 2007, 62, 1272-1280.	0.7	186
4	Differences in the functional neuroanatomy of inhibitory control across the adult life span Psychology and Aging, 2002, 17, 56-71.	1.4	167
5	Face Emotion Perception and Executive Functioning Deficits in Depression. Journal of Clinical and Experimental Neuropsychology, 2005, 27, 320-333.	0.8	152
6	A task to manipulate attentional load, set-shifting, and inhibitory control: Convergent validity and test–retest reliability of the Parametric Go/No-Go Test. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 842-853.	0.8	126
7	Association Between Placebo-Activated Neural Systems and Antidepressant Responses. JAMA Psychiatry, 2015, 72, 1087.	6.0	120
8	Shared white matter alterations across emotional disorders: A voxel-based meta-analysis of fractional anisotropy. Neurolmage: Clinical, 2016, 12, 1022-1034.	1.4	116
9	Identifying a cognitive impairment subgroup in adults with mood disorders. Journal of Affective Disorders, 2011, 132, 360-367.	2.0	105
10	Neural correlates of rumination in adolescents with remitted major depressive disorder and healthy controls. Cognitive, Affective and Behavioral Neuroscience, 2017, 17, 394-405.	1.0	103
11	Intermediate: Cognitive phenotypes in bipolar disorder. Journal of Affective Disorders, 2010, 122, 285-293.	2.0	97
12	Frontal recruitment during response inhibition in older adults replicated with fMRI. NeuroImage, 2003, 20, 1384-1392.	2.1	96
13	Decoupling of the amygdala to other salience network regions in adolescent-onset recurrent major depressive disorder. Psychological Medicine, 2016, 46, 1055-1067.	2.7	94
14	Increased Coupling of Intrinsic Networks in Remitted Depressed Youth Predicts Rumination and Cognitive Control. PLoS ONE, 2014, 9, e104366.	1.1	91
15	Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. Human Brain Mapping, 2017, 38, 2939-2954.	1.9	84
16	NEURAL REACTIVITY TO REWARD AS A PREDICTOR OF COGNITIVE BEHAVIORAL THERAPY RESPONSE IN ANXIETY AND DEPRESSION. Depression and Anxiety, 2016, 33, 281-288.	2.0	83
17	Targeting Ruminative Thinking in Adolescents at Risk for Depressive Relapse: Rumination-Focused Cognitive Behavior Therapy in a Pilot Randomized Controlled Trial with Resting State fMRI. PLoS ONE, 2016, 11, e0163952.	1.1	73
18	The Role of the Amygdala and the Ventromedial Prefrontal Cortex in Emotional Regulation: Implications for Post-traumatic Stress Disorder. Neuropsychology Review, 2019, 29, 220-243.	2.5	66

#	Article	IF	CITATIONS
19	Emotion-based brain mechanisms and predictors for SSRI and CBT treatment of anxiety and depression: a randomized trial. Neuropsychopharmacology, 2019, 44, 1639-1648.	2.8	64
20	Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. Biology of Mood & Anxiety Disorders, 2014, 4, 15.	4.7	62
21	Multidimensional prediction of treatment response to antidepressants with cognitive control and functional MRI. Brain, 2017, 140, 472-486.	3.7	61
22	Factor structure, construct validity, and age- and education-based normative data for the Parametric Go/No-Go Test. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 132-146.	0.8	60
23	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. International Journal of Epidemiology, 2018, 47, 28-28n.	0.9	58
24	Deficient inhibitory control as an outcome of childhood trauma. Psychiatry Research, 2016, 235, 7-12.	1.7	54
25	Multivariate pattern analysis strategies in detection of remitted major depressive disorder using resting state functional connectivity. Neurolmage: Clinical, 2017, 16, 390-398.	1.4	54
26	The significance of negative correlations in brain connectivity. Journal of Comparative Neurology, 2017, 525, 3251-3265.	0.9	53
27	Impact of chronic hypercortisolemia on affective processing. Neuropharmacology, 2012, 62, 217-225.	2.0	48
28	Aberrant resting-state functional connectivity in limbic and cognitive control networks relates to depressive rumination and mindfulness: A pilot study among adolescents with a history of depression. Journal of Affective Disorders, 2016, 200, 178-181.	2.0	46
29	Predicting cognitive behavioral therapy response in social anxiety disorder with anterior cingulate cortex and amygdala during emotion regulation. Neurolmage: Clinical, 2017, 15, 25-34.	1.4	46
30	Effects of mood and aging on keystroke dynamics metadata and their diurnal patterns in a large open-science sample: A BiAffect iOS study. Journal of the American Medical Informatics Association: JAMIA, 2020, 27, 1007-1018.	2.2	46
31	Gender differences in the associations among marijuana use, cigarette use, and symptoms of depression during adolescence and young adulthood. Addictive Behaviors, 2015, 49, 33-39.	1.7	45
32	Prefrontal and amygdala engagement during emotional reactivity and regulation in generalized anxiety disorder. Journal of Affective Disorders, 2017, 218, 398-406.	2.0	45
33	Social cognition in patients following surgery to the prefrontal cortex. Psychiatry Research - Neuroimaging, 2014, 224, 192-203.	0.9	44
34	The sensitivity and psychometric properties of a brief computer-based cognitive screening battery in a depression clinic. Psychiatry Research, 2007, 152, 143-154.	1.7	43
35	A New Set of Standardised Verbal and Non-verbal Contemporary Film Stimuli for the Elicitation of Emotions. Brain Impairment, 2012, 13, 212-227.	0.5	42
36	Current Neural and Behavioral Dimensional Constructs Across Mood Disorders. Current Behavioral Neuroscience Reports, 2014, 1, 144-153.	0.6	41

#	Article	IF	CITATIONS
37	Working memory predicts presence of auditory verbal hallucinations in schizophrenia and bipolar disorder with psychosis. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 84-94.	0.8	41
38	Comorbid anxiety increases cognitive control activation in Major Depressive Disorder. Depression and Anxiety, 2016, 33, 967-977.	2.0	40
39	Domainâ€specific impairment in cognitive control among remitted youth with a history of major depression. Microbial Biotechnology, 2017, 11, 383-392.	0.9	39
40	Transdiagnostic neural correlates of affective face processing in anxiety and depression. Depression and Anxiety, 2017, 34, 621-631.	2.0	37
41	Transdiagnostic neural correlates of volitional emotion regulation in anxiety and depression. Depression and Anxiety, 2019, 36, 453-464.	2.0	35
42	Neural Responsiveness to Reward as an Index of Depressive Symptom Change Following Cognitive-Behavioral Therapy and SSRI Treatment. Journal of Clinical Psychiatry, 2018, 79, .	1.1	35
43	Transfer learning for predicting conversion from mild cognitive impairment to dementia of Alzheimer's type based on a three-dimensional convolutional neural network. Neurobiology of Aging, 2021, 99, 53-64.	1.5	34
44	The double burden of age and disease on cognition and quality of life in bipolar disorder. International Journal of Geriatric Psychiatry, 2014, 29, 952-961.	1.3	31
45	Emotional and personality changes following brain tumour resection. Journal of Clinical Neuroscience, 2016, 29, 128-132.	0.8	31
46	An evaluation of distinct volumetric and functional MRI contributions toward understanding age and task performance: A study in the basal ganglia. Brain Research, 2007, 1135, 58-68.	1.1	30
47	Subcortical structural variations associated with low socioeconomic status in adolescents. Human Brain Mapping, 2020, 41, 162-171.	1.9	30
48	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5â€year longitudinal study. Bipolar Disorders, 2017, 19, 50-59.	1.1	29
49	Relationships among attention networks and physiological responding to threat. Brain and Cognition, 2017, 111, 63-72.	0.8	29
50	Age and Gender Modulate the Neural Circuitry Supporting Facial Emotion Processing in Adults with Major Depressive Disorder. American Journal of Geriatric Psychiatry, 2015, 23, 304-313.	0.6	28
51	Emotion regulation related neural predictors of cognitive behavioral therapy response in social anxiety disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 106-112.	2.5	28
52	Cognitive control neuroimaging measures differentiate between those with and without future recurrence of depression. NeuroImage: Clinical, 2018, 20, 1001-1009.	1.4	28
53	Biomarkers of intergenerational risk for depression: A review of mechanisms in longitudinal high-risk (LHR) studies. Journal of Affective Disorders, 2015, 175, 494-506.	2.0	27
54	Interplay between pro-inflammatory cytokines, childhood trauma, and executive function in depressed adolescents. Journal of Psychiatric Research, 2019, 114, 1-10.	1.5	27

#	Article	IF	CITATIONS
55	Considering sex differences clarifies the effects of depression on facial emotion processing during fMRI. Journal of Affective Disorders, 2018, 225, 129-136.	2.0	26
56	Reliability, Convergent Validity and Time Invariance of Default Mode Network Deviations in Early Adult Major Depressive Disorder. Frontiers in Psychiatry, 2018, 9, 244.	1.3	26
57	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 979-987.	0.8	25
58	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. Cognitive, Affective and Behavioral Neuroscience, 2017, 17, 1242-1254.	1.0	24
59	Cumulative Blood Pressure Exposure, Basal Ganglia, and Thalamic Morphology in Midlife. Hypertension, 2020, 75, 1289-1295.	1.3	24
60	Trajectories of Functioning Into Emerging Adulthood Following Treatment for Adolescent Depression. Journal of Adolescent Health, 2016, 58, 253-259.	1.2	23
61	Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. Psychological Medicine, 2020, 50, 2324-2334.	2.7	23
62	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. Neuropsychology Review, 2020, 30, 477-498.	2.5	23
63	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. Psychoneuroendocrinology, 2016, 73, 67-78.	1.3	22
64	Individuals with more severe depression fail to sustain nucleus accumbens activity to preferred music over time. Psychiatry Research - Neuroimaging, 2018, 275, 21-27.	0.9	22
65	Resting state functional connectivity correlates of rumination and worry in internalizing psychopathologies. Depression and Anxiety, 2021, 38, 488-497.	2.0	22
66	Auditory Memory Decrements, Without Dissimulation, among Patients with Major Depressive Disorder. Archives of Clinical Neuropsychology, 2011, 26, 445-453.	0.3	21
67	Affective traits and history of depression are related to ventral striatum connectivity. Journal of Affective Disorders, 2017, 221, 72-80.	2.0	21
68	Personality Differences among Patients with Chronic Aphasia Predict Improvement in Speech-Language Therapy. Topics in Stroke Rehabilitation, 2013, 20, 421-431.	1.0	20
69	Differential prefrontal and subcortical circuitry engagement during encoding of semantically related words in patients with lateâ€life depression. International Journal of Geriatric Psychiatry, 2014, 29, 1104-1115.	1.3	19
70	Anterior cingulate activation to implicit threat before and after treatment for pediatric anxiety disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 84, 250-256.	2.5	19
71	Neural activation to monetary reward is associated with amphetamine reward sensitivity. Neuropsychopharmacology, 2018, 43, 1738-1744.	2.8	19
72	Family support: A possible buffer against disruptive events for individuals with and without remitted depression Journal of Family Psychology, 2018, 32, 926-935.	1.0	19

#	Article	IF	CITATIONS
73	Adherence to a Mediterranean Diet Is Associated with Lower Depressive Symptoms among U.S. Adults. Nutrients, 2022, 14, 278.	1.7	19
74	The double burden of age and major depressive disorder on the cognitive control network Psychology and Aging, 2015, 30, 475-485.	1.4	18
75	Error-related Brain Activity as a Treatment Moderator and Index of Symptom Change during Cognitive-Behavioral Therapy or Selective Serotonin Reuptake Inhibitors. Neuropsychopharmacology, 2018, 43, 1355-1363.	2.8	18
76	From Default Mode Network to the Basal Configuration: Sex Differences in the Resting-State Brain Connectivity as a Function of Age and Their Clinical Correlates. Frontiers in Psychiatry, 2018, 9, 365.	1.3	18
77	Dissociable Neural Responses to Monetary and Social Gain and Loss in Women With Major Depressive Disorder. Frontiers in Behavioral Neuroscience, 2019, 13, 149.	1.0	18
78	Executive Functioning at Baseline Prospectively Predicts Depression Treatment Response. primary care companion for CNS disorders, The, 2017, 19, .	0.2	18
79	Predicting Compliance With Treatment Following Stroke: A New Model of Adherence Following Rehabilitation. Brain Impairment, 2008, 9, 122-139.	0.5	17
80	Stress Response to the Functional Magnetic Resonance Imaging Environment in Healthy Adults Relates to the Degree of Limbic Reactivity during Emotion Processing. Neuropsychobiology, 2015, 71, 85-96.	0.9	17
81	Affective personality predictors of disrupted reward learning and pursuit in major depressive disorder. Psychiatry Research, 2015, 230, 56-64.	1.7	17
82	Differential Resting State Connectivity Patterns and Impaired Semantically Cued List Learning Test Performance in Early Course Remitted Major Depressive Disorder. Journal of the International Neuropsychological Society, 2016, 22, 225-239.	1.2	17
83	Preliminary Evidence for Disrupted Nucleus Accumbens Reactivity and Connectivity to Reward in Binge Drinkers. Alcohol and Alcoholism, 2017, 52, 647-654.	0.9	17
84	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. Journal of Affective Disorders, 2018, 227, 183-191.	2.0	17
85	Examining Neural Plasticity for Slip-Perturbation Training: An fMRI Study. Frontiers in Neurology, 2018, 9, 1181.	1.1	17
86	Remitted depression and cognition in HIV: The role of cortisol and inflammation. Psychoneuroendocrinology, 2020, 114, 104609.	1.3	17
87	Risk factors for alcohol, marijuana, and cigarette polysubstance use during adolescence and young adulthood: A 7-year longitudinal study of youth at high risk for smoking escalation. Addictive Behaviors, 2021, 119, 106944.	1.7	17
88	Pharmacological modulation of pulvinar resting-state regional oscillations and network dynamics in major depression. Psychiatry Research - Neuroimaging, 2016, 252, 10-18.	0.9	16
89	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. Journal of Affective Disorders, 2016, 199, 87-94.	2.0	16
90	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. Social Cognitive and Affective Neuroscience, 2018, 13, 1081-1090.	1.5	16

#	Article	IF	Citations
91	Influence of childhood adversity, approach motivation traits, and depression on individual differences in brain activation during reward anticipation. Biological Psychology, 2019, 146, 107709.	1.1	16
92	Visual memory uniquely predicts anhedonia in schizophrenia but not bipolar disorder. Journal of Neuropsychology, 2019, 13, 136-146.	0.6	16
93	Amygdala and dorsomedial hyperactivity to emotional faces in youth with remitted Major Depression. Social Cognitive and Affective Neuroscience, 2016, 11, 736-745.	1.5	15
94	Emotional reactivity following surgery to the prefrontal cortex. Journal of Neuropsychology, 2018, 12, 120-141.	0.6	15
95	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. Journal of Affective Disorders, 2018, 241, 371-380.	2.0	15
96	Cognitive Control as a 5-HT1A-Based Domain That Is Disrupted in Major Depressive Disorder. Frontiers in Psychology, 2019, 10, 691.	1.1	15
97	A transdiagnostic review of neuroimaging studies of apathy and disinhibition in dementia. Brain, 2022, 145, 1886-1905.	3.7	15
98	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. Brain, 2015, 138, 1424-1434.	3.7	14
99	Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. Depression and Anxiety, 2019, 36, 141-152.	2.0	14
100	Striatal activation to monetary reward is associated with alcohol reward sensitivity. Neuropsychopharmacology, 2021, 46, 343-350.	2.8	14
101	Decreased Fronto-Limbic Activation and Disrupted Semantic-Cued List Learning in Major Depressive Disorder. Journal of the International Neuropsychological Society, 2016, 22, 412-425.	1.2	13
102	Abnormal emotional and neural responses to romantic rejection and acceptance in depressed women. Journal of Affective Disorders, 2018, 234, 231-238.	2.0	13
103	Anticipation of monetary reward in amygdala, insula, caudate are predictors of pleasure sensitivity to d-Amphetamine administration. Drug and Alcohol Dependence, 2020, 206, 107725.	1.6	13
104	Mechanisms of rumination change in adolescent depression (RuMeChange): study protocol for aÂrandomised controlled trial of rumination-focused cognitive behavioural therapy to reduce ruminative habit and risk of depressive relapse in high-ruminating adolescents. BMC Psychiatry, 2021, 21, 206.	1.1	13
105	Neural Mechanisms Involved in Mental Imagery of Slip-Perturbation While Walking: A Preliminary fMRI Study. Frontiers in Behavioral Neuroscience, 2018, 12, 203.	1.0	12
106	A new semantic list learning task to probe functioning of the Papez circuit. Journal of Clinical and Experimental Neuropsychology, 2015, 37, 816-833.	0.8	11
107	Pathways to Neuroprediction: Opportunities and Challenges to Prediction of Treatment Response in Depression. Current Behavioral Neuroscience Reports, 2018, 5, 48-60.	0.6	11
108	Baseline connectome modular abnormalities in the childhood phase of a longitudinal study on individuals with chromosome 22q11.2 deletion syndrome. Human Brain Mapping, 2018, 39, 232-248.	1.9	11

#	Article	IF	CITATIONS
109	A Preliminary Study on the Functional Benefits of Computerized Working Memory Training in Children With Pediatric Bipolar Disorder and Attention Deficit Hyperactivity Disorder. Frontiers in Psychology, 2020, 10, 3060.	1.1	11
110	Blinded Clinical Evaluation for Dementia of Alzheimer's Type Classification Using FDG-PET: A Comparison Between Feature-Engineered and Non-Feature-Engineered Machine Learning Methods. Journal of Alzheimer's Disease, 2021, 80, 715-726.	1.2	11
111	Affective and cognitive correlates of PTSD: Electrocortical processing of threat and perseverative errors on the WCST in combat-related PTSD. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 63-69.	2.5	10
112	Trait attentional control modulates neurofunctional response to threat distractors in anxiety and depression. Journal of Psychiatric Research, 2018, 102, 87-95.	1.5	10
113	Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 91, 38-48.	2.5	10
114	Neuropsychological Changes in Patients Undergoing Treatment of Unruptured Intracranial Aneurysms. Neurosurgery, 2019, 84, 581-587.	0.6	10
115	Malleability of rumination: An exploratory model of CBT-based plasticity and long-term reduced risk for depressive relapse among youth from a pilot randomized clinical trial. PLoS ONE, 2020, 15, e0233539.	1.1	10
116	Set Shifting and Inhibition Deficits as Potential Endophenotypes for Depression. Psychiatry Research, 2021, 300, 113931.	1.7	10
117	Openness predicts cognitive functioning in bipolar disorder. Journal of Affective Disorders, 2014, 168, 51-57.	2.0	9
118	Examining HPA-axis functioning as a mediator of the relationship between depression and cognition across the adult lifespan. Aging, Neuropsychology, and Cognition, 2019, 26, 507-520.	0.7	9
119	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. Assessment, 2020, 27, 787-802.	1.9	9
120	Blood pressure, executive function, and network connectivity in middle-aged adults at risk of dementia in late life. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, e2024265118.	3.3	9
121	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5Âyears. Bipolar Disorders, 2017, 19, 689-697.	1.1	8
122	PTSD symptoms are associated with visual retrieval performance in OEF/OIF/OND veterans. Psychiatry Research, 2017, 257, 156-162.	1.7	8
123	Global mental health and the National Institute of Mental Health Research Domain Criteria. International Journal of Social Psychiatry, 2018, 64, 436-442.	1.6	8
124	The Titrated Monetary Incentive Delay Task: Sensitivity, convergent and divergent validity, and neural correlates in an RDoC sample. Journal of Clinical and Experimental Neuropsychology, 2019, 41, 512-529.	0.8	8
125	Common neural responses to romantic rejection and acceptance in healthy adults. Social Neuroscience, 2020, 15, 571-583.	0.7	8
126	Mental health risks differentially associated with immunocompromised status among healthcare workers and family members at the pandemic outset. Brain, Behavior, & Immunity - Health, 2021, 15, 100285.	1.3	8

#	Article	IF	Citations
127	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age. Frontiers in Psychiatry, 2021, 12, 739022.	1.3	8
128	Cluster analysis with MOODSâ€SR illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. Bipolar Disorders, 2018, 20, 697-707.	1.1	7
129	Pre-scan cortisol is differentially associated with enhanced connectivity to the cognitive control network in young adults with a history of depression. Psychoneuroendocrinology, 2019, 104, 219-227.	1.3	7
130	Selfâ€reported affective biases, but not all affective performance biases, are present in depression remission. British Journal of Clinical Psychology, 2019, 58, 274-288.	1.7	7
131	Longitudinal fMRI task reveals neural plasticity in default mode network with disrupted executive-default coupling and selective attention after traumatic brain injury. Brain Imaging and Behavior, 2020, 14, 1638-1650.	1.1	7
132	Outward subcortical curvature associated with sub-clinical depression symptoms in adolescents. NeuroImage: Clinical, 2020, 25, 102187.	1.4	7
133	Vascular health and diffusion properties of normal appearing white matter in midlife. Brain Communications, 2021, 3, fcab080.	1.5	7
134	Inflammation, depressive symptoms, and emotion perception in adolescence. Journal of Affective Disorders, 2021, 295, 717-723.	2.0	7
135	Pathways to Neuroprediction: Opportunities and challenges to prediction of treatment response in depression. Current Behavioral Neuroscience Reports, 2018, 5, 48-60.	0.6	7
136	Adolescent's respiratory sinus arrhythmia is associated with smoking rate five years later. Biological Psychology, 2016, 118, 107-113.	1.1	6
137	Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. Brain Connectivity, 2018, 8, 527-536.	0.8	6
138	An Interactive Developmental Neuroscience Perspective on Adolescent Resilience to Familial Depression. JAMA Psychiatry, 2018, 75, 503.	6.0	5
139	Graph theoretical measures of the uncinate fasciculus subnetwork as predictors and correlates of treatment response in a transdiagnostic psychiatric cohort. Psychiatry Research - Neuroimaging, 2020, 299, 111064.	0.9	5
140	Brain morphometric differences in youth with and without perinatally-acquired HIV: A cross-sectional study. NeuroImage: Clinical, 2020, 26, 102246.	1.4	5
141	Sleep quality and neuropsychological functioning in bipolar I disorder. Journal of Affective Disorders, 2021, 293, 133-140.	2.0	4
142	Self-Injury in Adolescence Is Associated with Greater Behavioral Risk Avoidance, Not Risk-Taking. Journal of Clinical Medicine, 2022, 11, 1288.	1.0	4
143	Taking an RDoC lens to the study of panic disorder: A commentary on Hamm et al. and other thoughts on RDoC. Psychophysiology, 2016, 53, 328-331.	1.2	3
144	Differences in Real World Executive Function between Children with Pediatric Bipolar Disorder and Children with ADHD. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2016, 25, 185-195.	0.7	3

#	Article	IF	CITATIONS
145	Limited timeâ€specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders. Acta Psychiatrica Scandinavica, 2022, 146, 430-441.	2.2	3
146	Neural activation during anticipation of monetary gain or loss does not associate with positive subjective response to alcohol in binge drinkers. Drug and Alcohol Dependence, 2021, 218, 108432.	1.6	2
147	Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, , .	1.1	2
148	Innovations in Clinical Neuroscience: Tools, Techniques, and Transformative Frameworks. Biological Psychiatry, 2020, 87, 308-311.	0.7	2
149	Anterior cingulate cortex activation during attentional control as a transdiagnostic marker of psychotherapy response: a randomized clinical trial. Neuropsychopharmacology, 2022, 47, 1350-1357.	2.8	2
150	P3â€453: HIGHER CUMULATIVE EXPOSURE TO ELEVATED BLOOD PRESSURE DURING YOUNG ADULTHOOD THROUGH MIDLIFE PREDICTS REDUCED LOCAL FUNCTIONAL HIPPOCAMPAL CONNECTIVITY AT REST IN MIDLIFE. Alzheimer's and Dementia, 2018, 14, P1291.	0.4	1
151	F53. Outward Subcortical Deformations Associated With Sub-Clinical Depression Symptoms in Adolescents. Biological Psychiatry, 2018, 83, S258.	0.7	1
152	220. Childhood Adversity Disrupts Cognitive Control Development and Function. Biological Psychiatry, 2018, 83, S88.	0.7	1
153	Memory differences by sex, but not by previous diagnosis of major depressive disorder. Applied Neuropsychology Adult, 2020, 27, 134-142.	0.7	1
154	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. Journal of Affective Disorders, 2020, 266, 387-393.	2.0	1
155	Sex-specific effects of low-dose hydrocortisone on threat detection in HIV. Journal of NeuroVirology, 2021, 27, 716-726.	1.0	1
156	The Rapid Evolution of Crisis Mental Health Services in Utah: Opportunities and Challenges as a Result of the Global Pandemic. Focus (American Psychiatric Publishing), 2022, 20, 285-291.	0.4	1
157	537. Attenuated Intrinsic Connectivity within Cognitive Control Network among Individuals with Remitted Depression is Associated with Cognitive Control Deficits and Negative Cognitive Styles. Biological Psychiatry, 2017, 81, S217-S218.	0.7	O
158	935. Acute Cortisol Reactivity is Associated with Increased Connectivity from Default Mode to Cognitive Control Networks in Remitted Adolescent-Onset Depression. Biological Psychiatry, 2017, 81, S378-S379.	0.7	0
159	Can't Stop Remembering: Neural Decoding of Representations of the Deceased Predicts Subsequent Intrusive Thinking and Coping Strategies. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 384-385.	1.1	O
160	131. Anticipatory Cortisol Modulation of Memory, Affective Processing, and Resting-State Networks During fMRI in Mood Disorders. Biological Psychiatry, 2018, 83, S53-S54.	0.7	0
161	ICâ€Pâ€037: HIGHER CUMULATIVE EXPOSURE TO BLOOD PRESSURE DURING YOUNG ADULTHOOD THROUGH MIDLIFE PREDICTS REDUCED LOCAL FUNCTIONAL HIPPOCAMPAL CONNECTIVITY AT REST IN MIDLIFE. Alzheimer's and Dementia, 2018, 14, P39.	0.4	O
162	F141. Cross-Network Associations With Rumination Across Late Adolescent Development. Biological Psychiatry, 2018, 83, S292-S293.	0.7	0

#	Article	IF	CITATIONS
163	T106. Higher Levels of Subclinical Depression in Adolescents Are Associated with Greater Volume of the Hippocampus, Thalamus and Nucleus Accumbens Across Time Than Lower Levels. Biological Psychiatry, 2019, 85, S169-S170.	0.7	0
164	T140. Intrinsic Network Connectivity Reliably Distinguishes Retrospective Risk for Suicidal Behavior in Individuals With Mood Disorders. Biological Psychiatry, 2019, 85, \$183.	0.7	0
165	Connectivityâ€based differentiation of agrammatic and logopenic variants of primary progressive aphasia using a whole brain dataâ€driven approach. Alzheimer's and Dementia, 2020, 16, e043956.	0.4	0
166	Low rate of performance validity failures among individuals with bipolar disorder. Journal of the International Neuropsychological Society, 2023, 29, 298-305.	1.2	0
167	P94. A Transdiagnostic Study of Morphometric Similarity Networks in Delusions in Dementia. Biological Psychiatry, 2022, 91, S125.	0.7	0