

# Lisanne M Jenkins

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2989387/publications.pdf>

Version: 2024-02-01

167  
papers

5,035  
citations

101496

36  
h-index

123376

61  
g-index

169  
all docs

169  
docs citations

169  
times ranked

6257  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low rate of performance validity failures among individuals with bipolar disorder. <i>Journal of the International Neuropsychological Society</i> , 2023, 29, 298-305.	1.2	0
2	Anterior cingulate cortex activation during attentional control as a transdiagnostic marker of psychotherapy response: a randomized clinical trial. <i>Neuropsychopharmacology</i> , 2022, 47, 1350-1357.	2.8	2
3	Adherence to a Mediterranean Diet Is Associated with Lower Depressive Symptoms among U.S. Adults. <i>Nutrients</i> , 2022, 14, 278.	1.7	19
4	Self-Injury in Adolescence Is Associated with Greater Behavioral Risk Avoidance, Not Risk-Taking. <i>Journal of Clinical Medicine</i> , 2022, 11, 1288.	1.0	4
5	A transdiagnostic review of neuroimaging studies of apathy and disinhibition in dementia. <i>Brain</i> , 2022, 145, 1886-1905.	3.7	15
6	Limited time-specific and longitudinal effects of depressive and manic symptoms on cognition in bipolar spectrum disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 430-441.	2.2	3
7	P94. A Transdiagnostic Study of Morphometric Similarity Networks in Delusions in Dementia. <i>Biological Psychiatry</i> , 2022, 91, S125.	0.7	0
8	The Rapid Evolution of Crisis Mental Health Services in Utah: Opportunities and Challenges as a Result of the Global Pandemic. <i>Focus (American Psychiatric Publishing)</i> , 2022, 20, 285-291.	0.4	1
9	Striatal activation to monetary reward is associated with alcohol reward sensitivity. <i>Neuropsychopharmacology</i> , 2021, 46, 343-350.	2.8	14
10	Transfer learning for predicting conversion from mild cognitive impairment to dementia of Alzheimer's type based on a three-dimensional convolutional neural network. <i>Neurobiology of Aging</i> , 2021, 99, 53-64.	1.5	34
11	Neural activation during anticipation of monetary gain or loss does not associate with positive subjective response to alcohol in binge drinkers. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108432.	1.6	2
12	Resting state functional connectivity correlates of rumination and worry in internalizing psychopathologies. <i>Depression and Anxiety</i> , 2021, 38, 488-497.	2.0	22
13	Blinded Clinical Evaluation for Dementia of Alzheimer's Type Classification Using FDG-PET: A Comparison Between Feature-Engineered and Non-Feature-Engineered Machine Learning Methods. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 715-726.	1.2	11
14	Vascular health and diffusion properties of normal appearing white matter in midlife. <i>Brain Communications</i> , 2021, 3, fcab080.	1.5	7
15	Mechanisms of rumination change in adolescent depression (RuMeChange): study protocol for a randomised controlled trial of rumination-focused cognitive behavioural therapy to reduce ruminative habit and risk of depressive relapse in high-ruminating adolescents. <i>BMC Psychiatry</i> , 2021, 21, 206.	1.1	13
16	Set Shifting and Inhibition Deficits as Potential Endophenotypes for Depression. <i>Psychiatry Research</i> , 2021, 300, 113931.	1.7	10
17	Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.1	2
18	Mental health risks differentially associated with immunocompromised status among healthcare workers and family members at the pandemic outset. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2021, 15, 100285.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Risk factors for alcohol, marijuana, and cigarette polysubstance use during adolescence and young adulthood: A 7-year longitudinal study of youth at high risk for smoking escalation. <i>Addictive Behaviors</i> , 2021, 119, 106944.	1.7	17
20	Blood pressure, executive function, and network connectivity in middle-aged adults at risk of dementia in late life. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e2024265118.	3.3	9
21	Sex-specific effects of low-dose hydrocortisone on threat detection in HIV. <i>Journal of NeuroVirology</i> , 2021, 27, 716-726.	1.0	1
22	Sleep quality and neuropsychological functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2021, 293, 133-140.	2.0	4
23	Inflammation, depressive symptoms, and emotion perception in adolescence. <i>Journal of Affective Disorders</i> , 2021, 295, 717-723.	2.0	7
24	The Effects of Bipolar Disorder Risk on a Mobile Phone Keystroke Dynamics Based Biomarker of Brain Age. <i>Frontiers in Psychiatry</i> , 2021, 12, 739022.	1.3	8
25	Developing Dimensional, Pandiagnostic Inhibitory Control Constructs With Self-Report and Neuropsychological Data. <i>Assessment</i> , 2020, 27, 787-802.	1.9	9
26	Longitudinal fMRI task reveals neural plasticity in default mode network with disrupted executive-default coupling and selective attention after traumatic brain injury. <i>Brain Imaging and Behavior</i> , 2020, 14, 1638-1650.	1.1	7
27	Memory differences by sex, but not by previous diagnosis of major depressive disorder. <i>Applied Neuropsychology Adult</i> , 2020, 27, 134-142.	0.7	1
28	Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. <i>Psychological Medicine</i> , 2020, 50, 2324-2334.	2.7	23
29	Subcortical structural variations associated with low socioeconomic status in adolescents. <i>Human Brain Mapping</i> , 2020, 41, 162-171.	1.9	30
30	Anticipation of monetary reward in amygdala, insula, caudate are predictors of pleasure sensitivity to d-Amphetamine administration. <i>Drug and Alcohol Dependence</i> , 2020, 206, 107725.	1.6	13
31	Decreased working memory capacity among individuals with a mood disorder who have increased metabolic burden. <i>Journal of Affective Disorders</i> , 2020, 266, 387-393.	2.0	1
32	Malleability of rumination: An exploratory model of CBT-based plasticity and long-term reduced risk for depressive relapse among youth from a pilot randomized clinical trial. <i>PLoS ONE</i> , 2020, 15, e0233539.	1.1	10
33	Common neural responses to romantic rejection and acceptance in healthy adults. <i>Social Neuroscience</i> , 2020, 15, 571-583.	0.7	8
34	Connectivity-based differentiation of agrammatic and logopenic variants of primary progressive aphasia using a whole brain data-driven approach. <i>Alzheimer's and Dementia</i> , 2020, 16, e043956.	0.4	0
35	Effects of mood and aging on keystroke dynamics metadata and their diurnal patterns in a large open-science sample: A BiAffect iOS study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1007-1018.	2.2	46
36	Graph theoretical measures of the uncinate fasciculus subnetwork as predictors and correlates of treatment response in a transdiagnostic psychiatric cohort. <i>Psychiatry Research - Neuroimaging</i> , 2020, 299, 111064.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Cumulative Blood Pressure Exposure, Basal Ganglia, and Thalamic Morphology in Midlife Hypertension, 2020, 75, 1289-1295.	1.3	24
38	A Preliminary Study on the Functional Benefits of Computerized Working Memory Training in Children With Pediatric Bipolar Disorder and Attention Deficit Hyperactivity Disorder. <i>Frontiers in Psychology</i> , 2020, 10, 3060.	1.1	11
39	Remitted depression and cognition in HIV: The role of cortisol and inflammation. <i>Psychoneuroendocrinology</i> , 2020, 114, 104609.	1.3	17
40	Outward subcortical curvature associated with sub-clinical depression symptoms in adolescents. <i>NeuroImage: Clinical</i> , 2020, 25, 102187.	1.4	7
41	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. <i>Neuropsychology Review</i> , 2020, 30, 477-498.	2.5	23
42	Brain morphometric differences in youth with and without perinatally-acquired HIV: A cross-sectional study. <i>NeuroImage: Clinical</i> , 2020, 26, 102246.	1.4	5
43	Innovations in Clinical Neuroscience: Tools, Techniques, and Transformative Frameworks. <i>Biological Psychiatry</i> , 2020, 87, 308-311.	0.7	2
44	Examining HPA-axis functioning as a mediator of the relationship between depression and cognition across the adult lifespan. <i>Aging, Neuropsychology, and Cognition</i> , 2019, 26, 507-520.	0.7	9
45	Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 38-48.	2.5	10
46	Dissociable Neural Responses to Monetary and Social Gain and Loss in Women With Major Depressive Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 149.	1.0	18
47	T106. Higher Levels of Subclinical Depression in Adolescents Are Associated with Greater Volume of the Hippocampus, Thalamus and Nucleus Accumbens Across Time Than Lower Levels. <i>Biological Psychiatry</i> , 2019, 85, S169-S170.	0.7	0
48	Influence of childhood adversity, approach motivation traits, and depression on individual differences in brain activation during reward anticipation. <i>Biological Psychology</i> , 2019, 146, 107709.	1.1	16
49	Emotion-based brain mechanisms and predictors for SSRI and CBT treatment of anxiety and depression: a randomized trial. <i>Neuropsychopharmacology</i> , 2019, 44, 1639-1648.	2.8	64
50	Pre-scan cortisol is differentially associated with enhanced connectivity to the cognitive control network in young adults with a history of depression. <i>Psychoneuroendocrinology</i> , 2019, 104, 219-227.	1.3	7
51	Self-reported affective biases, but not all affective performance biases, are present in depression remission. <i>British Journal of Clinical Psychology</i> , 2019, 58, 274-288.	1.7	7
52	The Role of the Amygdala and the Ventromedial Prefrontal Cortex in Emotional Regulation: Implications for Post-traumatic Stress Disorder. <i>Neuropsychology Review</i> , 2019, 29, 220-243.	2.5	66
53	Cognitive Control as a 5-HT1A-Based Domain That Is Disrupted in Major Depressive Disorder. <i>Frontiers in Psychology</i> , 2019, 10, 691.	1.1	15
54	The Titrated Monetary Incentive Delay Task: Sensitivity, convergent and divergent validity, and neural correlates in an RDoC sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019, 41, 512-529.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Interplay between pro-inflammatory cytokines, childhood trauma, and executive function in depressed adolescents. <i>Journal of Psychiatric Research</i> , 2019, 114, 1-10.	1.5	27
56	T140. Intrinsic Network Connectivity Reliably Distinguishes Retrospective Risk for Suicidal Behavior in Individuals With Mood Disorders. <i>Biological Psychiatry</i> , 2019, 85, S183.	0.7	0
57	Transdiagnostic neural correlates of volitional emotion regulation in anxiety and depression. <i>Depression and Anxiety</i> , 2019, 36, 453-464.	2.0	35
58	Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. <i>Depression and Anxiety</i> , 2019, 36, 141-152.	2.0	14
59	Neuropsychological Changes in Patients Undergoing Treatment of Unruptured Intracranial Aneurysms. <i>Neurosurgery</i> , 2019, 84, 581-587.	0.6	10
60	Visual memory uniquely predicts anhedonia in schizophrenia but not bipolar disorder. <i>Journal of Neuropsychology</i> , 2019, 13, 136-146.	0.6	16
61	Abnormal emotional and neural responses to romantic rejection and acceptance in depressed women. <i>Journal of Affective Disorders</i> , 2018, 234, 231-238.	2.0	13
62	131. Anticipatory Cortisol Modulation of Memory, Affective Processing, and Resting-State Networks During fMRI in Mood Disorders. <i>Biological Psychiatry</i> , 2018, 83, S53-S54.	0.7	0
63	Pathways to Neuroprediction: Opportunities and Challenges to Prediction of Treatment Response in Depression. <i>Current Behavioral Neuroscience Reports</i> , 2018, 5, 48-60.	0.6	11
64	Cohort Profile: The Heinz C. Prechter Longitudinal Study of Bipolar Disorder. <i>International Journal of Epidemiology</i> , 2018, 47, 28-28n.	0.9	58
65	Trait attentional control modulates neurofunctional response to threat distractors in anxiety and depression. <i>Journal of Psychiatric Research</i> , 2018, 102, 87-95.	1.5	10
66	Anterior cingulate activation to implicit threat before and after treatment for pediatric anxiety disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 250-256.	2.5	19
67	An Interactive Developmental Neuroscience Perspective on Adolescent Resilience to Familial Depression. <i>JAMA Psychiatry</i> , 2018, 75, 503.	6.0	5
68	Individuals with more severe depression fail to sustain nucleus accumbens activity to preferred music over time. <i>Psychiatry Research - Neuroimaging</i> , 2018, 275, 21-27.	0.9	22
69	Neural activation to monetary reward is associated with amphetamine reward sensitivity. <i>Neuropsychopharmacology</i> , 2018, 43, 1738-1744.	2.8	19
70	Emotional reactivity following surgery to the prefrontal cortex. <i>Journal of Neuropsychology</i> , 2018, 12, 120-141.	0.6	15
71	Working memory predicts presence of auditory verbal hallucinations in schizophrenia and bipolar disorder with psychosis. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 84-94.	0.8	41
72	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 183-191.	2.0	17

#	ARTICLE	IF	CITATIONS
73	Baseline connectome modular abnormalities in the childhood phase of a longitudinal study on individuals with chromosome 22q11.2 deletion syndrome. <i>Human Brain Mapping</i> , 2018, 39, 232-248.	1.9	11
74	Considering sex differences clarifies the effects of depression on facial emotion processing during fMRI. <i>Journal of Affective Disorders</i> , 2018, 225, 129-136.	2.0	26
75	Error-related Brain Activity as a Treatment Moderator and Index of Symptom Change during Cognitive-Behavioral Therapy or Selective Serotonin Reuptake Inhibitors. <i>Neuropsychopharmacology</i> , 2018, 43, 1355-1363.	2.8	18
76	ICâ€Pâ€037: HIGHER CUMULATIVE EXPOSURE TO BLOOD PRESSURE DURING YOUNG ADULTHOOD THROUGH MIDLIFE PREDICTS REDUCED LOCAL FUNCTIONAL HIPPOCAMPAL CONNECTIVITY AT REST IN MIDLIFE. <i>Alzheimer's and Dementia</i> , 2018, 14, P39.	0.4	0
77	P3â€453: HIGHER CUMULATIVE EXPOSURE TO ELEVATED BLOOD PRESSURE DURING YOUNG ADULTHOOD THROUGH MIDLIFE PREDICTS REDUCED LOCAL FUNCTIONAL HIPPOCAMPAL CONNECTIVITY AT REST IN MIDLIFE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1291.	0.4	1
78	Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. <i>Brain Connectivity</i> , 2018, 8, 527-536.	0.8	6
79	Cognitive control neuroimaging measures differentiate between those with and without future recurrence of depression. <i>NeuroImage: Clinical</i> , 2018, 20, 1001-1009.	1.4	28
80	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 1081-1090.	1.5	16
81	Cluster analysis with MOODSâ€SR illustrates a potential bipolar disorder risk phenotype in young adults with remitted major depressive disorder. <i>Bipolar Disorders</i> , 2018, 20, 697-707.	1.1	7
82	F141. Cross-Network Associations With Rumination Across Late Adolescent Development. <i>Biological Psychiatry</i> , 2018, 83, S292-S293.	0.7	0
83	Neural Mechanisms Involved in Mental Imagery of Slip-Perturbation While Walking: A Preliminary fMRI Study. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 203.	1.0	12
84	From Default Mode Network to the Basal Configuration: Sex Differences in the Resting-State Brain Connectivity as a Function of Age and Their Clinical Correlates. <i>Frontiers in Psychiatry</i> , 2018, 9, 365.	1.3	18
85	Global mental health and the National Institute of Mental Health Research Domain Criteria. <i>International Journal of Social Psychiatry</i> , 2018, 64, 436-442.	1.6	8
86	F53. Outward Subcortical Deformations Associated With Sub-Clinical Depression Symptoms in Adolescents. <i>Biological Psychiatry</i> , 2018, 83, S258.	0.7	1
87	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. <i>Journal of Affective Disorders</i> , 2018, 241, 371-380.	2.0	15
88	Reliability, Convergent Validity and Time Invariance of Default Mode Network Deviations in Early Adult Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 244.	1.3	26
89	220. Childhood Adversity Disrupts Cognitive Control Development and Function. <i>Biological Psychiatry</i> , 2018, 83, S88.	0.7	1
90	Examining Neural Plasticity for Slip-Perturbation Training: An fMRI Study. <i>Frontiers in Neurology</i> , 2018, 9, 1181.	1.1	17

#	ARTICLE	IF	CITATIONS
91	Family support: A possible buffer against disruptive events for individuals with and without remitted depression.. Journal of Family Psychology, 2018, 32, 926-935.	1.0	19
92	Neural Responsiveness to Reward as an Index of Depressive Symptom Change Following Cognitive-Behavioral Therapy and SSRI Treatment. Journal of Clinical Psychiatry, 2018, 79, .	1.1	35
93	Pathways to Neuroprediction: Opportunities and challenges to prediction of treatment response in depression. Current Behavioral Neuroscience Reports, 2018, 5, 48-60.	0.6	7
94	Multivariate pattern analysis strategies in detection of remitted major depressive disorder using resting state functional connectivity. Neurolmage: Clinical, 2017, 16, 390-398.	1.4	54
95	Domain-specific impairment in cognitive control among remitted youth with a history of major depression. Microbial Biotechnology, 2017, 11, 383-392.	0.9	39
96	Affective and cognitive correlates of PTSD: Electrocortical processing of threat and perseverative errors on the WCST in combat-related PTSD. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 63-69.	2.5	10
97	Emotion regulation related neural predictors of cognitive behavioral therapy response in social anxiety disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 106-112.	2.5	28
98	Multidimensional prediction of treatment response to antidepressants with cognitive control and functional MRI. Brain, 2017, 140, 472-486.	3.7	61
99	Predicting cognitive behavioral therapy response in social anxiety disorder with anterior cingulate cortex and amygdala during emotion regulation. Neurolmage: Clinical, 2017, 15, 25-34.	1.4	46
100	Prefrontal and amygdala engagement during emotional reactivity and regulation in generalized anxiety disorder. Journal of Affective Disorders, 2017, 218, 398-406.	2.0	45
101	537. Attenuated Intrinsic Connectivity within Cognitive Control Network among Individuals with Remitted Depression is Associated with Cognitive Control Deficits and Negative Cognitive Styles. Biological Psychiatry, 2017, 81, S217-S218.	0.7	0
102	Transdiagnostic neural correlates of affective face processing in anxiety and depression. Depression and Anxiety, 2017, 34, 621-631.	2.0	37
103	Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. Human Brain Mapping, 2017, 38, 2939-2954.	1.9	84
104	Influence of cognitive reserve on neuropsychological functioning in bipolar disorder: Findings from a 5-year longitudinal study. Bipolar Disorders, 2017, 19, 50-59.	1.1	29
105	Cognitive flexibility: A trait of bipolar disorder that worsens with length of illness. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 979-987.	0.8	25
106	Neural correlates of rumination in adolescents with remitted major depressive disorder and healthy controls. Cognitive, Affective and Behavioral Neuroscience, 2017, 17, 394-405.	1.0	103
107	Equivalent linear change in cognition between individuals with bipolar disorder and healthy controls over 5 years. Bipolar Disorders, 2017, 19, 689-697.	1.1	8
108	935. Acute Cortisol Reactivity is Associated with Increased Connectivity from Default Mode to Cognitive Control Networks in Remitted Adolescent-Onset Depression. Biological Psychiatry, 2017, 81, S378-S379.	0.7	0

#	ARTICLE	IF	CITATIONS
109	The significance of negative correlations in brain connectivity. <i>Journal of Comparative Neurology</i> , 2017, 525, 3251-3265.	0.9	53
110	PTSD symptoms are associated with visual retrieval performance in OEF/OIF/OND veterans. <i>Psychiatry Research</i> , 2017, 257, 156-162.	1.7	8
111	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 1242-1254.	1.0	24
112	Can't Stop Remembering: Neural Decoding of Representations of the Deceased Predicts Subsequent Intrusive Thinking and Coping Strategies. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 384-385.	1.1	0
113	Affective traits and history of depression are related to ventral striatum connectivity. <i>Journal of Affective Disorders</i> , 2017, 221, 72-80.	2.0	21
114	Relationships among attention networks and physiological responding to threat. <i>Brain and Cognition</i> , 2017, 111, 63-72.	0.8	29
115	Preliminary Evidence for Disrupted Nucleus Accumbens Reactivity and Connectivity to Reward in Binge Drinkers. <i>Alcohol and Alcoholism</i> , 2017, 52, 647-654.	0.9	17
116	Executive Functioning at Baseline Prospectively Predicts Depression Treatment Response. <i>primary care companion for CNS disorders, The</i> , 2017, 19, .	0.2	18
117	Taking an RDoC lens to the study of panic disorder: A commentary on Hamm et al. and other thoughts on RDoC. <i>Psychophysiology</i> , 2016, 53, 328-331.	1.2	3
118	Adolescent's respiratory sinus arrhythmia is associated with smoking rate five years later. <i>Biological Psychology</i> , 2016, 118, 107-113.	1.1	6
119	Decoupling of the amygdala to other salience network regions in adolescent-onset recurrent major depressive disorder. <i>Psychological Medicine</i> , 2016, 46, 1055-1067.	2.7	94
120	Differential Resting State Connectivity Patterns and Impaired Semantically Cued List Learning Test Performance in Early Course Remitted Major Depressive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 225-239.	1.2	17
121	Aberrant resting-state functional connectivity in limbic and cognitive control networks relates to depressive rumination and mindfulness: A pilot study among adolescents with a history of depression. <i>Journal of Affective Disorders</i> , 2016, 200, 178-181.	2.0	46
122	Pharmacological modulation of pulvinar resting-state regional oscillations and network dynamics in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2016, 252, 10-18.	0.9	16
123	Shared white matter alterations across emotional disorders: A voxel-based meta-analysis of fractional anisotropy. <i>NeuroImage: Clinical</i> , 2016, 12, 1022-1034.	1.4	116
124	Acute cortisol reactivity attenuates engagement of fronto-parietal and striatal regions during emotion processing in negative mood disorders. <i>Psychoneuroendocrinology</i> , 2016, 73, 67-78.	1.3	22
125	Comorbid anxiety increases cognitive control activation in Major Depressive Disorder. <i>Depression and Anxiety</i> , 2016, 33, 967-977.	2.0	40
126	Decreased Fronto-Limbic Activation and Disrupted Semantic-Cued List Learning in Major Depressive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 412-425.	1.2	13



#	ARTICLE	IF	CITATIONS
127	Similar Trajectory of Executive Functioning Performance over 5 years among individuals with Bipolar Disorder and Unaffected Controls using Latent Growth Modeling. <i>Journal of Affective Disorders</i> , 2016, 199, 87-94.	2.0	16
128	NEURAL REACTIVITY TO REWARD AS A PREDICTOR OF COGNITIVE BEHAVIORAL THERAPY RESPONSE IN ANXIETY AND DEPRESSION. <i>Depression and Anxiety</i> , 2016, 33, 281-288.	2.0	83
129	Amygdala and dorsomedial hyperactivity to emotional faces in youth with remitted Major Depression. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 736-745.	1.5	15
130	Deficient inhibitory control as an outcome of childhood trauma. <i>Psychiatry Research</i> , 2016, 235, 7-12.	1.7	54
131	Trajectories of Functioning Into Emerging Adulthood Following Treatment for Adolescent Depression. <i>Journal of Adolescent Health</i> , 2016, 58, 253-259.	1.2	23
132	Emotional and personality changes following brain tumour resection. <i>Journal of Clinical Neuroscience</i> , 2016, 29, 128-132.	0.8	31
133	Targeting Ruminative Thinking in Adolescents at Risk for Depressive Relapse: Rumination-Focused Cognitive Behavior Therapy in a Pilot Randomized Controlled Trial with Resting State fMRI. <i>PLoS ONE</i> , 2016, 11, e0163952.	1.1	73
134	Differences in Real World Executive Function between Children with Pediatric Bipolar Disorder and Children with ADHD. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2016, 25, 185-195.	0.7	3
135	Gender differences in the associations among marijuana use, cigarette use, and symptoms of depression during adolescence and young adulthood. <i>Addictive Behaviors</i> , 2015, 49, 33-39.	1.7	45
136	The double burden of age and major depressive disorder on the cognitive control network.. <i>Psychology and Aging</i> , 2015, 30, 475-485.	1.4	18
137	Biomarkers of intergenerational risk for depression: A review of mechanisms in longitudinal high-risk (LHR) studies. <i>Journal of Affective Disorders</i> , 2015, 175, 494-506.	2.0	27
138	Stress Response to the Functional Magnetic Resonance Imaging Environment in Healthy Adults Relates to the Degree of Limbic Reactivity during Emotion Processing. <i>Neuropsychobiology</i> , 2015, 71, 85-96.	0.9	17
139	Shared dimensions of performance and activation dysfunction in cognitive control in females with mood disorders. <i>Brain</i> , 2015, 138, 1424-1434.	3.7	14
140	Association Between Placebo-Activated Neural Systems and Antidepressant Responses. <i>JAMA Psychiatry</i> , 2015, 72, 1087.	6.0	120
141	Affective personality predictors of disrupted reward learning and pursuit in major depressive disorder. <i>Psychiatry Research</i> , 2015, 230, 56-64.	1.7	17
142	A new semantic list learning task to probe functioning of the Papez circuit. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015, 37, 816-833.	0.8	11
143	Age and Gender Modulate the Neural Circuitry Supporting Facial Emotion Processing in Adults with Major Depressive Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 304-313.	0.6	28
144	Aberrant amygdala functional connectivity at rest in pediatric anxiety disorders. <i>Biology of Mood &amp; Anxiety Disorders</i> , 2014, 4, 15.	4.7	62

#	ARTICLE	IF	CITATIONS
145	Differential prefrontal and subcortical circuitry engagement during encoding of semantically related words in patients with late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1104-1115.	1.3	19
146	The double burden of age and disease on cognition and quality of life in bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 952-961.	1.3	31
147	Social cognition in patients following surgery to the prefrontal cortex. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 192-203.	0.9	44
148	Openness predicts cognitive functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 51-57.	2.0	9
149	Current Neural and Behavioral Dimensional Constructs Across Mood Disorders. <i>Current Behavioral Neuroscience Reports</i> , 2014, 1, 144-153.	0.6	41
150	Increased Coupling of Intrinsic Networks in Remitted Depressed Youth Predicts Rumination and Cognitive Control. <i>PLoS ONE</i> , 2014, 9, e104366.	1.1	91
151	Factor structure, construct validity, and age- and education-based normative data for the Parametric Go/No-Go Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013, 35, 132-146.	0.8	60
152	Personality Differences among Patients with Chronic Aphasia Predict Improvement in Speech-Language Therapy. <i>Topics in Stroke Rehabilitation</i> , 2013, 20, 421-431.	1.0	20
153	A New Set of Standardised Verbal and Non-verbal Contemporary Film Stimuli for the Elicitation of Emotions. <i>Brain Impairment</i> , 2012, 13, 212-227.	0.5	42
154	Impact of chronic hypercortisolemia on affective processing. <i>Neuropharmacology</i> , 2012, 62, 217-225.	2.0	48
155	Identifying a cognitive impairment subgroup in adults with mood disorders. <i>Journal of Affective Disorders</i> , 2011, 132, 360-367.	2.0	105
156	Auditory Memory Decrements, Without Dissimulation, among Patients with Major Depressive Disorder. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 445-453.	0.3	21
157	Intermediate: Cognitive phenotypes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 122, 285-293.	2.0	97
158	Predicting Compliance With Treatment Following Stroke: A New Model of Adherence Following Rehabilitation. <i>Brain Impairment</i> , 2008, 9, 122-139.	0.5	17
159	The sensitivity and psychometric properties of a brief computer-based cognitive screening battery in a depression clinic. <i>Psychiatry Research</i> , 2007, 152, 143-154.	1.7	43
160	A task to manipulate attentional load, set-shifting, and inhibitory control: Convergent validity and test-retest reliability of the Parametric Go/No-Go Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007, 29, 842-853.	0.8	126
161	Frontal and Limbic Activation During Inhibitory Control Predicts Treatment Response in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2007, 62, 1272-1280.	0.7	186
162	An evaluation of distinct volumetric and functional MRI contributions toward understanding age and task performance: A study in the basal ganglia. <i>Brain Research</i> , 2007, 1135, 58-68.	1.1	30

#	ARTICLE	IF	CITATIONS
163	Face Emotion Perception and Executive Functioning Deficits in Depression. Journal of Clinical and Experimental Neuropsychology, 2005, 27, 320-333.	0.8	152
164	fMRI of healthy older adults during Stroop interference. NeuroImage, 2004, 21, 192-200.	2.1	228
165	Frontal recruitment during response inhibition in older adults replicated with fMRI. NeuroImage, 2003, 20, 1384-1392.	2.1	96
166	Differences in the functional neuroanatomy of inhibitory control across the adult life span.. Psychology and Aging, 2002, 17, 56-71.	1.4	313
167	Differences in the functional neuroanatomy of inhibitory control across the adult life span.. Psychology and Aging, 2002, 17, 56-71.	1.4	167