## Gideon Grafi

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2990671/gideon-grafi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67	1,812	25	41
papers	citations	h-index	g-index
73 ext. papers	1,972 ext. citations	<b>5.2</b> avg, IF	4.8 L-index

#	Paper	IF	Citations
67	Cereal Husks: Versatile Roles in Grain Quality and Seedling Performance. <i>Agronomy</i> , <b>2022</b> , 12, 172	3.6	
66	Endophytic Bacteria Colonizing the Petiole of the Desert Plant Boiss: Possible Role in Mitigating Stress <i>Plants</i> , <b>2022</b> , 11,	4.5	1
65	Differential Response to Single and Combined Salt and Heat Stresses: Impact on Accumulation of Proteins and Metabolites in Dead Pericarps of. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
64	Single and Combined Salinity and Heat Stresses Impact Yield and Dead Pericarp Priming Activity. <i>Plants</i> , <b>2021</b> , 10,	4.5	2
63	Dead but Not Dead End: Multifunctional Role of Dead Organs Enclosing Embryos in Seed Biology. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	5
62	Extreme drought alters progeny dispersal unit properties of winter wild oat (Avena sterilis L.). <i>Planta</i> , <b>2020</b> , 252, 77	4.7	4
61	Maternal environment alters dead pericarp biochemical properties of the desert annual plant Anastatica hierochuntica L. <i>PLoS ONE</i> , <b>2020</b> , 15, e0237045	3.7	8
60	Plant Histone HTB (H2B) Variants in Regulating Chromatin Structure and Function. <i>Plants</i> , <b>2020</b> , 9,	4.5	3
59	Maternal environment alters dead pericarp biochemical properties of the desert annual plant Anastatica hierochuntica L. <b>2020</b> , 15, e0237045		
58	Maternal environment alters dead pericarp biochemical properties of the desert annual plant Anastatica hierochuntica L. <b>2020</b> , 15, e0237045		
57	Maternal environment alters dead pericarp biochemical properties of the desert annual plant Anastatica hierochuntica L. <b>2020</b> , 15, e0237045		
56	Maternal environment alters dead pericarp biochemical properties of the desert annual plant Anastatica hierochuntica L. <b>2020</b> , 15, e0237045		
55	Epigenetic aspects of floral homeotic genes in relation to sexual dimorphism in the dioecious plant Mercurialis annua. <i>Journal of Experimental Botany</i> , <b>2019</b> , 70, 6245-6259	7	6
54	A fhille-feuillesfbf stress tolerance in the desert plant Zygophyllum dumosum Boiss.: Highlighting epigenetics. <i>Israel Journal of Plant Sciences</i> , <b>2019</b> , 66, 52-59	0.6	3
53	Accumulation of newly identified sulfur containing metabolites in Zygophyllum dumosum Boiss suggest for a role of secondary metabolism in petiole survival during the dry season. <i>Israel Journal of Plant Sciences</i> , <b>2019</b> , 66, 94-102	0.6	1
52	Continuum Modeling of Discrete Plant Communities: Why Does It Work and Why Is It Advantageous?. <i>Mathematics</i> , <b>2019</b> , 7, 987	2.3	5
51	Arabidopsis mutants may represent recombinant introgression lines. <i>BMC Research Notes</i> , <b>2018</b> , 11, 22	72.3	1

50	CMT3 and SUVH4/KYP silence the exonic Evelknievel retroelement to allow for reconstitution of CMT1 mRNA. <i>Epigenetics and Chromatin</i> , <b>2018</b> , 11, 69	5.8	5	
49	The Dead Can Nurture: Novel Insights into the Function of Dead Organs Enclosing Embryos. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	14	
48	Seasonal Growth of Boiss.: Summer Dormancy Is Associated with Loss of the Permissive Epigenetic Marker Dimethyl H3K4 and Extensive Reduction in Proteins Involved in Basic Cell Functions. <i>Plants</i> , <b>2018</b> , 7,	4.5	7	
47	The dead seed coat functions as a long-term storage for active hydrolytic enzymes. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181102	3.7	30	
46	Dead Pericarps of Dry Fruits Function as Long-Term Storage for Active Hydrolytic Enzymes and Other Substances That Affect Germination and Microbial Growth. <i>Plants</i> , <b>2017</b> , 6,	4.5	15	
45	S1-Type Endonuclease 2 in Dedifferentiating Arabidopsis Protoplasts: Translocation to the Nucleus in Senescing Protoplasts Is Associated with De-Glycosylation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170067	3.7	7	
44	The dead, hardened floral bracts of dispersal units of wild wheat function as storage for active hydrolases and in enhancing seedling vigor. <i>PLoS ONE</i> , <b>2017</b> , 12, e0177537	3.7	15	
43	Activation of Tag1 transposable elements in Arabidopsis dedifferentiating cells and their regulation by CHROMOMETHYLASE 3-mediated CHG methylation. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , <b>2016</b> , 1859, 1289-98	6	7	
42	Conservative harvest habit by harvester ants exploiting fields of bread wheat. <i>Israel Journal of Plant Sciences</i> , <b>2015</b> , 62, 17-21	0.6	0	
41	Stress induces cell dedifferentiation in plants. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , <b>2015</b> , 1849, 378-84	6	38	
40	Senescence Meets Dedifferentiation. <i>Plants</i> , <b>2015</b> , 4, 356-68	4.5	5	
39	Internucleosomal DNA fragmentation in wild emmer wheat is catalyzed by S1-type endonucleases translocated to the nucleus upon induction of cell death. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , <b>2015</b> , 1849, 239-46	6	10	
38	Epigenetic information can reveal phylogenetic relationships within Zygophyllales. <i>Plant Systematics and Evolution</i> , <b>2014</b> , 300, 1819-1824	1.3	4	
37	The Arabidopsis STRESS RESPONSE SUPPRESSOR DEAD-box RNA helicases are nucleolar- and chromocenter-localized proteins that undergo stress-mediated relocalization and are involved in epigenetic gene silencing. <i>Plant Journal</i> , <b>2014</b> , 79, 28-43	6.9	50	
36	Stress cycles in stem cells/iPSCs development: implications for tissue repair. <i>Biogerontology</i> , <b>2013</b> , 14, 603-8	4.5	4	
35	Plant Epigenetics: A Historical Perspective. Signaling and Communication in Plants, 2013, 1-19	1	1	
34	Stress induces plant somatic cells to acquire some features of stem cells accompanied by selective chromatin reorganization. <i>Developmental Dynamics</i> , <b>2013</b> , 242, 1121-33	2.9	24	
33	Ecotypic variability in the metabolic response of seeds to diurnal hydration-dehydration cycles and its relationship to seed vigor. <i>Plant and Cell Physiology</i> , <b>2012</b> , 53, 38-52	4.9	23	

32	The stem cell state in plant development and in response to stress. <i>Frontiers in Plant Science</i> , <b>2011</b> , 2, 53	6.2	44
31	Plant response to stress meets dedifferentiation. <i>Planta</i> , <b>2011</b> , 233, 433-8	4.7	67
30	The complexity of cellular dedifferentiation: implications for regenerative medicine. <i>Trends in Biotechnology</i> , <b>2009</b> , 27, 329-32	15.1	19
29	The C-terminal domain of the Arabidopsis AtMBD7 protein confers strong chromatin binding activity. <i>Experimental Cell Research</i> , <b>2009</b> , 315, 3554-62	4.2	4
28	Histone modifications associated with drought tolerance in the desert plant Zygophyllum dumosum Boiss. <i>Planta</i> , <b>2009</b> , 231, 27-34	4.7	31
27	Phosphorylated H3S10 occurs in distinct regions of the nucleolus in differentiated leaf cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , <b>2009</b> , 1789, 220-4	6	9
26	The maize HMGA protein is localized to the nucleolus and can be acetylated in vitro at its globular domain, and phosphorylation by CDK reduces its binding activity to AT-rich DNA. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , <b>2009</b> , 1789, 751-7	6	13
25	Senescing cells share common features with dedifferentiating cells. <i>Rejuvenation Research</i> , <b>2009</b> , 12, 435-43	2.6	33
24	The three methyl-CpG-binding domains of AtMBD7 control its subnuclear localization and mobility. Journal of Biological Chemistry, 2008, 283, 8406-11	5.4	13
23	Methyl-CpG-binding domain (MBD) proteins in plants. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>2007</b> , 1769, 287-94		34
23		13.1	34 76
	Mechanisms, 2007, 1769, 287-94  Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant</i>	13.1	
22	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , <b>2007</b> , 12, 80-5  Histone methylation controls telomerase-independent telomere lengthening in cells undergoing		76
22	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , <b>2007</b> , 12, 80-5  Histone methylation controls telomerase-independent telomere lengthening in cells undergoing dedifferentiation. <i>Developmental Biology</i> , <b>2007</b> , 306, 838-46  Different domains control the localization and mobility of LIKE HETEROCHROMATIN PROTEIN1 in	3.1	76 84
22 21 20	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , <b>2007</b> , 12, 80-5  Histone methylation controls telomerase-independent telomere lengthening in cells undergoing dedifferentiation. <i>Developmental Biology</i> , <b>2007</b> , 306, 838-46  Different domains control the localization and mobility of LIKE HETEROCHROMATIN PROTEIN1 in Arabidopsis nuclei. <i>Plant Cell</i> , <b>2006</b> , 18, 133-45  Histone deacetylation is required for progression through mitosis in tobacco cells. <i>Plant Journal</i> ,	3.1	76 84 40
22 21 20	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , 2007, 12, 80-5  Histone methylation controls telomerase-independent telomere lengthening in cells undergoing dedifferentiation. <i>Developmental Biology</i> , 2007, 306, 838-46  Different domains control the localization and mobility of LIKE HETEROCHROMATIN PROTEIN1 in Arabidopsis nuclei. <i>Plant Cell</i> , 2006, 18, 133-45  Histone deacetylation is required for progression through mitosis in tobacco cells. <i>Plant Journal</i> , 2005, 41, 346-52  DDM1 binds Arabidopsis methyl-CpG binding domain proteins and affects their subnuclear	3.1 11.6 6.9	76 84 40 39
22 21 20 19	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , 2007, 12, 80-5  Histone methylation controls telomerase-independent telomere lengthening in cells undergoing dedifferentiation. <i>Developmental Biology</i> , 2007, 306, 838-46  Different domains control the localization and mobility of LIKE HETEROCHROMATIN PROTEIN1 in Arabidopsis nuclei. <i>Plant Cell</i> , 2006, 18, 133-45  Histone deacetylation is required for progression through mitosis in tobacco cells. <i>Plant Journal</i> , 2005, 41, 346-52  DDM1 binds Arabidopsis methyl-CpG binding domain proteins and affects their subnuclear localization. <i>Plant Cell</i> , 2005, 17, 1549-58  A dominant negative mutant of cyclin-dependent kinase A reduces endoreduplication but not cell	3.1 11.6 6.9 11.6	76 84 40 39 75

## LIST OF PUBLICATIONS

14	How cells dedifferentiate: a lesson from plants. <i>Developmental Biology</i> , <b>2004</b> , 268, 1-6	3.1	113
13	Chromatin reorganization accompanying cellular dedifferentiation is associated with modifications of histone H3, redistribution of HP1, and activation of E2F-target genes. <i>Developmental Dynamics</i> , <b>2003</b> , 228, 113-20	2.9	78
12	Characterization of Arabidopsis thaliana methyl-CpG-binding domain (MBD) proteins. <i>Plant Journal</i> , <b>2003</b> , 34, 565-72	6.9	76
11	Phosphorylation of histone h3 at serine 10 cannot account directly for the detachment of human heterochromatin protein 1gamma from mitotic chromosomes in plant cells. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 30921-7	5.4	24
10	Two phases of chromatin decondensation during dedifferentiation of plant cells: distinction between competence for cell fate switch and a commitment for S phase. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 22772-8	5.4	127
9	Clausa, a tomato mutant with a wide range of phenotypic perturbations, displays a cell type-dependent expression of the homeobox gene LeT6/TKn2. <i>Plant Physiology</i> , <b>2000</b> , 124, 541-52	6.6	36
8	The retinoblastoma protein - a bridge to heterochromatin. <i>Trends in Plant Science</i> , <b>2000</b> , 5, 239-40	13.1	34
7	The High Mobility Group I/Y Protein Is Hypophosphorylated in Endoreduplicating Maize Endosperm Cells and Is Involved in Alleviating Histone H1-mediated Transcriptional Repression. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 27494-27499	5.4	28
6	Cell cycle regulation of DNA replication: the endoreduplication perspective. <i>Experimental Cell Research</i> , <b>1998</b> , 244, 372-8	4.2	62
5	Activity of single-stranded DNA endonucleases in mung bean is associated with cell division. <i>Plant Molecular Biology</i> , <b>1995</b> , 29, 703-10	4.6	18
4	Alliin lyase (Alliinase) from garlic (Allium sativum). Biochemical characterization and cDNA cloning. <i>Applied Biochemistry and Biotechnology</i> , <b>1994</b> , 48, 149-71	3.2	89
3	Induction of cytoplasmic factors that bind to the 3' AU-rich region of human interferon beta mRNA during early development of Xenopus laevis. <i>FEBS Letters</i> , <b>1993</b> , 336, 403-7	3.8	7
2	Characterization of S1/mung-bean-type nuclease activity in plant cell suspensions. <i>Plant Science</i> , <b>1991</b> , 74, 107-114	5.3	5
1	Induction of an ATP-polymerizing enzyme in TMV-infected tobacco and its homology to the human 2'-5' A synthetase. <i>Virus Genes</i> , <b>1990</b> , 4, 27-39	2.3	6