

Archana Singh-Manoux

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2991008/archana-singh-manoux-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

423 papers	23,885 citations	85 h-index	134 g-index
466 ext. papers	29,063 ext. citations	7.2 avg, IF	6.93 L-index

#	Paper	IF	Citations
423	Association between age at onset of multimorbidity and incidence of dementia: 30 year follow-up in Whitehall II prospective cohort study.. <i>BMJ, The</i> , 2022 , 376, e068005	5.9	4
422	Association of APOE ϵ 4 with cerebral gray matter volumes in non-demented older adults: the MEMENTO cohort study.. <i>NeuroImage</i> , 2022 , 118966	7.9	1
421	Aortic Pulse Wave Velocity as Adjunct Risk Marker for Assessing Cardiovascular Disease Risk: Prospective Study.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12117589	8.5	0
420	Inter- and intra-individual variation in brain structural-cognition relationships in aging.. <i>NeuroImage</i> , 2022 , 119254	7.9	0
419	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022 , 19, 100417		0
418	Sex differences in functional limitations and the role of socioeconomic factors: a multi-cohort analysis.. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e780-e790	9.5	2
417	Association of cerebral small vessel disease burden with brain structure and cognitive and vascular risk trajectories in mid-to-late life. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 271678X211048411	7.3	2
416	Timeline of pain before dementia diagnosis: a 27-year follow-up study. <i>Pain</i> , 2021 , 162, 1578-1585	8	2
415	Serum transthyretin and risk of cognitive decline and dementia: 22-year longitudinal study. <i>Neurological Sciences</i> , 2021 , 42, 5093-5100	3.5	1
414	Study Protocol: The Heart and Brain Study. <i>Frontiers in Physiology</i> , 2021 , 12, 643725	4.6	1
413	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1640-1649	27.4	22
412	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , 2021 , 12, 2289	17.4	63
411	Association between change in cardiovascular risk scores and future cardiovascular disease: analyses of data from the Whitehall II longitudinal, prospective cohort study. <i>The Lancet Digital Health</i> , 2021 , 3, e434-e444	14.4	3
410	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e407-e416	9.5	1
409	Subjective Cognitive Complaints Given in Questionnaire: Relationship With Brain Structure, Cognitive Performance and Self-Reported Depressive Symptoms in a 25-Year Retrospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 217-226	6.5	7
408	The association of APOE ϵ 4 with cognitive function over the adult life course and incidence of dementia: 20 years follow-up of the Whitehall II study. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 5	9	9
407	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. <i>Lancet Public Health, The</i> , 2021 , 6, e106-e115	22.4	20

406	Terminal decline in objective and self-reported measures of motor function before death: 10 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2021 , 374, n1743	5.9	2
405	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
404	Integrating large-scale neuroimaging research datasets: Harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets. <i>NeuroImage</i> , 2021 , 237, 118189	7.9	3
403	Plasma proteins, cognitive decline, and 20-year risk of dementia in the Whitehall II and Atherosclerosis Risk in Communities studies. <i>Alzheimer's and Dementia</i> , 2021 ,	1.2	2
402	Age at Diabetes Onset and Subsequent Risk of Dementia-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 871-872	27.4	
401	Association of Type 2 Diabetes, According to the Number of Risk Factors Within Target Range, With Structural Brain Abnormalities, Cognitive Performance, and Risk of Dementia. <i>Diabetes Care</i> , 2021 , 44, 2493-2502	14.6	1
400	Diurnal pattern of salivary cortisol and progression of aortic stiffness: Longitudinal study. <i>Psychoneuroendocrinology</i> , 2021 , 133, 105372	5	3
399	White matter hyperintensities classified according to intensity and spatial location reveal specific associations with cognitive performance. <i>NeuroImage: Clinical</i> , 2021 , 30, 102616	5.3	2
398	Appetite disinhibition rather than hunger explains genetic effects on adult BMI trajectory. <i>International Journal of Obesity</i> , 2021 , 45, 758-765	5.5	2
397	Prediction of brain age and cognitive age: Quantifying brain and cognitive maintenance in aging. <i>Human Brain Mapping</i> , 2021 , 42, 1626-1640	5.9	21
396	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e013538	6	5
395	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , 2020 , 18, 107	11.4	10
394	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , 2020 , 17, e1003147	11.6	16
393	Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 67014	8.4	9
392	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health, The</i> , 2020 , 5, e140-e149	22.4	132
391	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59
390	Associations between arterial stiffening and brain structure, perfusion, and cognition in the Whitehall II Imaging Sub-study: A retrospective cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003467	11.6	8
389	Facteurs de risque de la maladie d'Alzheimer et des maladies apparentées: approche parcours de vie. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2020 , 204, 217-223	0.1	

388	Sleep duration over 28 years, cognition, gray matter volume, and white matter microstructure: a prospective cohort study. <i>Sleep</i> , 2020 , 43,	1.1	12
387	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health</i> , 2020 , 5, e42-e50	22.4	53
386	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27 year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020 , 63, 537-548	10.3	9
385	Association of aortic stiffness with cognitive decline: Whitehall II longitudinal cohort study. <i>European Journal of Epidemiology</i> , 2020 , 35, 861-869	12.1	11
384	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
383	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020 , 21, e12989	10.6	21
382	Association of trajectories of depressive symptoms with vascular risk, cognitive function and adverse brain outcomes: The Whitehall II MRI sub-study. <i>Journal of Psychiatric Research</i> , 2020 , 131, 85-93 ^{5.2}	5.2	7
381	Weight Management and Healthy Lifestyles-Reply. <i>JAMA Internal Medicine</i> , 2020 , 180, 1404-1405	11.5	
380	Multimodal brain-age prediction and cardiovascular risk: The Whitehall II MRI sub-study. <i>NeuroImage</i> , 2020 , 222, 117292	7.9	31
379	Psychological Wellbeing and Aortic Stiffness: Longitudinal Study. <i>Hypertension</i> , 2020 , 76, 675-682	8.5	3
378	Leisure activity participation and risk of dementia: An 18-year follow-up of the Whitehall II Study. <i>Neurology</i> , 2020 , 95, e2803-e2815	6.5	13
377	Association of Changes in Cardiovascular Health Metrics and Risk of Subsequent Cardiovascular Disease and Mortality. <i>Journal of the American Heart Association</i> , 2020 , 9, e017458	6	10
376	Long-term risk of dementia following hospitalization due to physical diseases: A multicohort study. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1686-1695	1.2	4
375	Association of midlife stroke risk with structural brain integrity and memory performance at older ages: a longitudinal cohort study. <i>Brain Communications</i> , 2020 , 2, fcaa026	4.5	5
374	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020 , 3, e2016084	10.4	9
373	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study. <i>PLoS Medicine</i> , 2020 , 17, e1003289	11.6	15
372	Associations Between Longitudinal Trajectories of Cognitive and Social Activities and Brain Health in Old Age. <i>JAMA Network Open</i> , 2020 , 3, e2013793	10.4	8
371	Association of big-5 personality traits with cognitive impairment and dementia: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 799-805	5.1	2

370	Longitudinal associations between diurnal cortisol variation and later-life cognitive impairment. <i>Neurology</i> , 2020 , 94, e133-e141	6.5	9
369	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
368	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
367	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
366	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
365	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
364	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
363	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerBased caseControl study 2020 , 17, e1003289		
362	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study 2020 , 17, e1003147		
361	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study 2020 , 17, e1003147		
360	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study 2020 , 17, e1003147		
359	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study 2020 , 17, e1003147		
358	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study 2020 , 17, e1003147		
357	Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. <i>Environmental Pollution</i> , 2019 , 255, 113231	9.3	33
356	Relation between 20-year income volatility and brain health in midlife: The CARDIA study. <i>Neurology</i> , 2019 , 93, e1890-e1899	6.5	13
355	Raised blood pressure and risk of dementia: our response. <i>European Heart Journal</i> , 2019 , 40, 787	9.5	1
354	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019 , 34, 567-577	12.1	22
353	Association of Midlife Cardiovascular Risk Profiles With Cerebral Perfusion at Older Ages. <i>JAMA Network Open</i> , 2019 , 2, e195776	10.4	21

352	Biomarker profiles of Alzheimer's disease and dynamic of the association between cerebrospinal fluid levels of Amyloid peptide and tau. <i>PLoS ONE</i> , 2019 , 14, e0217026	3.7	12
351	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ, The</i> , 2019 , 365, l1495	5.9	80
350	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2019 , 15, 313-314	1.2	0
349	Association of Midlife Diet With Subsequent Risk for Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 957-968	27.4	35
348	Predicting cognitive resilience from midlife lifestyle and multi-modal MRI: A 30-year prospective cohort study. <i>PLoS ONE</i> , 2019 , 14, e0211273	3.7	6
347	Carotid artery wave intensity in mid- to late-life predicts cognitive decline: the Whitehall II study. <i>European Heart Journal</i> , 2019 , 40, 2300-2309	9.5	30
346	CSF level of Amyloid peptide predicts mortality in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 29	9	11
345	5-year versus risk-category-specific screening intervals for cardiovascular disease prevention: a cohort study. <i>Lancet Public Health, The</i> , 2019 , 4, e189-e199	22.4	15
344	Does Poorer Pulmonary Function Accelerate Arterial Stiffening?: A Cohort Study With Repeated Measurements of Carotid-Femoral Pulse Wave Velocity. <i>Hypertension</i> , 2019 , 74, 929-935	8.5	8
343	Change in Cardiovascular Health and Incident Type 2 Diabetes and Impaired Fasting Glucose: The Whitehall II Study. <i>Diabetes Care</i> , 2019 , 42, 1981-1987	14.6	6
342	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2019 , 366, l4414	5.9	56
341	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002862	11.6	55
340	The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. <i>Scientific Reports</i> , 2019 , 9, 10270	4.9	3
339	Association between major surgical admissions and the cognitive trajectory: 19 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2019 , 366, l4466	5.9	22
338	Epidemiological transition in morbidity: 10-year data from emergency consultations in Dakar, Senegal. <i>BMJ Global Health</i> , 2019 , 4, e001396	6.6	4
337	The age-performance relationship in the general population and strategies to delay age related decline in performance. <i>Archives of Public Health</i> , 2019 , 77, 51	2.6	11
336	Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. <i>Environment International</i> , 2019 , 122, 346-356	12.9	45
335	Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018 , 14, 723-733	1.2	90

334	Socioeconomic inequality in recovery from poor physical and mental health in mid-life and early old age: prospective Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 309-313	5.1	6
333	Prevention of dementia by targeting risk factors. <i>Lancet, The</i> , 2018 , 391, 1574-1575	4.0	17
332	Allostatic load as a predictor of grey matter volume and white matter integrity in old age: The Whitehall II MRI study. <i>Scientific Reports</i> , 2018 , 8, 6411	4.9	16
331	The gait speed advantage of taller stature is lost with age. <i>Scientific Reports</i> , 2018 , 8, 1485	4.9	12
330	Exploring variability in basal ganglia connectivity with functional MRI in healthy aging. <i>Brain Imaging and Behavior</i> , 2018 , 12, 1822-1827	4.1	10
329	Transitions across cognitive states and death among older adults in relation to education: A multistate survival model using data from six longitudinal studies. <i>Alzheimer's and Dementia</i> , 2018 , 14, 462-472	1.2	32
328	Cardiometabolic dysregulation and cognitive decline: potential role of depressive symptoms. <i>British Journal of Psychiatry</i> , 2018 , 212, 96-102	5.4	16
327	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018 , 14, 707-722	1.2	76
326	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2018 , 14, 933-943	1.2	52
325	Testosterone and All-Cause Mortality in Older Men: The Role of Metabolic Syndrome. <i>Journal of the Endocrine Society</i> , 2018 , 2, 322-335	0.4	9
324	Classification and characterization of periventricular and deep white matter hyperintensities on MRI: A study in older adults. <i>NeuroImage</i> , 2018 , 170, 174-181	7.9	110
323	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , 2018 , 14, 178-186	1.2	140
322	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2018 , 362, k2927	5.9	74
321	Association between gait and cognition in an elderly population based sample. <i>Gait and Posture</i> , 2018 , 65, 240-245	2.6	14
320	Clinical, socioeconomic, and behavioural factors at age 50 years and risk of cardiometabolic multimorbidity and mortality: A cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002571	11.6	41
319	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018 , 269, 7-12	3.2	9
318	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018 , 6, 705-713	18.1	61
317	Association of circulating metabolites with healthy diet and risk of cardiovascular disease: analysis of two cohort studies. <i>Scientific Reports</i> , 2018 , 8, 8620	4.9	32

316	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , 2018 , 39, 3119-3125	9.5	95
315	Midlife contributors to socioeconomic differences in frailty during later life: a prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e313-e322	22.4	36
314	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 239-250	4.3	67
313	Structural social relations and cognitive ageing trajectories: evidence from the Whitehall II cohort study. <i>International Journal of Epidemiology</i> , 2018 , 47, 701-708	7.8	11
312	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018 , 14, 601-609	1.2	163
311	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 231-238	5.5	88
310	O3-02-03: FACTORS AND TRANSITIONS BETWEEN COGNITIVE STATES: A MULTI-STUDY APPROACH USING DATA FROM SIX INTERNATIONAL LONGITUDINAL STUDIES OF AGEING 2018 , 14, P1012-P1012		
309	Reader response: Midlife cardiovascular fitness and dementia: A 44-year longitudinal population study in women. <i>Neurology</i> , 2018 , 91, 762-763	6.5	
308	Association of Change in Cardiovascular Risk Factors With Incident Cardiovascular Events. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1793-1804	27.4	23
307	Residential Surrounding Greenness and Cognitive Decline: A 10-Year Follow-up of the Whitehall II Cohort. <i>Environmental Health Perspectives</i> , 2018 , 126, 077003	8.4	54
306	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e490-e497	22.4	138
305	Estimating sleep parameters using an accelerometer without sleep diary. <i>Scientific Reports</i> , 2018 , 8, 12975	4.5	123
304	Dietary pattern, inflammation and cognitive decline: The Whitehall II prospective cohort study. <i>Clinical Nutrition</i> , 2017 , 36, 506-512	5.9	89
303	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017 , 47, 1342-1356	6.9	195
302	Midlife Risk Factors for Impaired Physical and Cognitive Functioning at Older Ages: A Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 237-242	6.4	20
301	Nondiabetic Glucometabolic Status and Progression of Aortic Stiffness: The Whitehall II Study. <i>Diabetes Care</i> , 2017 , 40, 599-606	14.6	26
300	Healthy obesity and risk of accelerated functional decline and disability. <i>International Journal of Obesity</i> , 2017 , 41, 866-872	5.5	27
299	Agricultural activities and the incidence of Parkinson's disease in the general French population. <i>European Journal of Epidemiology</i> , 2017 , 32, 203-216	12.1	20

298	Coronary heart disease and risk factors as predictors of trajectories of psychological distress from midlife to old age. <i>Heart</i> , 2017 , 103, 659-665	5.1	12
297	Accelerometer assessed moderate-to-vigorous physical activity and successful ageing: results from the Whitehall II study. <i>Scientific Reports</i> , 2017 , 8, 45772	4.9	68
296	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease: A Multicohort Study of 90,164 Individuals. <i>Epidemiology</i> , 2017 , 28, 619-626	3.1	161
295	Trajectories of Depressive Symptoms Before Diagnosis of Dementia: A 28-Year Follow-up Study. <i>JAMA Psychiatry</i> , 2017 , 74, 712-718	14.5	236
294	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017 , 38, 2612-2618	9.5	95
293	Association between inflammatory biomarkers and all-cause, cardiovascular and cancer-related mortality. <i>Cmaj</i> , 2017 , 189, E384-E390	3.5	44
292	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , 2017 , 2, e277-e285	22.4	214
291	Validity of Cardiovascular Disease Event Ascertainment Using Linkage to UK Hospital Records. <i>Epidemiology</i> , 2017 , 28, 735-739	3.1	40
290	Effect of age and the APOE gene on metabolite concentrations in the posterior cingulate cortex. <i>NeuroImage</i> , 2017 , 152, 509-516	7.9	19
289	Association of UV radiation with Parkinson disease incidence: A nationwide French ecologic study. <i>Environmental Research</i> , 2017 , 154, 50-56	7.9	15
288	Vitamin D and cognitive function: A Mendelian randomisation study. <i>Scientific Reports</i> , 2017 , 7, 13230	4.9	32
287	Metabolically healthy obesity and depressive symptoms: 16-year follow-up of the Gazel cohort study. <i>PLoS ONE</i> , 2017 , 12, e0174678	3.7	15
286	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002334	11.6	40
285	Temporal trend in dementia incidence since 2002 and projections for prevalence in England and Wales to 2040: modelling study. <i>BMJ</i> , 2017 , 358, j2856	5.9	117
284	GAIT SPEED AND DECLINE IN GAIT SPEED AS PREDICTORS OF INCIDENT DEMENTIA. <i>Innovation in Aging</i> , 2017 , 1, 75-75	0.1	1
283	LIFETIME ENDOGENOUS ESTROGEN EXPOSURE AND DECLINE OF GAIT SPEED IN ELDERLY WOMEN. <i>Innovation in Aging</i> , 2017 , 1, 74-75	0.1	78
282	Gait Speed and Decline in Gait Speed as Predictors of Incident Dementia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 655-661	6.4	44
281	Associations between self-reported sleep quality and white matter in community-dwelling older adults: A prospective cohort study. <i>Human Brain Mapping</i> , 2017 , 38, 5465-5473	5.9	54

280	Distinct resting-state functional connections associated with episodic and visuospatial memory in older adults. <i>NeuroImage</i> , 2017 , 159, 122-130	7.9	12
279	Physical Activity, Sedentary Behavior, and Long-Term Changes in Aortic Stiffness: The Whitehall II Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	38
278	Forecasted trends in disability and life expectancy in England and Wales up to 2025: a modelling study. <i>Lancet Public Health, The</i> , 2017 , 2, e307-e313	22.4	72
277	[O30504]: DEMENTIA CASE ASCERTAINMENT IN POPULATION-BASED COHORT STUDIES: LESSONS FROM THE WHITEHALL II STUDY 2017 , 13, P909-P910		
276	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2017 , 357, j2709	5.9	152
275	Moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline: longitudinal cohort study. <i>BMJ, The</i> , 2017 , 357, j2353	5.9	177
274	ATRIAL FIBRILLATION AS A RISK FACTOR FOR COGNITIVE DECLINE AND DEMENTIA. <i>Innovation in Aging</i> , 2017 , 1, 74-74	0.1	1
273	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017 , 38, 2621-2628	9.5	49
272	IMPORTANCE OF TRAJECTORY ANALYSIS FOR RESEARCH ON COGNITIVE DECLINE, DISABILITY, AND DEMENTIA. <i>Innovation in Aging</i> , 2017 , 1, 74-74	0.1	78
271	TRAJECTORIES OF UNHEALTHY BEHAVIORS IN MIDLIFE AND RISK OF DISABILITY AT OLDER AGES. <i>Innovation in Aging</i> , 2017 , 1, 75-75	0.1	1
270	RISK FACTORS TRAJECTORIES PRIOR TO DEMENTIA DIAGNOSIS: BMI AND PHYSICAL ACTIVITY. <i>Innovation in Aging</i> , 2017 , 1, 75-75	0.1	78
269	Associations between Mobility, Cognition, and Brain Structure in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 155	5.3	33
268	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017 , 12, e0185513	3.7	16
267	Metabolic Syndrome and Symptom Resolution in Depression: A 5-Year Follow-Up of Older Adults. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1-e7	4.6	23
266	Actualité des facteurs de risque des démences. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2017 , 201, 731-738	0.1	
265	Uncoupling protein 2 haplotype does not affect human brain structure and function in a sample of community-dwelling older adults. <i>PLoS ONE</i> , 2017 , 12, e0181392	3.7	0
264	Body mass index trajectories and functional decline in older adults: Three-City Dijon cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 73-83	12.1	21
263	Transitions in the labor market after cancer: a comparison of self-employed workers and salaried staff. <i>Supportive Care in Cancer</i> , 2016 , 24, 4879-4886	3.9	4

262	OP49 Trends in disability and life expectancies in England and Wales, 2012-2025: a modelling study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, A30.1-A30	5.1	
261	Cross-sectional analysis of deprivation and ideal cardiovascular health in the Paris Prospective Study 3. <i>Heart</i> , 2016 , 102, 1890-1897	5.1	8
260	Parkinson disease male-to-female ratios increase with age: French nationwide study and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 952-7	5.5	101
259	Sub-threshold depressive symptoms and brain structure: A magnetic resonance imaging study within the Whitehall II cohort. <i>Journal of Affective Disorders</i> , 2016 , 204, 219-25	6.6	20
258	Postmenopausal Hormone Therapy and Risk of Stroke: Impact of the Route of Estrogen Administration and Type of Progestogen. <i>Stroke</i> , 2016 , 47, 1734-41	6.7	76
257	Underweight as a risk factor for respiratory death in the Whitehall cohort study: exploring reverse causality using a 45-year follow-up. <i>Thorax</i> , 2016 , 71, 84-5	7.3	13
256	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1500-1506	6.4	28
255	OP25 Dementia prevalence projections to 2030 for England and Wales: IMPACT-Better Ageing Model. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, A18.2-A18	5.1	
254	Blood-Based Oxidative Stress Markers and Cognitive Performance in Early Old Age: The HAPIEE Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 42, 297-309	2.6	12
253	Body Mass Index and Depressive Symptoms: Testing for Adverse and Protective Associations in Two Twin Cohort Studies. <i>Twin Research and Human Genetics</i> , 2016 , 19, 306-11	2.2	9
252	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016 , 6, e009788	3	11
251	Little Change in Diet After Onset of Type 2 Diabetes, Metabolic Syndrome, and Obesity in Middle-Aged Adults: 11-Year Follow-up Study. <i>Diabetes Care</i> , 2016 , 39, e29-30	14.6	3
250	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016 , 114, 813-8	8.7	12
249	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 27-34	18.1	141
248	Interleukin-6 as a predictor of symptom resolution in psychological distress: a cohort study. <i>Psychological Medicine</i> , 2015 , 45, 2137-44	6.9	15
247	Does midlife obesity really lower dementia risk?. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 498	18.1	13
246	Comment on Vimalananda et al. Depressive symptoms, antidepressant use, and the incidence of diabetes in the Black Women's Health Study. <i>Diabetes Care</i> 2014;37:2211-2217. <i>Diabetes Care</i> , 2015 , 38, e22-3	14.6	
245	Physical activity and adiposity markers at older ages: accelerometer vs questionnaire data. <i>Journal of the American Medical Association</i> , 2015 , 308, 438.e7-13	5.9	31

244	Healthy obesity and objective physical activity. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 268-75	7	59
243	Antidepressant medication use and trajectories of fasting plasma glucose, glycated haemoglobin, cell function and insulin sensitivity: a 9-year longitudinal study of the D.E.S.I.R. cohort. <i>International Journal of Epidemiology</i> , 2015 , 44, 1927-40	7.8	13
242	Excess non-psychiatric hospitalizations among employees with mental disorders: a 10-year prospective study of the GAZEL cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 307-17	6.5	1
241	Incidence of Metabolic Risk Factors Among Healthy Obese Adults: 20-Year Follow-Up. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 871-873	15.1	27
240	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet, The</i> , 2015 , 386, 1739-46	40	368
239	Pointing the FINGER at multimodal dementia prevention. <i>Lancet, The</i> , 2015 , 386, 1626-7	40	1
238	Job strain and risk of obesity: systematic review and meta-analysis of cohort studies. <i>International Journal of Obesity</i> , 2015 , 39, 1597-600	5.5	38
237	Lifetime hypertension as a predictor of brain structure in older adults: cohort study with a 28-year follow-up. <i>British Journal of Psychiatry</i> , 2015 , 206, 308-15	5.4	32
236	Socioeconomic and psychosocial adversity in midlife and depressive symptoms post retirement: a 21-year follow-up of the Whitehall II study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 99-109.e1	6.5	22
235	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , 2015 , 36, 551-9	9.5	218
234	Decline in Fast Gait Speed as a Predictor of Disability in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1129-36	5.6	60
233	Detection of Outliers Due to Participants' Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. <i>PLoS ONE</i> , 2015 , 10, e0132110	3.7	3
232	A Novel, Open Access Method to Assess Sleep Duration Using a Wrist-Worn Accelerometer. <i>PLoS ONE</i> , 2015 , 10, e0142533	3.7	261
231	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015 , 10, e0143184	3.7	12
230	Adiposity, obesity, and arterial aging: longitudinal study of aortic stiffness in the Whitehall II cohort. <i>Hypertension</i> , 2015 , 66, 294-300	8.5	83
229	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , 2015 , 46, 557-9	6.7	75
228	Resilience and MRI correlates of cognitive impairment in community-dwelling elders. <i>British Journal of Psychiatry</i> , 2015 , 207, 435-9	5.4	6
227	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). <i>BMJ Open</i> , 2015 , 5, e005971	3	41

226	The natural course of healthy obesity over 20 years. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 101-102	15.1	116
225	Alcohol consumption, drinking patterns, and cognitive function in older Eastern European adults. <i>Neurology</i> , 2015 , 84, 287-95	6.5	31
224	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015 , 350, g7772	5.9	102
223	IPD-Work consortium: pre-defined meta-analyses of individual-participant data strengthen evidence base for a link between psychosocial factors and health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 312-21	4.3	8
222	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014 , 23, 94-7	5.8	24
221	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 2014 , 37, 2268-75	14.6	131
220	Psychological distress and incidence of type 2 diabetes in high-risk and low-risk populations: the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 2091-7	14.6	35
219	Combined effect of physical activity and leisure time sitting on long-term risk of incident obesity and metabolic risk factor clustering. <i>Diabetologia</i> , 2014 , 57, 2048-56	10.3	35
218	Study protocol: The Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014 , 14, 159	4.2	58
217	Subjective cognitive complaints and mortality: does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014 , 48, 73-8	5.2	52
216	No evidence of a longitudinal association between diurnal cortisol patterns and cognition. <i>Neurobiology of Aging</i> , 2014 , 35, 2239-45	5.6	31
215	Association of metabolically healthy obesity with depressive symptoms: pooled analysis of eight studies. <i>Molecular Psychiatry</i> , 2014 , 19, 910-4	15.1	67
214	PP44 Impact of negative aspects of close relationships on cognitive ageing, the dark side of social relationships. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A64.2-A64	5.1	
213	Generalizability of occupational cohort study findings. <i>Epidemiology</i> , 2014 , 25, 932-3	3.1	61
212	P2-312: IMPACT OF NEGATIVE ASPECTS OF CLOSE RELATIONSHIPS ON COGNITIVE AGEING 2014 , 10, P593-P593		
211	Non-consent to a wrist-worn accelerometer in older adults: the role of socio-demographic, behavioural and health factors. <i>PLoS ONE</i> , 2014 , 9, e110816	3.7	13
210	Personality change associated with chronic diseases: pooled analysis of four prospective cohort studies. <i>Psychological Medicine</i> , 2014 , 44, 2629-40	6.9	84
209	Long-term inflammation increases risk of common mental disorder: a cohort study. <i>Molecular Psychiatry</i> , 2014 , 19, 149-50	15.1	76

208	Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. <i>Neurology</i> , 2014 , 83, 486-93	6.5	125
207	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014 , 44, 247-51	13.6	9
206	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , 2014 , 82, 332-9	6.5	87
205	Response to comment on Hinnouho et al. Metabolically healthy obesity and risk of mortality: does the definition of metabolic health matter? <i>Diabetes care</i> 2013;36:2294-2300. <i>Diabetes Care</i> , 2014 , 37, e105	14.6	5
204	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 775-83	9.3	16
203	Alcohol consumption and cognitive performance: a Mendelian randomization study. <i>Addiction</i> , 2014 , 109, 1462-71	4.6	19
202	Association of body mass index and waist circumference with successful aging. <i>Obesity</i> , 2014 , 22, 1172-88		17
201	Negative aspects of close relationships as risk factors for cognitive aging. <i>American Journal of Epidemiology</i> , 2014 , 180, 1118-25	3.8	16
200	The authors reply. <i>American Journal of Epidemiology</i> , 2014 , 179, 792-3	3.8	1
199	Traffic-related air pollution in relation to cognitive function in older adults. <i>Epidemiology</i> , 2014 , 25, 674-81	9.1	120
198	Association between questionnaire- and accelerometer-assessed physical activity: the role of sociodemographic factors. <i>American Journal of Epidemiology</i> , 2014 , 179, 781-90	3.8	166
197	Don't let the truth get in the way of a good story: an illustration of citation bias in epidemiologic research. <i>American Journal of Epidemiology</i> , 2014 , 180, 446-8	3.8	17
196	Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 2014 , 82, 1716-23	6.5	20
195	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , 2014 , 83, 476	6.5	5
194	Depressive disorder, coronary heart disease, and stroke: dose-response and reverse causation effects in the Whitehall II cohort study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 340-6	3.9	46
193	Lipid-lowering drugs associated with slower motor decline in the elderly adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 199-206	6.4	13
192	Cumulative associations between midlife health behaviors and physical functioning in early old age: a 17-year prospective cohort study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1860-8	5.6	23
191	Trajectories of the Framingham general cardiovascular risk profile in midlife and poor motor function later in life: the Whitehall II study. <i>International Journal of Cardiology</i> , 2014 , 172, 96-102	3.2	24

190	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 228-35	18.1	122
189	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 249-56	3.2	36
188	Job strain and the risk of inflammatory bowel diseases: individual-participant meta-analysis of 95,000 men and women. <i>PLoS ONE</i> , 2014 , 9, e88711	3.7	14
187	Measures of frailty in population-based studies: an overview. <i>BMC Geriatrics</i> , 2013 , 13, 64	4.1	267
186	Validating a widely used measure of frailty: are all sub-components necessary? Evidence from the Whitehall II cohort study. <i>Age</i> , 2013 , 35, 1457-65		25
185	Association of walking speed in late midlife with mortality: results from the Whitehall II cohort study. <i>Age</i> , 2013 , 35, 943-52		41
184	Association of personality with the development and persistence of obesity: a meta-analysis based on individual-participant data. <i>Obesity Reviews</i> , 2013 , 14, 315-23	10.6	130
183	Diabetes risk factors, diabetes risk algorithms, and the prediction of future frailty: the Whitehall II prospective cohort study. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 851.e1-6	5.9	48
182	Influence of maternal and paternal IQ on offspring health and health behaviours: evidence for some trans-generational associations using the 1958 British birth cohort study. <i>European Psychiatry</i> , 2013 , 28, 219-24	6	8
181	Job strain and coronary heart disease - Authors' reply. <i>Lancet, The</i> , 2013 , 381, 448-9	40	3
180	Physical activity patterns over 10 years in relation to body mass index and waist circumference: the Whitehall II cohort study. <i>Obesity</i> , 2013 , 21, E755-61	8	26
179	Midlife stroke risk and cognitive decline: a 10-year follow-up of the Whitehall II cohort study. <i>Alzheimer's and Dementia</i> , 2013 , 9, 572-9	1.2	40
178	Does overall diet in midlife predict future aging phenotypes? A cohort study. <i>American Journal of Medicine</i> , 2013 , 126, 411-419.e3	2.4	48
177	Metabolically healthy obesity and risk of mortality: does the definition of metabolic health matter?. <i>Diabetes Care</i> , 2013 , 36, 2294-300	14.6	202
176	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013 , 347, f4746	5.9	133
175	Cardiovascular disease risk scores in identifying future frailty: the Whitehall II prospective cohort study. <i>Heart</i> , 2013 , 99, 737-42	5.1	44
174	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , 2013 , 346, f165	5.9	82
173	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013 , 34, 2697-705	9.5	70

172	Associations between change in sleep duration and inflammation: findings on C-reactive protein and interleukin 6 in the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2013 , 178, 956-61	3.8	99
171	Unhealthy behaviours and disability in older adults: three-City Dijon cohort study. <i>BMJ, The</i> , 2013 , 347, f4240	5.9	83
170	Informal caregiving and the risk for coronary heart disease: the Whitehall II study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 1316-23	6.4	39
169	Motor function in the elderly: evidence for the reserve hypothesis. <i>Neurology</i> , 2013 , 81, 417-26	6.5	32
168	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013 , 185, 763-9	3.5	81
167	Trait anxiety levels before and after antidepressant treatment: a 3-wave cohort study. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 371-7	1.7	5
166	Personality and all-cause mortality: individual-participant meta-analysis of 3,947 deaths in 76,150 adults. <i>American Journal of Epidemiology</i> , 2013 , 178, 667-75	3.8	200
165	Chronic inflammation as a determinant of future aging phenotypes. <i>Cmaj</i> , 2013 , 185, E763-70	3.5	50
164	Predicting cognitive decline: a dementia risk score vs. the Framingham vascular risk scores. <i>Neurology</i> , 2013 , 80, 1300-6	6.5	147
163	Combined impact of smoking and heavy alcohol use on cognitive decline in early old age: Whitehall II prospective cohort study. <i>British Journal of Psychiatry</i> , 2013 , 203, 120-5	5.4	45
162	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , 2013 , 103, 2090-7	5.1	87
161	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	3
160	Job strain and cardiovascular disease risk factors: meta-analysis of individual-participant data from 47,000 men and women. <i>PLoS ONE</i> , 2013 , 8, e67323	3.7	125
159	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012 , 272, 65-73	10.8	115
158	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012 , 12, 62	4.1	110
157	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012 , 380, 1491-7	4.0	606
156	Bidirectional association between physical activity and symptoms of anxiety and depression: the Whitehall II study. <i>European Journal of Epidemiology</i> , 2012 , 27, 537-46	12.1	174
155	Low conscientiousness and risk of all-cause, cardiovascular and cancer mortality over 17 years: Whitehall II cohort study. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 98-103	4.1	34

154	Obesity phenotypes in midlife and cognition in early old age: the Whitehall II cohort study. <i>Neurology</i> , 2012 , 79, 755-62	6.5	73
153	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. <i>BMJ, The</i> , 2012 , 344, d7622	5.9	435
152	Vascular risk status as a predictor of later-life depressive symptoms: a cohort study. <i>Biological Psychiatry</i> , 2012 , 72, 324-30	7.9	26
151	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , 2012 , 7, e35463	3.7	81
150	Cross-cultural comparison of correlates of quality of life and health status: the Whitehall II Study (UK) and the Western New York Health Study (US). <i>European Journal of Epidemiology</i> , 2012 , 27, 255-65	12.1	30
149	Influence of individual and combined healthy behaviours on successful aging. <i>Cmaj</i> , 2012 , 184, 1985-92	3.5	104
148	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 552-6	5.1	18
147	Impact of smoking on cognitive decline in early old age: the Whitehall II cohort study. <i>Archives of General Psychiatry</i> , 2012 , 69, 627-35		122
146	Occupational solvent exposure and cognition: does the association vary by level of education?. <i>Neurology</i> , 2012 , 78, 1754-60	6.5	29
145	Authors' response to: Can information on life stress improve CHD risk prediction in clinical practice?. <i>International Journal of Epidemiology</i> , 2012 , 41, 324-326	7.8	78
144	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 155-9	5.1	44
143	Physical activity and inflammatory markers over 10 years: follow-up in men and women from the Whitehall II cohort study. <i>Circulation</i> , 2012 , 126, 928-33	16.7	164
142	Socioeconomic status, structural and functional measures of social support, and mortality: The British Whitehall II Cohort Study, 1985-2009. <i>American Journal of Epidemiology</i> , 2012 , 175, 1275-83	3.8	137
141	Job strain as a risk factor for leisure-time physical inactivity: an individual-participant meta-analysis of up to 170,000 men and women: the IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 1078-89	3.8	153
140	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012 , 33, 478-85	9.5	25
139	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012 , 22, 514-8	2.1	68
138	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , 2012 , 22, 643-7	2.1	24
137	SABIA ET AL. RESPOND. <i>American Journal of Public Health</i> , 2012 , 102, S165-S166	5.1	78

136	Trajectories of sleep complaints from early midlife to old age: longitudinal modeling study. <i>Sleep</i> , 2012 , 35, 1559-68	1.1	11
135	Neuroticism and cardiovascular disease mortality: socioeconomic status modifies the risk in women (UK Health and Lifestyle Survey). <i>Psychosomatic Medicine</i> , 2012 , 74, 596-603	3.7	44
134	Effect of intensity and type of physical activity on mortality: results from the Whitehall II cohort study. <i>American Journal of Public Health</i> , 2012 , 102, 698-704	5.1	86
133	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012 , 2, e000522	3	38
132	Does the Framingham Stroke Risk Profile predict white-matter changes in late-life depression?. <i>International Psychogeriatrics</i> , 2012 , 24, 524-31	3.4	17
131	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , 2012 , 7, e40101	3.7	74
130	Antidepressant medication use and risk of hyperglycemia and diabetes mellitus: a noncausal association?. <i>Biological Psychiatry</i> , 2011 , 70, 978-84	7.9	42
129	Anti-depressant medication use and C-reactive protein: results from two population-based studies. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 168-73	16.6	52
128	Change in sleep duration and cognitive function: findings from the Whitehall II Study. <i>Sleep</i> , 2011 , 34, 565-73	1.1	176
127	P2-291 Structural and functional measures of social support, socioeconomic position and mortality. The British Whitehall II Study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A302-A302	5.1	
126	Negative aspects of close relationships as a predictor of increased body mass index and waist circumference: the Whitehall II study. <i>American Journal of Public Health</i> , 2011 , 101, 1474-80	5.1	33
125	Using additional information on working hours to predict coronary heart disease: a cohort study. <i>Annals of Internal Medicine</i> , 2011 , 154, 457-63	8	61
124	Decline in low-density lipoprotein cholesterol concentration: lipid-lowering drugs, diet, or physical activity? Evidence from the Whitehall II study. <i>Heart</i> , 2011 , 97, 923-30	5.1	28
123	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011 , 106, 93-104	4.6	20
122	Natural course of recurrent psychological distress in adulthood. <i>Journal of Affective Disorders</i> , 2011 , 130, 454-61	6.6	21
121	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , 2011 , 33, 385-92		38
120	Does cognitive reserve shape cognitive decline?. <i>Annals of Neurology</i> , 2011 , 70, 296-304	9.4	97
119	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 729-33	2.1	13

118	FC08-04 - Trajectories of depressive episodes and hypertension over 24 years: the whitehall II prospective cohort study. <i>European Psychiatry</i> , 2011 , 26, 1855-1855	6	
117	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 247-53	7	122
116	O1-4.4 Framingham stroke risk profile and cognitive decline in middle age: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A14-A15	5.1	
115	Does adding information on job strain improve risk prediction for coronary heart disease beyond the standard Framingham risk score? The Whitehall II study. <i>International Journal of Epidemiology</i> , 2011 , 40, 1577-84	7.8	15
114	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 1097-103	5.1	16
113	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011 , 41, 2485-94	6.9	162
112	Socioeconomic differences in cardiometabolic factors: social causation or health-related selection? Evidence from the Whitehall II Cohort Study, 1991-2004. <i>American Journal of Epidemiology</i> , 2011 , 174, 779-89	3.8	99
111	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. <i>European Heart Journal</i> , 2011 , 32, 2326-32	9.5	73
110	Arterial stiffness, physical function, and functional limitation: the Whitehall II Study. <i>Hypertension</i> , 2011 , 57, 1003-9	8.5	76
109	Influence of retirement and work stress on headache prevalence: a longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011 , 31, 696-705	6.1	29
108	Examining overweight and obesity as risk factors for common mental disorders using fat mass and obesity-associated (FTO) genotype-instrumented analysis: The Whitehall II Study, 1985-2004. <i>American Journal of Epidemiology</i> , 2011 , 173, 421-9	3.8	56
107	Health behaviours, socioeconomic status, and mortality: further analyses of the British Whitehall II and the French GAZEL prospective cohorts. <i>PLoS Medicine</i> , 2011 , 8, e1000419	11.6	206
106	Trajectories of depressive episodes and hypertension over 24 years: the Whitehall II prospective cohort study. <i>Hypertension</i> , 2011 , 57, 710-6	8.5	61
105	Effect of retirement on alcohol consumption: longitudinal evidence from the French Gazel cohort study. <i>PLoS ONE</i> , 2011 , 6, e26531	3.7	49
104	Combined effects of depressive symptoms and resting heart rate on mortality: the Whitehall II prospective cohort study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1199-206	4.6	7
103	Psychosocial Factors at Work: The Epidemiological Perspective 2011 , 195-209		1
102	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 16-23	7	22
101	Metabolic syndrome over 10 years and cognitive functioning in late midlife: the Whitehall II study. <i>Diabetes Care</i> , 2010 , 33, 84-9	14.6	57

100	Occupational exposure to solvents and cognitive performance in the GAZEL cohort: preliminary results. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 12-9	2.6	15
99	Organisational justice and markers of inflammation: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 78-83	2.1	46
98	Commentary: is it time to redefine cognitive epidemiology?. <i>International Journal of Epidemiology</i> , 2010 , 39, 1369-71	7.8	7
97	Incremental predictive value of adding past blood pressure measurements to the Framingham hypertension risk equation: the Whitehall II Study. <i>Hypertension</i> , 2010 , 55, 1058-62	8.5	17
96	The association of cognitive performance with mental health and physical functioning strengthens with age: the Whitehall II cohort study. <i>Psychological Medicine</i> , 2010 , 40, 837-45	6.9	22
95	Hostility and depressive mood: results from the Whitehall II prospective cohort study. <i>Psychological Medicine</i> , 2010 , 40, 405-13	6.9	27
94	Changes in C-reactive protein levels before type 2 diabetes and cardiovascular death: the Whitehall II study. <i>European Journal of Endocrinology</i> , 2010 , 163, 89-95	6.5	26
93	Antidepressant use before and after the diagnosis of type 2 diabetes: a longitudinal modeling study. <i>Diabetes Care</i> , 2010 , 33, 1471-6	14.6	39
92	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 311-7	5.1	41
91	Overall diet history and reversibility of the metabolic syndrome over 5 years: the Whitehall II prospective cohort study. <i>Diabetes Care</i> , 2010 , 33, 2339-41	14.6	35
90	Does sickness absence due to psychiatric disorder predict cause-specific mortality? A 16-year follow-up of the GAZEL occupational cohort study. <i>American Journal of Epidemiology</i> , 2010 , 172, 700-7	3.8	32
89	Why does lung function predict mortality? Results from the Whitehall II Cohort Study. <i>American Journal of Epidemiology</i> , 2010 , 172, 1415-23	3.8	41
88	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 461-4	5.1	21
87	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2010 , 31, 1737-44	9.5	119
86	Low pessimism protects against stroke: the Health and Social Support (HeSSup) prospective cohort study. <i>Stroke</i> , 2010 , 41, 187-90	6.7	40
85	Association of socioeconomic position with health behaviors and mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 1159-66	27.4	616
84	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ, The</i> , 2010 , 341, c6149	5.9	142
83	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010 , 96, 1645-50	5.1	43

82	Association between change in body composition and change in inflammatory markers: an 11-year follow-up in the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5370-4	5.6	31
81	Psychological and somatic symptoms of anxiety and risk of coronary heart disease: the health and social support prospective cohort study. <i>Biological Psychiatry</i> , 2010 , 67, 378-85	7.9	77
80	Does cognition predict mortality in midlife? Results from the Whitehall II cohort study. <i>Neurobiology of Aging</i> , 2010 , 31, 688-95	5.6	36
79	Lost work days in the 6 years leading to premature death from cardiovascular disease in men and women. <i>Atherosclerosis</i> , 2010 , 211, 689-93	3.1	4
78	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010 , 39, 1016-24	7.8	50
77	The importance of cognitive aging for understanding dementia. <i>Age</i> , 2010 , 32, 509-12		20
76	Trends in the association between height and socioeconomic indicators in France, 1970-2003. <i>Economics and Human Biology</i> , 2010 , 8, 396-404	2.6	33
75	Effect of Apolipoprotein E epsilon4 on the association between health behaviors and cognitive function in late midlife. <i>Molecular Neurodegeneration</i> , 2010 , 5, 23	1.9	18
74	Persistent depressive symptoms and cognitive function in late midlife: the Whitehall II study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1379-85	4.6	35
73	Hyperglycemia, type 2 diabetes, and depressive symptoms: the British Whitehall II study. <i>Diabetes Care</i> , 2009 , 32, 1867-9	14.6	34
72	Physical and cognitive function in midlife: reciprocal effects? A 5-year follow-up of the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 468-73	5.1	20
71	Socioeconomic position and cognitive decline using data from two waves: what is the role of the wave 1 cognitive measure?. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 675-80	5.1	15
70	Education attenuates the association between dietary patterns and cognition. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 147-54	2.6	61
69	Cumulative exposure to high-strain and active jobs as predictors of cognitive function: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 32-7	2.1	31
68	Association between metabolic syndrome and depressive symptoms in middle-aged adults: results from the Whitehall II study. <i>Diabetes Care</i> , 2009 , 32, 499-504	14.6	107
67	Common mental disorder and obesity: insight from four repeat measures over 19 years: prospective Whitehall II cohort study. <i>BMJ, The</i> , 2009 , 339, b3765	5.9	78
66	Diagnosis-specific sickness absence and all-cause mortality in the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 50-5	5.1	73
65	Validating the Framingham Hypertension Risk Score: results from the Whitehall II study. <i>Hypertension</i> , 2009 , 54, 496-501	8.5	54

64	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 601-7	7	195
63	Health behaviors from early to late midlife as predictors of cognitive function: The Whitehall II study. <i>American Journal of Epidemiology</i> , 2009 , 170, 428-37	3.8	113
62	Non-response to baseline, non-response to follow-up and mortality in the Whitehall II cohort. <i>International Journal of Epidemiology</i> , 2009 , 38, 831-7	7.8	54
61	Cardiorespiratory risk factors as predictors of 40-year mortality in women and men. <i>Heart</i> , 2009 , 95, 1259-7	5.7	30
60	Prevalence of educational inequalities in obesity between 1970 and 2003 in France. <i>Obesity Reviews</i> , 2009 , 10, 511-8	10.6	30
59	Cognition and incident coronary heart disease in late midlife: The Whitehall II study. <i>Intelligence</i> , 2009 , 37, 529-534	3	23
58	Social inequality in walking speed in early old age in the Whitehall II study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 1082-9	6.4	44
57	Dietary pattern and depressive symptoms in middle age. <i>British Journal of Psychiatry</i> , 2009 , 195, 408-13	5.4	369
56	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , 2009 , 374, 1889-96	40	223
55	IQ, socioeconomic status, and early death: The US National Longitudinal Survey of Youth. <i>Psychosomatic Medicine</i> , 2009 , 71, 322-8	3.7	39
54	Using sickness absence records to predict future depression in a working population: prospective findings from the GAZEL cohort. <i>American Journal of Public Health</i> , 2009 , 99, 1417-22	5.1	24
53	Association between common mental disorder and obesity over the adult life course. <i>British Journal of Psychiatry</i> , 2009 , 195, 149-55	5.4	46
52	Long working hours and sleep disturbances: the Whitehall II prospective cohort study. <i>Sleep</i> , 2009 , 32, 737-45	1.1	178
51	Effect of retirement on sleep disturbances: the GAZEL prospective cohort study. <i>Sleep</i> , 2009 , 32, 1459-66	6.1	82
50	Long working hours and cognitive function: the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009 , 169, 596-605	3.8	78
49	Hostility and trajectories of body mass index over 19 years: the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009 , 169, 347-54	3.8	9
48	Successful aging: the contribution of early-life and midlife risk factors. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1098-105	5.6	123
47	Inflammatory markers and cognitive function in middle-aged adults: the Whitehall II study. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1322-34	5	101

46	Social status and health: a comparison of British civil servants in Whitehall-II with European- and African-Americans in CARDIA. <i>Social Science and Medicine</i> , 2008 , 66, 1034-45	5.1	193
45	Socioeconomic status moderates the association between carotid intima-media thickness and cognition in midlife: evidence from the Whitehall II study. <i>Atherosclerosis</i> , 2008 , 197, 541-8	3.1	28
44	Best-practice interventions to reduce socioeconomic inequalities of coronary heart disease mortality in UK: a prospective occupational cohort study. <i>Lancet, The</i> , 2008 , 372, 1648-54	4.0	82
43	Does personality explain social inequalities in mortality? The French GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2008 , 37, 591-602	7.8	34
42	Do psychological factors affect inflammation and incident coronary heart disease: the Whitehall II Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1398-406	9.4	43
41	History of coronary heart disease and cognitive performance in midlife: the Whitehall II study. <i>European Heart Journal</i> , 2008 , 29, 2100-7	9.5	58
40	Smoking history and cognitive function in middle age from the Whitehall II study. <i>Archives of Internal Medicine</i> , 2008 , 168, 1165-73		85
39	The association between heart rate variability and cognitive impairment in middle-aged men and women. The Whitehall II cohort study. <i>Neuroepidemiology</i> , 2008 , 31, 115-21	5.4	37
38	Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008 , 37, 386-96	7.8	40
37	Low medically certified sickness absence among employees with poor health status predicts future health improvement: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 208-10	2.1	4
36	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 820-6	2.1	27
35	Low HDL cholesterol is a risk factor for deficit and decline in memory in midlife: the Whitehall II study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1556-62	9.4	93
34	Adult education and child mortality in India: the influence of caste, household wealth, and urbanization. <i>Epidemiology</i> , 2008 , 19, 294-301	3.1	23
33	The role of conventional risk factors in explaining social inequalities in coronary heart disease: the relative and absolute approaches to risk. <i>Epidemiology</i> , 2008 , 19, 599-605	3.1	34
32	Do psychological attributes matter for adherence to antihypertensive medication? The Finnish Public Sector Cohort Study. <i>Journal of Hypertension</i> , 2008 , 26, 2236-43	1.9	31
31	Positive and negative affect and risk of coronary heart disease: Whitehall II prospective cohort study. <i>BMJ, The</i> , 2008 , 337, a118	5.9	51
30	Gender differences in the association between morbidity and mortality among middle-aged men and women. <i>American Journal of Public Health</i> , 2008 , 98, 2251-7	5.1	51
29	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2007 , 36, 1222-8	7.8	133

28	Self-rated health and mortality: short- and long-term associations in the Whitehall II study. <i>Psychosomatic Medicine</i> , 2007 , 69, 138-43	3.7	105
27	What does self rated health measure? Results from the British Whitehall II and French Gazel cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 364-72	5.1	283
26	The relationship between parenting dimensions and adult achievement: evidence from the Whitehall II Study. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 320-9	2.6	9
25	High blood pressure was associated with cognitive function in middle-age in the Whitehall II study. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1308-15	5.7	74
24	Socioeconomic position across the lifecourse: how does it relate to cognitive function in mid-life?. <i>Annals of Epidemiology</i> , 2005 , 15, 572-8	6.4	78
23	Optimism and pessimism as predictors of change in health after death or onset of severe illness in family. <i>Health Psychology</i> , 2005 , 24, 413-21	5	80
22	Effects of physical activity on cognitive functioning in middle age: evidence from the Whitehall II prospective cohort study. <i>American Journal of Public Health</i> , 2005 , 95, 2252-8	5.1	110
21	Role of socialization in explaining social inequalities in health. <i>Social Science and Medicine</i> , 2005 , 60, 2129-33	5.33	126
20	Socialization & health inequalities: Some clarifications. A reply to Kendall & Li, and Siegal & Aboud. <i>Social Science and Medicine</i> , 2005 , 61, 2277-2279	5.1	1
19	APOE polymorphism, socioeconomic status and cognitive function in mid-life--the Whitehall II longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 557-63	4.5	26
18	Does subjective social status predict health and change in health status better than objective status?. <i>Psychosomatic Medicine</i> , 2005 , 67, 855-61	3.7	534
17	The role of cognitive ability (intelligence) in explaining the association between socioeconomic position and health: evidence from the Whitehall II prospective cohort study. <i>American Journal of Epidemiology</i> , 2005 , 161, 831-9	3.8	95
16	Commentary: Modelling multiple pathways to explain social inequalities in health and mortality. <i>International Journal of Epidemiology</i> , 2005 , 34, 638-9	7.8	23
15	Socioeconomic trajectories across the life course and health outcomes in midlife: evidence for the accumulation hypothesis?. <i>International Journal of Epidemiology</i> , 2004 , 33, 1072-9	7.8	171
14	Alcohol consumption and cognitive function in the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2004 , 160, 240-7	3.8	84
13	The effect of control at home on CHD events in the Whitehall II study: Gender differences in psychosocial domestic pathways to social inequalities in CHD. <i>Social Science and Medicine</i> , 2004 , 58, 1501-9	5.1	94
12	Psychosocial factors and public health. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 553-6; discussion 554-5	5.1	29
11	Leisure activities and cognitive function in middle age: evidence from the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 907-13	5.1	91

10	Subjective social status: its determinants and its association with measures of ill-health in the Whitehall II study. <i>Social Science and Medicine</i> , 2003 , 56, 1321-33	5.1	613
9	Vascular disease and cognitive function: evidence from the Whitehall II Study. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1445-50	5.6	70
8	Multiple measures of socio-economic position and psychosocial health: proximal and distal measures. <i>International Journal of Epidemiology</i> , 2002 , 31, 1192-9; discussion 1199-200	7.8	136
7	When reciprocity fails: effort-reward imbalance in relation to coronary heart disease and health functioning within the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 777-84	2.1	236
6	Cultural Variations in Social Sharing of Emotions: An Intercultural Perspective. <i>Journal of Cross-Cultural Psychology</i> , 2001 , 32, 647-661	1.9	29
5	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	1
4	Multimodal brain-age prediction and cardiovascular risk: The Whitehall II MRI sub-study		6
3	Accelerated aortic stiffness is associated with brain structure, perfusion and cognition in the Whitehall II Imaging Sub-study		1
2	Integrating large-scale neuroimaging research datasets: harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets		2
1	Estimating sleep parameters using an accelerometer without sleep diary		4