
## Cihan Kılıç

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2991892/publications.pdf Version: 2024-02-01



<u>CIHAN ΚÄ+I Ä+Ã</u>δ

#	Article	IF	CITATIONS
1	lshii test for screening sarcopenia: performance in community-dwelling older adults. Aging Clinical and Experimental Research, 2022, 34, 785-791.	2.9	14
2	Associations between polypharmacy and physical performance measures in older adults. Archives of Gerontology and Geriatrics, 2022, 98, 104553.	3.0	8
3	Turkish Calf Circumference Cut-offs Derived from Normative Values of Young Reference Population. European Journal of Geriatrics and Gerontology, 2022, 4, 103-107.	0.2	0
4	Sarcopenia quality-of-life questionnaire (SarQoL)®: translation, cross-cultural adaptation and validation in Turkish. Aging Clinical and Experimental Research, 2021, 33, 2979-2988.	2.9	18
5	Hypotension in Nursing Home Residents on Antihypertensive Treatment: Is it Associated with Mortality?. Journal of the American Medical Directors Association, 2021, 22, 2319-2324.e4.	2.5	3
6	Associations of sarcopenic obesity versus sarcopenia alone with functionality. Clinical Nutrition, 2021, 40, 2851-2859.	5.0	34
7	Explicit versus implicit evaluation to detect inappropriate medication use in geriatric outpatients. Aging Male, 2020, 23, 179-184.	1.9	6
8	Cut-off points for height, weight and body mass index adjusted bioimpedance analysis measurements of muscle mass with use of different threshold definitions. Aging Male, 2020, 23, 382-387.	1.9	30
9	Prevalence of sarcopenia and its components in community-dwelling outpatient older adults and their relation with functionality. Aging Male, 2020, 23, 424-430.	1.9	40
10	Fat percentage cutoff values to define obesity and prevalence of sarcopenic obesity in community-dwelling older adults in Turkey. Aging Male, 2020, 23, 477-482.	1.9	36
11	A new screening tool for self-neglect in community-dwelling older adults: IMSelf-neglect questionnaire. Aging Male, 2020, 23, 388-395.	1.9	9
12	The relationship between common geriatric syndromes and potentially inappropriate medication use among older adults. Aging Clinical and Experimental Research, 2020, 32, 681-687.	2.9	24
13	Comparison of standard <i>versus</i> population-specific handgrip strength cut-off points in the detection of probable sarcopenia after launch of EWGSOP2. Aging Male, 2020, 23, 1564-1569.	1.9	13
14	Chronic pain: prevalent and independently associated with frailty and female gender in geriatric outpatients. European Geriatric Medicine, 2019, 10, 931-937.	2.8	6
15	The relationship between sarcopenia and urinary incontinence. European Geriatric Medicine, 2019, 10, 923-929.	2.8	24
16	Association of different bioimpedanciometry estimations of muscle mass with functional measures. Geriatrics and Gerontology International, 2019, 19, 593-597.	1.5	38
17	Turkish version of the Tilburg Frailty Indicator. Clinical Interventions in Aging, 2019, Volume 14, 615-620.	2.9	10
18	Cut-off points for weight and body mass index adjusted bioimpedance analysis measurements of muscle mass. Aging Clinical and Experimental Research, 2019, 31, 935-942.	2.9	21

Cihan Kä±lä±Ã§

#	Article	IF	CITATIONS
19	Methodological issues in determination of low muscle mass reference cut-off values: Reply to Comment on "Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition― Clinical Nutrition, 2017, 36, 903-904.	5.0	4
20	Prevalence of potentially inappropriate prescribing among older adults: A comparison of the Beers 2012 and Screening Tool of Older Person's Prescriptions criteria version 2. Geriatrics and Gerontology International, 2017, 17, 1245-1251.	1.5	41
21	Reply to Comment on "Shall different cut-off points in the oldest old provide additional insight in sarcopenia research?― Clinical Nutrition, 2016, 35, 1570-1572.	5.0	0
22	Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition. Clinical Nutrition, 2016, 35, 1557-1563.	5.0	269