
Jackson Tang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2993103/publications.pdf Version: 2024-02-01



LACKSON TANC

#	Article	IF	CITATIONS
1	Employees With Fibromyalgia: Medical Comorbidity, Healthcare Costs, and Work Loss. Journal of Occupational and Environmental Medicine, 2008, 50, 13-24.	0.9	149
2	Disease-Related and All-Cause Health Care Costs of Elderly Patients With Gout. Journal of Managed Care Pharmacy, 2008, 14, 164-175.	2.2	93
3	Economic burden of psoriasis compared to the general population and stratified by disease severity. Current Medical Research and Opinion, 2009, 25, 2429-2438.	0.9	86
4	Frequency, Risk, and Cost of Gout-related Episodes Among the Elderly: Does Serum Uric Acid Level Matter?. Journal of Rheumatology, 2009, 36, 1032-1040.	1.0	79
5	Direct and indirect costs among employees with diabetic retinopathy in the United States. Current Medical Research and Opinion, 2008, 24, 1549-1559.	0.9	57
6	Cost Utility of Adalimumab versus Infliximab Maintenance Therapies in the United States for Moderately to Severely Active Crohn's Disease. Pharmacoeconomics, 2009, 27, 609-621.	1.7	40
7	Cost and consequences of noncompliance with osteoporosis treatment among women initiating therapy. Current Medical Research and Opinion, 2015, 31, 757-765.	0.9	39
8	Substantial under-treatment among women diagnosed with osteoporosis in a US managed-care population: a retrospective analysis. Current Medical Research and Opinion, 2014, 30, 123-130.	0.9	31
9	Loss of Treatment Response to Infliximab Maintenance Therapy in Crohn's Disease: A Payor Perspective. Value in Health, 2008, 11, 820-829.	0.1	25
10	Determinants of Direct Cost Differences among US Employees with Major Depressive Disorders Using Antidepressants. Pharmacoeconomics, 2009, 27, 507-517.	1.7	25
11	Osteoporotic fracture rate among women with at least 1 year of adherence to osteoporosis treatment. Current Medical Research and Opinion, 2015, 31, 767-777.	0.9	13
12	Relationship between transfusion burden, healthcare resource utilization, and complications in patients with betaâ€thalassemia in Taiwan: A realâ€world analysis. Transfusion, 2021, 61, 2906-2917.	0.8	12
13	Healthcare utilization and costs incurred by patients with major depression after being switched from escitalopram to another SSRI for non-medical reasons. Journal of Medical Economics, 2010, 13, 314-323.	1.0	7
14	Gastrointestinal events and association with initiation of treatment for osteoporosis. ClinicoEconomics and Outcomes Research, 2015, 7, 603.	0.7	7
15	History of cardiovascular events and cardiovascular risk factors among patients initiating strontium ranelate for treatment of osteoporosis. International Journal of Women's Health, 2015, 7, 913.	1.1	6
16	Why physicians do not initiate dual therapy as recommended by AACE guidelines: A survey of clinicians in the United States. Diabetes Research and Clinical Practice, 2015, 108, 456-465.	1.1	5
17	Risk factors associated with treatment discontinuation and down-titration in type 2 diabetes patients treated with sulfonylureas. Current Medical Research and Opinion, 2016, 32, 1567-1575.	0.9	5
18	Association of gastrointestinal events with osteoporosis treatment initiation and treatment compliance in Germany: An observational study. Bone Reports, 2016, 5, 208-213.	0.2	5

#	Article	IF	CITATIONS
19	Antidepressant treatment patterns and costs among US employees. Journal of Medical Economics, 2009, 12, 36-45.	1.0	3
20	Impact of hypoglycemic events and HbA1c level on sulfonylurea discontinuation and down-titration. Expert Review of Pharmacoeconomics and Outcomes Research, 2017, 17, 213-220.	0.7	2
21	Association between gastrointestinal events and osteoporosis treatment initiation in women diagnosed with osteoporosis in France: a retrospective analysis. BMC Musculoskeletal Disorders, 2016, 17, 195.	0.8	1
22	Costs associated with adverse events for systemic therapies in metastatic melanoma. Journal of Comparative Effectiveness Research, 2018, 7, 867-879.	0.6	1